



# FCC Part 96.47 TEST REPORT

**FCC ID** : N7NEM76  
**Equipment** : Wireless Module  
**Brand Name** : AirPrime  
**Model Name** : EM7690  
**Applicant** : Sierra Wireless, Inc.  
13811 Wireless Way, Richmond, BC, Canada V6A 3A4  
**Manufacturer** : Sierra Wireless, Inc.  
13811 Wireless Way, Richmond, BC, Canada V6A 3A4  
**Standard** : FCC Part 96.47

The case was received on Mar. 18, 2020. We, Sporton International Inc. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this variant report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Approved by: Jones Tsai

**Sporton International Inc. EMC & Wireless Communications Laboratory**

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)



## **Table of Contents**

|                                                  |          |
|--------------------------------------------------|----------|
| <b>History of this test report.....</b>          | <b>3</b> |
| <b>1 General Description .....</b>               | <b>4</b> |
| 1.1 Product Feature of Equipment Under Test..... | 4        |
| 1.2 Modification of EUT .....                    | 4        |
| <b>Appendix A. Original Report</b>               |          |



## History of this test report

| Report No.   | Version | Description             | Issued Date   |
|--------------|---------|-------------------------|---------------|
| FG021429-03B | 01      | Initial issue of report | Sep. 17, 2021 |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |
|              |         |                         |               |

**Declaration of Conformity:**

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

**Comments and Explanations:**

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

**Reviewed by: Avis Chuang**

**Report Producer: Dara Chiu**



# 1 General Description

## 1.1 Product Feature of Equipment Under Test

WCDMA/LTE

| Product Specification subjective to this standard |                      |
|---------------------------------------------------|----------------------|
| Antenna Type                                      | WWAN: Dipole Antenna |

**Remark:**

1. The above EUT's information was declared by manufacturer. Please refer to Comments and Explanations in report summary.
2. This is a test report for data reusing from FCC ID: N7NEM91 to FCC ID: N7NEM76, the difference between EM7690 and EM9190 is removing 5GNR relevant components based on EM9190.  
The change will not affect the test result, and all the test data are leveraged from original FCC ID: N7NEM91, report number FG021429B.

## 1.2 Modification of EUT

No modifications are made to the EUT during all test items.



## **Appendix A. Original Report**

Please refer to Sporton report number FG021429B below.




# FCC Part 96.47 TEST REPORT

FCC ID : N7NEM91  
Equipment : Wireless Module  
Brand Name : AirPrime  
Model Name : EM9190  
Applicant : Sierra Wireless, Inc.  
13811 Wireless Way, Richmond, BC, Canada V6A 3A4  
Manufacturer : Sierra Wireless, Inc.  
13811 Wireless Way, Richmond, BC, Canada V6A 3A4  
Standard : FCC Part 96.47

The product was received on Mar. 27, 2020 and testing was started from Apr. 06, 2020 and completed on Apr. 06, 2020. We, SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any agency of government.

The test results in this report apply exclusively to the tested model / sample. Without written approval of SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.



Approved by: Jones Tsai

**SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory**

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)



## Table of Contents

|                                                           |           |
|-----------------------------------------------------------|-----------|
| <b>History of this test report.....</b>                   | <b>3</b>  |
| <b>Summary of Test Result.....</b>                        | <b>4</b>  |
| <b>1 General Description .....</b>                        | <b>5</b>  |
| 1.1 Product Feature of Equipment Under Test.....          | 5         |
| 1.2 Modification of EUT .....                             | 5         |
| 1.3 Testing Location .....                                | 5         |
| 1.4 Applicable Standards.....                             | 5         |
| <b>2 Test Configuration of Equipment Under Test .....</b> | <b>6</b>  |
| 2.1 Connection Diagram of Test System.....                | 6         |
| <b>3 End User Device additional requirement .....</b>     | <b>7</b>  |
| 3.1 Test Requirement .....                                | 7         |
| 3.2 Test Procedure .....                                  | 7         |
| 3.3 Test Result.....                                      | 8         |
| <b>4 List of Measuring Equipment.....</b>                 | <b>10</b> |



## History of this test report

| Report No. | Version | Description                | Issued Date   |
|------------|---------|----------------------------|---------------|
| FG021429B  | 01      | Initial issue of report    | Jun. 10, 2020 |
| FG021429B  | 02      | Add TAF LOGO at cover page | Jun. 11, 2020 |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |
|            |         |                            |               |



## Summary of Test Result

| Report Clause | Ref Std. Clause | Test Items                             | Result (PASS/FAIL) | Remark |
|---------------|-----------------|----------------------------------------|--------------------|--------|
| 3             | 96.47           | End User Device additional requirement | Pass               | -      |

**Declaration of Conformity:**

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

**Comments and Explanations:**

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

**Reviewed by:** William Chen

**Report Producer:** Dara Chiu

# 1 General Description

## 1.1 Product Feature of Equipment Under Test

WCDMA/LTE

| Product Specification subjective to this standard |                              |
|---------------------------------------------------|------------------------------|
| Antenna Type                                      | WWAN: Fixed External Antenna |

## 1.2 Modification of EUT

No modifications are made to the EUT during all test items.

## 1.3 Testing Location

|                    |                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| Test Site          | SPORTON INTERNATIONAL INC. EMC & Wireless Communications Laboratory                                                |
| Test Site Location | No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City, Taiwan (R.O.C.)<br>TEL: +886-3-327-3456<br>FAX: +886-3-328-4978 |
| Test Site No.      | Sporton Site No.                                                                                                   |
|                    | DFS02-HY                                                                                                           |
| Test Engineer      | Thomas Chen                                                                                                        |
| Temperature        | 21 ~ 25 °C                                                                                                         |
| Relative Humidity  | 50 ~ 56 %                                                                                                          |

**Note:** The test site complies with ANSI C63.4 2014 requirement.

FCC Designation No.: TW1190

## 1.4 Applicable Standards


- ♦ FCC Part 96.47
- ♦ FCC KDB 940660 D01 Part 96 CBRS Eqpt v02
- ♦ WINNF-TS-0122-V1.0.1 CBRS CBSD Test Specification

### Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. The TAF code is not including all the FCC KDB listed without accreditation.

## 2 Test Configuration of Equipment Under Test

### 2.1 Connection Diagram of Test System



The companion device is certified CBRS (FCC ID: S9GQ710US02)



### **3 End User Device additional requirement**

#### **3.1 Test Requirement**

FCC Part 96.47

(a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

(1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

#### **3.2 Test Procedure**


Following procedure can be done by applying WINNF-TS-0122-V1.0.1 CBRS CBSD Test Specification, use the certified Ruckus CBSD (FCC ID: S9GQ710US02) as companion device to show compliance with Part 96.47 requirement for End User Device (EUD):

1. Setup with frequency 3600-3620MHz and power level 17dBm/MHz
2. Enable AP service from Ruckus Cloud management
3. Check EUD Tx Frequency and power
4. Disable AP service from Ruckus Cloud management
  - a. Check EUD stops transmission within 10seconds.
5. Setup with 3670-3690MHz & power level 7dBm/MHz
6. Enable AP service from Ruckus Cloud management
7. Check EUD Tx Frequency and power
8. Disable AP service from Ruckus Cloud management
  - a. Check EUD stops transmission within 10seconds.


### 3.3 Test Result

[Step 1] Setup with frequency 3600-3620MHz and power level 17dBm/MHz

[Step 3] Check EUD Tx Frequency and power




[Step 4.a.] EUD stops transmission within 10 seconds of receiving instructions from its associated CBSD.






[Step 5] Setup with 3670-3690MHz & power level 7dBm/MHz

[Step 7] Check EUD Tx Frequency and power



[Step 8.a.] After changing the frequency and power level,

The module (EUT) discontinues operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD. Test result is PASS.





## 4 List of Measuring Equipment

| Instrument        | Manufacturer | Model No. | Serial No. | Characteristics | Calibration Date | Test Date     | Due Date      | Remark   |
|-------------------|--------------|-----------|------------|-----------------|------------------|---------------|---------------|----------|
| Spectrum Analyzer | Keysight     | N9010A    | MY57120184 | 10Hz~7GHz       | Nov. 20, 2019    | Apr. 06, 2020 | Nov. 19, 2020 | DFS02-HY |