

邮箱.MAIL.sale@sifei.info 固话.PHONE.0591-2350 5285 地址.福州市台江区升龙环球大厦36层/ ICC.36th Floor, , Taijiang District, Fuzhou City

# PRODUCT DESCRIPTION

SF-E2E21R

### 1. Product introduction

Low power electronic paper label adopts independent 2.4G frequency hopping protocol to flexibly cope with complex 2.4G interference environment. With the corresponding installation accessories, suitable for all kinds of department stores.



### 2. Network deployment mode

According to different network deployment environments, there are two working modes as follows (the mode can be switched by PDA).

- WiFi direct connection mode: price color screen direct connection to WiFi, without relay AP control, small quantity, quick deployment.
- Relay AP mode: under the control of relay AP, autonomous wireless and wiifi connection can be automatically switched, and a large number of price brand equipment can be mounted, with low power consumption.



邮箱.MAIL.sale@sifei.info 固话.PHONE.0591-2350 5285 地址.福州市台江区升龙环球大厦36层/ ICC.36th Floor, , Taijiang District, Fuzhou City

## 3. Price change method



#### 3.1 Remote price change of stores by supermarket headquarters

The platform provides the head office system, which can support the head office account to manage the prices of multiple branches in a unified way. Modifying the commodity information in the head office can be synchronized to the price board of the branch.

#### 3.2 Synchronous ERP system price change

Under normal network conditions, supermarket staff only need to modify the price once on ERP, and then they can automatically synchronize to the price card.

#### 3.3 On site price modification with PDA

In case of network abnormality, supermarket personnel can modify the commodity information on the price changer PDA, trigger the price plate sensing point with PDA, and transfer the modified commodity information to the price plate, and the information of the price plate will be modified accordingly.



#### **FCC Statement**

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- •Reorient or relocate the receiving antenna.
- •Increase the separation between the equipment and receiver.
- •Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- •Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.