

US Tech Test Report:
FCC ID:
IC:
Test Report Number:
Issue Date:
Customer:
Model:

FCC Part 15 Certification/ RSS 210
2AKFQ10032
22165-10032
22-0291
October 27, 2022
Cognosos, Inc.
PCB-10032

TEST CONFIGURATION PHOTOGRAPHS



Figure 1. Radiated Emissions Test Setup, BT Radio

US Tech Test Report:
FCC ID:
IC:
Test Report Number:
Issue Date:
Customer:
Model:

FCC Part 15 Certification/ RSS 210
2AKFQ10032
22165-10032
22-0291
October 27, 2022
Cognosos, Inc.
PCB-10032



Figure 2. Radiated Emissions Test Setup, UHF (915 MHz) Radio

US Tech Test Report:
FCC ID:
IC:
Test Report Number:
Issue Date:
Customer:
Model:

FCC Part 15 Certification/ RSS 210
2AKFQ10032
22165-10032
22-0291
October 27, 2022
Cognosos, Inc.
PCB-10032



Figure 3. Radiated Emissions Test Setup (9 kHz - 30 MHz)

Note 1: The antenna setup is the same for both radio modes of operation. The EUT orthogonal position is changed depending on the radio mode of operation being evaluated, either BT or UHF.

Note 2: For spurious emissions from 9 kHz to 25 GHz other than fundamental and harmonics, the BT radio mode of operation was used for final measurements since this mode was deemed to be the worst case operating mode for the EUT.

Note 3: For co-location evaluations both radios were evaluated with one ON and the other either in idle or receive mode. The radios are not designed to simultaneously broadcast.

US Tech Test Report:
FCC ID:
IC:
Test Report Number:
Issue Date:
Customer:
Model:

FCC Part 15 Certification/ RSS 210
2AKFQ10032
22165-10032
22-0291
October 27, 2022
Cognosos, Inc.
PCB-10032



Figure 4. Radiated Emissions Test Setup (30 - 200 MHz)

Note 1: The antenna setup is the same for both radio modes of operation. The EUT orthogonal position is changed depending on the radio mode of operation being evaluated, either BT or UHF.

Note 2: For spurious emissions from 9 kHz to 25 GHz other than fundamental and harmonics, the BT radio mode of operation was used for final measurements since this mode was deemed to be the worst case operating mode for the EUT.

Note 3: For co-location evaluations both radios were evaluated with one ON and the other either in idle or receive mode. The radios are not designed to simultaneously broadcast.



Figure 5. Radiated Emissions Test Setup (200 MHz - 1 GHz)

Note 1: The antenna setup is the same for both radio modes of operation. The EUT orthogonal position is changed depending on the radio mode of operation being evaluated, either BT or UHF.

Note 2: For spurious emissions from 9 kHz to 25 GHz other than fundamental and harmonics, the BT radio mode of operation was used for final measurements since this mode was deemed to be the worst case operating mode for the EUT.

Note 3: For co-location evaluations both radios were evaluated with one ON and the other either in idle or receive mode. The radios are not designed to simultaneously broadcast.

US Tech Test Report:
FCC ID:
IC:
Test Report Number:
Issue Date:
Customer:
Model:

FCC Part 15 Certification/ RSS 210
2AKFQ10032
22165-10032
22-0291
October 27, 2022
Cognosos, Inc.
PCB-10032



Figure 6. Radiated Emissions Test Setup (1 GHz – 6 GHz)

Note 1: The antenna setup is the same for both radio modes of operation. The EUT orthogonal position is changed depending on the radio mode of operation being evaluated, either BT or UHF.

Note 2: For spurious emissions from 9 kHz to 25 GHz other than fundamental and harmonics, the BT radio mode of operation was used for final measurements since this mode was deemed to be the worst case operating mode for the EUT.

Note 3: For co-location evaluations both radios were evaluated with one ON and the other either in idle or receive mode. The radios are not designed to simultaneously broadcast.