

InterLab® Photo Report on Test Setups TOBY-R200

FCC ID: XPY1EHM44NN
IC: 8595A-1EHM44NN

Report Reference: MDE_UBLOX_1626_FCC_Setups

Date: October 30, 2015

Test Laboratory:

7layers GmbH
Borsigstrasse 11
40880 Ratingen
Germany



Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH

Borsigstraße 11
40880 Ratingen, Germany
T +49 (0) 2102 749 0
F +49 (0) 2102 749 350

Geschäftsführer/
Managing Director:
Dr. Harald Ansorge

Registergericht/registered:
Düsseldorf HRB 75554
USt-Id.-Nr./VAT-No. DE203159652
Steuer-Nr./TAX-No. 147/5869/0385

a Bureau Veritas
Group Company
www.7layers.com



Photo 1: Test setup for radiated measurements (Enclosure, fully-anechoic chamber, 1-18 GHz intentional radiator §15 / 30 MHz – 10/20 GHz §22/24/27)




Photo 2: Test setup for radiated measurements (Enclosure, fully-anechoic chamber, 1-18 GHz intentional radiator §15 / 30 MHz – 10/20 GHz §22/24/27)



Photo 3: Test setup for conducted measurements (computer peripheral setup, EUT supplied by USB-cable from computer, unintentional radiator §15.107, ANSI C63.4)



Photo 4: Test setup for radiated measurements (computer peripheral setup, EUT supplied by USB-cable from computer, unintentional radiator §15.109, ANSI C63.4) Below 1 GHz



Photo 4: Test setup for radiated measurements (computer peripheral setup, EUT supplied by USB-cable from computer, unintentional radiator §15.109, ANSI C63.4) Above 1GHz