

# Annex A



This test report annex is electronically signed and valid without handwriting signature. For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

**Test report annex authorized:**

Yves Olsommer  
Testing Manager  
Radio Communications & EMC

## External photos of the EUT

Photo 1:




Photo 2:



Photo 3:




Photo 4:






Photo 5:



Photo 6:



Photo 7:




Photo 8:




Photo 9:



Photo 10:





Photo 11:



Photo 12:



Photo 13:




Photo 14:





Photo 15:



Photo 16:




Photo 17:


	Parameters	Values
	Antenna model number	A2C7519500100
	Antenna type	Planar Printed Coil on PCB
	Number of turns	3
	Antenna Size	55mm x 29mm
	Antenna Gain (dBi) @ 13.56MHz	-58.9 dBi

Table 3: NFC external antenna parameters for "Green" variant.


	Parameters	Values
	Antenna model number	A2C7623390000
	Antenna type	Planar Printed Coil on PCB
	Number of turns	5
	Antenna Size	55mm x 29mm
	Antenna Gain (dBi) @ 13.56MHz	-57.6 dBi

Table 3: NFC external antenna parameters for "Black" variant.

Green variant for Japan only

## Document history

Version	Applied changes	Date of release
	Initial release	2017-07-28