






Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9129	-39.54	-54.57	-13.00	41.57	-15.03	Horizontal
2	90.2002	-47.25	-65.15	-13.00	52.15	-17.90	Horizontal
3	104.764	-46.12	-63.57	-13.00	50.57	-17.45	Horizontal
4	169.819	-55.82	-68.02	-13.00	55.02	-12.20	Horizontal
5	241.671	-55.10	-58.73	-13.00	45.73	-3.63	Horizontal
6	360.130	-54.64	-60.44	-13.00	47.44	-5.80	Horizontal

5A-66A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2354.13	-48.59	-58.13	-13.00	45.13	-9.54	Vertical
2	3185.71	-48.21	-54.68	-13.00	41.68	-6.47	Vertical
3	4860.88	-49.61	-50.40	-13.00	37.40	-0.79	Vertical
4	7236.12	-52.04	-43.89	-13.00	30.89	8.15	Vertical
5	10664.8	-53.74	-38.63	-13.00	25.63	15.11	Vertical
6	14651.6	-56.65	-35.23	-13.00	22.23	21.42	Vertical

5A-66A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	88.2583	-51.00	-63.16	-13.00	50.16	-12.16	Vertical
2	104.764	-52.15	-58.73	-13.00	45.73	-6.58	Vertical
3	134.864	-55.52	-62.36	-13.00	49.36	-6.84	Vertical
4	189.239	-55.70	-65.44	-13.00	52.44	-9.74	Vertical
5	263.033	-60.29	-68.39	-13.00	55.39	-8.10	Vertical
6	360.130	-48.01	-53.21	-13.00	40.21	-5.20	Vertical

5A-66A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2184.61	-47.99	-57.13	-13.00	44.13	-9.14	Horizontal
2	3813.78	-48.27	-52.84	-13.00	39.84	-4.57	Horizontal
3	5183.91	-48.68	-49.04	-13.00	36.04	-0.36	Horizontal
4	7639.36	-52.28	-44.39	-13.00	31.39	7.89	Horizontal
5	10646.8	-54.55	-39.27	-13.00	26.27	15.28	Horizontal
6	14646.8	-56.23	-35.57	-13.00	22.57	20.66	Horizontal

12A-66A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	33.8839	-37.04	-53.99	-13.00	40.99	-16.95	Horizontal
2	90.2002	-47.45	-65.35	-13.00	52.35	-17.90	Horizontal
3	104.764	-46.52	-63.97	-13.00	50.97	-17.45	Horizontal
4	153.313	-53.76	-68.76	-13.00	55.76	-15.00	Horizontal
5	230.020	-57.90	-61.22	-13.00	48.22	-3.32	Horizontal
6	360.130	-54.86	-60.66	-13.00	47.66	-5.80	Horizontal

12A-66A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2208.12	-48.21	-57.25	-13.00	44.25	-9.04	Vertical
2	3171.21	-47.86	-54.31	-13.00	41.31	-6.45	Vertical
3	4569.85	-48.84	-51.29	-13.00	38.29	-2.45	Vertical
4	7476.14	-51.83	-44.07	-13.00	31.07	7.76	Vertical
5	10646.8	-54.26	-38.92	-13.00	25.92	15.34	Vertical
6	14643.2	-56.92	-35.61	-13.00	22.61	21.31	Vertical

12A-66A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	104.764	-51.17	-57.75	-13.00	44.75	-6.58	Vertical
2	130.981	-52.23	-61.63	-13.00	48.63	-9.40	Vertical
3	154.284	-55.08	-66.01	-13.00	53.01	-10.93	Vertical
4	196.036	-51.51	-62.16	-13.00	49.16	-10.65	Vertical
5	251.381	-57.03	-66.07	-13.00	53.07	-9.04	Vertical
6	360.130	-48.20	-53.40	-13.00	40.40	-5.20	Vertical

12A-66A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1570.88	-47.70	-62.21	-40.00	22.21	-14.51	Horizontal
2	1575.86	-47.83	-62.30	-40.00	22.30	-14.47	Horizontal
3	1578.70	-48.27	-62.72	-40.00	22.72	-14.45	Horizontal
4	1584.52	-47.78	-62.18	-40.00	22.18	-14.40	Horizontal
5	1593.94	-47.00	-61.33	-40.00	21.33	-14.33	Horizontal
6	1602.12	-47.57	-61.82	-40.00	21.82	-14.25	Horizontal

13A-66A 1559-1610MHz -40 H




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1569.74	-79.37	-93.89	-50.00	43.89	-14.52	Horizontal
2	1573.59	-77.45	-91.94	-50.00	41.94	-14.49	Horizontal
3	1578.42	-79.43	-93.88	-50.00	43.88	-14.45	Horizontal
4	1586.92	-80.02	-94.40	-50.00	44.40	-14.38	Horizontal
5	1595.17	-79.52	-93.84	-50.00	43.84	-14.32	Horizontal
6	1602.22	-78.48	-92.73	-50.00	42.73	-14.25	Horizontal

13A-66A 1559-1610MHz -50 H




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1562.06	-47.91	-62.17	-40.00	22.17	-14.26	Vertical
2	1566.15	-48.04	-62.31	-40.00	22.31	-14.27	Vertical
3	1573.93	-47.57	-61.87	-40.00	21.87	-14.30	Vertical
4	1581.03	-47.72	-62.05	-40.00	22.05	-14.33	Vertical
5	1587.45	-47.10	-61.45	-40.00	21.45	-14.35	Vertical
6	1600.62	-46.72	-61.10	-40.00	21.10	-14.38	Vertical

13A-66A 1559-1610MHz -40 V




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1563.57	-78.83	-93.10	-50.00	43.10	-14.27	Vertical
2	1568.73	-78.89	-93.17	-50.00	43.17	-14.28	Vertical
3	1575.41	-79.32	-93.63	-50.00	43.63	-14.31	Vertical
4	1586.70	-79.93	-94.27	-50.00	44.27	-14.34	Vertical
5	1593.16	-79.91	-94.28	-50.00	44.28	-14.37	Vertical
6	1602.62	-77.59	-91.95	-50.00	41.95	-14.36	Vertical

13A-66A 1559-1610MHz -50 V




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2328.63	-48.31	-57.69	-13.00	44.69	-9.38	Horizontal
2	3796.27	-48.83	-53.42	-13.00	40.42	-4.59	Horizontal
3	5584.95	-49.68	-50.10	-13.00	37.10	-0.42	Horizontal
4	7258.92	-52.10	-44.98	-13.00	31.98	7.12	Horizontal
5	10648.0	-54.51	-39.19	-13.00	26.19	15.32	Horizontal
6	14684.0	-55.86	-36.33	-13.00	23.33	19.53	Horizontal

13A-66A Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9129	-40.36	-55.39	-13.00	42.39	-15.03	Horizontal
2	90.2002	-47.64	-65.54	-13.00	52.54	-17.90	Horizontal
3	104.764	-46.47	-63.92	-13.00	50.92	-17.45	Horizontal
4	161.081	-51.22	-64.86	-13.00	51.86	-13.64	Horizontal
5	243.613	-58.93	-63.03	-13.00	50.03	-4.10	Horizontal
6	360.130	-55.51	-61.31	-13.00	48.31	-5.80	Horizontal

13A-66A Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2222.12	-48.07	-57.21	-13.00	44.21	-9.14	Vertical
2	3202.72	-49.08	-55.64	-13.00	42.64	-6.56	Vertical
3	4761.87	-50.08	-50.48	-13.00	37.48	-0.40	Vertical
4	6648.06	-51.70	-47.58	-13.00	34.58	4.12	Vertical
5	9879.98	-53.79	-40.00	-13.00	27.00	13.79	Vertical
6	14674.4	-55.05	-34.43	-13.00	21.43	20.62	Vertical

13A-66A Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-53.12	-64.23	-13.00	51.23	-11.11	Vertical
2	104.764	-52.50	-59.08	-13.00	46.08	-6.58	Vertical
3	122.242	-53.83	-62.76	-13.00	49.76	-8.93	Vertical
4	154.284	-47.18	-58.11	-13.00	45.11	-10.93	Vertical
5	250.410	-50.01	-59.12	-13.00	46.12	-9.11	Vertical
6	360.130	-48.35	-53.55	-13.00	40.55	-5.20	Vertical

13A-66A Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3182.71	-48.27	-55.17	-13.00	42.17	-6.90	Horizontal
2	3828.28	-47.50	-52.18	-13.00	39.18	-4.68	Horizontal
3	5199.92	-50.13	-50.09	-13.00	37.09	0.04	Horizontal
4	7648.96	-53.26	-45.11	-13.00	32.11	8.15	Horizontal
5	10646.8	-54.53	-39.25	-13.00	26.25	15.28	Horizontal
6	14651.6	-56.29	-35.61	-13.00	22.61	20.68	Horizontal

2C Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	34.8549	-52.54	-68.74	-13.00	55.74	-16.20	Horizontal
2	87.2873	-48.10	-65.21	-13.00	52.21	-17.11	Horizontal
3	104.764	-46.23	-63.68	-13.00	50.68	-17.45	Horizontal
4	158.168	-51.74	-65.90	-13.00	52.90	-14.16	Horizontal
5	222.252	-53.83	-58.08	-13.00	45.08	-4.25	Horizontal
6	360.130	-50.24	-56.04	-13.00	43.04	-5.80	Horizontal
7	760.170	-63.22	-58.67	-13.00	45.67	4.55	Horizontal

2C Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2217.12	-50.28	-59.38	-13.00	46.38	-9.10	Vertical
2	3180.21	-48.92	-55.38	-13.00	42.38	-6.46	Vertical
3	5565.45	-50.03	-48.91	-13.00	35.91	1.12	Vertical
4	7449.74	-52.03	-43.98	-13.00	30.98	8.05	Vertical
5	10664.8	-53.59	-38.48	-13.00	25.48	15.11	Vertical
6	14620.4	-56.07	-35.33	-13.00	22.33	20.74	Vertical

2C Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	105.735	-44.76	-51.71	-13.00	38.71	-6.95	Vertical
2	130.010	-43.33	-52.94	-13.00	39.94	-9.61	Vertical
3	278.568	-54.23	-61.55	-13.00	48.55	-7.32	Vertical
4	450.430	-50.94	-53.67	-13.00	40.67	-2.73	Vertical
5	587.337	-55.83	-56.20	-13.00	43.20	-0.37	Vertical
6	14620.4	-56.07	-35.33	-13.00	22.33	20.74	Vertical

2C Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2237.12	-48.13	-57.44	-13.00	44.44	-9.31	Horizontal
2	3025.70	-48.72	-56.06	-13.00	43.06	-7.34	Horizontal
3	4387.33	-49.31	-52.06	-13.00	39.06	-2.75	Horizontal
4	7251.72	-52.96	-45.62	-13.00	32.62	7.34	Horizontal
5	10643.2	-54.71	-39.55	-13.00	26.55	15.16	Horizontal
6	14630.0	-56.62	-36.37	-13.00	23.37	20.25	Horizontal

5B Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2237.12	-48.13	-57.44	-13.00	44.44	-9.31	Horizontal
2	3025.70	-48.72	-56.06	-13.00	43.06	-7.34	Horizontal
3	4387.33	-49.31	-52.06	-13.00	39.06	-2.75	Horizontal
4	7251.72	-52.96	-45.62	-13.00	32.62	7.34	Horizontal
5	10643.2	-54.71	-39.55	-13.00	26.55	15.16	Horizontal
6	14630.0	-56.62	-36.37	-13.00	23.37	20.25	Horizontal

5B Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	1737.07	-48.67	-61.96	-13.00	48.96	-13.29	Vertical
2	2902.69	-48.25	-55.60	-13.00	42.60	-7.35	Vertical
3	4612.36	-48.34	-50.45	-13.00	37.45	-2.11	Vertical
4	7984.99	-51.33	-43.34	-13.00	30.34	7.99	Vertical
5	10650.4	-54.15	-38.72	-13.00	25.72	15.43	Vertical
6	14681.6	-55.41	-35.04	-13.00	22.04	20.37	Vertical

5B Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	73.6937	-44.04	-63.32	-13.00	50.32	-19.28	Vertical
2	104.764	-48.33	-54.91	-13.00	41.91	-6.58	Vertical
3	133.893	-48.35	-55.54	-13.00	42.54	-7.19	Vertical
4	247.497	-50.86	-59.74	-13.00	46.74	-8.88	Vertical
5	360.130	-49.78	-54.98	-13.00	41.98	-5.20	Vertical
6	594.134	-57.63	-57.68	-13.00	44.68	-0.05	Vertical

5B Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2182.11	-48.39	-57.56	-25.00	32.56	-9.17	Horizontal
2	3208.22	-48.25	-55.20	-25.00	30.20	-6.95	Horizontal
3	5746.47	-51.64	-49.87	-25.00	24.87	1.77	Horizontal
4	7959.79	-52.29	-43.88	-25.00	18.88	8.41	Horizontal
5	10651.6	-54.19	-38.84	-25.00	13.84	15.35	Horizontal
6	14624.0	-56.00	-35.90	-25.00	10.90	20.10	Horizontal

41C Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9129	-40.84	-55.87	-25.00	30.87	-15.03	Horizontal
2	104.764	-46.82	-64.27	-25.00	39.27	-17.45	Horizontal
3	147.487	-53.62	-69.38	-25.00	44.38	-15.76	Horizontal
4	189.239	-57.60	-66.76	-25.00	41.76	-9.16	Horizontal
5	241.671	-53.56	-57.19	-25.00	32.19	-3.63	Horizontal
6	360.130	-55.24	-61.04	-25.00	36.04	-5.80	Horizontal

41C Mid H 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	2183.61	-47.84	-57.12	-25.00	32.12	-9.28	Vertical
2	3186.21	-48.46	-54.93	-25.00	29.93	-6.47	Vertical
3	5028.90	-50.20	-50.71	-25.00	25.71	-0.51	Vertical
4	7465.34	-52.11	-44.23	-25.00	19.23	7.88	Vertical
5	11351.3	-53.54	-38.23	-25.00	13.23	15.31	Vertical
6	15101.7	-56.04	-36.51	-25.00	11.51	19.53	Vertical

41C Mid V 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	90.2002	-52.79	-63.90	-25.00	38.90	-11.11	Vertical
2	104.764	-51.79	-58.37	-25.00	33.37	-6.58	Vertical
3	135.835	-53.09	-59.53	-25.00	34.53	-6.44	Vertical
4	180.500	-55.90	-66.56	-25.00	41.56	-10.66	Vertical
5	249.439	-55.68	-64.76	-25.00	39.76	-9.08	Vertical
6	360.130	-48.40	-53.60	-25.00	28.60	-5.20	Vertical

41C Mid V 30M-1G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3106.21	-48.28	-55.30	-40.00	15.30	-7.02	Horizontal
2	3848.28	-48.20	-53.04	-40.00	13.04	-4.84	Horizontal
3	5555.95	-50.81	-50.02	-40.00	10.02	0.79	Horizontal
4	8799.88	-62.29	-50.47	-40.00	10.47	11.82	Horizontal
5	10644.4	-62.14	-46.94	-40.00	6.94	15.20	Horizontal
6	14030.0	-65.76	-48.41	-40.00	8.41	17.35	Horizontal

48C Mid H 1G-18G




Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	32.9129	-41.79	-56.82	-40.00	16.82	-15.03	Horizontal
2	104.764	-46.85	-64.30	-40.00	24.30	-17.45	Horizontal
3	127.097	-53.60	-70.77	-40.00	30.77	-17.17	Horizontal
4	189.239	-57.44	-66.60	-40.00	26.60	-9.16	Horizontal
5	230.991	-59.26	-62.51	-40.00	22.51	-3.25	Horizontal
6	360.130	-54.74	-60.54	-40.00	20.54	-5.80	Horizontal

48C Mid H 30M-1G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	3145.21	-48.18	-54.70	-40.00	14.70	-6.52	Vertical
2	3811.28	-48.48	-53.15	-40.00	13.15	-4.67	Vertical
3	5550.95	-50.74	-48.72	-40.00	8.72	2.02	Vertical
4	7636.96	-58.63	-50.15	-40.00	10.15	8.48	Vertical
5	10666.0	-62.17	-47.09	-40.00	7.09	15.08	Vertical
6	14637.2	-67.41	-46.25	-40.00	6.25	21.16	Vertical

48C Mid V 1G-18G



Suspected Data List							
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity
1	87.2873	-48.04	-60.51	-40.00	20.51	-12.47	Vertical
2	104.764	-52.30	-58.88	-40.00	18.88	-6.58	Vertical
3	134.864	-51.70	-58.54	-40.00	18.54	-6.84	Vertical
4	193.123	-57.17	-66.60	-40.00	26.60	-9.43	Vertical
5	251.381	-52.54	-61.58	-40.00	21.58	-9.04	Vertical
6	360.130	-48.10	-53.30	-40.00	13.30	-5.20	Vertical

48C Mid V 30M-1G