

Wi-Fi 5GHz_n20 CH100_1-8GHz




i iiiai_ixes	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1099.750000		27.80	54.00	26.20	500.0	200.0	Н	22.0	-10.1
1296.625000	41.61		68.20	26.59	500.0	200.0	V	231.0	-8.2
1378.000000		30.50	54.00	23.50	500.0	200.0	V	337.0	-7.7
1708.750000		31.65	54.00	22.35	500.0	200.0	Н	0.0	-5.9
1980.000000	44.15		68.20	24.05	500.0	200.0	V	287.0	-4.7
2666.875000	47.27		68.20	20.93	500.0	200.0	V	328.0	-1.9
2799.875000		36.21	54.00	17.79	500.0	200.0	V	341.0	-1.3
3421.125000	51.28		68.20	16.92	500.0	200.0	Н	145.0	1.4
3994.250000		40.43	54.00	13.57	500.0	200.0	V	0.0	3.2
4445.750000	50.95		68.20	17.25	500.0	200.0	V	297.0	3.5
6647.250000	55.48		68.20	12.72	500.0	200.0	V	359.0	6.6
7342.000000		43.85	54.00	10.15	500.0	200.0	V	305.0	7.0

Wi-Fi 5GHz_n20 CH116_1-8GHz




i iliai_i\e3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.875000	41.27		68.20	26.93	500.0	200.0	Н	119.0	-8.2
1408.625000		30.51	54.00	23.49	500.0	200.0	Н	12.0	-7.5
1663.250000		31.96	54.00	22.04	500.0	200.0	Н	26.0	-6.1
1992.250000	44.67		68.20	23.53	500.0	200.0	V	250.0	-4.6
2677.375000	47.04		68.20	21.16	500.0	200.0	Н	146.0	-1.8
2823.500000		36.35	54.00	17.65	500.0	200.0	Н	62.0	-1.2
3415.875000	51.07		68.20	17.13	500.0	200.0	Н	44.0	1.4
3961.875000		40.97	54.00	13.03	500.0	200.0	Н	17.0	2.9
5149.250000		41.53	54.00	12.47	500.0	200.0	V	232.0	5.0
5200.875000	52.98		68.20	15.22	500.0	200.0	V	308.0	5.3
6587.750000	56.08		68.20	12.12	500.0	200.0	Н	173.0	6.6
7285.125000		43.95	54.00	10.05	500.0	200.0	Н	73.0	7.0

Wi-Fi 5GHz_n20 CH140_1-8GHz




I IIIai_IXCS	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1257.250000	41.56		68.20	26.64	500.0	200.0	Н	271.0	-8.6
1413.875000		30.48	54.00	23.52	500.0	200.0	V	76.0	-7.5
1687.750000		31.77	54.00	22.23	500.0	200.0	V	207.0	-6.0
1932.750000	44.29		68.20	23.91	500.0	200.0	Н	352.0	-4.8
2638.000000	46.62		68.20	21.58	500.0	200.0	Н	0.0	-2.0
2808.625000		35.74	54.00	18.26	500.0	200.0	Н	333.0	-1.2
3367.750000	50.73		68.20	17.47	500.0	200.0	V	53.0	1.0
3996.875000		39.47	54.00	14.53	500.0	200.0	Н	328.0	3.2
5120.375000		39.90	54.00	14.10	500.0	200.0	V	53.0	5.1
5219.250000	51.64		68.20	16.56	500.0	200.0	Н	253.0	5.3
6991.125000	53.92		68.20	14.28	500.0	200.0	Н	262.0	7.1
7423.375000		41.18	54.00	12.82	500.0	200.0	V	2.0	7.2

Wi-Fi 5GHz_n20 CH144_1-8GHz




<u>aoo</u>									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				,	(ms)	, ,		,	,
1291.375000	41.51		68.20	26.69	500.0	200.0	V	338.0	-8.3
1406.000000		30.75	54.00	23.25	500.0	200.0	V	150.0	-7.5
1703.500000		32.00	54.00	22.00	500.0	200.0	V	347.0	-6.0
1978.250000	44.53		68.20	23.67	500.0	200.0	V	333.0	-4.7
2575.000000	47.30		68.20	20.90	500.0	200.0	V	239.0	-2.0
2814.750000		36.39	54.00	17.61	500.0	200.0	V	229.0	-1.2
3445.625000	50.92		68.20	17.28	500.0	200.0	V	289.0	1.5
3996.875000		40.72	54.00	13.28	500.0	200.0	V	294.0	3.2
5110.750000		41.96	54.00	12.04	500.0	200.0	V	347.0	5.1
5189.500000	52.70		68.20	15.50	500.0	200.0	V	112.0	5.3
7008.625000	55.79		68.20	12.41	500.0	200.0	V	324.0	7.0
7272.000000		43.96	54.00	10.04	500.0	200.0	V	182.0	7.1

Wi-Fi 5GHz_n20 CH149_1-8GHz




I IIIuI_IXCO	<u> </u>								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1279.125000	40.74		68.20	27.46	500.0	200.0	Н	62.0	-8.4
1404.250000		30.44	54.00	23.56	500.0	200.0	Н	156.0	-7.6
1683.375000		32.06	54.00	21.94	500.0	200.0	Н	113.0	-6.0
1939.750000	44.51		68.20	23.69	500.0	200.0	V	0.0	-4.7
2604.750000	47.22		68.20	20.98	500.0	200.0	V	257.0	-2.0
2757.000000		36.59	54.00	17.41	500.0	200.0	Н	209.0	-1.5
3543.625000	50.66		68.20	17.54	500.0	200.0	Н	58.0	1.7
3997.750000		40.51	54.00	13.49	500.0	200.0	Н	49.0	3.2
5144.875000		41.42	54.00	12.58	500.0	200.0	V	286.0	5.0
5297.125000	53.65		68.20	14.55	500.0	200.0	Н	141.0	5.4
6987.625000	56.06		68.20	12.14	500.0	200.0	Н	45.0	7.1
7272.000000		43.73	54.00	10.27	500.0	200.0	Н	181.0	7.1

Wi-Fi 5GHz_n20 CH157_1-8GHz




i illai_i\e3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1285.250000	41.25		68.20	26.95	500.0	200.0	Н	306.0	-8.3
1413.000000		30.51	54.00	23.49	500.0	200.0	Н	17.0	-7.5
1686.875000		32.03	54.00	21.97	500.0	200.0	Н	45.0	-6.0
1955.500000	44.23		68.20	23.97	500.0	200.0	Н	91.0	-4.7
2680.875000	47.20		68.20	21.00	500.0	200.0	V	0.0	-1.8
2802.500000		36.27	54.00	17.73	500.0	200.0	Н	156.0	-1.2
3583.875000	51.39		68.20	16.81	500.0	200.0	V	338.0	1.8
3989.875000		40.55	54.00	13.45	500.0	200.0	Н	59.0	3.2
5117.750000		41.78	54.00	12.22	500.0	200.0	Н	123.0	5.1
5536.000000	53.12		68.20	15.08	500.0	200.0	Н	45.0	5.3
7019.125000	56.07		68.20	12.13	500.0	200.0	Н	86.0	7.0
7314.875000		43.80	54.00	10.20	500.0	200.0	Н	152.0	7.0

Wi-Fi 5GHz_n20 CH165_1-8GHz




I IIIai_IXCS	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1252.000000	41.56		68.20	26.64	500.0	200.0	V	180.0	-8.6
1413.875000		30.18	54.00	23.82	500.0	200.0	V	333.0	-7.5
1672.875000		31.59	54.00	22.41	500.0	200.0	Н	323.0	-6.1
1854.000000	44.15		68.20	24.05	500.0	200.0	Н	202.0	-5.2
2517.250000	46.91		68.20	21.29	500.0	200.0	Н	0.0	-2.1
2742.125000		35.94	54.00	18.06	500.0	200.0	Н	345.0	-1.5
3481.500000	50.54		68.20	17.66	500.0	200.0	V	235.0	1.7
3985.500000		39.56	54.00	14.44	500.0	200.0	V	65.0	3.2
5378.500000		39.92	54.00	14.08	500.0	200.0	Н	0.0	5.1
5488.750000	51.71		68.20	16.49	500.0	200.0	Н	6.0	5.5
6930.750000	54.30		68.20	13.90	500.0	200.0	Н	16.0	7.0
7292.125000		41.33	54.00	12.67	500.0	200.0	Н	287.0	7.0

Wi-Fi 5GHz_n40 CH38_1-8GHz



i iliai_i\es	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1105.000000		28.60	54.00	25.40	500.0	200.0	V	16.0	-10.0
1252.000000	40.97		68.20	27.23	500.0	200.0	V	160.0	-8.6
1404.250000		30.39	54.00	23.61	500.0	200.0	V	26.0	-7.6
1706.125000		32.10	54.00	21.90	500.0	200.0	V	66.0	-6.0
1887.250000	44.39		68.20	23.81	500.0	200.0	V	84.0	-5.1
2688.750000	46.94		68.20	21.26	500.0	200.0	V	76.0	-1.7
2814.750000		36.27	54.00	17.73	500.0	200.0	V	26.0	-1.2
3437.750000	51.33		68.20	16.87	500.0	200.0	V	99.0	1.5
3998.625000		40.57	54.00	13.43	500.0	200.0	V	44.0	3.2
4463.250000	50.95		68.20	17.25	500.0	200.0	V	192.0	3.6
6839.750000	55.95		68.20	12.25	500.0	200.0	V	108.0	6.8
7363.000000		43.75	54.00	10.25	500.0	200.0	V	26.0	7.1


Wi-Fi 5GHz_n40 CH46_1-8GHz



<u> </u>	<u> </u>								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
, ,				` '	(ms)	,		, ,	, ,
1279.125000	41.19		68.20	27.01	500.0	200.0	V	0.0	-8.4
1391.125000		30.51	54.00	23.49	500.0	200.0	V	316.0	-7.6
1685.125000		31.70	54.00	22.30	500.0	200.0	V	234.0	-6.0
1879.375000	43.84		68.20	24.36	500.0	200.0	V	0.0	-5.1
2657.250000	47.12		68.20	21.08	500.0	200.0	V	216.0	-1.9
2816.500000		36.18	54.00	17.82	500.0	200.0	V	0.0	-1.2
3502.500000	51.82		68.20	16.38	500.0	200.0	V	343.0	1.8
3982.875000		40.45	54.00	13.55	500.0	200.0	V	307.0	3.2
4476.375000	51.09		68.20	17.11	500.0	200.0	V	352.0	3.7
4911.250000		41.19	54.00	12.81	500.0	200.0	V	118.0	4.7
6944.750000	55.91		68.20	12.29	500.0	200.0	V	352.0	7.1
7300.000000		43.65	54.00	10.35	500.0	200.0	V	334.0	7.0


RF Test Report

Wi-Fi 5GHz_n40 CH54_1-8GHz




		A	1.114			11-1-1-	D-1	A!41-	^
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.875000	41.08		68.20	27.12	500.0	200.0	V	264.0	-8.2
1378.875000		30.65	54.00	23.35	500.0	200.0	V	340.0	-7.7
1720.125000		31.82	54.00	22.18	500.0	200.0	V	358.0	-5.9
1956.375000	44.07		68.20	24.13	500.0	200.0	V	139.0	-4.7
2680.000000	47.90		68.20	20.30	500.0	200.0	V	273.0	-1.8
2792.875000		36.53	54.00	17.47	500.0	200.0	V	238.0	-1.3
3576.875000	51.55		68.20	16.65	500.0	200.0	V	148.0	1.7
3987.250000		40.36	54.00	13.64	500.0	200.0	V	0.0	3.2
4454.500000	51.13		68.20	17.07	500.0	200.0	V	247.0	3.6
4903.375000		40.58	54.00	13.42	500.0	200.0	V	238.0	4.6
6946.500000	55.96		68.20	12.24	500.0	200.0	V	318.0	7.1
7571.250000		43.57	54.00	10.43	500.0	200.0	V	238.0	7.1

Wi-Fi 5GHz_n40 CH62_1-8GHz



i iliai_i\e5	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1287.875000	41.52		68.20	26.68	500.0	200.0	V	22.0	-8.3
1395.500000		30.55	54.00	23.45	500.0	200.0	V	31.0	-7.6
1687.750000		31.73	54.00	22.27	500.0	200.0	V	0.0	-6.0
1927.500000	43.73		68.20	24.47	500.0	200.0	V	41.0	-4.8
2400.000000	47.61		68.20	20.59	500.0	200.0	V	91.0	-2.5
2792.875000		36.30	54.00	17.70	500.0	200.0	V	76.0	-1.3
3450.875000	51.34		68.20	16.86	500.0	200.0	V	63.0	1.6
3966.250000		40.56	54.00	13.44	500.0	200.0	V	17.0	3.0
4484.250000	51.79		68.20	16.41	500.0	200.0	V	199.0	3.8
4936.625000		40.87	54.00	13.13	500.0	200.0	V	255.0	4.6
6709.375000	55.73		68.20	12.47	500.0	200.0	V	126.0	6.5
7299.125000		43.77	54.00	10.23	500.0	200.0	V	22.0	7.0


Wi-Fi 5GHz_n40 CH102_1-8GHz



Final Posult


rillai_Res	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1298.375000	41.68		68.20	26.52	500.0	200.0	V	208.0	-8.2
1361.375000		30.23	54.00	23.77	500.0	200.0	V	149.0	-7.8
1702.625000		31.55	54.00	22.45	500.0	200.0	V	20.0	-6.0
1999.250000	43.91		68.20	24.29	500.0	200.0	V	122.0	-4.5
2576.750000	46.94		68.20	21.26	500.0	200.0	Н	244.0	-2.0
2773.625000		35.81	54.00	18.19	500.0	200.0	Н	289.0	-1.4
3533.125000	50.50		68.20	17.70	500.0	200.0	V	185.0	1.7
3974.125000		39.74	54.00	14.26	500.0	200.0	Н	106.0	3.1
5232.375000	51.11		68.20	17.09	500.0	200.0	Н	228.0	5.3
5374.125000		39.28	54.00	14.72	500.0	200.0	V	176.0	5.1
6727.750000	53.44		68.20	14.76	500.0	200.0	Н	144.0	6.5
7364 750000		41.39	54 00	12 61	500.0	200.0	V	0.0	7.1

Wi-Fi 5GHz_n40 CH118_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				, ,	(ms)	, ,			,
1279.125000	41.70		68.20	26.50	500.0	200.0	V	98.0	-8.4
1380.625000	-	30.41	54.00	23.59	500.0	200.0	V	20.0	-7.7
1684.250000	-	31.81	54.00	22.19	500.0	200.0	V	20.0	-6.0
1932.750000	44.19		68.20	24.01	500.0	200.0	V	30.0	-4.8
2631.875000	47.73		68.20	20.47	500.0	200.0	V	35.0	-2.0
2827.000000		36.29	54.00	17.71	500.0	200.0	V	183.0	-1.1
3471.875000	50.99		68.20	17.21	500.0	200.0	V	57.0	1.7
3994.250000		40.69	54.00	13.31	500.0	200.0	V	57.0	3.2
5127.375000		41.31	54.00	12.69	500.0	200.0	V	66.0	5.1
5223.625000	52.90		68.20	15.30	500.0	200.0	V	57.0	5.3
6560.625000	55.68		68.20	12.52	500.0	200.0	V	75.0	6.5
7284.250000		43.97	54.00	10.03	500.0	200.0	V	20.0	7.0

Wi-Fi 5GHz_n40 CH134_1-8GHz




I IIIuI_IXUS	<u> </u>								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1277.375000	41.21		68.20	26.99	500.0	200.0	Н	150.0	-8.4
1412.125000		30.33	54.00	23.67	500.0	200.0	Н	160.0	-7.5
1721.875000		31.46	54.00	22.54	500.0	200.0	V	58.0	-5.9
1953.750000	43.89		68.20	24.31	500.0	200.0	Н	169.0	-4.7
2603.000000	46.42		68.20	21.78	500.0	200.0	Н	81.0	-2.0
2756.125000		35.99	54.00	18.01	500.0	200.0	V	119.0	-1.5
3492.875000	51.03		68.20	17.17	500.0	200.0	V	58.0	1.8
4077.375000		39.83	54.00	14.17	500.0	200.0	Н	334.0	3.4
4490.375000	51.42		68.20	16.78	500.0	200.0	Н	222.0	3.8
5040.750000		39.31	54.00	14.69	500.0	200.0	Н	330.0	4.7
6558.875000	53.16		68.20	15.04	500.0	200.0	Н	76.0	6.5
7334.125000		41.16	54.00	12.84	500.0	200.0	Н	217.0	7.0

Wi-Fi 5GHz_n40 CH142_1-8GHz




i iliai_i\e3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1253.750000	41.49		68.20	26.71	500.0	200.0	Н	89.0	-8.6
1409.500000		30.68	54.00	23.32	500.0	200.0	V	187.0	-7.5
1703.500000		31.80	54.00	22.20	500.0	200.0	V	267.0	-6.0
1929.250000	44.64		68.20	23.56	500.0	200.0	V	0.0	-4.8
2654.625000	46.80		68.20	21.40	500.0	200.0	V	323.0	-1.9
2827.875000		36.49	54.00	17.51	500.0	200.0	V	254.0	-1.1
3457.875000	51.00		68.20	17.20	500.0	200.0	V	290.0	1.6
3995.125000		40.69	54.00	13.31	500.0	200.0	V	196.0	3.2
5103.750000		41.70	54.00	12.30	500.0	200.0	V	0.0	5.1
5209.625000	52.61		68.20	15.59	500.0	200.0	V	345.0	5.3
6942.125000	55.71		68.20	12.49	500.0	200.0	V	214.0	7.1
7359.500000		43.89	54.00	10.11	500.0	200.0	V	191.0	7.1

Wi-Fi 5GHz_n40 CH151_1-8GHz




I IIIai_IXCS	ait								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1266.000000	41.09		68.20	27.11	500.0	200.0	Н	288.0	-8.5
1413.875000		30.30	54.00	23.70	500.0	200.0	V	96.0	-7.5
1686.000000		31.58	54.00	22.42	500.0	200.0	V	114.0	-6.0
1952.000000	44.47		68.20	23.73	500.0	200.0	V	59.0	-4.7
2435.875000	46.67		68.20	21.53	500.0	200.0	V	82.0	-2.4
2814.750000		35.76	54.00	18.24	500.0	200.0	V	45.0	-1.2
3586.500000	50.32		68.20	17.88	500.0	200.0	V	45.0	1.8
4081.750000		39.73	54.00	14.27	500.0	200.0	Н	124.0	3.4
5121.250000		39.51	54.00	14.49	500.0	200.0	V	114.0	5.1
5614.750000	51.53		68.20	16.67	500.0	200.0	V	242.0	5.6
6589.500000	53.31		68.20	14.89	500.0	200.0	V	50.0	6.6
7335,875000		41.32	54.00	12.68	500.0	200.0	н	353.0	7.0

Wi-Fi 5GHz_n40 CH159_1-8GHz




<u> </u>									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1273.000000	42.11		68.20	26.09	500.0	200.0	V	221.0	-8.4
1377.125000		30.55	54.00	23.45	500.0	200.0	V	231.0	-7.7
1664.125000	-	31.80	54.00	22.20	500.0	200.0	V	312.0	-6.1
1997.500000	44.84		68.20	23.36	500.0	200.0	V	338.0	-4.6
2565.375000	46.94		68.20	21.26	500.0	200.0	V	277.0	-2.1
2826.125000		36.19	54.00	17.81	500.0	200.0	V	0.0	-1.2
3454.375000	50.94		68.20	17.26	500.0	200.0	Н	334.0	1.6
3993.375000		40.34	54.00	13.66	500.0	200.0	V	231.0	3.2
5109.000000		41.42	54.00	12.58	500.0	200.0	V	338.0	5.1
5574.500000	52.50		68.20	15.70	500.0	200.0	V	329.0	5.6
6977.125000	55.93		68.20	12.27	500.0	200.0	V	249.0	7.1
7309.625000		43.62	54.00	10.38	500.0	200.0	V	338.0	7.0

Wi-Fi 5GHz_ac80 CH42_1-8GHz




<u> </u>	uit_								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
` ′				` '	(ms)	` '			, ,
1272.125000	41.05		68.20	27.15	500.0	200.0	V	94.0	-8.4
1308.875000		30.27	54.00	23.73	500.0	200.0	V	81.0	-8.1
1674.625000		31.63	54.00	22.37	500.0	200.0	V	67.0	-6.1
1914.375000	44.56		68.20	23.64	500.0	200.0	Н	276.0	-4.9
2603.875000	47.30		68.20	20.90	500.0	200.0	V	251.0	-2.0
2790.250000		35.81	54.00	18.19	500.0	200.0	Н	64.0	-1.3
3501.625000	50.53		68.20	17.67	500.0	200.0	V	99.0	1.8
3800.000000		39.49	54.00	14.51	500.0	200.0	Н	307.0	2.2
4492.125000	50.30		68.20	17.90	500.0	200.0	V	72.0	3.9
4705.625000		39.29	54.00	14.71	500.0	200.0	Н	267.0	4.3
6594.750000	53.56		68.20	14.64	500.0	200.0	V	158.0	6.6
7284.250000		41.05	54.00	12.95	500.0	200.0	н	307.0	7.0

Wi-Fi 5GHz_ac80 CH58_1-8GHz




<u> </u>	u.c								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1266.875000	40.85		68.20	27.35	500.0	200.0	Н	219.0	-8.5
1400.750000		30.28	54.00	23.72	500.0	200.0	Н	78.0	-7.6
1721.875000		31.73	54.00	22.27	500.0	200.0	Н	256.0	-5.9
1996.625000	43.98		68.20	24.22	500.0	200.0	V	18.0	-4.6
2551.375000	46.87		68.20	21.33	500.0	200.0	V	43.0	-2.1
2812.125000		35.75	54.00	18.25	500.0	200.0	Н	273.0	-1.2
3520.000000	50.73		68.20	17.47	500.0	200.0	Н	269.0	1.7
3973.250000		39.73	54.00	14.27	500.0	200.0	Н	260.0	3.1
4477.250000	49.77		68.20	18.43	500.0	200.0	Н	301.0	3.7
4907.750000		39.33	54.00	14.67	500.0	200.0	Н	136.0	4.6
6604.375000	53.27		68.20	14.93	500.0	200.0	V	18.0	6.7
7312.250000		41.44	54.00	12.56	500.0	200.0	Н	341.0	7.0

Wi-Fi 5GHz_ac80 CH106_1-8GHz




I IIIai_IXCS	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1298.375000	40.36		68.20	27.84	500.0	200.0	Н	0.0	-8.2
1407.750000		30.26	54.00	23.74	500.0	200.0	Н	334.0	-7.5
1691.250000		31.42	54.00	22.58	500.0	200.0	Н	213.0	-6.0
1831.250000	43.91		68.20	24.29	500.0	200.0	Н	265.0	-5.2
2679.125000	46.37		68.20	21.83	500.0	200.0	V	23.0	-1.8
2817.375000		35.60	54.00	18.40	500.0	200.0	Н	359.0	-1.2
3310.000000	50.43		68.20	17.77	500.0	200.0	Н	334.0	0.9
3998.625000		39.76	54.00	14.24	500.0	200.0	V	49.0	3.2
5039.875000		39.46	54.00	14.54	500.0	200.0	V	313.0	4.7
5291.000000	51.36		68.20	16.84	500.0	200.0	٧	327.0	5.3
6997.250000	53.22		68.20	14.98	500.0	200.0	Н	265.0	7.1
7286.000000		41.13	54.00	12.87	500.0	200.0	Н	144.0	7.0

Wi-Fi 5GHz_ac80 CH122_1-8GHz



I IIIai_IXCS	ait								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1258.125000	40.60		68.20	27.60	500.0	200.0	Н	47.0	-8.6
1412.125000		30.28	54.00	23.72	500.0	200.0	Н	120.0	-7.5
1669.375000		31.70	54.00	22.30	500.0	200.0	Н	289.0	-6.1
1952.000000	44.48		68.20	23.72	500.0	200.0	V	301.0	-4.7
2659.000000	46.65		68.20	21.55	500.0	200.0	V	13.0	-1.9
2815.625000		35.85	54.00	18.15	500.0	200.0	Н	261.0	-1.2
3545.375000	50.44		68.20	17.76	500.0	200.0	V	238.0	1.7
3989.875000		39.64	54.00	14.36	500.0	200.0	Н	47.0	3.2
5231.500000	51.70		68.20	16.50	500.0	200.0	٧	83.0	5.3
5451.125000		40.54	54.00	13.46	500.0	200.0	V	109.0	5.3
6607.875000	54.18		68.20	14.02	500.0	200.0	V	292.0	6.7
7308.750000		41.26	54.00	12.74	500.0	200.0	V	243.0	7.0


Wi-Fi 5GHz_ax20 CH36_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
, ,				,	(ms)	,			,
1293.125000	41.41		68.20	26.79	500.0	200.0	V	10.0	-8.2
1387.625000		30.52	54.00	23.48	500.0	200.0	V	10.0	-7.7
1660.625000		31.82	54.00	22.18	500.0	200.0	V	97.0	-6.1
1947.625000	44.46		68.20	23.74	500.0	200.0	V	168.0	-4.7
2442.000000	47.01		68.20	21.19	500.0	200.0	V	28.0	-2.4
2809.500000		36.37	54.00	17.63	500.0	200.0	V	117.0	-1.2
3599.625000	50.49		68.20	17.71	500.0	200.0	V	45.0	1.8
3989.000000		40.47	54.00	13.53	500.0	200.0	V	228.0	3.2
4419.500000	51.21		68.20	16.99	500.0	200.0	V	176.0	3.6
4707.375000		40.48	54.00	13.52	500.0	200.0	V	237.0	4.3
6934.250000	55.64		68.20	12.56	500.0	200.0	V	53.0	7.0
7302.625000		43.76	54.00	10.24	500.0	200.0	V	2.0	7.0


RF Test Report

Wi-Fi 5GHz_ax20 CH40_1-8GHz




rillai_i\e5	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1282.625000	41.23		68.20	26.97	500.0	200.0	V	121.0	-8.3
1413.000000		30.37	54.00	23.63	500.0	200.0	Н	244.0	-7.5
1687.750000		31.60	54.00	22.40	500.0	200.0	V	329.0	-6.0
1929.250000	44.39		68.20	23.81	500.0	200.0	V	0.0	-4.8
2680.000000	47.20		68.20	21.00	500.0	200.0	V	94.0	-1.8
2827.000000		36.37	54.00	17.63	500.0	200.0	V	130.0	-1.1
3509.500000	51.11		68.20	17.09	500.0	200.0	V	147.0	1.8
3962.750000		40.38	54.00	13.62	500.0	200.0	V	51.0	2.9
4482.500000	50.89		68.20	17.31	500.0	200.0	V	0.0	3.8
4927.875000		40.41	54.00	13.59	500.0	200.0	V	86.0	4.6
6566.750000	56.08		68.20	12.12	500.0	200.0	V	76.0	6.6
7268.500000		43.68	54.00	10.32	500.0	200.0	V	86.0	7.1

Wi-Fi 5GHz_ax20 CH48_1-8GHz




<u>IIIai_IXCS</u>	416								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
` '				` '	(ms)	` '		, ,	,
1261.625000	41.07		68.20	27.13	500.0	200.0	Н	221.0	-8.5
1387.625000		30.58	54.00	23.42	500.0	200.0	Н	160.0	-7.7
1690.375000		31.63	54.00	22.37	500.0	200.0	Н	280.0	-6.0
1986.125000	44.04		68.20	24.16	500.0	200.0	Н	41.0	-4.6
2688.750000	46.38		68.20	21.82	500.0	200.0	V	356.0	-1.7
2792.000000		36.01	54.00	17.99	500.0	200.0	V	226.0	-1.3
3463.125000	50.70		68.20	17.50	500.0	200.0	V	148.0	1.6
3996.000000		39.54	54.00	14.46	500.0	200.0	Н	160.0	3.2
4489.500000	51.37		68.20	16.83	500.0	200.0	V	273.0	3.8
4913.000000		39.23	54.00	14.77	500.0	200.0	V	171.0	4.7
6593.000000	53.70		68.20	14.50	500.0	200.0	V	269.0	6.6
7426.875000		41.32	54.00	12.68	500.0	200.0	V	35.0	7.2

Wi-Fi 5GHz_ax20 CH52_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)	, ,			,
1242.375000	41.35		68.20	26.85	500.0	200.0	V	256.0	-8.6
1413.875000		30.40	54.00	23.60	500.0	200.0	Н	0.0	-7.5
1721.875000		31.75	54.00	22.25	500.0	200.0	V	346.0	-5.9
1850.500000	44.31		68.20	23.89	500.0	200.0	Н	39.0	-5.2
2580.250000	46.83		68.20	21.37	500.0	200.0	V	256.0	-2.0
2726.375000		35.81	54.00	18.19	500.0	200.0	V	229.0	-1.5
3586.500000	50.46		68.20	17.74	500.0	200.0	V	266.0	1.8
3994.250000		39.75	54.00	14.25	500.0	200.0	Н	20.0	3.2
4480.750000	50.34		68.20	17.86	500.0	200.0	Н	225.0	3.8
4941.875000		39.29	54.00	14.71	500.0	200.0	V	351.0	4.6
6727.750000	53.46		68.20	14.74	500.0	200.0	Н	66.0	6.5
7312.250000		41.32	54.00	12.68	500.0	200.0	V	346.0	7.0

Wi-Fi 5GHz_ax20 CH60_1-8GHz




i iliai_i\es	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1282.625000	40.46		68.20	27.74	500.0	200.0	V	268.0	-8.3
1384.125000		30.53	54.00	23.47	500.0	200.0	V	0.0	-7.7
1709.625000		31.61	54.00	22.39	500.0	200.0	V	242.0	-5.9
1874.125000	44.13		68.20	24.07	500.0	200.0	V	223.0	-5.1
2637.125000	46.68		68.20	21.52	500.0	200.0	Н	159.0	-2.0
2813.875000		36.01	54.00	17.99	500.0	200.0	V	356.0	-1.2
3447.375000	50.79		68.20	17.41	500.0	200.0	V	330.0	1.5
3968.875000		40.30	54.00	13.70	500.0	200.0	V	0.0	3.0
4414.250000	51.68		68.20	16.52	500.0	200.0	V	330.0	3.6
4945.375000		40.72	54.00	13.28	500.0	200.0	V	321.0	4.6
6989.375000	55.83		68.20	12.37	500.0	200.0	V	0.0	7.1
7281.625000		43.62	54.00	10.38	500.0	200.0	V	250.0	7.1

Wi-Fi 5GHz_ax20 CH64_1-8GHz




i iiiai_i\cs	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1279.125000	41.31		68.20	26.89	500.0	200.0	V	38.0	-8.4
1410.375000		30.28	54.00	23.72	500.0	200.0	V	316.0	-7.5
1695.625000		31.48	54.00	22.52	500.0	200.0	V	271.0	-6.0
1969.500000	43.81		68.20	24.39	500.0	200.0	V	75.0	-4.7
2519.000000	46.61		68.20	21.59	500.0	200.0	V	335.0	-2.2
2770.125000		35.98	54.00	18.02	500.0	200.0	V	355.0	-1.4
3455.250000	51.01		68.20	17.19	500.0	200.0	Н	144.0	1.6
3999.500000		40.16	54.00	13.84	500.0	200.0	V	335.0	3.2
4472.875000	50.02		68.20	18.18	500.0	200.0	V	0.0	3.7
4957.625000		40.21	54.00	13.79	500.0	200.0	٧	262.0	4.6
6965.750000	55.60		68.20	12.60	500.0	200.0	٧	298.0	7.1
7354.250000		43.33	54.00	10.67	500.0	200.0	V	0.0	7.0

Wi-Fi 5GHz_ax20 CH100_1-8GHz




i iliai_i\e3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.875000	40.76		68.20	27.44	500.0	200.0	Н	58.0	-8.2
1382.375000		30.25	54.00	23.75	500.0	200.0	V	306.0	-7.7
1681.625000		31.61	54.00	22.39	500.0	200.0	V	341.0	-6.0
1979.125000	43.94		68.20	24.26	500.0	200.0	V	358.0	-4.7
2508.500000	46.38		68.20	21.82	500.0	200.0	V	323.0	-2.1
2766.625000		35.85	54.00	18.15	500.0	200.0	V	0.0	-1.4
3453.500000	50.77		68.20	17.43	500.0	200.0	V	306.0	1.6
3999.500000		40.11	54.00	13.89	500.0	200.0	V	341.0	3.2
5046.875000		40.57	54.00	13.43	500.0	200.0	V	252.0	4.8
5209.625000	52.40		68.20	15.80	500.0	200.0	V	341.0	5.3
6657.750000	55.20		68.20	13.00	500.0	200.0	V	358.0	6.6
7313.125000		43.69	54.00	10.31	500.0	200.0	V	349.0	7.0

Wi-Fi 5GHz_ax20 CH116_1-8GHz




IIIai_Ites									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				` '	(ms)	, ,			,
1250.250000	41.19		68.20	27.01	500.0	200.0	V	288.0	-8.6
1371.875000		30.18	54.00	23.82	500.0	200.0	V	319.0	-7.7
1680.750000		31.45	54.00	22.55	500.0	200.0	V	231.0	-6.0
1960.750000	44.04		68.20	24.16	500.0	200.0	Н	336.0	-4.7
2515.500000	47.09		68.20	21.11	500.0	200.0	Н	0.0	-2.1
2806.875000		36.28	54.00	17.72	500.0	200.0	V	0.0	-1.2
3533.125000	50.84		68.20	17.36	500.0	200.0	V	328.0	1.7
3970.625000		40.20	54.00	13.80	500.0	200.0	V	345.0	3.0
5113.375000		41.38	54.00	12.62	500.0	200.0	V	310.0	5.1
5207.875000	52.97		68.20	15.23	500.0	200.0	٧	319.0	5.3
6610.500000	55.82		68.20	12.38	500.0	200.0	٧	337.0	6.6
7325.375000		43.50	54.00	10.50	500.0	200.0	V	0.0	7.0

Wi-Fi 5GHz_ax20 CH140_1-8GHz




rillai_Res	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1298.375000	41.12		68.20	27.08	500.0	200.0	Н	343.0	-8.2
1381.500000		30.45	54.00	23.55	500.0	200.0	Н	84.0	-7.7
1663.250000		31.78	54.00	22.22	500.0	200.0	V	257.0	-6.1
1968.625000	44.45		68.20	23.75	500.0	200.0	Н	173.0	-4.7
2563.625000	46.60		68.20	21.60	500.0	200.0	Н	117.0	-2.1
2790.250000		36.17	54.00	17.83	500.0	200.0	V	201.0	-1.3
3367.750000	50.51		68.20	17.69	500.0	200.0	V	201.0	1.0
3989.875000		39.57	54.00	14.43	500.0	200.0	Н	186.0	3.2
5142.250000		39.89	54.00	14.11	500.0	200.0	Н	307.0	5.0
5273.500000	51.50		68.20	16.70	500.0	200.0	Н	209.0	5.3
6778.500000	53.61		68.20	14.59	500.0	200.0	Н	209.0	6.7
7342.875000		41.31	54.00	12.69	500.0	200.0	Н	200.0	7.0

Wi-Fi 5GHz_ax20 CH144_1-8GHz




i illai_i\es	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1297.500000	40.67		68.20	27.53	500.0	200.0	Н	88.0	-8.2
1366.625000		30.41	54.00	23.59	500.0	200.0	V	208.0	-7.7
1623.000000		31.63	54.00	22.37	500.0	200.0	Н	159.0	-6.3
1804.125000	44.17		68.20	24.03	500.0	200.0	Н	110.0	-5.4
2549.625000	47.25		68.20	20.95	500.0	200.0	V	208.0	-2.1
2789.375000		35.71	54.00	18.29	500.0	200.0	Н	19.0	-1.3
3430.750000	50.86		68.20	17.34	500.0	200.0	Н	228.0	1.5
3962.750000		39.61	54.00	14.39	500.0	200.0	Н	65.0	2.9
5122.125000		40.15	54.00	13.85	500.0	200.0	Н	65.0	5.1
5267.375000	51.45		68.20	16.75	500.0	200.0	Н	51.0	5.3
6982.375000	53.78		68.20	14.42	500.0	200.0	V	199.0	7.1
7301.750000		41.29	54.00	12.71	500.0	200.0	V	181.0	7.0

Wi-Fi 5GHz_ax20 CH149_1-8GHz




<u>i iiiai_ixes</u>	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1286.125000	41.32		68.20	26.88	500.0	200.0	Н	308.0	-8.3
1381.500000		30.35	54.00	23.65	500.0	200.0	V	0.0	-7.7
1703.500000		31.80	54.00	22.20	500.0	200.0	V	58.0	-6.0
1961.625000	43.79		68.20	24.41	500.0	200.0	Н	160.0	-4.7
2477.875000	46.64		68.20	21.56	500.0	200.0	V	40.0	-2.2
2792.000000		36.16	54.00	17.84	500.0	200.0	V	187.0	-1.3
3559.375000	50.85		68.20	17.35	500.0	200.0	V	49.0	1.7
3968.875000		40.50	54.00	13.50	500.0	200.0	V	58.0	3.0
5111.625000		41.56	54.00	12.44	500.0	200.0	V	66.0	5.1
5632.250000	52.54		68.20	15.66	500.0	200.0	V	286.0	5.5
6974.500000	55.84		68.20	12.36	500.0	200.0	V	326.0	7.1
7288.625000		43.75	54.00	10.25	500.0	200.0	V	118.0	7.0

Wi-Fi 5GHz_ax20 CH157_1-8GHz




i iiiai_ixes	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1274.750000	40.97		68.20	27.23	500.0	200.0	Н	213.0	-8.4
1412.125000		30.52	54.00	23.48	500.0	200.0	V	28.0	-7.5
1686.000000		31.70	54.00	22.30	500.0	200.0	V	278.0	-6.0
1902.125000	44.26		68.20	23.94	500.0	200.0	Н	264.0	-5.0
2636.250000	47.12		68.20	21.08	500.0	200.0	V	28.0	-2.0
2813.000000		36.08	54.00	17.92	500.0	200.0	V	132.0	-1.2
3443.000000	50.84		68.20	17.36	500.0	200.0	V	222.0	1.5
3959.250000		40.42	54.00	13.58	500.0	200.0	V	53.0	2.9
5104.625000		41.38	54.00	12.62	500.0	200.0	V	175.0	5.1
5618.250000	52.69		68.20	15.51	500.0	200.0	V	36.0	5.5
6947.375000	56.17		68.20	12.03	500.0	200.0	V	209.0	7.1
7321.875000		43.69	54.00	10.31	500.0	200.0	V	184.0	7.0

Wi-Fi 5GHz_ax20 CH165_1-8GHz




i iiiai_i\c3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.875000	40.55		68.20	27.65	500.0	200.0	Н	252.0	-8.2
1339.500000		30.38	54.00	23.62	500.0	200.0	V	230.0	-8.0
1619.500000		31.54	54.00	22.46	500.0	200.0	V	169.0	-6.3
1978.250000	44.68		68.20	23.52	500.0	200.0	V	234.0	-4.7
2606.500000	46.75		68.20	21.45	500.0	200.0	V	155.0	-2.0
2785.875000		35.85	54.00	18.15	500.0	200.0	Н	103.0	-1.4
3580.375000	50.31		68.20	17.89	500.0	200.0	V	258.0	1.8
3964.500000		39.78	54.00	14.22	500.0	200.0	V	262.0	3.0
5141.375000		39.96	54.00	14.04	500.0	200.0	V	207.0	5.0
5331.250000	51.62		68.20	16.58	500.0	200.0	V	271.0	5.3
6754.000000	53.40		68.20	14.80	500.0	200.0	Н	168.0	6.5
7284.250000		41.43	54.00	12.57	500.0	200.0	v	337.0	7.0

Wi-Fi 5GHz_ax40 CH38_1-8GHz




i illai_i\e3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1275.625000	41.33		68.20	26.87	500.0	200.0	Н	240.0	-8.4
1402.500000		30.23	54.00	23.77	500.0	200.0	V	179.0	-7.6
1682.500000		31.47	54.00	22.53	500.0	200.0	Н	119.0	-6.0
1984.375000	44.55		68.20	23.65	500.0	200.0	V	60.0	-4.6
2582.875000	47.07		68.20	21.13	500.0	200.0	Н	179.0	-2.0
2816.500000		35.58	54.00	18.42	500.0	200.0	V	43.0	-1.2
3451.750000	50.81		68.20	17.39	500.0	200.0	Н	96.0	1.6
3964.500000		39.48	54.00	14.52	500.0	200.0	Н	232.0	3.0
4478.125000	50.24		68.20	17.96	500.0	200.0	Н	291.0	3.7
4978.625000		39.21	54.00	14.79	500.0	200.0	V	341.0	4.5
6637.625000	53.79		68.20	14.41	500.0	200.0	V	94.0	6.6
7424.250000		41.15	54.00	12.85	500.0	200.0	Н	68.0	7.2

Wi-Fi 5GHz_ax40 CH46_1-8GHz




i iliai_i\e5	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1088.375000		28.30	54.00	25.70	500.0	200.0	Н	307.0	-10.2
1291.375000	41.18		68.20	27.02	500.0	100.0	Н	157.0	-8.3
1409.500000		30.60	54.00	23.40	500.0	100.0	Н	234.0	-7.5
1720.125000		32.01	54.00	21.99	500.0	200.0	Н	289.0	-5.9
1938.875000	44.91		68.20	23.29	500.0	100.0	Н	192.0	-4.8
2667.750000	47.47		68.20	20.73	500.0	100.0	Н	283.0	-1.9
2792.000000		36.40	54.00	17.60	500.0	100.0	Н	234.0	-1.3
3450.875000	51.01		68.20	17.19	500.0	200.0	Н	76.0	1.6
3992.500000		40.85	54.00	13.15	500.0	100.0	Н	215.0	3.2
5564.000000	53.41		68.20	14.79	500.0	200.0	Н	220.0	5.5
6877.375000	56.15		68.20	12.05	500.0	200.0	Н	0.0	6.7
7286.875000		43.85	54.00	10.15	500.0	200.0	Н	271.0	7.0

Wi-Fi 5GHz_ax40 CH54_1-8GHz




iliai_ites									-
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1100.625000		28.59	54.00	25.41	500.0	200.0	Н	219.0	-10.1
1294.000000	41.58		68.20	26.62	500.0	100.0	Н	227.0	-8.2
1412.125000		30.63	54.00	23.37	500.0	200.0	Н	282.0	-7.5
1681.625000		32.16	54.00	21.84	500.0	100.0	Н	209.0	-6.0
1985.250000	44.57		68.20	23.63	500.0	100.0	Н	57.0	-4.6
2673.875000	46.92		68.20	21.28	500.0	200.0	Н	337.0	-1.8
2818.250000		36.46	54.00	17.54	500.0	100.0	Н	186.0	-1.2
3507.750000	51.69		68.20	16.51	500.0	100.0	Н	326.0	1.8
3960.125000		40.79	54.00	13.21	500.0	100.0	Н	0.0	2.9
5760.000000	54.90		68.20	13.30	500.0	100.0	Н	43.0	5.4
6836.250000	55.89		68.20	12.31	500.0	100.0	Н	285.0	6.8
7339.375000		44.03	54.00	9.97	500.0	200.0	Н	314.0	7.0

Wi-Fi 5GHz_ax40 CH62_1-8GHz




<u> </u>	<u> </u>								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1259.875000	40.72		68.20	27.48	500.0	200.0	V	43.0	-8.5
1335.125000		30.58	54.00	23.42	500.0	200.0	V	86.0	-8.0
1707.875000		31.92	54.00	22.08	500.0	200.0	V	69.0	-5.9
1925.750000	44.10		68.20	24.10	500.0	200.0	V	43.0	-4.8
2666.875000	48.32		68.20	19.88	500.0	200.0	V	128.0	-1.9
2806.875000		36.13	54.00	17.87	500.0	200.0	V	34.0	-1.2
3503.375000	51.11		68.20	17.09	500.0	200.0	V	111.0	1.8
3968.000000		40.68	54.00	13.32	500.0	200.0	V	61.0	3.0
4479.000000	50.98		68.20	17.22	500.0	200.0	V	171.0	3.7
4898.125000		40.82	54.00	13.18	500.0	200.0	V	69.0	4.5
6574.625000	55.79		68.20	12.41	500.0	200.0	V	43.0	6.6
7288.625000		43.66	54.00	10.34	500.0	200.0	٧	154.0	7.0

Wi-Fi 5GHz_ax40 CH102_1-8GHz




Erogueneu	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
Frequency		•		•		_	FUI		
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1299.250000	41.28		68.20	26.92	500.0	200.0	Н	0.0	-8.2
1388.500000		30.05	54.00	23.95	500.0	200.0	V	41.0	-7.6
1686.000000		31.30	54.00	22.70	500.0	200.0	Н	292.0	-6.0
1980.875000	44.15		68.20	24.05	500.0	200.0	Н	161.0	-4.7
2607.375000	46.58		68.20	21.62	500.0	200.0	V	179.0	-2.0
2792.875000		35.76	54.00	18.24	500.0	200.0	Н	153.0	-1.3
3457.000000	50.00		68.20	18.20	500.0	200.0	Н	59.0	1.6
3974.125000		39.53	54.00	14.47	500.0	200.0	V	7.0	3.1
5055.625000		39.53	54.00	14.47	500.0	200.0	Н	283.0	4.9
5294.500000	51.41		68.20	16.79	500.0	200.0	Н	135.0	5.4
7001.625000	53.34		68.20	14.86	500.0	200.0	Н	283.0	7.0
7510.875000		41.21	54.00	12.79	500.0	200.0	V	41.0	7.0

Wi-Fi 5GHz_ax40 CH118_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				,	(ms)	,		, ,	
1269.500000	41.22		68.20	26.98	500.0	200.0	Н	152.0	-8.4
1381.500000		30.35	54.00	23.65	500.0	200.0	Н	257.0	-7.7
1720.125000		31.44	54.00	22.56	500.0	200.0	V	40.0	-5.9
1996.625000	43.96		68.20	24.24	500.0	200.0	Н	351.0	-4.6
2686.125000	46.62		68.20	21.58	500.0	200.0	V	137.0	-1.7
2820.875000		35.88	54.00	18.12	500.0	200.0	Н	160.0	-1.2
3483.250000	50.65		68.20	17.55	500.0	200.0	Н	160.0	1.7
3970.625000		39.58	54.00	14.42	500.0	200.0	Н	58.0	3.0
5144.875000		39.97	54.00	14.03	500.0	200.0	Н	274.0	5.0
5228.875000	51.73		68.20	16.47	500.0	200.0	Н	176.0	5.3
6777.625000	53.65		68.20	14.55	500.0	200.0	Н	22.0	6.7
7419.875000		41.19	54.00	12.81	500.0	200.0	Н	30.0	7.2

Wi-Fi 5GHz_ax40 CH134_1-8GHz




I IIIai_IXCS	uit .								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1245.875000	41.25		68.20	26.95	500.0	200.0	Н	313.0	-8.6
1410.375000		30.43	54.00	23.57	500.0	100.0	V	19.0	-7.5
1721.875000		31.65	54.00	22.35	500.0	100.0	Н	27.0	-5.9
1912.625000	44.23		68.20	23.97	500.0	200.0	Н	289.0	-4.9
2635.375000	47.94		68.20	20.26	500.0	200.0	Н	199.0	-2.0
2819.125000		36.20	54.00	17.80	500.0	100.0	Н	14.0	-1.2
3537.500000	50.87		68.20	17.33	500.0	200.0	V	212.0	1.7
3991.625000		40.83	54.00	13.17	500.0	100.0	Н	18.0	3.2
5111.625000		41.82	54.00	12.18	500.0	100.0	Н	27.0	5.1
5155.375000	53.21		68.20	14.99	500.0	100.0	Н	0.0	5.1
6815.250000	55.58		68.20	12.62	500.0	100.0	Н	18.0	6.8
7295.625000		43.62	54.00	10.38	500.0	100.0	Н	100.0	7.0

Wi-Fi 5GHz_ax40 CH142_1-8GHz




i illai_i\cs	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1259.000000	41.91		68.20	26.29	500.0	100.0	Н	20.0	-8.5
1411.250000		30.71	54.00	23.29	500.0	100.0	Н	323.0	-7.5
1705.250000		32.07	54.00	21.93	500.0	100.0	Н	92.0	-6.0
1985.250000	44.24		68.20	23.96	500.0	100.0	Н	20.0	-4.6
2631.000000	46.92		68.20	21.28	500.0	100.0	Н	201.0	-2.0
2816.500000		36.46	54.00	17.54	500.0	100.0	Н	142.0	-1.2
3534.875000	50.80		68.20	17.40	500.0	100.0	Н	0.0	1.7
3998.625000		40.59	54.00	13.41	500.0	100.0	Н	38.0	3.2
5124.750000		41.70	54.00	12.30	500.0	100.0	Н	147.0	5.1
5217.500000	52.95		68.20	15.25	500.0	100.0	Н	92.0	5.3
6867.750000	56.82		68.20	11.38	500.0	100.0	Н	250.0	6.8
7416.375000		43.85	54.00	10.15	500.0	100.0	Н	142.0	7.2

Wi-Fi 5GHz_ax40 CH151_1-8GHz




i iliai_i\e3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1272.125000	41.05		68.20	27.15	500.0	200.0	V	40.0	-8.4
1411.250000		30.68	54.00	23.32	500.0	200.0	V	198.0	-7.5
1696.500000		31.65	54.00	22.35	500.0	200.0	V	40.0	-6.0
1981.750000	43.80		68.20	24.40	500.0	200.0	V	172.0	-4.7
2664.250000	46.87		68.20	21.33	500.0	200.0	V	5.0	-1.9
2792.875000		36.15	54.00	17.85	500.0	200.0	V	40.0	-1.3
3568.125000	51.05		68.20	17.15	500.0	200.0	Н	159.0	1.7
3993.375000		40.50	54.00	13.50	500.0	200.0	V	189.0	3.2
5112.500000		41.63	54.00	12.37	500.0	200.0	V	244.0	5.1
5165.000000	52.81		68.20	15.39	500.0	200.0	V	207.0	5.1
6957.000000	55.87		68.20	12.33	500.0	200.0	V	137.0	7.1
7291.250000		43.62	54.00	10.39	500.0	200.0	V	163.0	7.0

Wi-Fi 5GHz_ax40 CH159_1-8GHz




Erogueney	MaxPeak	Avorago	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
Frequency		Average		Margin		_	Poi		
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1299.250000	41.35		68.20	26.85	500.0	200.0	V	88.0	-8.2
1411.250000		30.63	54.00	23.37	500.0	100.0	Н	134.0	-7.5
1681.625000		31.93	54.00	22.07	500.0	100.0	Н	22.0	-6.0
1949.375000	45.40		68.20	22.80	500.0	100.0	Н	244.0	-4.7
2666.875000	47.12		68.20	21.08	500.0	200.0	Н	327.0	-1.9
2807.750000		36.35	54.00	17.65	500.0	100.0	Н	72.0	-1.2
3413.250000	51.53		68.20	16.67	500.0	100.0	Н	217.0	1.4
3991.625000		40.81	54.00	13.19	500.0	100.0	Н	271.0	3.2
5113.375000		41.61	54.00	12.39	500.0	100.0	Н	116.0	5.1
5625.250000	53.44		68.20	14.76	500.0	100.0	Н	76.0	5.5
6987.625000	56.39		68.20	11.81	500.0	100.0	Н	40.0	7.1
7289.500000		43.97	54.00	10.03	500.0	100.0	н	144.0	7.0

Wi-Fi 5GHz_ax80 CH42_1-8GHz




rillai_nes	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1248.500000	40.98		68.20	27.22	500.0	200.0	V	346.0	-8.6
1409.500000		30.07	54.00	23.93	500.0	200.0	Н	301.0	-7.5
1702.625000		31.61	54.00	22.39	500.0	200.0	Н	58.0	-6.0
1804.125000	44.36		68.20	23.84	500.0	200.0	V	104.0	-5.4
2683.500000	46.51		68.20	21.69	500.0	200.0	V	1.0	-1.8
2811.250000		35.72	54.00	18.28	500.0	200.0	V	131.0	-1.2
3397.500000	50.15		68.20	18.05	500.0	200.0	Н	266.0	1.3
3986.375000		39.58	54.00	14.42	500.0	200.0	V	34.0	3.2
4489.500000	50.13		68.20	18.07	500.0	200.0	Н	309.0	3.8
4912.125000		39.15	54.00	14.85	500.0	200.0	Н	19.0	4.7
6862.500000	53.36		68.20	14.84	500.0	200.0	V	95.0	6.8
7293.875000		41.29	54.00	12.71	500.0	200.0	Н	257.0	7.0

Wi-Fi 5GHz_ax80 CH58_1-8GHz




I IIIai_Ites	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1287.000000	40.81		68.20	27.39	500.0	200.0	V	238.0	-8.3
1342.125000		30.12	54.00	23.88	500.0	200.0	Н	0.0	-8.0
1705.250000		31.67	54.00	22.33	500.0	200.0	Н	357.0	-6.0
1924.000000	43.93		68.20	24.27	500.0	200.0	Н	137.0	-4.9
2680.000000	46.57		68.20	21.63	500.0	200.0	V	2.0	-1.8
2809.500000		35.56	54.00	18.44	500.0	200.0	Н	233.0	-1.2
3433.375000	50.44		68.20	17.76	500.0	200.0	V	174.0	1.5
3998.625000		39.61	54.00	14.39	500.0	200.0	V	2.0	3.2
4484.250000	50.03		68.20	18.17	500.0	200.0	V	85.0	3.8
4936.625000		39.24	54.00	14.76	500.0	200.0	V	220.0	4.6
6685.750000	53.86		68.20	14.34	500.0	200.0	Н	288.0	6.5
7311.375000		41.68	54.00	12.32	500.0	200.0	Н	87.0	7.0

Wi-Fi 5GHz_ax80 CH106_1-8GHz




I IIIai_Ites	uit .								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1289.625000	40.99		68.20	27.21	500.0	200.0	V	155.0	-8.3
1399.875000		30.14	54.00	23.86	500.0	200.0	V	34.0	-7.6
1721.875000		31.38	54.00	22.62	500.0	200.0	Н	234.0	-5.9
1959.000000	43.71		68.20	24.49	500.0	200.0	V	112.0	-4.7
2464.750000	46.39		68.20	21.81	500.0	200.0	Н	44.0	-2.3
2762.250000		35.62	54.00	18.38	500.0	200.0	V	139.0	-1.5
3586.500000	50.48		68.20	17.72	500.0	200.0	Н	200.0	1.8
3982.875000		39.81	54.00	14.19	500.0	200.0	V	307.0	3.2
5302.375000	51.06		68.20	17.14	500.0	200.0	V	209.0	5.4
5367.125000		40.31	54.00	13.69	500.0	200.0	V	252.0	5.1
6957.000000	53.63		68.20	14.57	500.0	200.0	Н	315.0	7.1
7415.500000		41.16	54.00	12.84	500.0	200.0	V	0.0	7.2

Wi-Fi 5GHz_ax80 CH122_1-8GHz




I IIIui_IXCS	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1064.750000		28.17	54.00	25.83	500.0	100.0	Н	267.0	-10.3
1299.250000	41.96		68.20	26.24	500.0	100.0	V	231.0	-8.2
1379.750000		30.60	54.00	23.40	500.0	200.0	Н	358.0	-7.7
1618.625000		31.77	54.00	22.23	500.0	100.0	Н	125.0	-6.3
1921.375000	44.02		68.20	24.18	500.0	100.0	V	314.0	-4.9
2633.625000	46.68		68.20	21.52	500.0	100.0	Н	174.0	-2.0
2793.750000		35.92	54.00	18.08	500.0	100.0	Н	13.0	-1.3
3441.250000	51.05		68.20	17.15	500.0	100.0	V	177.0	1.5
3980.250000		39.67	54.00	14.33	500.0	100.0	Н	93.0	3.1
4466.750000	50.23		68.20	17.97	500.0	100.0	V	222.0	3.7
6593.875000	54.12		68.20	14.08	500.0	200.0	V	106.0	6.6
7677.125000		41.35	54.00	12.65	500.0	200.0	Н	167.0	7.5

Wi-Fi 5GHz_ax80 CH138_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				, ,	(ms)	` '		, ,	,
1264.250000	41.25		68.20	26.95	500.0	200.0	V	276.0	-8.5
1362.250000		30.33	54.00	23.67	500.0	200.0	Н	319.0	-7.8
1678.125000		31.72	54.00	22.28	500.0	200.0	V	132.0	-6.1
1843.500000	44.14		68.20	24.06	500.0	100.0	Н	313.0	-5.2
2554.875000	46.81		68.20	21.39	500.0	100.0	V	285.0	-2.1
2810.375000		36.31	54.00	17.69	500.0	200.0	Н	146.0	-1.2
3456.125000	50.81		68.20	17.39	500.0	200.0	Н	138.0	1.6
3996.875000		39.62	54.00	14.38	500.0	100.0	Н	158.0	3.2
5312.000000	52.11		68.20	16.09	500.0	200.0	Н	215.0	5.4
5419.625000		40.06	54.00	13.94	500.0	100.0	Н	8.0	5.1
6587.750000	53.72		68.20	14.48	500.0	100.0	V	298.0	6.6
7433.000000		41.44	54.00	12.56	500.0	200.0	V	244.0	7.1


Wi-Fi 5GHz_ax80 CH155_1-8GHz



i iliai_i\c3	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1267.750000	41.44		68.20	26.76	500.0	200.0	Н	127.0	-8.5
1366.625000		30.24	54.00	23.76	500.0	200.0	V	79.0	-7.7
1597.625000		31.44	54.00	22.56	500.0	200.0	Н	19.0	-6.3
1984.375000	44.34		68.20	23.86	500.0	200.0	Н	333.0	-4.6
2525.125000	46.80		68.20	21.40	500.0	200.0	Н	195.0	-2.2
2769.250000		35.71	54.00	18.29	500.0	200.0	Н	325.0	-1.4
3499.875000	50.31		68.20	17.89	500.0	200.0	V	139.0	1.8
3688.875000		39.48	54.00	14.52	500.0	200.0	Н	307.0	2.0
5051.250000		39.38	54.00	14.62	500.0	200.0	Н	299.0	4.8
5295.375000	50.43		68.20	17.77	500.0	200.0	Н	0.0	5.4
6873.875000	53.24		68.20	14.96	500.0	200.0	V	0.0	6.7
7426.000000		40.99	54.00	13.01	500.0	200.0	V	87.0	7.2




Wi-Fi 5GHz_ac80 CH155_1-8GHz




<u> </u>									
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				` '	(ms)	, ,			,
1280.875000	41.26		68.20	26.94	500.0	200.0	Н	55.0	-8.3
1364.875000		30.05	54.00	23.95	500.0	200.0	V	129.0	-7.7
1665.000000		31.47	54.00	22.53	500.0	200.0	Н	120.0	-6.1
1835.625000	43.58		68.20	24.62	500.0	200.0	V	85.0	-5.2
2651.125000	46.46		68.20	21.74	500.0	200.0	Н	268.0	-2.0
2789.375000		35.62	54.00	18.38	500.0	200.0	V	164.0	-1.3
3444.750000	50.48		68.20	17.72	500.0	200.0	Н	164.0	1.5
3996.000000		39.32	54.00	14.68	500.0	200.0	Н	189.0	3.2
5056.500000		39.34	54.00	14.66	500.0	200.0	V	50.0	4.9
5293.625000	50.88		68.20	17.32	500.0	200.0	Н	292.0	5.4
6477.500000	53.20		68.20	15.00	500.0	200.0	Н	138.0	6.1
7270.250000		41.20	54.00	12.80	500.0	200.0	V	192.0	7.1





Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
18048.875000	47.39		74.00	26.61	500.0	200.0	٧	170.0	-5.7
18148.750000		35.16	54.00	18.84	500.0	200.0	Н	20.0	-5.8
20460.750000		35.37	54.00	18.63	500.0	100.0	V	354.0	-4.9
20466.062500	46.94		74.00	27.06	500.0	200.0	Н	72.0	-4.9
21078.062500		36.42	54.00	17.58	500.0	100.0	V	56.0	-4.2
21260.812500	47.67		74.00	26.33	500.0	100.0	V	0.0	-4.5
22491.187500	48.80		74.00	25.20	500.0	200.0	Н	34.0	-3.4
22494.375000		36.60	54.00	17.40	500.0	100.0	V	233.0	-3.4
23396.437500	48.36		74.00	25.64	500.0	200.0	Н	272.0	-3.5
24827.625000		36.78	54.00	17.22	500.0	200.0	V	128.0	-2.8
25747.750000	48.74		74.00	25.26	500.0	200.0	V	59.0	-2.4
25758.375000		36.91	54.00	17.09	500.0	200.0	V	17.0	-2.4






	411								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
27299.875000	50.33		74.00	23.67	500.0	200.0	V	201.0	-0.5
27492.250000		38.63	54.00	15.37	500.0	100.0	Н	112.0	-0.3
29041.375000	50.65		74.00	23.35	500.0	200.0	Н	145.0	0.1
29068.375000		38.84	54.00	15.16	500.0	200.0	Н	201.0	0.1
32090.687500	51.88		74.00	22.12	500.0	100.0	Н	249.0	-0.9
32094.062500		39.86	54.00	14.14	500.0	200.0	Н	341.0	-0.9
33989.125000		39.87	54.00	14.13	500.0	200.0	V	87.0	-0.3
34735.000000	51.70		74.00	22.30	500.0	100.0	Н	351.0	1.1
36451.187500		42.05	54.00	11.95	500.0	100.0	Н	103.0	4.2
37085.687500	53.29		74.00	20.71	500.0	200.0	Н	101.0	3.6
38572.375000	54.93		74.00	19.07	500.0	200.0	V	167.0	4.8
38950.375000		43.41	54.00	10.59	500.0	200.0	V	298.0	3.9



TB Mode




Report No.: R2411A1739-R3

Frequency	QuasiPeak	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dBµV/m)	(dBµV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				(ms)				
34.240000	24.11	40.00	15.90	1000.0	110.0	V	60.0	18.0
47.456250	26.97	40.00	13.03	1000.0	122.0	V	27.0	21.1
78.740000	21.43	40.00	18.57	1000.0	184.0	V	132.0	15.4
104.766250	24.96	43.50	18.54	1000.0	225.0	V	192.0	19.1
174.001250	16.90	43.50	26.60	1000.0	209.0	V	82.0	20.1
250.028750	20.35	46.00	25.65	1000.0	225.0	Н	129.0	20.6

eurofins

Report No.: R2411A1739-R3

Wi-Fi 5GHz TB_ax20 CH36_242Tone_1-8GHz




I IIIai_IXGS	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1278.250000	41.84		68.20	26.36	500.0	200.0	Н	96.0	-8.4
1402.500000		30.51	54.00	23.49	500.0	200.0	V	329.0	-7.6
1668.500000		31.95	54.00	22.05	500.0	200.0	V	175.0	-6.1
1971.250000	44.35		68.20	23.85	500.0	200.0	Н	165.0	-4.7
2655.500000	47.47		68.20	20.73	500.0	200.0	V	356.0	-1.9
2736.875000		36.49	54.00	17.51	500.0	200.0	V	184.0	-1.5
3589.125000	51.74		68.20	16.46	500.0	200.0	V	184.0	1.8
3996.000000		40.52	54.00	13.48	500.0	200.0	V	226.0	3.2
4475.500000	51.65		68.20	16.55	500.0	200.0	V	0.0	3.7
4925.250000		40.73	54.00	13.27	500.0	200.0	V	263.0	4.7
6811.750000	57.29		68.20	10.91	500.0	200.0	V	297.0	6.8
7286.875000		44.09	54.00	9.91	500.0	200.0	V	111.0	7.0

eurofins

Report No.: R2411A1739-R3

Wi-Fi 5GHz TB_ax20 CH52_242Tone_1-8GHz




i iliai_i\e5	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1266.875000	41.71		68.20	26.49	500.0	200.0	V	199.0	-8.5
1413.875000		30.83	54.00	23.17	500.0	200.0	V	351.0	-7.5
1707.875000		32.02	54.00	21.98	500.0	200.0	V	346.0	-5.9
1984.375000	44.49		68.20	23.71	500.0	200.0	V	184.0	-4.6
2470.875000	47.44		68.20	20.76	500.0	200.0	Н	65.0	-2.3
2794.625000		36.60	54.00	17.40	500.0	200.0	V	300.0	-1.3
3409.750000	50.99		68.20	17.21	500.0	200.0	V	208.0	1.4
3966.250000		40.68	54.00	13.32	500.0	200.0	V	304.0	3.0
4480.750000	51.88		68.20	16.32	500.0	200.0	V	244.0	3.8
5060.875000		41.18	54.00	12.82	500.0	200.0	V	74.0	5.0
6832.750000	55.94		68.20	12.26	500.0	200.0	V	314.0	6.8
7349.875000		43.86	54.00	10.14	500.0	200.0	V	281.0	7.0

eurofins

Report No.: R2411A1739-R3


Wi-Fi 5GHz TB_ax20 CH100_242Tone_1-8GHz



i iiiai_ites	uit								
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1298.375000	41.08		68.20	27.12	500.0	200.0	V	251.0	-8.2
1410.375000		30.72	54.00	23.28	500.0	200.0	V	331.0	-7.5
1595.875000		31.90	54.00	22.10	500.0	200.0	V	255.0	-6.3
1926.625000	44.34		68.20	23.86	500.0	200.0	V	304.0	-4.8
2678.250000	46.94		68.20	21.26	500.0	200.0	V	309.0	-1.8
2812.125000		36.43	54.00	17.57	500.0	200.0	V	277.0	-1.2
3571.625000	51.39		68.20	16.81	500.0	200.0	Н	220.0	1.7
3937.375000		40.49	54.00	13.51	500.0	200.0	V	286.0	2.7
4950.625000		41.13	54.00	12.87	500.0	200.0	V	313.0	4.6
5227.125000	52.39		68.20	15.81	500.0	200.0	V	255.0	5.3
6890.500000	56.38		68.20	11.82	500.0	200.0	V	0.0	6.7
7291.250000		43.98	54.00	10.02	500.0	200.0	V	345.0	7.0

Report No.: R2411A1739-R3


Wi-Fi 5GHz TB_ax20 CH149_242Tone_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1286.125000	41.36		68.20	26.84	500.0	200.0	V	306.0	-8.3
1398.125000		30.63	54.00	23.37	500.0	200.0	V	343.0	-7.6
1709.625000		31.85	54.00	22.15	500.0	200.0	V	204.0	-5.9
1993.125000	45.27		68.20	22.93	500.0	200.0	Н	67.0	-4.6
2631.875000	47.49		68.20	20.71	500.0	200.0	Н	141.0	-2.0
2809.500000		36.19	54.00	17.81	500.0	200.0	V	324.0	-1.2
3547.125000	51.91		68.20	16.29	500.0	200.0	V	354.0	1.7
3969.750000		40.69	54.00	13.31	500.0	200.0	Н	0.0	3.0
5109.875000		41.56	54.00	12.44	500.0	200.0	V	0.0	5.1
5612.125000	53.06		68.20	15.14	500.0	200.0	V	131.0	5.6
6862.500000	55.83		68.20	12.37	500.0	200.0	V	217.0	6.8
7266.750000		44.04	54.00	9.96	500.0	200.0	V	240.0	7.1


RF Test Report

Wi-Fi 5GHz TB_ax40 CH38_484Tone_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
` ′	,	,	,	, ,	(ms)	, ,		()	, ,
1245.875000	41.73		68.20	26.47	500.0	200.0	Н	311.0	-8.6
1383.250000		30.57	54.00	23.43	500.0	200.0	Н	293.0	-7.7
1705.250000		31.74	54.00	22.26	500.0	200.0	V	25.0	-6.0
1931.000000	44.23		68.20	23.97	500.0	200.0	٧	85.0	-4.8
2637.125000	47.10		68.20	21.10	500.0	200.0	V	180.0	-2.0
2736.875000		36.21	54.00	17.79	500.0	200.0	V	2.0	-1.5
3449.125000	51.20		68.20	17.00	500.0	200.0	V	48.0	1.6
3966.250000		40.54	54.00	13.46	500.0	200.0	V	11.0	3.0
4477.250000	51.07		68.20	17.13	500.0	200.0	V	19.0	3.7
4934.875000		40.59	54.00	13.41	500.0	200.0	V	0.0	4.6
7002.500000	56.16		68.20	12.04	500.0	200.0	V	6.0	7.0
7295.625000		43.96	54.00	10.04	500.0	200.0	V	136.0	7.0

Wi-Fi 5GHz TB_ax40 CH54_484Tone_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1271.250000	41.36		68.20	26.84	500.0	200.0	Н	188.0	-8.4
1378.875000	-	30.40	54.00	23.60	500.0	200.0	V	130.0	-7.7
1661.500000	-	31.92	54.00	22.08	500.0	200.0	V	27.0	-6.1
1956.375000	44.56		68.20	23.64	500.0	200.0	Н	188.0	-4.7
2633.625000	46.50		68.20	21.70	500.0	200.0	V	102.0	-2.0
2786.750000	-	36.31	54.00	17.69	500.0	200.0	V	43.0	-1.3
3506.000000	50.78		68.20	17.42	500.0	200.0	V	75.0	1.8
3989.875000		40.23	54.00	13.77	500.0	200.0	V	22.0	3.2
4484.250000	51.75		68.20	16.45	500.0	200.0	V	4.0	3.8
4927.000000		41.23	54.00	12.77	500.0	200.0	V	0.0	4.6
6943.000000	55.91		68.20	12.29	500.0	200.0	V	22.0	7.1
7295.625000		43.93	54.00	10.07	500.0	200.0	V	4.0	7.0