

EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	
EUT View 2	

EUT View 3	 The image shows the rear panel of a black, rectangular electronic device. A vertical ruler is placed to the left of the device, and a horizontal ruler is placed below it, both showing measurements in millimeters. The rear panel features a large perforated area at the top, likely for ventilation. Below this, there is a label with technical specifications and a barcode. At the bottom of the panel, there are several ports: a power jack, a power button, four LAN ports (labeled LAN1, LAN2, LAN3, LAN4), a WAN/LAN port, a LINE port, a USB port, and a RESET button.
EUT View 4	 The image shows the front panel of the same black, rectangular electronic device. A vertical ruler is placed to the left of the device, and a horizontal ruler is placed below it, both showing measurements in millimeters. The front panel is mostly blank, with the "GLOBAL TELECOM" logo and the tagline "WE ENGINEER CONNECTIVITY" centered near the bottom. Above the logo, there are several small, circular indicator lights or buttons.

EUT View 5	 A black, rectangular electronic device, identified as a Global Telecom unit, is shown from a top-down perspective. The device features a small display screen on the left side, showing various status icons. The Global Telecom logo is visible on the right side. A black ruler with white markings is placed horizontally below the device, providing a scale reference. The background is a light blue surface.
EUT View 6	 A black, rectangular electronic device, identified as a Global Telecom unit, is shown from a top-down perspective. The device features a small display screen on the left side, showing various status icons. The Global Telecom logo is visible on the right side. A black ruler with white markings is placed horizontally below the device, providing a scale reference. The background is a light blue surface.

EUT View 7

