





Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com

## AUX Ant2







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate # 5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2



Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com



## 7.6 MAXIMUM POWER SPECTRAL DENSITY

- (i) If all antennas have the same gain,  $G_{ANT}$ :  
*Directional gain* =  $G_{ANT} + 10 \log(N_{ANT}/N_{SS})$  dBi, where  $N_{SS}$  = the number of independent spatial streams of data and  $G_{ANT}$  is the antenna gain in dBi. (This formula can also be applied when antennas have different gains if the highest antenna gain is substituted for  $G_{ANT}$ .)
- (ii) If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following two formulas.
- Directional gain* =  $G_{ANT MAX} + 10 \log(N_{ANT}/N_{SS})$  dBi, where  $N_{SS}$  = the number of independent spatial streams of data and  $G_{ANT MAX}$  is the gain of the antenna having the highest gain (in dBi).

Or,

$$\bullet \text{ Directional Gain} = 10 \cdot \log \left[ \frac{\sum_{j=1}^{N_{SS}} \left\{ \sum_{k=1}^{N_{ANT}} g_{j,k} \right\}^2}{N_{ANT}} \right]$$

where

Each antenna is driven by no more than one spatial stream;

$N_{SS}$  = the number of independent spatial streams of data;

$N_{ANT}$  = the total number of antennas

$g_{j,k} = 10^{G_k/20}$  if the  $k$ th antenna is being fed by spatial stream  $j$ , or zero if it is not;  
 $G_k$  is the gain in dBi of the  $k$ th antenna.

For power spectral density (PSD) measurements on all devices,  
 Array Gain =  $10 \log(N_{ANT}/N_{SS})$  dB.

Note:  $N_{ANT}=2$ , Array gain= $10 \log(N_{ANT}/N_{SS})=10 \log(2/1)=3.01$ dB,

Directional gain= $G_{ANT}$ +Array gain= $2.91$ dB+ $3.01$ dB= $5.92$ dB, not exceeding 6, so psd limits remain unchanged.





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com

|              |                                  |             |                   |
|--------------|----------------------------------|-------------|-------------------|
| Product      | : EUT-Sample                     | Test Mode   | : See Section 3.4 |
| Test Item    | : maximum Power Spectral Density | Temperature | : 25 °C           |
| Test Voltage | : DC 11.61V                      | Humidity    | : 56%RH           |
| Test Result  | : PASS                           |             |                   |

### MAIN

| Mode  | Frequency (MHz) | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|---------------------|------------------|-----------------|-------------|---------|
| a     | 5180            | 4.94                | 0                | 4.94            | 11          | Pass    |
| a     | 5240            | 4.69                | 0                | 4.69            | 11          | Pass    |
| a     | 5260            | 4.65                | 0                | 4.65            | 11          | Pass    |
| a     | 5320            | 4.97                | 0                | 4.97            | 11          | Pass    |
| a     | 5500            | 4.02                | 0                | 4.02            | 11          | Pass    |
| a     | 5700            | 3                   | 0                | 3               | 11          | Pass    |
| a     | 5745            | -0.86               | 0                | -0.86           | 30          | Pass    |
| a     | 5825            | -1.05               | 0                | -1.05           | 30          | Pass    |
| n20   | 5180            | 4.52                | 0                | 4.52            | 11          | Pass    |
| n20   | 5240            | 4.5                 | 0                | 4.5             | 11          | Pass    |
| n20   | 5260            | 4.41                | 0                | 4.41            | 11          | Pass    |
| n20   | 5320            | 4.42                | 0                | 4.42            | 11          | Pass    |
| n20   | 5500            | 3.51                | 0                | 3.51            | 11          | Pass    |
| n20   | 5700            | 3.19                | 0                | 3.19            | 11          | Pass    |
| n20   | 5745            | -1.03               | 0                | -1.03           | 30          | Pass    |
| n20   | 5825            | -1.37               | 0                | -1.37           | 30          | Pass    |
| n40   | 5190            | 2.62                | 0                | 2.62            | 11          | Pass    |
| n40   | 5230            | 3.35                | 0                | 3.35            | 11          | Pass    |
| n40   | 5270            | 2.44                | 0                | 2.44            | 11          | Pass    |
| n40   | 5310            | 1.92                | 0                | 1.92            | 11          | Pass    |
| n40   | 5510            | 0.34                | 0                | 0.34            | 11          | Pass    |
| n40   | 5670            | 1.4                 | 0                | 1.4             | 11          | Pass    |
| n40   | 5755            | -2.52               | 0                | -2.52           | 30          | Pass    |
| n40   | 5795            | -2.49               | 0                | -2.49           | 30          | Pass    |
| ac20  | 5180            | 5.2                 | 0                | 5.2             | 11          | Pass    |
| ac20  | 5240            | 4.25                | 0                | 4.25            | 11          | Pass    |
| ac20  | 5260            | 4.29                | 0                | 4.29            | 11          | Pass    |
| ac20  | 5320            | 4.55                | 0                | 4.55            | 11          | Pass    |
| ac20  | 5500            | 3.62                | 0                | 3.62            | 11          | Pass    |
| ac20  | 5700            | 3.12                | 0                | 3.12            | 11          | Pass    |
| ac20  | 5745            | -0.77               | 0                | -0.77           | 30          | Pass    |
| ac20  | 5825            | -1.49               | 0                | -1.49           | 30          | Pass    |
| ac40  | 5190            | 2.46                | 0                | 2.46            | 11          | Pass    |
| ac40  | 5230            | 3.1                 | 0                | 3.1             | 11          | Pass    |
| ac40  | 5270            | 2.95                | 0                | 2.95            | 11          | Pass    |
| ac40  | 5310            | 1.65                | 0                | 1.65            | 11          | Pass    |
| ac40  | 5510            | 0.34                | 0                | 0.34            | 11          | Pass    |
| ac40  | 5670            | 1.52                | 0                | 1.52            | 11          | Pass    |
| ac40  | 5755            | -2.39               | 0                | -2.39           | 30          | Pass    |
| ac40  | 5795            | -2.5                | 0                | -2.5            | 30          | Pass    |
| ac80  | 5210            | -0.35               | 0                | -0.35           | 11          | Pass    |
| ac80  | 5290            | -1.92               | 0                | -1.92           | 11          | Pass    |
| ac80  | 5530            | -2.26               | 0                | -2.26           | 11          | Pass    |
| ac80  | 5610            | -0.98               | 0                | -0.98           | 11          | Pass    |
| ac80  | 5775            | -5.04               | 0                | -5.04           | 30          | Pass    |
| ax160 | 5250            | -8.05               | 0                | -8.05           | 11          | Pass    |
| ax160 | 5570            | -7.64               | 0                | -7.64           | 11          | Pass    |
| ax20  | 5180            | 4.33                | 0                | 4.33            | 11          | Pass    |
| ax20  | 5240            | 4.28                | 0                | 4.28            | 11          | Pass    |
| ax20  | 5260            | 4.36                | 0                | 4.36            | 11          | Pass    |
| ax20  | 5320            | 4.36                | 0                | 4.36            | 11          | Pass    |
| ax20  | 5500            | 3.49                | 0                | 3.49            | 11          | Pass    |
| ax20  | 5700            | 2.97                | 0                | 2.97            | 11          | Pass    |
| ax20  | 5745            | -1.12               | 0                | -1.12           | 30          | Pass    |
| ax20  | 5825            | -1.76               | 0                | -1.76           | 30          | Pass    |
| ax40  | 5190            | 2.08                | 0                | 2.08            | 11          | Pass    |
| ax40  | 5230            | 2.62                | 0                | 2.62            | 11          | Pass    |
| ax40  | 5270            | 2.69                | 0                | 2.69            | 11          | Pass    |







Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,

Please Contact with WSCT  
www.wsct-cert.com

|      |      |       |   |       |    |      |
|------|------|-------|---|-------|----|------|
| ax40 | 5310 | 1.45  | 0 | 1.45  | 11 | Pass |
| ax40 | 5510 | -0.32 | 0 | -0.32 | 11 | Pass |
| ax40 | 5670 | 1.06  | 0 | 1.06  | 11 | Pass |
| ax40 | 5755 | -2.88 | 0 | -2.88 | 30 | Pass |
| ax40 | 5795 | -2.85 | 0 | -2.85 | 30 | Pass |
| ax80 | 5210 | -0.47 | 0 | -0.47 | 11 | Pass |
| ax80 | 5290 | -2.3  | 0 | -2.3  | 11 | Pass |
| ax80 | 5530 | -2.36 | 0 | -2.36 | 11 | Pass |
| ax80 | 5610 | -0.96 | 0 | -0.96 | 11 | Pass |
| ax80 | 5775 | -5.55 | 0 | -5.55 | 30 | Pass |

### AUX Antenna

| Mode  | Frequency (MHz) | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|---------------------|------------------|-----------------|-------------|---------|
| a     | 5180            | 3.01                | 0                | 3.01            | 11          | Pass    |
| a     | 5240            | 2.6                 | 0                | 2.6             | 11          | Pass    |
| a     | 5260            | 2.68                | 0                | 2.68            | 11          | Pass    |
| a     | 5320            | 2.95                | 0                | 2.95            | 11          | Pass    |
| a     | 5500            | 2.49                | 0                | 2.49            | 11          | Pass    |
| a     | 5700            | 3.1                 | 0                | 3.1             | 11          | Pass    |
| a     | 5745            | -1.27               | 0                | -1.27           | 30          | Pass    |
| a     | 5825            | -1.6                | 0                | -1.6            | 30          | Pass    |
| n20   | 5180            | 3.09                | 0                | 3.09            | 11          | Pass    |
| n20   | 5240            | 2.53                | 0                | 2.53            | 11          | Pass    |
| n20   | 5260            | 2.75                | 0                | 2.75            | 11          | Pass    |
| n20   | 5320            | 2.9                 | 0                | 2.9             | 11          | Pass    |
| n20   | 5500            | 2.85                | 0                | 2.85            | 11          | Pass    |
| n20   | 5700            | 2.7                 | 0                | 2.7             | 11          | Pass    |
| n20   | 5745            | -1.06               | 0                | -1.06           | 30          | Pass    |
| n20   | 5825            | -1.71               | 0                | -1.71           | 30          | Pass    |
| n40   | 5190            | 1.47                | 0                | 1.47            | 11          | Pass    |
| n40   | 5230            | 1                   | 0                | 1               | 11          | Pass    |
| n40   | 5270            | 0.98                | 0                | 0.98            | 11          | Pass    |
| n40   | 5310            | 0.82                | 0                | 0.82            | 11          | Pass    |
| n40   | 5510            | 0.14                | 0                | 0.14            | 11          | Pass    |
| n40   | 5670            | 1.9                 | 0                | 1.9             | 11          | Pass    |
| n40   | 5755            | -2.94               | 0                | -2.94           | 30          | Pass    |
| n40   | 5795            | -2.8                | 0                | -2.8            | 30          | Pass    |
| ac20  | 5180            | 2.91                | 0                | 2.91            | 11          | Pass    |
| ac20  | 5240            | 2.58                | 0                | 2.58            | 11          | Pass    |
| ac20  | 5260            | 2.31                | 0                | 2.31            | 11          | Pass    |
| ac20  | 5320            | 2.92                | 0                | 2.92            | 11          | Pass    |
| ac20  | 5500            | 2.61                | 0                | 2.61            | 11          | Pass    |
| ac20  | 5700            | 3.13                | 0                | 3.13            | 11          | Pass    |
| ac20  | 5745            | -1.39               | 0                | -1.39           | 30          | Pass    |
| ac20  | 5825            | -1.57               | 0                | -1.57           | 30          | Pass    |
| ac40  | 5190            | 1.23                | 0                | 1.23            | 11          | Pass    |
| ac40  | 5230            | 1.07                | 0                | 1.07            | 11          | Pass    |
| ac40  | 5270            | 0.81                | 0                | 0.81            | 11          | Pass    |
| ac40  | 5310            | 0.67                | 0                | 0.67            | 11          | Pass    |
| ac40  | 5510            | 0.06                | 0                | 0.06            | 11          | Pass    |
| ac40  | 5670            | 1.32                | 0                | 1.32            | 11          | Pass    |
| ac40  | 5755            | -2.95               | 0                | -2.95           | 30          | Pass    |
| ac40  | 5795            | -2.87               | 0                | -2.87           | 30          | Pass    |
| ac80  | 5210            | -1.64               | 0                | -1.64           | 11          | Pass    |
| ac80  | 5290            | -2.58               | 0                | -2.58           | 11          | Pass    |
| ac80  | 5530            | -1.91               | 0                | -1.91           | 11          | Pass    |
| ac80  | 5610            | -1.08               | 0                | -1.08           | 11          | Pass    |
| ac80  | 5775            | -4.44               | 0                | -4.44           | 30          | Pass    |
| ax160 | 5250            | -7.73               | 0                | -7.73           | 11          | Pass    |
| ax160 | 5570            | -5.91               | 0                | -5.91           | 11          | Pass    |
| ax20  | 5180            | 2.75                | 0                | 2.75            | 11          | Pass    |
| ax20  | 5240            | 2.6                 | 0                | 2.6             | 11          | Pass    |
| ax20  | 5260            | 2.16                | 0                | 2.16            | 11          | Pass    |
| ax20  | 5320            | 2.73                | 0                | 2.73            | 11          | Pass    |
| ax20  | 5500            | 2.64                | 0                | 2.64            | 11          | Pass    |
| ax20  | 5700            | 2.76                | 0                | 2.76            | 11          | Pass    |
| ax20  | 5745            | -1.55               | 0                | -1.55           | 30          | Pass    |
| ax20  | 5825            | -2                  | 0                | -2              | 30          | Pass    |
| ax40  | 5190            | 0.87                | 0                | 0.87            | 11          | Pass    |
| ax40  | 5230            | 0.22                | 0                | 0.22            | 11          | Pass    |







Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,

Please Contact with WSCT  
www.wsct-cert.com

|      |      |       |   |       |    |      |
|------|------|-------|---|-------|----|------|
| ax40 | 5270 | -0.07 | 0 | -0.07 | 11 | Pass |
| ax40 | 5310 | 0.43  | 0 | 0.43  | 11 | Pass |
| ax40 | 5510 | -0.91 | 0 | -0.91 | 11 | Pass |
| ax40 | 5670 | 0.77  | 0 | 0.77  | 11 | Pass |
| ax40 | 5755 | -3.55 | 0 | -3.55 | 30 | Pass |
| ax40 | 5795 | -3.43 | 0 | -3.43 | 30 | Pass |
| ax80 | 5210 | -2.12 | 0 | -2.12 | 11 | Pass |
| ax80 | 5290 | -2.73 | 0 | -2.73 | 11 | Pass |
| ax80 | 5530 | -2.42 | 0 | -2.42 | 11 | Pass |
| ax80 | 5610 | -1.58 | 0 | -1.58 | 11 | Pass |
| ax80 | 5775 | -4.9  | 0 | -4.9  | 30 | Pass |

### MiMO Mode

| Mode  | Frequency (MHz) | Conducted PSD (dBm) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|---------------------|-----------------|-------------|---------|
| a     | 5180            | 6.87                | 6.87            | 11          | Pass    |
| a     | 5240            | 6.64                | 6.64            | 11          | Pass    |
| a     | 5260            | 6.67                | 6.67            | 11          | Pass    |
| a     | 5320            | 6.74                | 6.74            | 11          | Pass    |
| a     | 5500            | 6.20                | 6.20            | 11          | Pass    |
| a     | 5700            | 5.96                | 5.96            | 11          | Pass    |
| a     | 5745            | 1.97                | 1.97            | 30          | Pass    |
| a     | 5825            | 1.47                | 1.47            | 30          | Pass    |
| n20   | 5180            | 5.09                | 5.09            | 11          | Pass    |
| n20   | 5240            | 5.34                | 5.34            | 11          | Pass    |
| n20   | 5260            | 4.78                | 4.78            | 11          | Pass    |
| n20   | 5320            | 4.42                | 4.42            | 11          | Pass    |
| n20   | 5500            | 3.25                | 3.25            | 11          | Pass    |
| n20   | 5700            | 4.67                | 4.67            | 11          | Pass    |
| n20   | 5745            | 0.29                | 0.29            | 30          | Pass    |
| n20   | 5825            | 0.37                | 0.37            | 30          | Pass    |
| n40   | 5190            | 7.21                | 7.21            | 11          | Pass    |
| n40   | 5230            | 6.51                | 6.51            | 11          | Pass    |
| n40   | 5270            | 6.42                | 6.42            | 11          | Pass    |
| n40   | 5310            | 6.82                | 6.82            | 11          | Pass    |
| n40   | 5510            | 6.15                | 6.15            | 11          | Pass    |
| n40   | 5670            | 6.14                | 6.14            | 11          | Pass    |
| n40   | 5755            | 1.94                | 1.94            | 30          | Pass    |
| n40   | 5795            | 1.48                | 1.48            | 30          | Pass    |
| ac20  | 5180            | 4.9                 | 4.9             | 11          | Pass    |
| ac20  | 5240            | 5.21                | 5.21            | 11          | Pass    |
| ac20  | 5260            | 5.02                | 5.02            | 11          | Pass    |
| ac20  | 5320            | 4.2                 | 4.2             | 11          | Pass    |
| ac20  | 5500            | 3.21                | 3.21            | 11          | Pass    |
| ac20  | 5700            | 4.43                | 4.43            | 11          | Pass    |
| ac20  | 5745            | 0.35                | 0.35            | 30          | Pass    |
| ac20  | 5825            | 0.33                | 0.33            | 30          | Pass    |
| ac40  | 5190            | 2.06                | 2.06            | 11          | Pass    |
| ac40  | 5230            | 0.77                | 0.77            | 11          | Pass    |
| ac40  | 5270            | 0.93                | 0.93            | 11          | Pass    |
| ac40  | 5310            | 1.98                | 1.98            | 11          | Pass    |
| ac40  | 5510            | -1.72               | -1.72           | 11          | Pass    |
| ac40  | 5670            | -4.88               | -4.88           | 11          | Pass    |
| ac40  | 5755            | -3.68               | -3.68           | 30          | Pass    |
| ac40  | 5795            | 6.62                | 6.62            | 30          | Pass    |
| ac80  | 5210            | 6.53                | 6.53            | 11          | Pass    |
| ac80  | 5290            | 6.41                | 6.41            | 11          | Pass    |
| ac80  | 5530            | 6.63                | 6.63            | 11          | Pass    |
| ac80  | 5610            | 6.10                | 6.10            | 11          | Pass    |
| ac80  | 5775            | 5.88                | 5.88            | 30          | Pass    |
| ax160 | 5250            | 1.68                | 1.68            | 11          | Pass    |
| ax160 | 5570            | 1.13                | 1.13            | 11          | Pass    |
| ax20  | 5180            | 4.53                | 4.53            | 11          | Pass    |
| ax20  | 5240            | 4.59                | 4.59            | 11          | Pass    |
| ax20  | 5260            | 4.54                | 4.54            | 11          | Pass    |
| ax20  | 5320            | 3.98                | 3.98            | 11          | Pass    |
| ax20  | 5500            | 2.41                | 2.41            | 11          | Pass    |
| ax20  | 5700            | 3.93                | 3.93            | 11          | Pass    |
| ax20  | 5745            | -0.19               | -0.19           | 30          | Pass    |
| ax20  | 5825            | -0.12               | -0.12           | 30          | Pass    |
| ax40  | 5190            | 1.79                | 1.79            | 11          | Pass    |







Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate # 5768.01

For Question,  
Please Contact with WSCT  
[www.wsct-cert.com](http://www.wsct-cert.com)

|      |      |      |      |    |      |
|------|------|------|------|----|------|
| ax40 | 5230 | 0.5  | 0.5  | 11 | Pass |
| ax40 | 5270 | 0.62 | 0.62 | 11 | Pass |
| ax40 | 5310 | 1.75 | 1.75 | 11 | Pass |
| ax40 | 5510 | -2.2 | -2.2 | 11 | Pass |






Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com

# MAIN









Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01



For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&amp;E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com







Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com









Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com





Report No.: WSCT-A2LA-R&E240300011A-Wi-Fi2

Certificate #5768.01

For Question,  
Please Contact with WSCT  
www.wsct-cert.com

