

Appendix Test Data


Report No.:	1812C40172012503	Test Sample No.:	1-2-2
Start Test Date:	2024.12.10	Finish Test Date:	2024.12.19
Test Engineer:	<i>Joker Huang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	24.2°C	Relative Humidity:	50%
Pressure:	101kPa		


Appendix A: 6dB Bandwidth


Test Result


Test Mode	Antenna	Frequency[MHz]	6dB BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	9.24	2407.40	2416.64	0.5	PASS
11B	Ant1	2437	9.24	2432.40	2441.64	0.5	PASS
11B	Ant1	2462	9.36	2457.36	2466.72	0.5	PASS
11G	Ant1	2412	16.52	2403.56	2420.08	0.5	PASS
11G	Ant1	2437	15.96	2428.76	2444.72	0.5	PASS
11G	Ant1	2462	16.12	2453.92	2470.04	0.5	PASS
11N20SISO	Ant1	2412	17.52	2403.24	2420.76	0.5	PASS
11N20SISO	Ant1	2437	16.92	2428.20	2445.12	0.5	PASS
11N20SISO	Ant1	2462	17.36	2453.32	2470.68	0.5	PASS
11N40SISO	Ant1	2422	36.08	2403.84	2439.92	0.5	PASS
11N40SISO	Ant1	2437	35.92	2418.92	2454.84	0.5	PASS
11N40SISO	Ant1	2452	35.04	2434.24	2469.28	0.5	PASS
11AX20SISO	Ant1	2412	18.76	2402.60	2421.36	0.5	PASS
11AX20SISO	Ant1	2437	14.88	2430.56	2445.44	0.5	PASS
11AX20SISO	Ant1	2462	18.96	2452.52	2471.48	0.5	PASS
11AX40SISO	Ant1	2422	37.36	2403.52	2440.88	0.5	PASS
11AX40SISO	Ant1	2437	35.04	2420.92	2455.96	0.5	PASS
11AX40SISO	Ant1	2452	36.64	2434.32	2470.96	0.5	PASS


Test Graphs

























Appendix B: 99% Occupied Bandwidth


Test Result


Test Mode	Antenna	Channel Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	12.627	2405.7662	2418.3936	---	---
11B	Ant1	2437	12.667	2430.7662	2443.4336	---	---
11B	Ant1	2462	12.627	2455.7662	2468.3936	---	---
11G	Ant1	2412	16.623	2403.7283	2420.3516	---	---
11G	Ant1	2437	17.303	2428.2088	2445.5115	---	---
11G	Ant1	2462	16.424	2453.8082	2470.2318	---	---
11N20SISO	Ant1	2412	17.702	2403.1688	2420.8711	---	---
11N20SISO	Ant1	2437	18.182	2427.9291	2446.1109	---	---
11N20SISO	Ant1	2462	17.822	2453.0490	2470.8711	---	---
11N40SISO	Ant1	2422	36.204	2403.7782	2439.9820	---	---
11N40SISO	Ant1	2437	36.523	2418.6184	2455.1419	---	---
11N40SISO	Ant1	2452	36.444	2433.6983	2470.1419	---	---
11AX20SISO	Ant1	2412	19.341	2402.1698	2421.5105	---	---
11AX20SISO	Ant1	2437	19.221	2427.4895	2446.7103	---	---
11AX20SISO	Ant1	2462	19.82	2452.6094	2472.4296	---	---
11AX40SISO	Ant1	2422	37.802	2402.8991	2440.7013	---	---
11AX40SISO	Ant1	2437	37.722	2418.2188	2455.9411	---	---
11AX40SISO	Ant1	2452	38.122	2432.8991	2471.0210	---	---


Test Graphs





















Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com




Appendix C: Maximum conducted output power

Test Result Average

Test Mode	Antenna	Frequency [MHz]	Set Power	Average power [dBm]	Duty Cycle [%]	DC Factor [dB]	Result [dBm]	Limit [dBm]	Gain [dBi]	Verdict
11B	Ant1	2412	NA	6.26	8.97	10.47	16.73	≤30.00	0.00	PASS
11B	Ant1	2437	NA	5.31	9.23	10.35	15.66	≤30.00	0.00	PASS
11B	Ant1	2462	NA	5.31	9.32	10.31	15.62	≤30.00	0.00	PASS
11G	Ant1	2412	NA	3.13	11.93	9.23	12.36	≤30.00	0.00	PASS
11G	Ant1	2437	NA	4.26	12.02	9.20	13.46	≤30.00	0.00	PASS
11G	Ant1	2462	NA	4.18	12.02	9.20	13.38	≤30.00	0.00	PASS
11N20SISO	Ant1	2412	NA	4.80	15.91	7.98	12.78	≤30.00	0.00	PASS
11N20SISO	Ant1	2437	NA	5.19	15.91	7.98	13.17	≤30.00	0.00	PASS
11N20SISO	Ant1	2462	NA	5.24	15.91	7.98	13.22	≤30.00	0.00	PASS
11N40SISO	Ant1	2422	NA	2.59	8.39	10.76	13.35	≤30.00	0.00	PASS
11N40SISO	Ant1	2437	NA	2.62	8.56	10.68	13.30	≤30.00	0.00	PASS
11N40SISO	Ant1	2452	NA	3.01	8.58	10.67	13.68	≤30.00	0.00	PASS
11AX20SISO	Ant1	2412	NA	4.90	12.27	9.11	14.01	≤30.00	0.00	PASS
11AX20SISO	Ant1	2437	NA	4.48	12.87	8.90	13.38	≤30.00	0.00	PASS
11AX20SISO	Ant1	2462	NA	3.82	12.70	8.96	12.78	≤30.00	0.00	PASS
11AX40SISO	Ant1	2422	NA	1.82	7.02	11.54	13.36	≤30.00	0.00	PASS
11AX40SISO	Ant1	2437	NA	1.94	7.04	11.52	13.46	≤30.00	0.00	PASS
11AX40SISO	Ant1	2452	NA	1.79	7.05	11.52	13.31	≤30.00	0.00	PASS

Note: 1. The cable loss are compensated in the graph


Test Graphs Average




Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com







Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
 Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
 400-003-0500
www.anbotek.com








Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
 Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
 400-003-0500
www.anbotek.com










Appendix D: Maximum power spectral density

Test Result

Test Mode	Antenna	Frequency [MHz]	Reading Result [dBm/3kHz]	DC Factor [dB]	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11B	Ant1	2412	-24.39	10.47	-13.92	≤8.00	PASS
11B	Ant1	2437	-22.5	10.35	-12.15	≤8.00	PASS
11B	Ant1	2462	-22.47	10.31	-12.16	≤8.00	PASS
11G	Ant1	2412	-26.58	9.23	-17.35	≤8.00	PASS
11G	Ant1	2437	-27.4	9.20	-18.20	≤8.00	PASS
11G	Ant1	2462	-27.71	9.20	-18.51	≤8.00	PASS
11N20SISO	Ant1	2412	-26.85	7.98	-18.87	≤8.00	PASS
11N20SISO	Ant1	2437	-28.06	7.98	-20.08	≤8.00	PASS
11N20SISO	Ant1	2462	-26.46	7.98	-18.48	≤8.00	PASS
11N40SISO	Ant1	2422	-31.65	10.76	-20.89	≤8.00	PASS
11N40SISO	Ant1	2437	-30.8	10.68	-20.12	≤8.00	PASS
11N40SISO	Ant1	2452	-30.86	10.67	-20.19	≤8.00	PASS
11AX20SISO	Ant1	2412	-28.17	9.11	-19.06	≤8.00	PASS
11AX20SISO	Ant1	2437	-25.84	8.90	-16.94	≤8.00	PASS
11AX20SISO	Ant1	2462	-27.13	8.96	-18.17	≤8.00	PASS
11AX40SISO	Ant1	2422	-32.12	11.54	-20.58	≤8.00	PASS
11AX40SISO	Ant1	2437	-30.31	11.52	-18.79	≤8.00	PASS
11AX40SISO	Ant1	2452	-32.43	11.52	-20.91	≤8.00	PASS

Note: 1. The cable loss are compensated in the graph.


Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com










11N20SISO-Ant1-2412-PASS




11N20SISO-Ant1-2437-PASS









11AX20SISO-Ant1-2412-PASS



11AX20SISO-Ant1-2437-PASS






Appendix E: Conducted Band edge


Test Result

Test Mode	Antenna	Ch. Name	Frequency [MHz]	Ref. Level [dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	5.56	-46.67	≤-24.44	PASS
11B	Ant1	High	2462	4.68	-55.77	≤-25.32	PASS
11G	Ant1	Low	2412	-1.49	-41.03	≤-31.49	PASS
11G	Ant1	High	2462	-0.66	-44.76	≤-30.66	PASS
11N20SISO	Ant1	Low	2412	-1.42	-37.58	≤-31.42	PASS
11N20SISO	Ant1	High	2462	-1.14	-45.52	≤-31.14	PASS
11N40SISO	Ant1	Low	2422	-4.95	-40.46	≤-34.95	PASS
11N40SISO	Ant1	High	2452	-3.84	-44.43	≤-33.84	PASS
11AX20SISO	Ant1	Low	2412	1.77	-32.96	≤-28.23	PASS
11AX20SISO	Ant1	High	2462	0.35	-45.17	≤-29.65	PASS
11AX40SISO	Ant1	Low	2422	-4.11	-40.07	≤-34.11	PASS
11AX40SISO	Ant1	High	2452	-2.80	-39.39	≤-32.8	PASS




Test Graphs








11G-Ant1-2412-PASS




11G-Ant1-2462-PASS










11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2452-PASS

Appendix F: Conducted Spurious Emission

Test Result

Test Mode	Antenna	Frequency [MHz]	Freq. Range [Mhz]	Ref. Level [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	0~Reference	5.06	5.06	---	PASS
11B	Ant1	2412	30~1000	5.06	-58.43	≤-24.94	PASS
11B	Ant1	2412	1000~26500	5.06	-43.81	≤-24.94	PASS
11B	Ant1	2437	0~Reference	4.14	4.14	---	PASS
11B	Ant1	2437	30~1000	4.14	-57.78	≤-25.86	PASS
11B	Ant1	2437	1000~26500	4.14	-42.79	≤-25.86	PASS
11B	Ant1	2462	0~Reference	5.06	5.06	---	PASS
11B	Ant1	2462	30~1000	5.06	-57.21	≤-24.94	PASS
11B	Ant1	2462	1000~26500	5.06	-40.9	≤-24.94	PASS
11G	Ant1	2412	0~Reference	-1.34	-1.34	---	PASS
11G	Ant1	2412	30~1000	-1.34	-58.23	≤-31.34	PASS
11G	Ant1	2437	0~Reference	-0.65	-0.65	---	PASS
11G	Ant1	2437	30~1000	-0.65	-57.91	≤-30.65	PASS
11G	Ant1	2437	1000~26500	-0.65	-43.62	≤-30.65	PASS
11G	Ant1	2462	0~Reference	-0.73	-0.73	---	PASS
11G	Ant1	2462	30~1000	-0.73	-58.22	≤-30.73	PASS
11G	Ant1	2462	1000~26500	-0.73	-44.01	≤-30.73	PASS
11N20SISO	Ant1	2412	0~Reference	1.62	1.62	---	PASS
11N20SISO	Ant1	2412	30~1000	1.62	-58.28	≤-28.38	PASS
11N20SISO	Ant1	2412	1000~26500	1.62	-44	≤-28.38	PASS
11N20SISO	Ant1	2437	0~Reference	-1.39	-1.39	---	PASS
11N20SISO	Ant1	2437	30~1000	-1.39	-57.92	≤-31.39	PASS
11N20SISO	Ant1	2437	1000~26500	-1.39	-42.55	≤-31.39	PASS
11N20SISO	Ant1	2462	0~Reference	-1.58	-1.58	---	PASS
11N20SISO	Ant1	2462	30~1000	-1.58	-58.17	≤-31.58	PASS
11N20SISO	Ant1	2462	1000~26500	-1.58	-43.89	≤-31.58	PASS
11N40SISO	Ant1	2422	0~Reference	-4.59	-4.59	---	PASS
11N40SISO	Ant1	2422	30~1000	-4.59	-57.13	≤-34.59	PASS
11N40SISO	Ant1	2422	1000~26500	-4.59	-43.79	≤-34.59	PASS
11N40SISO	Ant1	2437	0~Reference	-0.03	-0.03	---	PASS
11N40SISO	Ant1	2437	30~1000	-0.03	-57.67	≤-30.03	PASS
11N40SISO	Ant1	2437	1000~26500	-0.03	-43.82	≤-30.03	PASS
11N40SISO	Ant1	2452	0~Reference	-3.80	-3.80	---	PASS
11N40SISO	Ant1	2452	30~1000	-3.80	-57.15	≤-33.8	PASS
11N40SISO	Ant1	2452	1000~26500	-3.80	-43.12	≤-33.8	PASS
11AX20SISO	Ant1	2412	0~Reference	-1.24	-1.24	---	PASS
11AX20SISO	Ant1	2412	30~1000	-1.24	-58.15	≤-31.24	PASS

11AX20SISO	Ant1	2412	1000~26500	-1.24	-43.77	≤-31.24	PASS
11AX20SISO	Ant1	2437	0~Reference	-1.52	-1.52	---	PASS
11AX20SISO	Ant1	2437	30~1000	-1.52	-57.13	≤-31.52	PASS
11AX20SISO	Ant1	2437	1000~26500	-1.52	-43.96	≤-31.52	PASS
11AX20SISO	Ant1	2462	0~Reference	-0.22	-0.22	---	PASS
11AX20SISO	Ant1	2462	30~1000	-0.22	-57.4	≤-30.22	PASS
11AX20SISO	Ant1	2462	1000~26500	-0.22	-43.83	≤-30.22	PASS
11AX40SISO	Ant1	2422	0~Reference	-3.56	-3.56	---	PASS
11AX40SISO	Ant1	2422	30~1000	-3.56	-57.51	≤-33.56	PASS
11AX40SISO	Ant1	2422	1000~26500	-3.56	-42.81	≤-33.56	PASS
11AX40SISO	Ant1	2437	0~Reference	-4.41	-4.41	---	PASS
11AX40SISO	Ant1	2437	30~1000	-4.41	-57.83	≤-34.41	PASS
11AX40SISO	Ant1	2437	1000~26500	-4.41	-43.69	≤-34.41	PASS
11AX40SISO	Ant1	2452	0~Reference	-2.54	-2.54	---	PASS
11AX40SISO	Ant1	2452	30~1000	-2.54	-57.49	≤-32.54	PASS
11AX40SISO	Ant1	2452	1000~26500	-2.54	-43	≤-32.54	PASS


Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com


Test Graphs





Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline 400-003-0500
www.anbotek.com


























Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com












11N40SISO-Ant1-2422-0~Reference-PASS



11N40SISO-Ant1-2422-30~1000-PASS







Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com





11N40SISO-Ant1-2452-0~Reference-PASS




11N40SISO-Ant1-2452-30~1000-PASS











11AX20SISO-Ant1-2437-1000~26500-PASS




11AX20SISO-Ant1-2462-0~Reference-PASS




Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




11AX40SISO-Ant1-2422-0~Reference-PASS



11AX40SISO-Ant1-2422-30~1000-PASS







Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline
400-003-0500
www.anbotek.com


Appendix G: Duty Cycle


Test Result

Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	1.04	11.60	8.97	10.47
11B	Ant1	2437	1.02	11.05	9.23	10.35
11B	Ant1	2462	1.03	11.05	9.32	10.31
11G	Ant1	2412	1.36	11.40	11.93	9.23
11G	Ant1	2437	1.37	11.40	12.02	9.20
11G	Ant1	2462	1.37	11.40	12.02	9.20
11N20SISO	Ant1	2412	1.90	11.94	15.91	7.98
11N20SISO	Ant1	2437	1.90	11.94	15.91	7.98
11N20SISO	Ant1	2462	1.90	11.94	15.91	7.98
11N40SISO	Ant1	2422	0.92	10.96	8.39	10.76
11N40SISO	Ant1	2437	0.94	10.98	8.56	10.68
11N40SISO	Ant1	2452	0.94	10.96	8.58	10.67
11AX20SISO	Ant1	2412	1.46	11.90	12.27	9.11
11AX20SISO	Ant1	2437	1.48	11.50	12.87	8.90
11AX20SISO	Ant1	2462	1.46	11.50	12.70	8.96
11AX40SISO	Ant1	2422	0.76	10.82	7.02	11.54
11AX40SISO	Ant1	2437	0.76	10.80	7.04	11.52
11AX40SISO	Ant1	2452	0.76	10.78	7.05	11.52




Test Graphs







NTNV-11B-Ant1-2462





NTNV-11G-Ant1-2412














Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

Hotline
400-003-0500
www.anbotek.com







---End---