



Exhibit 7B: SAR Test Report Photographs

Motorola Solutions Inc

EME Test Laboratory Motorola Solutions Malaysia Sdn Bhd (Innoplex) (455657-H) Plot 2A, Medan Bayan Lepas, Mukim 12 SWD, 11900 Bayan Lepas Penang, Malaysia.



Tiong

Tiong Nguk Ing Deputy Technical Manager

Approval Date: 6/17/2016

FCC ID: AZ489FT7092 / IC: 109U-89FT7092 Report ID: P5559-EME-00002

Report Revision History

Date	Revision	Comments
06/16/2016	A	Initial release

1.0 Highest SAR Test Position per body location

1.1 Body

DUT with fixed antenna, offered battery HKNN4014A and body worn HKLN4433A against the phantom without audio accessory attached. Same position used for other applicable offered audio accessory.



	Separation Distances (mm)		
	@ bottom surface	@ top surface	
Antenna kit #	of the DUT	of the DUT	
Fixed (Internal)	5	5	

1.2 Face

Not applicable.

1.3 Head

Not applicable.

1.4 Hand

Not applicable

2.0 Other SAR tested positions at the body

2.1 Body worn

DUT with fixed antenna, offered battery HKNN4014A and body worn HKLN4438B against the phantom with an audio accessory HKLN4529A attached. Same position used for other applicable offered battery.



	Separation Distances (mm)		
	@ bottom surface	@ top surface	
Antenna kit #	of the DUT	of the DUT	
Fixed (Internal)	18	25	

2.2 Front Side against phantom Not applicable.

2.3 Back side against phantom Not applicable.

2.4 Front 2.5cm separation

Not applicable

2.5 Antenna 2.5cm separation

Not applicable

2.6 Back 2.5cm separation

Not applicable

3.0 Other SAR tested positions at the face

3.1 Back of DUT at 2.5cm separation Not applicable

3.2 Front of DUT at 2.5cm separation Not applicable

4.0 Other SAR tested positions at the head

4.1 Left ear touch

Not applicable.

FCC ID: AZ489FT7092 / IC: 109U-89FT7092 Report ID: P5559-EME-00002

4.2 Left ear tilt

Not applicable.

4.3 Right ear touch

Not applicable.

4.4 Right ear tilt

Not applicable.

5.0 Other SAR tested positions at the hand

5.1 Left side

Not applicable.

5.2 Right side

Not applicable.

5.3 Top side

Not applicable.

5.4 Bottom side

Not applicable.

5.5 Back side

Not applicable.

6.0 DUT and Accessory Photos

The purpose of these photos is to illustrate the tested accessories. Refer to Part 1 of 2, section 7.0 for additional details on the offered accessories.

6.1 Antenna dimension and photo(s):

Not applicable.

6.2 Body worn accessories:



DUT Front View Magnetic case HKLN4433A



DUT Back View Magnetic case HKLN4433A



DUT Side View Magnetic case HKLN4433A



DUT Front View Swivel belt holster HKLN4438B



DUT Back View Swivel belt holster HKLN4438B



DUT Side View Swivel belt holster HKLN4438B

6.3 Battery accessory:







HKNN4014A Li-Ion rechargeable battery pack (front, back and side view)







HKNN4013A Li-Ion rechargeable battery pack (front, back and side view)

6.4 Tested Audio accessory:



HKLN4529A Short cord earpiece

6.5 DUT Dimensions

	Height (mm)	Width (mm)	Depth (mm)
Radio with battery HKNN4014A	89.0	50.2	19.7
Radio with battery HKNN4013A	89.0	50.2	23.5

For illustration purposes only - the following figure reflects the location of the device's dimensions.



Note:

H = Height; W = Width; D = Depth

 $W1 = \left(Width \ @ \ Top\right) / \left(Width \ @ \ PTT\right)$

D2 = (Depth @ Bottom) / (Depth @ PTT)