

## Photo Report on testo Bluetooth® Connector

Report Reference: MDE\_TESTO\_2203\_FCC\_Photo\_Setups

## **Test Laboratory:**

7layers GmbH Borsigstrasse 11 40880 Ratingen Germany





## Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH


Borsigstraße 11 40880 Ratingen, Germany T +49 (0) 2102 749 0 F +49 (0) 2102 749 350 Geschäftsführer/ Managing Directors: Frank Spiller

Bernhard Retka Alexandre Norré-Oudard Registergericht/registered: Düsseldorf HRB 75554

Düsseldorf HRB 75554 USt-Id.-Nr./VAT-No. DE203159652 Steuer-Nr./TAX-No. 147/5869/0385 a Bureau Veritas Group Company


www.7layers.com






**Photo 1:** Test setup for radiated measurements (stand alone, semi-anechoic chamber 30 MHz – 1 GHz; unintentional radiator §15.109, ANSI C63.4)






**Photo 2:** Test setup for radiated measurements (computer peripheric, semi-anechoic chamber 30 MHz – 1 GHz; unintentional radiator §15.109, ANSI C63.4)





**Photo 3:** Test setup for radiated measurements (stand alone, semi-anechoic chamber above 1 GHz; unintentional radiator §15.109, ANSI C63.4)





**Photo 4:** Test setup for radiated measurements (computer peripheric, semi-anechoic chamber above 1 GHz; unintentional radiator §15.109, ANSI C63.4)






**Photo 5:** Test setup for conducted measurements (AC Port (power line), EUT supplied by AC/DC adapter, unintentional radiator §15.107, ANSI C63.4)





**Photo 6:** Test setup for conducted measurements (computer peripheral setup, EUT connected via USB-cable to computer, unintentional radiator §15.107, ANSI C63.4)





**Photo 7:** Test setup for radiated measurements (stand alone, 9 kHz - 30 MHz; FCC 15c247), ANSI C63.10)





**Photo 8:** Test setup for radiated measurements (stand alone, 1 – 18 GHz; FCC 15c247, ANSI C63.10)





**Photo 9:** Test setup for radiated measurements, detailed view (stand alone, 1 – 18 GHz; FCC 15c247, ANSI C63.10)