






11be40MIMO-Ant1-2422-242Tone-RU61-1000~26500-PASS

11be40MIMO-Ant2-2422-242Tone-RU61-1000~26500-PASS




11be40MIMO-Ant1-2437-242Tone-RU61-0~Reference-PASS

11be40MIMO-Ant2-2437-242Tone-RU61-0~Reference-PASS



11be40MIMO-Ant1-2437-242Tone-RU61-30~1000-PASS

11be40MIMO-Ant2-2437-242Tone-RU61-30~1000-PASS




11be40MIMO-Ant1-2437-242Tone-RU61-1000~26500-PASS

11be40MIMO-Ant2-2437-242Tone-RU61-1000~26500-PASS



11be40MIMO-Ant1-2452-242Tone-RU61-0~Reference-PASS

11be40MIMO-Ant2-2452-242Tone-RU61-0~Reference-PASS



11be40MIMO-Ant1-2452-242Tone-RU61-30~1000-PASS

11be40MIMO-Ant2-2452-242Tone-RU61-30~1000-PASS




11be40MIMO-Ant1-2452-242Tone-RU61-1000~26500-PASS

11be40MIMO-Ant2-2452-242Tone-RU61-1000~26500-PASS

**Duty Cycle
Test Result**

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11b-CDD	Ant1	2412	1.01	1.03	98.06	0.09
11b-CDD	Ant2	2412	1.01	1.02	99.02	0.04
11b-CDD	Ant1	2437	1.01	1.03	98.06	0.09
11b-CDD	Ant2	2437	1.00	1.02	98.04	0.09
11b-CDD	Ant1	2462	1.00	1.02	98.04	0.09
11b-CDD	Ant2	2462	1.00	1.02	98.04	0.09
11g-CDD	Ant1	2412	2.09	2.11	99.05	0.04
11g-CDD	Ant2	2412	2.10	2.12	99.06	0.04
11g-CDD	Ant1	2437	2.09	2.11	99.05	0.04
11g-CDD	Ant2	2437	2.10	2.12	99.06	0.04
11g-CDD	Ant1	2462	2.10	2.11	99.53	0.02
11g-CDD	Ant2	2462	2.10	2.12	99.06	0.04
11n20MIMO	Ant1	2412	5.36	5.38	99.63	0.02
11n20MIMO	Ant2	2412	5.36	5.38	99.63	0.02
11n20MIMO	Ant1	2437	5.36	5.38	99.63	0.02
11n20MIMO	Ant2	2437	5.36	5.38	99.63	0.02
11n20MIMO	Ant1	2462	5.36	5.38	99.63	0.02
11n20MIMO	Ant2	2462	5.37	5.38	99.81	0.01
11n40MIMO	Ant1	2422	5.38	5.40	99.63	0.02
11n40MIMO	Ant2	2422	5.38	5.40	99.63	0.02
11n40MIMO	Ant1	2437	19.00	19.00	100.00	0.00
11n40MIMO	Ant2	2437	19.00	19.00	100.00	0.00
11n40MIMO	Ant1	2452	5.39	5.41	99.63	0.02
11n40MIMO	Ant2	2452	19.00	19.00	100.00	0.00
11ax20MIMO	Ant1	2412	5.35	5.36	99.81	0.01
11ax20MIMO	Ant2	2412	5.34	5.36	99.63	0.02
11ax20MIMO	Ant1	2437	5.35	5.37	99.63	0.02
11ax20MIMO	Ant2	2437	5.35	5.37	99.63	0.02
11ax20MIMO	Ant1	2462	5.34	5.36	99.63	0.02
11ax20MIMO	Ant2	2462	5.35	5.36	99.81	0.01
11ax40MIMO	Ant1	2422	5.37	5.39	99.63	0.02
11ax40MIMO	Ant2	2422	5.37	5.39	99.63	0.02
11ax40MIMO	Ant1	2437	5.37	5.39	99.63	0.02
11ax40MIMO	Ant2	2437	19.00	19.00	100.00	0.00
11ax40MIMO	Ant1	2452	5.37	5.39	99.63	0.02
11ax40MIMO	Ant2	2452	5.38	5.40	99.63	0.02
11be20MIMO	Ant1	2412	19.00	19.00	100.00	0.00
11be20MIMO	Ant2	2412	5.35	5.38	99.44	0.02
11be20MIMO	Ant1	2437	5.35	5.37	99.63	0.02
11be20MIMO	Ant2	2437	5.36	5.38	99.63	0.02
11be20MIMO	Ant1	2462	5.36	5.38	99.63	0.02
11be20MIMO	Ant2	2462	5.35	5.37	99.63	0.02
11be40MIMO	Ant1	2422	5.38	5.39	99.81	0.01
11be40MIMO	Ant2	2422	5.37	5.39	99.63	0.02
11be40MIMO	Ant1	2437	5.38	5.40	99.63	0.02
11be40MIMO	Ant2	2437	5.39	5.41	99.63	0.02
11be40MIMO	Ant1	2452	5.38	5.40	99.63	0.02
11be40MIMO	Ant2	2452	19.00	19.00	100.00	0.00

Test Graphs






NTNV-11b-CDD-Ant1-2462




NTNV-11b-CDD-Ant2-2462



NTNV-11g-CDD-Ant1-2412




NTNV-11g-CDD-Ant2-2412




NTNV-11g-CDD-Ant1-2437



NTNV-11g-CDD-Ant2-2437



NTNV-11g-CDD-Ant1-2462




NTNV-11g-CDD-Ant2-2462



NTNV-11n20MIMO-Ant1-2412




NTNV-11n20MIMO-Ant2-2412



NTNV-11n20MIMO-Ant1-2437



NTNV-11n20MIMO-Ant2-2437



NTNV-11n20MIMO-Ant1-2462




NTNV-11n20MIMO-Ant2-2462



NTNV-11n40MIMO-Ant1-2422




NTNV-11n40MIMO-Ant2-2422




NTNV-11n40MIMO-Ant1-2437



NTNV-11n40MIMO-Ant2-2437



NTNV-11n40MIMO-Ant1-2452



NTNV-11n40MIMO-Ant2-2452



NTNV-11ax20MIMO-Ant1-2412



NTNV-11ax20MIMO-Ant2-2412



NTNV-11ax20MIMO-Ant1-2437



NTNV-11ax20MIMO-Ant2-2437



NTNV-11ax20MIMO-Ant1-2462




NTNV-11ax20MIMO-Ant2-2462



NTNV-11ax40MIMO-Ant1-2422




NTNV-11ax40MIMO-Ant2-2422



NTNV-11ax40MIMO-Ant1-2437



NTNV-11ax40MIMO-Ant2-2437



NTVN-11ax40MIMO-Ant1-2452



NTVN-11ax40MIMO-Ant2-2452



NTVN-11be20MIMO-Ant1-2412



NTVN-11be20MIMO-Ant2-2412




NTVN-11be20MIMO-Ant1-2437



NTVN-11be20MIMO-Ant2-2437



NTNV-11be20MIMO-Ant1-2462



NTNV-11be20MIMO-Ant2-2462



NTNV-11be40MIMO-Ant1-2422



NTNV-11be40MIMO-Ant2-2422



NTNV-11be40MIMO-Ant1-2437



NTNV-11be40MIMO-Ant2-2437



NTNV-11be40MIMO-Ant1-2452




NTNV-11be40MIMO-Ant2-2452

Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2409.60	39.35	4.49	43.84	-	-	Horizontal	NA
2	4824.50	41.05	-7.85	33.20	54.00	20.80	Horizontal	PASS
3	7214.50	38.16	-1.40	36.76	54.00	17.24	Horizontal	PASS
4	17351.00	32.66	12.82	45.48	54.00	8.52	Horizontal	PASS
5	2410.00	43.01	4.49	47.50	-	-	Horizontal	NA
6	4796.50	46.34	-7.56	38.78	74.00	35.22	Horizontal	PASS
7	7202.50	45.22	-1.35	43.87	74.00	30.13	Horizontal	PASS
8	17359.00	39.82	12.51	52.33	74.00	21.67	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2410.20	43.65	4.49	48.14	-	-	Vertical	NA
2	4824.50	44.33	-7.85	36.48	54.00	17.52	Vertical	PASS
3	8838.00	36.33	2.58	38.91	54.00	15.09	Vertical	PASS
4	17354.00	33.03	12.70	45.73	54.00	8.27	Vertical	PASS
5	2409.20	46.78	4.48	51.26	-	-	Vertical	NA
6	4824.00	47.79	-7.84	39.95	74.00	34.05	Vertical	PASS
7	8834.50	43.96	2.55	46.51	74.00	27.49	Vertical	PASS
8	17361.00	40.74	12.43	53.17	74.00	20.83	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.20	42.59	4.64	47.23	-	-	Horizontal	NA
2	4874.50	42.81	-8.08	34.73	54.00	19.27	Horizontal	PASS
3	13406.00	35.31	7.08	42.39	54.00	11.61	Horizontal	PASS
4	17359.00	33.52	12.51	46.03	54.00	7.97	Horizontal	PASS
5	2438.00	45.77	4.64	50.41	-	-	Horizontal	NA
6	4874.00	46.69	-8.08	38.61	74.00	35.39	Horizontal	PASS
7	13417.00	42.75	7.04	49.79	74.00	24.21	Horizontal	PASS
8	17355.50	40.08	12.65	52.73	74.00	21.27	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2438.00	48.43	4.64	53.07	-	-	Vertical	NA
2	4874.50	44.73	-8.08	36.65	54.00	17.35	Vertical	PASS
3	14330.50	34.38	8.87	43.25	54.00	10.75	Vertical	PASS
4	17353.50	33.45	12.72	46.17	54.00	7.83	Vertical	PASS
5	2437.80	50.95	4.64	55.59	-	-	Vertical	NA
6	4874.00	47.27	-8.08	39.19	74.00	34.81	Vertical	PASS
7	14666.50	40.97	9.46	50.43	74.00	23.57	Vertical	PASS
8	17352.00	39.72	12.78	52.50	74.00	21.50	Vertical	PASS


Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.80	40.41	4.77	45.18	-	-	Horizontal	NA
2	4924.50	43.60	-7.76	35.84	54.00	18.16	Horizontal	PASS
3	9853.50	36.44	3.31	39.75	54.00	14.25	Horizontal	PASS
4	17353.50	33.33	12.72	46.05	54.00	7.95	Horizontal	PASS
5	2461.40	43.83	4.78	48.61	-	-	Horizontal	NA
6	4924.50	47.14	-7.76	39.38	74.00	34.62	Horizontal	PASS
7	10040.00	44.40	3.71	48.11	74.00	25.89	Horizontal	PASS
8	17346.50	41.41	12.70	54.11	74.00	19.89	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	46.96	4.77	51.73	-	-	Vertical	NA
2	4924.50	45.58	-7.76	37.82	54.00	16.18	Vertical	PASS
3	7218.00	37.92	-1.41	36.51	54.00	17.49	Vertical	PASS
4	17347.00	33.51	12.73	46.24	54.00	7.76	Vertical	PASS
5	2461.20	49.42	4.77	54.19	-	-	Vertical	NA
6	4924.00	48.37	-7.76	40.61	74.00	33.39	Vertical	PASS
7	7045.50	46.12	-2.11	44.01	74.00	29.99	Vertical	PASS
8	17367.50	41.10	12.18	53.28	74.00	20.72	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.60	40.71	4.47	45.18	-	-	Horizontal	NA
2	6110.50	39.30	-4.73	34.57	54.00	19.43	Horizontal	PASS
3	14660.00	34.02	9.64	43.66	54.00	10.34	Horizontal	PASS
4	17345.00	33.74	12.64	46.38	54.00	7.62	Horizontal	PASS
5	2408.20	47.31	4.47	51.78	-	-	Horizontal	NA
6	6118.50	45.67	-4.71	40.96	74.00	33.04	Horizontal	PASS
7	14639.00	40.51	9.66	50.17	74.00	23.83	Horizontal	PASS
8	17344.50	39.87	12.60	52.47	74.00	21.53	Horizontal	PASS


Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.40	42.99	4.47	47.46	-	-	Vertical	NA
2	6351.50	38.55	-3.50	35.05	54.00	18.95	Vertical	PASS
3	10202.00	36.25	3.55	39.80	54.00	14.20	Vertical	PASS
4	17352.00	33.24	12.78	46.02	54.00	7.98	Vertical	PASS
5	2407.80	50.11	4.47	54.58	-	-	Vertical	NA
6	6372.50	45.70	-3.75	41.95	74.00	32.05	Vertical	PASS
7	10178.50	43.46	3.41	46.87	74.00	27.13	Vertical	PASS
8	17353.50	40.11	12.72	52.83	74.00	21.17	Vertical	PASS


Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	51.41	4.60	56.01	-	-	Horizontal	NA
2	7448.50	38.37	-1.77	36.60	54.00	17.40	Horizontal	PASS
3	10456.00	35.73	4.18	39.91	54.00	14.09	Horizontal	PASS
4	17358.00	32.83	12.55	45.38	54.00	8.62	Horizontal	PASS
5	2429.40	57.99	4.60	62.59	-	-	Horizontal	NA
6	7590.50	44.80	-1.20	43.60	74.00	30.40	Horizontal	PASS
7	10451.50	42.74	4.19	46.93	74.00	27.07	Horizontal	PASS
8	17349.50	39.54	12.84	52.38	74.00	21.62	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	55.79	4.60	60.39	-	-	Vertical	NA
2	6127.50	38.86	-4.70	34.16	54.00	19.84	Vertical	PASS
3	9496.50	36.49	2.61	39.10	54.00	14.90	Vertical	PASS
4	17357.00	32.91	12.59	45.50	54.00	8.50	Vertical	PASS
5	2429.40	62.14	4.60	66.74	-	-	Vertical	NA
6	6113.00	46.21	-4.72	41.49	74.00	32.51	Vertical	PASS
7	9638.00	43.52	2.85	46.37	74.00	27.63	Vertical	PASS
8	17356.00	39.76	12.63	52.39	74.00	21.61	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	40.22	4.74	44.96	-	-	Horizontal	NA
2	4927.50	40.10	-7.73	32.37	54.00	21.63	Horizontal	PASS
3	11518.50	35.40	4.81	40.21	54.00	13.79	Horizontal	PASS
4	17343.50	32.74	12.56	45.30	54.00	8.70	Horizontal	PASS
5	2455.00	47.54	4.74	52.28	-	-	Horizontal	NA
6	4930.00	47.10	-7.71	39.39	74.00	34.61	Horizontal	PASS
7	11411.50	42.09	5.26	47.35	74.00	26.65	Horizontal	PASS
8	17353.50	40.10	12.72	52.82	74.00	21.18	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.40	47.48	4.78	52.26	-	-	Vertical	NA
2	4921.50	41.46	-7.79	33.67	54.00	20.33	Vertical	PASS
3	14148.00	34.45	8.10	42.55	54.00	11.45	Vertical	PASS
4	17351.00	32.07	12.82	44.89	54.00	9.11	Vertical	PASS
5	2461.00	52.81	4.77	57.58	-	-	Vertical	NA
6	4925.00	48.14	-7.76	40.38	74.00	33.62	Vertical	PASS
7	14147.50	41.43	8.10	49.53	74.00	24.47	Vertical	PASS
8	17345.50	38.82	12.66	51.48	74.00	22.52	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2407.00	38.32	4.47	42.79	-	-	Horizontal	NA
2	7401.00	37.67	-1.02	36.65	54.00	17.35	Horizontal	PASS
3	10195.50	36.13	3.52	39.65	54.00	14.35	Horizontal	PASS
4	17356.50	32.73	12.61	45.34	54.00	8.66	Horizontal	PASS
5	2407.20	44.88	4.47	49.35	-	-	Horizontal	NA
6	7400.50	45.45	-1.02	44.43	74.00	29.57	Horizontal	PASS
7	10602.00	43.42	4.08	47.50	74.00	26.50	Horizontal	PASS
8	17371.00	41.11	12.04	53.15	74.00	20.85	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.00	44.16	4.47	48.63	-	-	Vertical	NA
2	8834.50	36.49	2.55	39.04	54.00	14.96	Vertical	PASS
3	13818.50	33.89	8.23	42.12	54.00	11.88	Vertical	PASS
4	17351.00	32.86	12.82	45.68	54.00	8.32	Vertical	PASS
5	2407.80	50.47	4.47	54.94	-	-	Vertical	NA
6	8889.00	43.51	2.02	45.53	74.00	28.47	Vertical	PASS
7	13850.00	40.68	8.73	49.41	74.00	24.59	Vertical	PASS
8	17351.50	39.50	12.80	52.30	74.00	21.70	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.80	50.25	4.60	54.85	-	-	Horizontal	NA
2	11391.00	34.86	5.26	40.12	54.00	13.88	Horizontal	PASS
3	14343.50	33.14	9.19	42.33	54.00	11.67	Horizontal	PASS
4	17349.00	32.43	12.82	45.25	54.00	8.75	Horizontal	PASS
5	2429.20	56.69	4.60	61.29	-	-	Horizontal	NA
6	11400.00	42.73	5.33	48.06	74.00	25.94	Horizontal	PASS
7	14352.00	40.76	9.31	50.07	74.00	23.93	Horizontal	PASS
8	17347.50	39.67	12.75	52.42	74.00	21.58	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	55.12	4.60	59.72	-	-	Vertical	NA
2	4882.50	41.22	-8.04	33.18	54.00	20.82	Vertical	PASS
3	14827.00	33.68	8.59	42.27	54.00	11.73	Vertical	PASS
4	17360.00	32.88	12.47	45.35	54.00	8.65	Vertical	PASS
5	2429.40	61.30	4.60	65.90	-	-	Vertical	NA
6	4881.50	46.73	-8.04	38.69	74.00	35.31	Vertical	PASS
7	14826.50	41.51	8.60	50.11	74.00	23.89	Vertical	PASS
8	17369.00	39.94	12.12	52.06	74.00	21.94	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.20	39.59	4.74	44.33	-	-	Horizontal	NA
2	4932.00	39.64	-7.70	31.94	54.00	22.06	Horizontal	PASS
3	11497.00	35.17	4.88	40.05	54.00	13.95	Horizontal	PASS
4	17339.00	33.13	12.36	45.49	54.00	8.51	Horizontal	PASS
5	2454.60	46.23	4.74	50.97	-	-	Horizontal	NA
6	4954.00	46.31	-7.54	38.77	74.00	35.23	Horizontal	PASS
7	11401.00	42.23	5.32	47.55	74.00	26.45	Horizontal	PASS
8	17359.50	39.95	12.49	52.44	74.00	21.56	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	45.89	4.77	50.66	-	-	Vertical	NA
2	4930.00	41.35	-7.71	33.64	54.00	20.36	Vertical	PASS
3	10701.00	36.33	3.45	39.78	54.00	14.22	Vertical	PASS
4	17354.50	32.39	12.68	45.07	54.00	8.93	Vertical	PASS
5	2460.60	52.58	4.77	57.35	-	-	Vertical	NA
6	4928.50	47.34	-7.72	39.62	74.00	34.38	Vertical	PASS
7	10778.50	42.68	4.32	47.00	74.00	27.00	Vertical	PASS
8	17357.00	39.34	12.59	51.93	74.00	22.07	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	43.56	4.60	48.16	-	-	Horizontal	NA
2	4886.50	40.04	-8.02	32.02	54.00	21.98	Horizontal	PASS
3	9132.00	35.97	2.75	38.72	54.00	15.28	Horizontal	PASS
4	17351.00	32.43	12.82	45.25	54.00	8.75	Horizontal	PASS
5	2429.00	49.46	4.60	54.06	-	-	Horizontal	NA
6	4794.50	46.10	-7.58	38.52	74.00	35.48	Horizontal	PASS
7	9025.50	44.36	2.18	46.54	74.00	27.46	Horizontal	PASS
8	17351.50	39.46	12.80	52.26	74.00	21.74	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	47.42	4.60	52.02	-	-	Vertical	NA
2	10043.50	35.93	3.72	39.65	54.00	14.35	Vertical	PASS
3	15088.50	33.54	9.02	42.56	54.00	11.44	Vertical	PASS
4	17362.00	33.04	12.39	45.43	54.00	8.57	Vertical	PASS
5	2429.20	53.95	4.60	58.55	-	-	Vertical	NA
6	10115.00	43.29	3.20	46.49	74.00	27.51	Vertical	PASS
7	15072.00	41.65	8.96	50.61	74.00	23.39	Vertical	PASS
8	17321.50	40.52	11.55	52.07	74.00	21.93	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	43.45	4.60	48.05	-	-	Horizontal	NA
2	6986.00	37.82	-2.00	35.82	54.00	18.18	Horizontal	PASS
3	14356.50	33.21	9.21	42.42	54.00	11.58	Horizontal	PASS
4	17354.50	32.43	12.68	45.11	54.00	8.89	Horizontal	PASS
5	2429.60	49.34	4.60	53.94	-	-	Horizontal	NA
6	7025.00	45.27	-1.95	43.32	74.00	30.68	Horizontal	PASS
7	14682.00	40.63	9.04	49.67	74.00	24.33	Horizontal	PASS
8	17358.00	39.83	12.55	52.38	74.00	21.62	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	46.25	4.60	50.85	-	-	Vertical	NA
2	8122.50	37.28	0.50	37.78	54.00	16.22	Vertical	PASS
3	13846.00	33.82	8.67	42.49	54.00	11.51	Vertical	PASS
4	17351.50	32.30	12.80	45.10	54.00	8.90	Vertical	PASS
5	2429.20	52.52	4.60	57.12	-	-	Vertical	NA
6	8377.50	43.89	0.67	44.56	74.00	29.44	Vertical	PASS
7	13817.00	41.99	8.20	50.19	74.00	23.81	Vertical	PASS
8	17351.50	39.51	12.80	52.31	74.00	21.69	Vertical	PASS


Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2437.20	34.41	4.64	39.05	-	-	Horizontal	NA
2	7201.50	37.15	-1.35	35.80	54.00	18.20	Horizontal	PASS
3	13824.50	34.43	8.32	42.75	54.00	11.25	Horizontal	PASS
4	17364.50	32.74	12.29	45.03	54.00	8.97	Horizontal	PASS
5	2436.80	41.50	4.64	46.14	-	-	Horizontal	NA
6	7029.00	45.14	-1.98	43.16	74.00	30.84	Horizontal	PASS
7	13589.50	42.32	7.02	49.34	74.00	24.66	Horizontal	PASS
8	17349.50	38.54	12.84	51.38	74.00	22.62	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2437.20	38.21	4.64	42.85	-	-	Vertical	NA
2	8895.00	36.53	1.91	38.44	54.00	15.56	Vertical	PASS
3	13816.00	34.20	8.19	42.39	54.00	11.61	Vertical	PASS
4	17346.00	32.68	12.68	45.36	54.00	8.64	Vertical	PASS
5	2454.20	44.91	4.74	49.65	-	-	Vertical	NA
6	8884.00	43.06	2.11	45.17	74.00	28.83	Vertical	PASS
7	13815.50	41.74	8.18	49.92	74.00	24.08	Vertical	PASS
8	17340.50	39.50	12.42	51.92	74.00	22.08	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	46.75	4.60	51.35	-	-	Horizontal	NA
2	4795.00	39.65	-7.57	32.08	54.00	21.92	Horizontal	PASS
3	10980.00	34.88	4.73	39.61	54.00	14.39	Horizontal	PASS
4	17362.00	32.65	12.39	45.04	54.00	8.96	Horizontal	PASS
5	2429.20	54.74	4.60	59.34	-	-	Horizontal	NA
6	4764.50	46.83	-7.84	38.99	74.00	35.01	Horizontal	PASS
7	11033.50	42.91	4.35	47.26	74.00	26.74	Horizontal	PASS
8	17351.50	38.90	12.80	51.70	74.00	22.30	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.20	50.42	4.60	55.02	-	-	Vertical	NA
2	7467.00	37.96	-1.69	36.27	54.00	17.73	Vertical	PASS
3	11409.50	34.74	5.27	40.01	54.00	13.99	Vertical	PASS
4	17351.50	33.13	12.80	45.93	54.00	8.07	Vertical	PASS
5	2429.60	58.89	4.60	63.49	-	-	Vertical	NA
6	7379.50	44.50	-1.23	43.27	74.00	30.73	Vertical	PASS
7	11462.00	42.69	4.97	47.66	74.00	26.34	Vertical	PASS
8	17356.50	39.26	12.61	51.87	74.00	22.13	Vertical	PASS
9	17356.50	39.26	12.61	51.87	74.00	22.13	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	47.32	4.60	51.92	-	-	Horizontal	NA
2	9151.00	35.45	3.25	38.70	54.00	15.30	Horizontal	PASS
3	15074.50	33.99	8.97	42.96	54.00	11.04	Horizontal	PASS
4	17355.00	32.94	12.67	45.61	54.00	8.39	Horizontal	PASS
5	2429.80	55.09	4.60	59.69	-	-	Horizontal	NA
6	9150.50	43.29	3.26	46.55	74.00	27.45	Horizontal	PASS
7	14626.50	40.46	9.37	49.83	74.00	24.17	Horizontal	PASS
8	17333.50	40.11	12.10	52.21	74.00	21.79	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	50.48	4.60	55.08	-	-	Vertical	NA
2	4787.00	39.40	-7.64	31.76	54.00	22.24	Vertical	PASS
3	14600.50	33.83	8.75	42.58	54.00	11.42	Vertical	PASS
4	17359.00	32.97	12.51	45.48	54.00	8.52	Vertical	PASS
5	2429.40	58.12	4.60	62.72	-	-	Vertical	NA
6	4796.00	46.19	-7.57	38.62	74.00	35.38	Vertical	PASS
7	14634.00	40.36	9.54	49.90	74.00	24.10	Vertical	PASS
8	17346.50	39.11	12.70	51.81	74.00	22.19	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2433.40	37.35	4.61	41.96	-	-	Horizontal	NA
2	7214.00	37.14	-1.40	35.74	54.00	18.26	Horizontal	PASS
3	9143.00	36.53	3.06	39.59	54.00	14.41	Horizontal	PASS
4	17356.50	33.21	12.61	45.82	54.00	8.18	Horizontal	PASS
5	2443.80	46.67	4.68	51.35	-	-	Horizontal	NA
6	7069.00	44.83	-2.12	42.71	74.00	31.29	Horizontal	PASS
7	9051.50	43.70	2.30	46.00	74.00	28.00	Horizontal	PASS
8	17345.50	39.90	12.66	52.56	74.00	21.44	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	/
Bandwidth	40MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	42.44	4.74	47.18	-	-	Vertical	NA
2	9151.50	35.80	3.25	39.05	54.00	14.95	Vertical	PASS
3	15069.00	33.69	8.95	42.64	54.00	11.36	Vertical	PASS
4	17350.00	33.61	12.86	46.47	54.00	7.53	Vertical	PASS
5	2454.20	52.42	4.74	57.16	-	-	Vertical	NA
6	9144.00	42.50	3.09	45.59	74.00	28.41	Vertical	PASS
7	15075.00	41.58	8.97	50.55	74.00	23.45	Vertical	PASS
8	17348.00	40.21	12.77	52.98	74.00	21.02	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2406.80	37.00	4.47	41.47	-	-	Horizontal	NA
2	8131.00	37.31	0.56	37.87	54.00	16.13	Horizontal	PASS
3	14334.50	33.72	8.97	42.69	54.00	11.31	Horizontal	PASS
4	17347.50	32.36	12.75	45.11	54.00	8.89	Horizontal	PASS
5	2408.20	45.12	4.47	49.59	-	-	Horizontal	NA
6	8130.50	44.53	0.56	45.09	74.00	28.91	Horizontal	PASS
7	14125.00	41.54	8.13	49.67	74.00	24.33	Horizontal	PASS
8	17366.00	40.26	12.24	52.50	74.00	21.50	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2407.20	42.64	4.47	47.11	-	-	Vertical	NA
2	6173.00	38.63	-4.49	34.14	54.00	19.86	Vertical	PASS
3	10768.50	35.23	4.32	39.55	54.00	14.45	Vertical	PASS
4	17364.00	32.72	12.31	45.03	54.00	8.97	Vertical	PASS
5	2409.00	50.17	4.48	54.65	-	-	Vertical	NA
6	5990.50	46.62	-4.57	42.05	74.00	31.95	Vertical	PASS
7	10864.00	42.45	4.00	46.45	74.00	27.55	Vertical	PASS
8	17357.00	39.11	12.59	51.70	74.00	22.30	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	49.57	4.60	54.17	-	-	Horizontal	NA
2	4771.50	39.37	-7.78	31.59	54.00	22.41	Horizontal	PASS
3	15070.00	33.88	8.96	42.84	54.00	11.16	Horizontal	PASS
4	17347.50	32.70	12.75	45.45	54.00	8.55	Horizontal	PASS
5	2429.00	58.08	4.60	62.68	-	-	Horizontal	NA
6	4771.00	47.40	-7.79	39.61	74.00	34.39	Horizontal	PASS
7	14632.50	40.13	9.51	49.64	74.00	24.36	Horizontal	PASS
8	17349.00	38.74	12.82	51.56	74.00	22.44	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	53.16	4.60	57.76	-	-	Vertical	NA
2	7200.00	37.21	-1.34	35.87	54.00	18.13	Vertical	PASS
3	11371.00	34.62	5.09	39.71	54.00	14.29	Vertical	PASS
4	17351.50	32.74	12.80	45.54	54.00	8.46	Vertical	PASS
5	2429.40	61.41	4.60	66.01	-	-	Vertical	NA
6	7283.50	45.05	-1.30	43.75	74.00	30.25	Vertical	PASS
7	11390.50	42.37	5.25	47.62	74.00	26.38	Vertical	PASS
8	17351.00	39.70	12.82	52.52	74.00	21.48	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.40	39.74	4.74	44.48	-	-	Horizontal	NA
2	4810.00	39.01	-7.66	31.35	54.00	22.65	Horizontal	PASS
3	15283.00	33.82	8.81	42.63	54.00	11.37	Horizontal	PASS
4	17353.50	32.61	12.72	45.33	54.00	8.67	Horizontal	PASS
5	2454.80	47.15	4.74	51.89	-	-	Horizontal	NA
6	4763.00	47.07	-7.86	39.21	74.00	34.79	Horizontal	PASS
7	15250.00	40.22	9.35	49.57	74.00	24.43	Horizontal	PASS
8	17368.00	41.00	12.16	53.16	74.00	20.84	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	/
Bandwidth	20MHz	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.20	44.88	4.77	49.65	-	-	Vertical	NA
2	4928.50	41.27	-7.72	33.55	54.00	20.45	Vertical	PASS
3	15078.00	34.11	8.99	43.10	54.00	10.90	Vertical	PASS
4	17350.00	32.33	12.86	45.19	54.00	8.81	Vertical	PASS
5	2459.40	53.51	4.77	58.28	-	-	Vertical	NA
6	4917.50	47.28	-7.81	39.47	74.00	34.53	Vertical	PASS
7	15069.00	40.88	8.95	49.83	74.00	24.17	Vertical	PASS
8	17345.50	39.52	12.66	52.18	74.00	21.82	Vertical	PASS


Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2407.20	35.16	4.47	39.63	-	-	Horizontal	NA
2	5804.50	39.65	-4.73	34.92	54.00	19.08	Horizontal	PASS
3	15070.00	33.26	8.96	42.22	54.00	11.78	Horizontal	PASS
4	17350.50	32.20	12.84	45.04	54.00	8.96	Horizontal	PASS
5	2408.00	44.28	4.47	48.75	-	-	Horizontal	NA
6	5804.00	45.96	-4.73	41.23	74.00	32.77	Horizontal	PASS
7	15073.50	40.39	8.97	49.36	74.00	24.64	Horizontal	PASS
8	17346.00	39.06	12.68	51.74	74.00	22.26	Horizontal	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.20	40.86	4.47	45.33	-	-	Vertical	NA
2	4800.50	40.37	-7.54	32.83	54.00	21.17	Vertical	PASS
3	15078.00	33.85	8.99	42.84	54.00	11.16	Vertical	PASS
4	17350.50	32.01	12.84	44.85	54.00	9.15	Vertical	PASS
5	2406.60	49.61	4.47	54.08	-	-	Vertical	NA
6	4790.00	46.28	-7.62	38.66	74.00	35.34	Vertical	PASS
7	15079.50	41.07	8.99	50.06	74.00	23.94	Vertical	PASS
8	17349.50	39.29	12.84	52.13	74.00	21.87	Vertical	PASS

Project Information			
Mode:	802.11be	Band:	/
Bandwidth	20MHz	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	Polarity: X		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	46.87	4.60	51.47	-	-	Horizontal	NA
2	4966.00	39.07	-7.56	31.51	54.00	22.49	Horizontal	PASS
3	15075.50	33.53	8.98	42.51	54.00	11.49	Horizontal	PASS
4	17364.50	32.75	12.29	45.04	54.00	8.96	Horizontal	PASS
5	2429.00	53.68	4.60	58.28	-	-	Horizontal	NA
6	4960.50	46.05	-7.55	38.50	74.00	35.50	Horizontal	PASS
7	15064.50	41.27	8.94	50.21	74.00	23.79	Horizontal	PASS
8	17337.50	39.16	12.29	51.45	74.00	22.55	Horizontal	PASS