


**802.11a**

**CH 144 (Horizontal)**

**CH 144 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark     | Pol/Phase  | Note |
|---|----------|--------|--------|-------|-------|--------|------|------------|------------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit |        |      |            |            |      |
| 1 | 11440.00 | 33.69  | 33.76  | -0.07 | 54.00 | -20.31 | 100  | 14 Average | Horizontal |      |
| 2 | 11440.00 | 46.12  | 46.19  | -0.07 | 74.00 | -27.88 | 100  | 14 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit |        |      |             |           |      |
| 1 | 11440.00 | 36.46  | 36.53  | -0.07 | 54.00 | -17.54 | 201  | 118 Average | Vertical  |      |
| 2 | 11440.00 | 47.65  | 47.72  | -0.07 | 74.00 | -26.35 | 201  | 118 Peak    | Vertical  |      |


**802.11ax HE20**

**CH 100 (Horizontal)**

**CH 100 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|------------|--------|-------|-------|--------|--------|------|----------|------------|------|
| MHz        | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1 16498.00 | 53.28  | 46.31 | 6.97  | 68.20  | -14.92 | 200  | 308 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------------|--------|-------|-------|--------|--------|------|----------|-----------|------|
| MHz        | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 16500.00 | 56.82  | 49.85 | 6.97  | 68.20  | -11.38 | 300  | 238 Peak | Vertical  |      |


**802.11ax HE20**

**CH 116 (Horizontal)**

**CH 116 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11160.00 | 39.97  | 40.61 | -0.64  | 54.00  | -14.03 | 276  | 217  | Average | Horizontal |      |
| 2 | 11160.00 | 50.47  | 51.11 | -0.64  | 74.00  | -23.53 | 276  | 217  | Peak    | Horizontal |      |
| 3 | 16740.00 | 63.03  | 55.30 | 7.73   | 68.20  | -5.17  | 100  | 228  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11160.00 | 39.89  | 40.53 | -0.64  | 54.00  | -14.11 | 400  | 222  | Average | Vertical  |      |
| 2 | 11160.00 | 50.94  | 51.58 | -0.64  | 74.00  | -23.06 | 400  | 222  | Peak    | Vertical  |      |
| 3 | 16740.00 | 58.97  | 51.24 | 7.73   | 68.20  | -9.23  | 200  | 226  | Peak    | Vertical  |      |


**802.11ax HE20**

**CH 140 (Horizontal)**

**CH 140 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------|-------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit |        |      |             |            |      |
| 1 | 11400.00 | 38.94  | 39.10  | -0.16 | 54.00 | -15.06 | 300  | 227 Average | Horizontal |      |
| 2 | 11400.00 | 47.88  | 48.04  | -0.16 | 74.00 | -26.12 | 300  | 227 Peak    | Horizontal |      |
| 3 | 17100.00 | 54.80  | 46.58  | 8.22  | 68.20 | -13.40 | 200  | 342 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit |        |      |             |           |      |
| 1 | 11400.00 | 38.30  | 38.46  | -0.16 | 54.00 | -15.70 | 200  | 352 Average | Vertical  |      |
| 2 | 11400.00 | 50.19  | 50.35  | -0.16 | 74.00 | -23.81 | 200  | 352 Peak    | Vertical  |      |
| 3 | 17100.00 | 51.19  | 42.97  | 8.22  | 68.20 | -17.01 | 400  | 303 Peak    | Vertical  |      |


**802.11ax HE20**

**CH 144 (Horizontal)**

**CH 144 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11440.00 | 36.57  | 36.64 | -0.07  | 54.00  | -17.43 | 100  | 169  | Average | Horizontal |      |
| 2 | 11444.00 | 45.95  | 46.01 | -0.06  | 74.00  | -28.05 | 100  | 169  | Peak    | Horizontal |      |
| 3 | 17160.00 | 51.08  | 42.85 | 8.23   | 68.20  | -17.12 | 139  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11440.00 | 38.55  | 38.62 | -0.07  | 54.00  | -15.45 | 400  | 223  | Average | Vertical  |      |
| 2 | 11440.00 | 46.43  | 46.50 | -0.07  | 74.00  | -27.57 | 400  | 223  | Peak    | Vertical  |      |
| 3 | 17160.00 | 50.42  | 42.19 | 8.23   | 68.20  | -17.78 | 100  | 118  | Peak    | Vertical  |      |


**802.11ax HE40**

**CH 102 (Horizontal)**

**CH 102 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 11020.00 | 34.37  | 35.27 | -0.90 | 54.00  | -19.63 | 184  | 360  | Average | Horizontal |           |      |
| 2 | 11020.00 | 42.86  | 43.76 | -0.90 | 74.00  | -31.14 | 184  | 360  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 11020.00 | 35.46  | 36.36 | -0.90 | 54.00  | -18.54 | 364  | 360  | Average | Vertical |           |      |
| 2 | 11020.00 | 43.44  | 44.34 | -0.90 | 74.00  | -30.56 | 364  | 360  | Peak    | Vertical |           |      |


**802.11ax HE40**

**CH 110 (Horizontal)**

**CH 110 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read         | Limit | Over  | APos   | TPos | Remark   | Pol/Phase  | Note |
|------------|--------|--------------|-------|-------|--------|------|----------|------------|------|
| MHz        | dBuV/m | Level Factor | Line  | Limit |        |      |          |            |      |
| 1 16650.00 | 54.44  | 46.89        | 7.55  | 68.20 | -13.76 | 300  | 360 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq       | Level  | Read         | Limit | Over  | APos   | TPos | Remark   | Pol/Phase | Note |
|------------|--------|--------------|-------|-------|--------|------|----------|-----------|------|
| MHz        | dBuV/m | Level Factor | Line  | Limit |        |      |          |           |      |
| 1 16650.00 | 53.05  | 45.50        | 7.55  | 68.20 | -15.15 | 300  | 322 Peak | Vertical  |      |


**802.11ax HE40**

**CH 134 (Horizontal)**

**CH 134 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11340.00 | 36.78  | 37.07 | -0.29  | 54.00  | -17.22 | 200  | 210  | Average | Horizontal |      |
| 2 | 11340.00 | 48.10  | 48.39 | -0.29  | 74.00  | -25.90 | 200  | 210  | Peak    | Horizontal |      |
| 3 | 17010.00 | 53.55  | 45.33 | 8.22   | 68.20  | -14.65 | 166  | 360  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11340.00 | 34.97  | 35.26 | -0.29  | 54.00  | -19.03 | 300  | 43   | Average | Vertical  |      |
| 2 | 11340.00 | 46.02  | 46.31 | -0.29  | 74.00  | -27.98 | 300  | 43   | Peak    | Vertical  |      |
| 3 | 17010.00 | 51.00  | 42.78 | 8.22   | 68.20  | -17.20 | 200  | 261  | Peak    | Vertical  |      |


**802.11ax HE40**

**CH 142 (Horizontal)**

**CH 142 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 11420.00 | 33.77  | 33.88 | -0.11 | 54.00  | -20.23 | 400  | 238  | Average | Horizontal |           |      |
| 2 | 11420.00 | 44.74  | 44.85 | -0.11 | 74.00  | -29.26 | 400  | 238  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 11420.00 | 35.30  | 35.41 | -0.11 | 54.00  | -18.70 | 400  | 219  | Average | Vertical |           |      |
| 2 | 11420.00 | 47.90  | 48.01 | -0.11 | 74.00  | -26.10 | 400  | 219  | Peak    | Vertical |           |      |


**802.11ax HE80**

**CH 106 (Horizontal)**

**CH 106 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------|-------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit | dB     | cm   | deg         |            |      |
| 1 | 11866.00 | 32.24  | 33.04  | -0.80 | 54.00 | -21.76 | 100  | 277 Average | Horizontal |      |
| 2 | 11866.00 | 41.90  | 42.70  | -0.80 | 74.00 | -32.10 | 100  | 277 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit | dB     | cm   | deg         |           |      |
| 1 | 11866.00 | 31.91  | 32.71  | -0.80 | 54.00 | -22.09 | 100  | 347 Average | Vertical  |      |
| 2 | 11866.00 | 42.32  | 43.12  | -0.80 | 74.00 | -31.68 | 100  | 347 Peak    | Vertical  |      |


**802.11ax HE80**

**CH 122 (Horizontal)**

**CH 122 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark     | Pol/Phase  | Note |
|---|----------|--------|--------|-------|-------|--------|------|------------|------------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit | dB     | cm   | deg        |            |      |
| 1 | 11220.00 | 32.06  | 32.62  | -0.56 | 54.00 | -21.94 | 400  | 99 Average | Horizontal |      |
| 2 | 11220.00 | 46.09  | 46.65  | -0.56 | 74.00 | -27.91 | 400  | 99 Peak    | Horizontal |      |
| 3 | 16830.00 | 53.50  | 45.61  | 7.89  | 68.20 | -14.70 | 100  | 345 Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------|-------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit | dB     | cm   | deg         |           |      |
| 1 | 11220.00 | 32.42  | 32.98  | -0.56 | 54.00 | -21.58 | 100  | 360 Average | Vertical  |      |
| 2 | 11220.00 | 46.62  | 46.18  | -0.56 | 74.00 | -28.38 | 100  | 360 Peak    | Vertical  |      |
| 3 | 16830.00 | 51.74  | 43.85  | 7.89  | 68.20 | -16.46 | 200  | 228 Peak    | Vertical  |      |


**802.11ax HE80**

**CH 138 (Horizontal)**

**CH 138 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11380.00 | 32.67  | 32.87 | -0.20 | 54.00  | -21.33 | 200  | 338 Average | Horizontal |      |
| 2 | 11380.00 | 46.58  | 46.78 | -0.20 | 74.00  | -27.42 | 200  | 338 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11380.00 | 34.46  | 34.66 | -0.20 | 54.00  | -19.54 | 400  | 222 Average | Vertical  |      |
| 2 | 11380.00 | 46.97  | 47.17 | -0.20 | 74.00  | -27.03 | 400  | 222 Peak    | Vertical  |      |


**802.11ax HE160**

**CH 114 (Horizontal)**

**CH 114 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit  |        |      |             |            |      |
|   |          |        | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11140.00 | 31.82  | 32.49  | -0.67 | 54.00  | -22.18 | 300  | 158 Average | Horizontal |      |
| 2 | 11140.00 | 46.30  | 46.97  | -0.67 | 74.00  | -27.70 | 300  | 158 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit | Over   | APos   | TPos | Remark    | Pol/Phase | Note |
|---|----------|--------|--------|-------|--------|--------|------|-----------|-----------|------|
|   | MHz      | dBuV/m | Factor | Line  | Limit  |        |      |           |           |      |
|   |          |        | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg       |           |      |
| 1 | 11140.00 | 31.94  | 32.61  | -0.67 | 54.00  | -22.06 | 300  | 1 Average | Vertical  |      |
| 2 | 11140.00 | 45.56  | 46.23  | -0.67 | 74.00  | -28.44 | 300  | 1 Peak    | Vertical  |      |

**U-NII-3**


**802.11a**

**CH 149 (Horizontal)**

**CH 149 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel.: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark     | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|--------|--------|------|------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |            |            |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg        |            |      |
| 1 | 11490.00 | 38.29  | 38.25        | 0.04  | 54.00  | -15.71 | 134  | 23 Average | Horizontal |      |
| 2 | 11490.00 | 49.22  | 49.18        | 0.04  | 74.00  | -24.78 | 134  | 23 Peak    | Horizontal |      |
| 3 | 17235.00 | 57.04  | 48.80        | 8.24  | 68.20  | -11.16 | 300  | 73 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel.: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |             |           |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11490.00 | 39.78  | 39.74        | 0.04  | 54.00  | -14.22 | 228  | 117 Average | Vertical  |      |
| 2 | 11490.00 | 49.78  | 49.74        | 0.04  | 74.00  | -24.22 | 228  | 117 Peak    | Vertical  |      |
| 3 | 17235.00 | 51.44  | 43.20        | 8.24  | 68.20  | -16.76 | 400  | 265 Peak    | Vertical  |      |


**802.11a**

**CH 157 (Horizontal)**

**CH 157 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Limit | Over   | APos   | TPos | Remark     | Pol/Phase  | Note |
|--------------|--------|-------|-------|--------|--------|------|------------|------------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |            |      |
| 1   11570.00 | 48.17  | 48.05 | 0.12  | 54.00  | -5.83  | 127  | 26 Average | Horizontal |      |
| 2   11570.00 | 56.62  | 56.59 | 0.12  | 74.00  | -17.38 | 127  | 26 Peak    | Horizontal |      |
| 3   17355.00 | 55.29  | 46.83 | 8.46  | 68.20  | -12.91 | 146  | 360 Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|--------------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
| MHz          | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1   11570.00 | 48.87  | 48.75 | 0.12  | 54.00  | -5.13  | 152  | 119 Average | Vertical  |      |
| 2   11570.00 | 57.39  | 57.27 | 0.12  | 74.00  | -16.61 | 152  | 119 Peak    | Vertical  |      |
| 3   17355.00 | 49.42  | 48.96 | 8.46  | 68.20  | -18.78 | 300  | 211 Peak    | Vertical  |      |


**802.11a**

**CH 165 (Horizontal)**

**CH 165 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read         | Limit | Over  | APos   | TPos | Remark     | Pol/Phase  | Note |
|--------------|--------|--------------|-------|-------|--------|------|------------|------------|------|
| MHz          | dBuV/m | Level Factor | Line  | Limit | dB     | cm   | deg        |            |      |
| 1   11650.00 | 48.03  | 47.69        | 0.34  | 54.00 | -5.97  | 102  | 27 Average | Horizontal |      |
| 2   11650.00 | 57.72  | 57.38        | 0.34  | 74.00 | -16.28 | 102  | 27 Peak    | Horizontal |      |
| 3   17475.00 | 61.00  | 53.14        | 8.66  | 68.20 | -6.40  | 200  | 344 Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq         | Level  | Read         | Limit | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|--------------|--------|--------------|-------|-------|--------|------|-------------|-----------|------|
| MHz          | dBuV/m | Level Factor | Line  | Limit | dB     | cm   | deg         |           |      |
| 1   11650.00 | 48.72  | 48.38        | 0.34  | 54.00 | -5.28  | 205  | 117 Average | Vertical  |      |
| 2   11650.00 | 58.84  | 58.50        | 0.34  | 74.00 | -15.16 | 205  | 117 Peak    | Vertical  |      |
| 3   17475.00 | 53.85  | 45.19        | 8.66  | 68.20 | -14.35 | 100  | 273 Peak    | Vertical  |      |


**802.11ax HE20**

**CH 149 (Horizontal)**

**CH 149 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |            |           |      |
| 1 | 11490.00 | 39.28  | 39.24 | 0.04  | 54.00  | -14.72 | 177  | 232  | Average | Horizontal |           |      |
| 2 | 11490.00 | 56.65  | 56.61 | 0.04  | 74.00  | -17.35 | 177  | 232  | Peak    | Horizontal |           |      |
| 3 | 17235.00 | 56.89  | 48.65 | 8.24  | 68.20  | -11.31 | 200  | 338  | Peak    | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg     |          |           |      |
| 1 | 11490.00 | 38.91  | 38.87 | 0.04  | 54.00  | -15.09 | 322  | 255  | Average | Vertical |           |      |
| 2 | 11490.00 | 54.96  | 54.92 | 0.04  | 74.00  | -19.04 | 322  | 255  | Peak    | Vertical |           |      |
| 3 | 17235.00 | 50.84  | 42.60 | 8.24  | 68.20  | -17.36 | 300  | 242  | Peak    | Vertical |           |      |


**802.11ax HE20**

**CH 157 (Horizontal)**

**CH 157 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |             |            |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11570.00 | 47.12  | 47.00        | 0.12  | 54.00  | -6.88  | 171  | 232 Average | Horizontal |      |
| 2 | 11570.00 | 62.88  | 62.76        | 0.12  | 74.00  | -11.12 | 171  | 232 Peak    | Horizontal |      |
| 3 | 17355.00 | 57.59  | 49.13        | 8.46  | 68.20  | -10.61 | 200  | 344 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |             |           |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11570.00 | 47.13  | 47.01        | 0.12  | 54.00  | -6.87  | 162  | 117 Average | Vertical  |      |
| 2 | 11570.00 | 61.86  | 61.74        | 0.12  | 74.00  | -12.14 | 162  | 117 Peak    | Vertical  |      |
| 3 | 17355.00 | 49.39  | 40.93        | 8.46  | 68.20  | -18.81 | 400  | 139 Peak    | Vertical  |      |


**802.11ax HE20**

**CH 165 (Horizontal)**

**CH 165 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit  | Over  | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------|--------|-------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Factor | Line   | Limit |        |      |             |            |      |
|   |          | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |             |            |      |
| 1 | 11650.00 | 46.24  | 45.98  | 0.34   | 54.00 | -7.76  | 167  | 228 Average | Horizontal |      |
| 2 | 11650.00 | 61.36  | 61.02  | 0.34   | 74.00 | -12.64 | 167  | 228 Peak    | Horizontal |      |
| 3 | 17475.00 | 67.16  | 58.50  | 8.66   | 68.20 | -1.04  | 178  | 335 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read   | Limit  | Over  | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------|--------|-------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Factor | Line   | Limit |        |      |             |           |      |
|   |          | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg  |             |           |      |
| 1 | 11650.00 | 46.32  | 45.98  | 0.34   | 54.00 | -7.68  | 400  | 216 Average | Vertical  |      |
| 2 | 11650.00 | 61.73  | 61.39  | 0.34   | 74.00 | -12.27 | 400  | 216 Peak    | Vertical  |      |
| 3 | 17475.00 | 56.98  | 48.32  | 8.66   | 68.20 | -11.22 | 400  | 141 Peak    | Vertical  |      |


**802.11ax HE40**

**CH 151 (Horizontal)**

**CH 151 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|--------|--------|------|-------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |             |            |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1 | 11510.00 | 34.57  | 34.50        | 0.07  | 54.00  | -19.43 | 200  | 289 Average | Horizontal |      |
| 2 | 11510.00 | 48.23  | 48.15        | 0.07  | 74.00  | -25.77 | 200  | 289 Peak    | Horizontal |      |
| 3 | 17265.00 | 54.64  | 46.40        | 8.24  | 68.20  | -13.56 | 200  | 233 Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |             |           |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11510.00 | 38.14  | 38.07        | 0.07  | 54.00  | -15.86 | 400  | 226 Average | Vertical  |      |
| 2 | 11510.00 | 48.54  | 48.47        | 0.07  | 74.00  | -25.46 | 400  | 226 Peak    | Vertical  |      |
| 3 | 17265.00 | 50.59  | 42.35        | 8.24  | 68.20  | -17.61 | 400  | 259 Peak    | Vertical  |      |


**802.11ax HE40**

**CH 159 (Horizontal)**

**CH 159 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark     | Pol/Phase  | Note |
|---|----------|--------|--------------|-------|--------|--------|------|------------|------------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |            |            |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg        |            |      |
| 1 | 11590.00 | 46.30  | 46.16        | 0.14  | 54.00  | -7.70  | 119  | 24 Average | Horizontal |      |
| 2 | 11590.00 | 54.57  | 54.43        | 0.14  | 74.00  | -19.43 | 119  | 24 Peak    | Horizontal |      |
| 3 | 17385.00 | 53.61  | 45.62        | 8.59  | 68.20  | -14.59 | 200  | 338 Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read         | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|---|----------|--------|--------------|-------|--------|--------|------|-------------|-----------|------|
|   | MHz      | dBuV/m | Level Factor | Line  | Limit  |        |      |             |           |      |
|   |          |        | dBuV         | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1 | 11590.00 | 47.09  | 46.95        | 0.14  | 54.00  | -6.91  | 154  | 116 Average | Vertical  |      |
| 2 | 11590.00 | 55.40  | 55.26        | 0.14  | 74.00  | -18.60 | 154  | 116 Peak    | Vertical  |      |
| 3 | 17385.00 | 51.48  | 42.89        | 8.59  | 68.20  | -16.72 | 300  | 209 Peak    | Vertical  |      |


**802.11ax HE80**

**CH 155 (Horizontal)**

**CH 155 (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |            |      |
| 1 | 11550.00 | 33.24  | 33.13 | 0.11   | 54.00  | -20.76 | 200  | 336  | Average | Horizontal |      |
| 2 | 11550.00 | 46.27  | 46.16 | 0.11   | 74.00  | -27.73 | 200  | 336  | Peak    | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Factor | Limit  | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|---|----------|--------|-------|--------|--------|--------|------|------|---------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg  |         |           |      |
| 1 | 11550.00 | 34.25  | 34.14 | 0.11   | 54.00  | -19.75 | 300  | 22   | Average | Vertical  |      |
| 2 | 11550.00 | 46.92  | 46.81 | 0.11   | 74.00  | -27.08 | 300  | 22   | Peak    | Vertical  |      |

## Conducted Emissions on a.c. mains port, 150kHz ~ 30MHz


LE 2480 MHz, IEEE 802.11ax HE20 2412 MHz, IEEE 802.11a 5475 MHz  
and IEEE 802.11ax HE20 5955 MHz

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.  
No. 458-19, Sec. 2, Fengiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

|    | Freq  | Level | Read   | Limit | Over  | Remark         | Pol/Phase | Note |
|----|-------|-------|--------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level  | Line  | Limit |                |           |      |
|    |       |       | Factor |       |       |                |           |      |
|    |       |       | dB     | dBuV  | dB    |                |           |      |
| 1  | 0.16  | 30.89 | 21.27  | 9.62  | 55.59 | -24.70 Average | line1     |      |
| 2  | 0.16  | 51.38 | 41.76  | 9.62  | 65.59 | -14.21 QP      | line1     |      |
| 3  | 0.24  | 22.35 | 12.74  | 9.62  | 52.15 | -29.79 Average | line1     |      |
| 4  | 0.24  | 38.77 | 29.15  | 9.62  | 62.15 | -23.38 QP      | line1     |      |
| 5  | 0.37  | 19.03 | 9.40   | 9.63  | 48.47 | -29.44 Average | line1     |      |
| 6  | 0.37  | 30.49 | 20.86  | 9.63  | 58.47 | -27.98 QP      | line1     |      |
| 7  | 2.33  | 13.41 | 3.75   | 9.66  | 46.00 | -32.59 Average | line1     |      |
| 8  | 2.33  | 20.89 | 11.23  | 9.66  | 56.00 | -35.11 QP      | line1     |      |
| 9  | 7.39  | 19.83 | 10.10  | 9.73  | 50.00 | -30.17 Average | line1     |      |
| 10 | 7.39  | 25.85 | 16.12  | 9.73  | 60.00 | -34.15 QP      | line1     |      |
| 11 | 19.25 | 20.99 | 11.22  | 9.77  | 50.00 | -29.01 Average | line1     |      |
| 12 | 19.25 | 25.98 | 16.21  | 9.77  | 60.00 | -34.02 QP      | line1     |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-19, Sec. 2, Fengiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

|    | Freq  | Level | Read   | Limit | Over  | Remark         | Pol/Phase | Note |
|----|-------|-------|--------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level  | Line  | Limit |                |           |      |
|    |       |       | Factor |       |       |                |           |      |
|    |       |       | dB     | dBuV  | dB    |                |           |      |
| 1  | 0.16  | 29.62 | 20.00  | 9.62  | 55.46 | -25.84 Average | neutral   |      |
| 2  | 0.16  | 49.87 | 40.25  | 9.62  | 65.46 | -15.59 QP      | neutral   |      |
| 3  | 0.17  | 28.37 | 18.75  | 9.62  | 58.84 | -26.47 Average | neutral   |      |
| 4  | 0.17  | 47.44 | 37.82  | 9.62  | 64.84 | -17.40 QP      | neutral   |      |
| 5  | 1.52  | 11.95 | 2.29   | 9.66  | 46.00 | -34.05 Average | neutral   |      |
| 6  | 1.52  | 17.48 | 7.82   | 9.66  | 56.00 | -38.52 QP      | neutral   |      |
| 7  | 3.81  | 17.02 | 7.33   | 9.69  | 46.00 | -28.98 Average | neutral   |      |
| 8  | 3.81  | 23.55 | 13.86  | 9.69  | 56.00 | -32.45 QP      | neutral   |      |
| 9  | 7.25  | 18.58 | 8.83   | 9.75  | 50.00 | -31.42 Average | neutral   |      |
| 10 | 7.25  | 24.16 | 14.41  | 9.75  | 60.00 | -35.84 QP      | neutral   |      |
| 11 | 19.25 | 23.59 | 13.73  | 9.86  | 50.00 | -26.41 Average | neutral   |      |
| 12 | 19.25 | 28.76 | 18.90  | 9.86  | 60.00 | -31.24 QP      | neutral   |      |