

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3760.750	47.04	-3.54	74.0	-26.96	Peak	162.00	150	Horizontal	Pass
1**	3760.750	37.57	-3.54	54.0	-16.43	AV	162.00	150	Horizontal	Pass
2	5075.000	52.15	0.97	74.0	-21.85	Peak	51.00	150	Horizontal	Pass
2**	5075.000	42.71	0.97	54.0	-11.29	AV	51.00	150	Horizontal	Pass
3	5310.250	97.39	0.67	--	-43.61	Peak	141.00	150	Horizontal	N/A
3**	5310.250	90.96	0.67	--	90.96	AV	141.00	150	Horizontal	N/A
4	8215.412	50.75	-0.27	74.0	-23.25	Peak	324.00	150	Horizontal	Pass
4**	8215.412	39.94	-0.27	54.0	-14.06	AV	324.00	150	Horizontal	Pass
5	11745.613	53.91	3.05	74.0	-20.09	Peak	360.00	150	Horizontal	Pass
5**	11745.613	44.94	3.05	54.0	-9.06	AV	360.00	150	Horizontal	Pass
6	15764.025	53.08	2.42	74.0	-20.92	Peak	120.00	150	Horizontal	Pass
6**	15764.025	44.68	2.42	54.0	-9.32	AV	120.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4003.500	47.42	-2.86	74.0	-26.58	Peak	260.00	150	Vertical	Pass
1**	4003.500	38.00	-2.86	54.0	-16.00	AV	260.00	150	Vertical	Pass
2	4964.750	51.79	1.06	74.0	-22.21	Peak	267.00	150	Vertical	Pass
2**	4964.750	42.86	1.06	54.0	-11.14	AV	267.00	150	Vertical	Pass
3	5329.000	97.37	0.62	--	-211.63	Peak	309.00	150	Vertical	N/A
3**	5329.000	90.27	0.62	--	90.27	AV	309.00	150	Vertical	N/A
4	9336.887	52.85	3.35	74.0	-21.15	Peak	14.00	150	Vertical	Pass
4**	9336.887	43.76	3.35	54.0	-10.24	AV	14.00	150	Vertical	Pass
5	11299.826	54.19	3.63	74.0	-19.81	Peak	14.00	150	Vertical	Pass
5**	11299.826	45.74	3.63	54.0	-8.26	AV	14.00	150	Vertical	Pass
6	15976.388	53.73	2.14	74.0	-20.27	Peak	306.00	150	Vertical	Pass
6**	15976.388	44.23	2.14	54.0	-9.77	AV	306.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3858.250	47.66	-3.52	74.0	-26.34	Peak	87.00	150	Horizontal	Pass
1**	3858.250	37.80	-3.52	54.0	-16.20	AV	87.00	150	Horizontal	Pass
2	4836.000	51.58	0.54	74.0	-22.42	Peak	323.00	150	Horizontal	Pass
2**	4836.000	41.06	0.54	54.0	-12.94	AV	323.00	150	Horizontal	Pass
3	5260.500	93.34	0.51	--	-48.66	Peak	142.00	150	Horizontal	N/A
3**	5260.500	86.44	0.51	--	86.44	AV	142.00	150	Horizontal	N/A
4	9323.588	53.22	3.37	74.0	-20.78	Peak	154.00	150	Horizontal	Pass
4**	9323.588	45.86	3.37	54.0	-8.14	AV	154.00	150	Horizontal	Pass
5	11905.212	53.74	3.57	74.0	-20.26	Peak	274.00	150	Horizontal	Pass
5**	11905.212	45.64	3.57	54.0	-8.36	AV	274.00	150	Horizontal	Pass
6	15951.450	53.61	2.30	74.0	-20.39	Peak	253.00	150	Horizontal	Pass
6**	15951.450	44.76	2.30	54.0	-9.24	AV	253.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2739.300	42.84	-7.46	74.0	-31.16	Peak	137.00	150	Vertical	Pass
1**	2739.300	34.74	-7.46	54.0	-19.26	AV	137.00	150	Vertical	Pass
2	4231.250	48.26	-1.65	74.0	-25.74	Peak	307.00	150	Vertical	Pass
2**	4231.250	38.08	-1.65	54.0	-15.92	AV	307.00	150	Vertical	Pass
3	5259.250	94.30	0.54	--	8.30	Peak	86.00	150	Vertical	N/A
3**	5259.250	86.85	0.54	--	86.85	AV	86.00	150	Vertical	N/A
4	8359.575	50.32	-0.25	74.0	-23.68	Peak	343.00	150	Vertical	Pass
4**	8359.575	40.73	-0.25	54.0	-13.27	AV	343.00	150	Vertical	Pass
5	9344.012	53.24	3.34	74.0	-20.76	Peak	22.00	150	Vertical	Pass
5**	9344.012	44.65	3.34	54.0	-9.35	AV	22.00	150	Vertical	Pass
6	15748.537	53.24	2.45	74.0	-20.76	Peak	89.00	150	Vertical	Pass
6**	15748.537	45.61	2.45	54.0	-8.39	AV	89.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3729.750	47.57	-3.73	74.0	-26.43	Peak	115.00	150	Horizontal	Pass
1**	3729.750	38.65	-3.73	54.0	-15.35	AV	115.00	150	Horizontal	Pass
2	5066.000	52.22	0.78	74.0	-21.78	Peak	360.00	150	Horizontal	Pass
2**	5066.000	43.95	0.78	54.0	-10.05	AV	360.00	150	Horizontal	Pass
3	5306.750	97.69	0.81	--	51.69	Peak	46.00	150	Horizontal	N/A
3**	5306.750	90.79	0.81	--	90.79	AV	46.00	150	Horizontal	N/A
4	8231.800	50.43	-0.25	74.0	-23.57	Peak	63.00	150	Horizontal	Pass
4**	8231.800	40.86	-0.25	54.0	-13.14	AV	63.00	150	Horizontal	Pass
5	11916.613	53.97	3.65	74.0	-20.03	Peak	73.00	150	Horizontal	Pass
5**	11916.613	46.41	3.65	54.0	-7.59	AV	73.00	150	Horizontal	Pass
6	15771.900	53.33	2.39	74.0	-20.67	Peak	306.00	150	Horizontal	Pass
6**	15771.900	45.78	2.39	54.0	-8.22	AV	306.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2852.300	42.88	-7.04	74.0	-31.12	Peak	172.00	150	Vertical	Pass
1**	2852.300	34.57	-7.04	54.0	-19.43	AV	172.00	150	Vertical	Pass
2	4188.500	48.05	-2.13	74.0	-25.95	Peak	280.00	150	Vertical	Pass
2**	4188.500	39.18	-2.13	54.0	-14.82	AV	280.00	150	Vertical	Pass
3	5294.500	96.81	0.53	--	-217.19	Peak	314.00	150	Vertical	N/A
3**	5294.500	89.62	0.53	--	89.62	AV	314.00	150	Vertical	N/A
4	8414.675	50.01	-0.60	74.0	-23.99	Peak	224.00	150	Vertical	Pass
4**	8414.675	39.82	-0.60	54.0	-14.18	AV	224.00	150	Vertical	Pass
5	9349.950	52.33	3.34	74.0	-21.67	Peak	4.00	150	Vertical	Pass
5**	9349.950	45.02	3.34	54.0	-8.98	AV	4.00	150	Vertical	Pass
6	15742.763	53.24	2.38	74.0	-20.76	Peak	27.00	150	Vertical	Pass
6**	15742.763	44.63	2.38	54.0	-9.37	AV	27.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2828.500	43.06	-6.51	74.0	-30.94	Peak	290.00	150	Horizontal	Pass
1**	2828.500	34.76	-6.51	54.0	-19.24	AV	290.00	150	Horizontal	Pass
2	4313.500	48.61	-1.54	74.0	-25.39	Peak	297.00	150	Horizontal	Pass
2**	4313.500	40.34	-1.54	54.0	-13.66	AV	297.00	150	Horizontal	Pass
3	5327.750	99.01	0.69	--	-57.99	Peak	157.00	150	Horizontal	N/A
3**	5327.750	92.06	0.69	--	92.06	AV	157.00	150	Horizontal	N/A
4	8095.000	50.86	-0.17	74.0	-23.14	Peak	252.00	150	Horizontal	Pass
4**	8095.000	40.74	-0.17	54.0	-13.26	AV	252.00	150	Horizontal	Pass
5	11285.100	53.85	3.45	74.0	-20.15	Peak	102.00	150	Horizontal	Pass
5**	11285.100	46.04	3.45	54.0	-7.96	AV	102.00	150	Horizontal	Pass
6	15908.138	52.87	1.92	74.0	-21.13	Peak	360.00	150	Horizontal	Pass
6**	15908.138	43.47	1.92	54.0	-10.53	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2863.600	43.39	-6.60	74.0	-30.61	Peak	283.00	150	Vertical	Pass
1**	2863.600	34.39	-6.60	54.0	-19.61	AV	283.00	150	Vertical	Pass
2	4357.750	49.02	-1.59	74.0	-24.98	Peak	330.00	150	Vertical	Pass
2**	4357.750	40.99	-1.59	54.0	-13.01	AV	330.00	150	Vertical	Pass
3	5322.750	98.81	0.64	--	-197.19	Peak	296.00	150	Vertical	N/A
3**	5322.750	91.94	0.64	--	91.94	AV	296.00	150	Vertical	N/A
4	8318.013	50.09	0.03	74.0	-23.91	Peak	32.00	150	Vertical	Pass
4**	8318.013	40.23	0.03	54.0	-13.77	AV	32.00	150	Vertical	Pass
5	11691.938	53.57	2.17	74.0	-20.43	Peak	92.00	150	Vertical	Pass
5**	11691.938	44.38	2.17	54.0	-9.62	AV	92.00	150	Vertical	Pass
6	15956.175	53.22	2.27	74.0	-20.78	Peak	358.00	150	Vertical	Pass
6**	15956.175	44.60	2.27	54.0	-9.40	AV	358.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2268.700	41.06	-9.37	74.0	-32.94	Peak	16.00	150	Horizontal	Pass
1**	2268.700	33.57	-9.37	54.0	-20.43	AV	16.00	150	Horizontal	Pass
2	3855.000	47.92	-3.59	74.0	-26.08	Peak	225.00	150	Horizontal	Pass
2**	3855.000	37.92	-3.59	54.0	-16.08	AV	225.00	150	Horizontal	Pass
3	5273.750	94.00	0.68	--	56.00	Peak	38.00	150	Horizontal	N/A
3**	5273.750	86.40	0.68	--	86.40	AV	38.00	150	Horizontal	N/A
4	9457.776	52.92	2.85	74.0	-21.08	Peak	314.00	150	Horizontal	Pass
4**	9457.776	44.05	2.85	54.0	-9.95	AV	314.00	150	Horizontal	Pass
5	11308.375	54.13	3.39	74.0	-19.87	Peak	214.00	150	Horizontal	Pass
5**	11308.375	45.81	3.39	54.0	-8.19	AV	214.00	150	Horizontal	Pass
6	15969.299	52.70	2.18	74.0	-21.30	Peak	360.00	150	Horizontal	Pass
6**	15969.299	44.57	2.18	54.0	-9.43	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2878.000	44.09	-5.99	74.0	-29.91	Peak	7.00	150	Vertical	Pass
1**	2878.000	34.39	-5.99	54.0	-19.61	AV	7.00	150	Vertical	Pass
2	3878.750	47.67	-2.55	74.0	-26.33	Peak	24.00	150	Vertical	Pass
2**	3878.750	38.45	-2.55	54.0	-15.55	AV	24.00	150	Vertical	Pass
3	5280.500	93.45	0.65	--	-145.55	Peak	239.00	150	Vertical	N/A
3**	5280.500	85.87	0.65	--	85.87	AV	239.00	150	Vertical	N/A
4	9130.974	51.89	1.70	74.0	-22.11	Peak	174.00	150	Vertical	Pass
4**	9130.974	43.06	1.70	54.0	-10.94	AV	174.00	150	Vertical	Pass
5	11188.912	53.96	3.15	74.0	-20.04	Peak	133.00	150	Vertical	Pass
5**	11188.912	44.59	3.15	54.0	-9.41	AV	133.00	150	Vertical	Pass
6	15969.299	53.50	2.18	74.0	-20.50	Peak	286.00	150	Vertical	Pass
6**	15969.299	44.75	2.18	54.0	-9.25	AV	286.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2754.600	43.02	-6.50	74.0	-30.98	Peak	53.00	150	Horizontal	Pass
1**	2754.600	34.88	-6.50	54.0	-19.12	AV	53.00	150	Horizontal	Pass
2	3754.250	48.11	-2.98	74.0	-25.89	Peak	114.00	150	Horizontal	Pass
2**	3754.250	38.36	-2.98	54.0	-15.64	AV	114.00	150	Horizontal	Pass
3	5313.750	95.33	0.56	--	50.33	Peak	45.00	150	Horizontal	N/A
3**	5313.750	89.07	0.56	--	89.07	AV	45.00	150	Horizontal	N/A
4	8135.850	49.77	0.15	74.0	-24.23	Peak	265.00	150	Horizontal	Pass
4**	8135.850	41.23	0.15	54.0	-12.77	AV	265.00	150	Horizontal	Pass
5	11305.050	54.02	3.49	74.0	-19.98	Peak	295.00	150	Horizontal	Pass
5**	11305.050	45.73	3.49	54.0	-8.27	AV	295.00	150	Horizontal	Pass
6	15772.425	53.59	2.39	74.0	-20.41	Peak	223.00	150	Horizontal	Pass
6**	15772.425	44.37	2.39	54.0	-9.63	AV	223.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2724.600	42.86	-7.74	74.0	-31.14	Peak	276.00	150	Vertical	Pass
1**	2724.600	34.23	-7.74	54.0	-19.77	AV	276.00	150	Vertical	Pass
2	4040.000	48.11	-1.68	74.0	-25.89	Peak	275.00	150	Vertical	Pass
2**	4040.000	39.39	-1.68	54.0	-14.61	AV	275.00	150	Vertical	Pass
3	5301.250	94.31	0.64	--	-207.69	Peak	302.00	150	Vertical	N/A
3**	5301.250	86.68	0.64	--	86.68	AV	302.00	150	Vertical	N/A
4	9400.537	51.98	2.96	74.0	-22.02	Peak	73.00	150	Vertical	Pass
4**	9400.537	44.31	2.96	54.0	-9.69	AV	73.00	150	Vertical	Pass
5	11308.137	54.01	3.40	74.0	-19.99	Peak	223.00	150	Vertical	Pass
5**	11308.137	45.61	3.40	54.0	-8.39	AV	223.00	150	Vertical	Pass
6	15621.224	52.73	1.56	74.0	-21.27	Peak	69.00	150	Vertical	Pass
6**	15621.224	44.02	1.56	54.0	-9.98	AV	69.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3877.000	47.27	-2.72	74.0	-26.73	Peak	344.00	150	Horizontal	Pass
1**	3877.000	38.46	-2.72	54.0	-15.54	AV	344.00	150	Horizontal	Pass
2	4983.000	51.59	1.04	74.0	-22.41	Peak	128.00	150	Horizontal	Pass
2**	4983.000	42.83	1.04	54.0	-11.17	AV	128.00	150	Horizontal	Pass
3	5263.000	90.75	0.56	--	-72.25	Peak	163.00	150	Horizontal	N/A
3**	5263.000	81.86	0.56	--	81.86	AV	163.00	150	Horizontal	N/A
4	8457.425	50.88	-0.53	74.0	-23.12	Peak	354.00	150	Horizontal	Pass
4**	8457.425	42.52	-0.53	54.0	-11.48	AV	354.00	150	Horizontal	Pass
5	11261.587	54.32	3.16	74.0	-19.68	Peak	153.00	150	Horizontal	Pass
5**	11261.587	45.42	3.16	54.0	-8.58	AV	153.00	150	Horizontal	Pass
6	15783.187	53.28	2.35	74.0	-20.72	Peak	181.00	150	Horizontal	Pass
6**	15783.187	43.77	2.35	54.0	-10.23	AV	181.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3973.500	47.85	-3.03	74.0	-26.15	Peak	65.00	150	Vertical	Pass
1**	3973.500	38.17	-3.03	54.0	-15.83	AV	65.00	150	Vertical	Pass
2	4830.000	51.04	0.53	74.0	-22.96	Peak	309.00	150	Vertical	Pass
2**	4830.000	41.43	0.53	54.0	-12.57	AV	309.00	150	Vertical	Pass
3	5283.250	90.49	0.54	--	-211.51	Peak	302.00	150	Vertical	N/A
3**	5283.250	82.76	0.54	--	82.76	AV	302.00	150	Vertical	N/A
4	8121.125	50.44	0.17	74.0	-23.56	Peak	360.00	150	Vertical	Pass
4**	8121.125	41.44	0.17	54.0	-12.56	AV	360.00	150	Vertical	Pass
5	11436.862	53.15	2.50	74.0	-20.85	Peak	104.00	150	Vertical	Pass
5**	11436.862	45.45	2.50	54.0	-8.55	AV	104.00	150	Vertical	Pass
6	15703.125	53.31	1.89	74.0	-20.69	Peak	335.00	150	Vertical	Pass
6**	15703.125	43.99	1.89	54.0	-10.01	AV	335.00	150	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2266.400	41.24	-9.38	74.0	-32.76	Peak	317.00	150	Horizontal	Pass
1**	2266.400	32.87	-9.38	54.0	-21.13	AV	317.00	150	Horizontal	Pass
2	4971.750	51.98	0.99	74.0	-22.02	Peak	360.00	150	Horizontal	Pass
2**	4971.750	41.93	0.99	54.0	-12.07	AV	360.00	150	Horizontal	Pass
3	5266.750	97.66	0.66	--	-51.34	Peak	149.00	150	Horizontal	N/A
3**	5266.750	89.18	0.66	--	89.18	AV	149.00	150	Horizontal	N/A
4	8369.312	50.50	-0.40	74.0	-23.50	Peak	85.00	150	Horizontal	Pass
4**	8369.312	40.66	-0.40	54.0	-13.34	AV	85.00	150	Horizontal	Pass
5	9124.325	53.15	1.69	74.0	-20.85	Peak	5.00	150	Horizontal	Pass
5**	9124.325	42.05	1.69	54.0	-11.95	AV	5.00	150	Horizontal	Pass
6	15751.687	53.16	2.46	74.0	-20.84	Peak	99.00	150	Horizontal	Pass
6**	15751.687	44.12	2.46	54.0	-9.88	AV	99.00	150	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4370.000	50.22	-1.35	74.0	-23.78	Peak	350.00	150	Vertical	Pass
1**	4370.000	39.93	-1.35	54.0	-14.07	AV	350.00	150	Vertical	Pass
2	5256.000	97.34	0.58	--	-189.66	Peak	287.00	150	Vertical	N/A
2**	5256.000	89.86	0.58	--	89.86	AV	287.00	150	Vertical	N/A
3	8324.425	50.15	-0.10	74.0	-23.85	Peak	0.00	150	Vertical	Pass
3**	8324.425	40.40	-0.10	54.0	-13.60	AV	0.00	150	Vertical	Pass
4	9467.275	53.25	2.69	74.0	-20.75	Peak	34.00	150	Vertical	Pass
4**	9467.275	44.42	2.69	54.0	-9.58	AV	34.00	150	Vertical	Pass
5	11038.099	53.31	2.97	74.0	-20.69	Peak	0.00	150	Vertical	Pass
5**	11038.099	44.15	2.97	54.0	-9.85	AV	0.00	150	Vertical	Pass
6	15502.050	53.66	2.40	74.0	-20.34	Peak	47.00	150	Vertical	Pass
6**	15502.050	44.44	2.40	54.0	-9.56	AV	47.00	150	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3667.250	47.30	-4.01	74.0	-26.70	Peak	344.00	150	Horizontal	Pass
1**	3667.250	37.87	-4.01	54.0	-16.13	AV	344.00	150	Horizontal	Pass
2	4908.750	51.42	0.72	74.0	-22.58	Peak	288.00	150	Horizontal	Pass
2**	4908.750	42.16	0.72	54.0	-11.84	AV	288.00	150	Horizontal	Pass
3	5297.250	99.53	0.54	--	-22.47	Peak	122.00	150	Horizontal	N/A
3**	5297.250	90.70	0.54	--	90.70	AV	122.00	150	Horizontal	N/A
4	8082.650	49.65	-0.18	74.0	-24.35	Peak	244.00	150	Horizontal	Pass
4**	8082.650	41.52	-0.18	54.0	-12.48	AV	244.00	150	Horizontal	Pass
5	9354.700	53.54	3.30	74.0	-20.46	Peak	274.00	150	Horizontal	Pass
5**	9354.700	44.10	3.30	54.0	-9.90	AV	274.00	150	Horizontal	Pass
6	15950.401	52.75	2.31	74.0	-21.25	Peak	152.00	150	Horizontal	Pass
6**	15950.401	44.31	2.31	54.0	-9.69	AV	152.00	150	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4139.750	48.17	-2.78	74.0	-25.83	Peak	355.00	150	Vertical	Pass
1**	4139.750	38.85	-2.78	54.0	-15.15	AV	355.00	150	Vertical	Pass
2	4690.250	51.61	-0.17	74.0	-22.39	Peak	162.00	150	Vertical	Pass
2**	4690.250	41.56	-0.17	54.0	-12.44	AV	162.00	150	Vertical	Pass
3	5303.500	98.78	0.75	--	-90.22	Peak	189.00	150	Vertical	N/A
3**	5303.500	89.50	0.75	--	89.50	AV	189.00	150	Vertical	N/A
4	8439.612	50.30	-0.36	74.0	-23.70	Peak	113.00	150	Vertical	Pass
4**	8439.612	40.79	-0.36	54.0	-13.21	AV	113.00	150	Vertical	Pass
5	11047.363	53.35	3.17	74.0	-20.65	Peak	253.00	150	Vertical	Pass
5**	11047.363	44.91	3.17	54.0	-9.09	AV	253.00	150	Vertical	Pass
6	15727.275	52.52	2.19	74.0	-21.48	Peak	58.00	150	Vertical	Pass
6**	15727.275	43.82	2.19	54.0	-10.18	AV	58.00	150	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2343.900	41.96	-8.71	74.0	-32.04	Peak	359.00	150	Horizontal	Pass
1**	2343.900	33.33	-8.71	54.0	-20.67	AV	359.00	150	Horizontal	Pass
2	4672.250	50.97	-0.34	74.0	-23.03	Peak	86.00	150	Horizontal	Pass
2**	4672.250	41.68	-0.34	54.0	-12.32	AV	86.00	150	Horizontal	Pass
3	5318.500	100.55	0.72	--	56.55	Peak	44.00	150	Horizontal	N/A
3**	5318.500	91.14	0.72	--	91.14	AV	44.00	150	Horizontal	N/A
4	8244.388	50.20	-0.21	74.0	-23.80	Peak	133.00	150	Horizontal	Pass
4**	8244.388	40.20	-0.21	54.0	-13.80	AV	133.00	150	Horizontal	Pass
5	10780.650	53.46	2.77	74.0	-20.54	Peak	124.00	150	Horizontal	Pass
5**	10780.650	45.36	2.77	54.0	-8.64	AV	124.00	150	Horizontal	Pass
6	15945.413	53.41	2.27	74.0	-20.59	Peak	264.00	150	Horizontal	Pass
6**	15945.413	44.70	2.27	54.0	-9.30	AV	264.00	150	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2269.200	41.11	-9.36	74.0	-32.89	Peak	114.00	150	Vertical	Pass
1**	2269.200	33.08	-9.36	54.0	-20.92	AV	114.00	150	Vertical	Pass
2	3738.500	47.85	-2.67	74.0	-26.15	Peak	80.00	150	Vertical	Pass
2**	3738.500	38.50	-2.67	54.0	-15.50	AV	80.00	150	Vertical	Pass
3	5318.250	99.14	0.69	--	-147.86	Peak	247.00	150	Vertical	N/A
3**	5318.250	90.36	0.69	--	90.36	AV	247.00	150	Vertical	N/A
4	8137.038	50.38	0.08	74.0	-23.62	Peak	264.00	150	Vertical	Pass
4**	8137.038	41.21	0.08	54.0	-12.79	AV	264.00	150	Vertical	Pass
5	9121.237	52.09	1.68	74.0	-21.91	Peak	294.00	150	Vertical	Pass
5**	9121.237	43.21	1.68	54.0	-10.79	AV	294.00	150	Vertical	Pass
6	15761.925	52.97	2.42	74.0	-21.03	Peak	193.00	150	Vertical	Pass
6**	15761.925	44.78	2.42	54.0	-9.22	AV	193.00	150	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4050.250	48.78	-2.35	74.0	-25.22	Peak	288.00	150	Horizontal	Pass
1**	4050.250	39.76	-2.35	54.0	-14.24	AV	288.00	150	Horizontal	Pass
2	4770.250	52.30	0.80	74.0	-21.70	Peak	360.00	150	Horizontal	Pass
2**	4770.250	42.00	0.80	54.0	-12.00	AV	360.00	150	Horizontal	Pass
3	5273.250	95.53	0.67	--	57.53	Peak	38.00	150	Horizontal	N/A
3**	5273.250	86.00	0.67	--	86.00	AV	38.00	150	Horizontal	N/A
4	9111.975	51.90	1.66	74.0	-22.10	Peak	172.00	150	Horizontal	Pass
4**	9111.975	43.60	1.66	54.0	-10.40	AV	172.00	150	Horizontal	Pass
5	10789.437	53.16	3.08	74.0	-20.84	Peak	360.00	150	Horizontal	Pass
5**	10789.437	44.65	3.08	54.0	-9.35	AV	360.00	150	Horizontal	Pass
6	15719.137	52.98	2.09	74.0	-21.02	Peak	27.00	150	Horizontal	Pass
6**	15719.137	44.59	2.09	54.0	-9.41	AV	27.00	150	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	37.13	-15.34	74.0	-36.87	Peak	209.00	150	Vertical	Pass
1**	1613.500	28.89	-15.34	54.0	-25.11	AV	209.00	150	Vertical	Pass
2	2811.500	43.48	-6.73	74.0	-30.52	Peak	212.00	150	Vertical	Pass
2**	2811.500	35.14	-6.73	54.0	-18.86	AV	212.00	150	Vertical	Pass
3	5267.500	94.82	0.72	--	-136.18	Peak	231.00	150	Vertical	N/A
3**	5267.500	85.94	0.72	--	85.94	AV	231.00	150	Vertical	N/A
4	8353.400	50.20	-0.36	74.0	-23.80	Peak	334.00	150	Vertical	Pass
4**	8353.400	41.46	-0.36	54.0	-12.54	AV	334.00	150	Vertical	Pass
5	11046.651	53.24	3.16	74.0	-20.76	Peak	361.00	150	Vertical	Pass
5**	11046.651	44.36	3.16	54.0	-9.64	AV	361.00	150	Vertical	Pass
6	15712.050	53.17	2.00	74.0	-20.83	Peak	243.00	150	Vertical	Pass
6**	15712.050	43.48	2.00	54.0	-10.52	AV	243.00	150	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2250.100	41.11	-10.05	74.0	-32.89	Peak	159.00	150	Horizontal	Pass
1**	2250.100	33.19	-10.05	54.0	-20.81	AV	159.00	150	Horizontal	Pass
2	3978.250	48.34	-2.92	74.0	-25.66	Peak	162.00	150	Horizontal	Pass
2**	3978.250	39.63	-2.92	54.0	-14.37	AV	162.00	150	Horizontal	Pass
3	5321.250	96.41	0.64	--	58.41	Peak	38.00	150	Horizontal	N/A
3**	5321.250	86.99	0.64	--	86.99	AV	38.00	150	Horizontal	N/A
4	8241.776	50.69	-0.08	74.0	-23.31	Peak	73.00	150	Horizontal	Pass
4**	8241.776	40.45	-0.08	54.0	-13.55	AV	73.00	150	Horizontal	Pass
5	11820.662	53.64	2.76	74.0	-20.36	Peak	163.00	150	Horizontal	Pass
5**	11820.662	44.49	2.76	54.0	-9.51	AV	163.00	150	Horizontal	Pass
6	15953.812	53.58	2.28	74.0	-20.42	Peak	360.00	150	Horizontal	Pass
6**	15953.812	45.67	2.28	54.0	-8.33	AV	360.00	150	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2736.100	43.40	-7.66	74.0	-30.60	Peak	187.00	150	Vertical	Pass
1**	2736.100	34.41	-7.66	54.0	-19.59	AV	187.00	150	Vertical	Pass
2	3987.750	48.28	-2.69	74.0	-25.72	Peak	212.00	150	Vertical	Pass
2**	3987.750	39.32	-2.69	54.0	-14.68	AV	212.00	150	Vertical	Pass
3	5319.000	95.52	0.76	--	-191.48	Peak	287.00	150	Vertical	N/A
3**	5319.000	86.00	0.76	--	86.00	AV	287.00	150	Vertical	N/A
4	8138.225	50.44	-0.13	74.0	-23.56	Peak	104.00	150	Vertical	Pass
4**	8138.225	41.13	-0.13	54.0	-12.87	AV	104.00	150	Vertical	Pass
5	10789.913	53.74	3.09	74.0	-20.26	Peak	304.00	150	Vertical	Pass
5**	10789.913	44.98	3.09	54.0	-9.02	AV	304.00	150	Vertical	Pass
6	15760.349	53.14	2.43	74.0	-20.86	Peak	7.00	150	Vertical	Pass
6**	15760.349	44.81	2.43	54.0	-9.19	AV	7.00	150	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2791.900	43.30	-6.93	74.0	-30.70	Peak	100.00	150	Horizontal	Pass
1**	2791.900	34.12	-6.93	54.0	-19.88	AV	100.00	150	Horizontal	Pass
2	4771.000	51.27	0.86	74.0	-22.73	Peak	100.00	150	Horizontal	Pass
2**	4771.000	42.96	0.86	54.0	-11.04	AV	100.00	150	Horizontal	Pass
3	5268.500	91.33	0.76	--	53.33	Peak	38.00	150	Horizontal	N/A
3**	5268.500	82.34	0.76	--	82.34	AV	38.00	150	Horizontal	N/A
4	9096.537	52.05	1.56	74.0	-21.95	Peak	143.00	150	Horizontal	Pass
4**	9096.537	42.62	1.56	54.0	-11.38	AV	143.00	150	Horizontal	Pass
5	10691.588	53.53	2.56	74.0	-20.47	Peak	254.00	150	Horizontal	Pass
5**	10691.588	43.85	2.56	54.0	-10.15	AV	254.00	150	Horizontal	Pass
6	15823.875	53.57	1.88	74.0	-20.43	Peak	151.00	150	Horizontal	Pass
6**	15823.875	44.56	1.88	54.0	-9.44	AV	151.00	150	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2361.000	41.38	-9.23	74.0	-32.62	Peak	236.00	150	Vertical	Pass
1**	2361.000	33.26	-9.23	54.0	-20.74	AV	236.00	150	Vertical	Pass
2	4047.250	48.93	-2.12	74.0	-25.07	Peak	192.00	150	Vertical	Pass
2**	4047.250	39.38	-2.12	54.0	-14.62	AV	192.00	150	Vertical	Pass
3	5325.750	91.48	0.78	--	-106.52	Peak	198.00	150	Vertical	N/A
3**	5325.750	82.43	0.78	--	82.43	AV	198.00	150	Vertical	N/A
4	9064.237	52.19	0.89	74.0	-21.81	Peak	264.00	150	Vertical	Pass
4**	9064.237	43.79	0.89	54.0	-10.21	AV	264.00	150	Vertical	Pass
5	10952.362	52.77	2.45	74.0	-21.23	Peak	343.00	150	Vertical	Pass
5**	10952.362	43.37	2.45	54.0	-10.63	AV	343.00	150	Vertical	Pass
6	15777.937	53.14	2.37	74.0	-20.86	Peak	357.00	150	Vertical	Pass
6**	15777.937	44.41	2.37	54.0	-9.59	AV	357.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1352.900	36.18	-15.12	74.0	-37.82	Peak	181.00	150	Horizontal	Pass
1**	1352.900	28.29	-15.12	54.0	-25.71	AV	181.00	150	Horizontal	Pass
2	4881.750	51.53	0.69	74.0	-22.47	Peak	38.00	150	Horizontal	Pass
2**	4881.750	42.58	0.69	54.0	-11.42	AV	38.00	150	Horizontal	Pass
3	5496.750	101.73	0.76	--	63.73	Peak	38.00	150	Horizontal	N/A
3**	5496.750	94.26	0.76	--	94.26	AV	38.00	150	Horizontal	N/A
4	8307.088	49.89	0.36	74.0	-24.11	Peak	-1.00	150	Horizontal	Pass
4**	8307.088	41.76	0.36	54.0	-12.24	AV	-1.00	150	Horizontal	Pass
5	11034.063	53.14	2.88	74.0	-20.86	Peak	116.00	150	Horizontal	Pass
5**	11034.063	44.32	2.88	54.0	-9.68	AV	116.00	150	Horizontal	Pass
6	15765.599	53.53	2.41	74.0	-20.47	Peak	157.00	150	Horizontal	Pass
6**	15765.599	44.30	2.41	54.0	-9.70	AV	157.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1393.100	36.80	-15.26	74.0	-37.20	Peak	15.00	150	Vertical	Pass
1**	1393.100	28.01	-15.26	54.0	-25.99	AV	15.00	150	Vertical	Pass
2	5000.750	51.61	0.42	74.0	-22.39	Peak	232.00	150	Vertical	Pass
2**	5000.750	43.23	0.42	54.0	-10.77	AV	232.00	150	Vertical	Pass
3	5502.000	101.53	0.78	--	-109.47	Peak	211.00	150	Vertical	N/A
3**	5502.000	95.04	0.78	--	95.04	AV	211.00	150	Vertical	N/A
4	8439.375	50.11	-0.36	74.0	-23.89	Peak	165.00	150	Vertical	Pass
4**	8439.375	42.34	-0.36	54.0	-11.66	AV	165.00	150	Vertical	Pass
5	10789.913	53.56	3.09	74.0	-20.44	Peak	305.00	150	Vertical	Pass
5**	10789.913	44.94	3.09	54.0	-9.06	AV	305.00	150	Vertical	Pass
6	15958.013	52.99	2.26	74.0	-21.01	Peak	128.00	150	Vertical	Pass
6**	15958.013	44.11	2.26	54.0	-9.89	AV	128.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2818.600	43.46	-6.54	74.0	-30.54	Peak	45.00	150	Horizontal	Pass
1**	2818.600	34.53	-6.54	54.0	-19.47	AV	45.00	150	Horizontal	Pass
2	4208.750	48.24	-0.58	74.0	-25.76	Peak	162.00	150	Horizontal	Pass
2**	4208.750	39.28	-0.58	54.0	-14.72	AV	162.00	150	Horizontal	Pass
3	5081.250	52.29	0.78	74.0	-21.71	Peak	360.00	150	Horizontal	Pass
3**	5081.250	42.91	0.78	54.0	-11.09	AV	360.00	150	Horizontal	Pass
4	5577.000	100.95	1.24	--	70.95	Peak	30.00	150	Horizontal	N/A
4**	5577.000	94.65	1.24	--	94.65	AV	30.00	150	Horizontal	N/A
5	9139.287	52.64	1.72	74.0	-21.36	Peak	137.00	150	Horizontal	Pass
5**	9139.287	43.78	1.72	54.0	-10.22	AV	137.00	150	Horizontal	Pass
6	15901.312	53.96	1.86	74.0	-20.04	Peak	262.00	150	Horizontal	Pass
6**	15901.312	44.42	1.86	54.0	-9.58	AV	262.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2269.100	41.24	-9.36	74.0	-32.76	Peak	132.00	150	Vertical	Pass
1**	2269.100	33.32	-9.36	54.0	-20.68	AV	132.00	150	Vertical	Pass
2	4204.750	48.25	-0.89	74.0	-25.75	Peak	23.00	150	Vertical	Pass
2**	4204.750	39.16	-0.89	54.0	-14.84	AV	23.00	150	Vertical	Pass
3	4801.750	51.12	0.95	74.0	-22.88	Peak	106.00	150	Vertical	Pass
3**	4801.750	41.56	0.95	54.0	-12.44	AV	106.00	150	Vertical	Pass
4	5583.000	100.30	0.88	--	-75.70	Peak	176.00	150	Vertical	N/A
4**	5583.000	94.32	0.88	--	94.32	AV	176.00	150	Vertical	N/A
5	9110.787	52.65	1.65	74.0	-21.35	Peak	0.00	150	Vertical	Pass
5**	9110.787	42.93	1.65	54.0	-11.07	AV	0.00	150	Vertical	Pass
6	15986.625	52.72	2.07	74.0	-21.28	Peak	85.00	150	Vertical	Pass
6**	15986.625	43.44	2.07	54.0	-10.56	AV	85.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2362.800	42.11	-9.52	74.0	-31.89	Peak	176.00	150	Horizontal	Pass
1**	2362.800	33.18	-9.52	54.0	-20.82	AV	176.00	150	Horizontal	Pass
2	4203.000	49.21	-1.11	74.0	-24.79	Peak	329.00	150	Horizontal	Pass
2**	4203.000	39.32	-1.11	54.0	-14.68	AV	329.00	150	Horizontal	Pass
3	5707.250	97.31	1.41	--	73.31	Peak	24.00	150	Horizontal	N/A
3**	5707.250	89.99	1.41	--	89.99	AV	24.00	150	Horizontal	N/A
4	9331.188	53.53	3.36	74.0	-20.47	Peak	0.00	150	Horizontal	Pass
4**	9331.188	44.48	3.36	54.0	-9.52	AV	0.00	150	Horizontal	Pass
5	12009.950	54.20	3.58	74.0	-19.80	Peak	156.00	150	Horizontal	Pass
5**	12009.950	45.58	3.58	54.0	-8.42	AV	156.00	150	Horizontal	Pass
6	15894.750	52.71	1.80	74.0	-21.29	Peak	334.00	150	Horizontal	Pass
6**	15894.750	44.08	1.80	54.0	-9.92	AV	334.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1352.900	35.93	-15.12	74.0	-38.07	Peak	178.00	150	Vertical	Pass
1**	1352.900	27.75	-15.12	54.0	-26.25	AV	178.00	150	Vertical	Pass
2	5061.250	52.57	0.60	74.0	-21.43	Peak	351.00	150	Vertical	Pass
2**	5061.250	42.45	0.60	54.0	-11.55	AV	351.00	150	Vertical	Pass
3	5697.250	98.31	1.42	--	-120.69	Peak	219.00	150	Vertical	N/A
3**	5697.250	92.95	1.42	--	92.95	AV	219.00	150	Vertical	N/A
4	8215.412	50.25	-0.27	74.0	-23.75	Peak	86.00	150	Vertical	Pass
4**	8215.412	41.11	-0.27	54.0	-12.89	AV	86.00	150	Vertical	Pass
5	11044.037	53.53	3.10	74.0	-20.47	Peak	360.00	150	Vertical	Pass
5**	11044.037	45.46	3.10	54.0	-8.54	AV	360.00	150	Vertical	Pass
6	15734.887	53.09	2.28	74.0	-20.91	Peak	353.00	150	Vertical	Pass
6**	15734.887	44.35	2.28	54.0	-9.65	AV	353.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2251.600	41.25	-9.95	74.0	-32.75	Peak	195.00	150	Horizontal	Pass
1**	2251.600	32.47	-9.95	54.0	-21.53	AV	195.00	150	Horizontal	Pass
2	4207.750	48.87	-0.64	74.0	-25.13	Peak	4.00	150	Horizontal	Pass
2**	4207.750	39.04	-0.64	54.0	-14.96	AV	4.00	150	Horizontal	Pass
3	5505.000	101.83	0.91	--	63.83	Peak	38.00	150	Horizontal	N/A
3**	5505.000	95.32	0.91	--	95.32	AV	38.00	150	Horizontal	N/A
4	8463.600	50.42	-0.69	74.0	-23.58	Peak	275.00	150	Horizontal	Pass
4**	8463.600	40.99	-0.69	54.0	-13.01	AV	275.00	150	Horizontal	Pass
5	11050.925	53.23	3.19	74.0	-20.77	Peak	195.00	150	Horizontal	Pass
5**	11050.925	45.41	3.19	54.0	-8.59	AV	195.00	150	Horizontal	Pass
6	15965.625	53.22	2.21	74.0	-20.78	Peak	261.00	150	Horizontal	Pass
6**	15965.625	44.55	2.21	54.0	-9.45	AV	261.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.800	35.98	-15.43	74.0	-38.02	Peak	259.00	150	Vertical	Pass
1**	1527.800	27.29	-15.43	54.0	-26.71	AV	259.00	150	Vertical	Pass
2	4634.250	50.40	-1.03	74.0	-23.60	Peak	196.00	150	Vertical	Pass
2**	4634.250	41.44	-1.03	54.0	-12.56	AV	196.00	150	Vertical	Pass
3	5498.500	101.02	0.76	--	-199.98	Peak	301.00	150	Vertical	N/A
3**	5498.500	94.46	0.76	--	94.46	AV	301.00	150	Vertical	N/A
4	8256.975	49.87	0.13	74.0	-24.13	Peak	0.00	150	Vertical	Pass
4**	8256.975	41.74	0.13	54.0	-12.26	AV	0.00	150	Vertical	Pass
5	10783.737	53.29	2.88	74.0	-20.71	Peak	226.00	150	Vertical	Pass
5**	10783.737	44.95	2.88	54.0	-9.05	AV	226.00	150	Vertical	Pass
6	15750.901	52.81	2.46	74.0	-21.19	Peak	322.00	150	Vertical	Pass
6**	15750.901	44.05	2.46	54.0	-9.95	AV	322.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2273.200	41.55	-9.63	74.0	-32.45	Peak	6.00	150	Horizontal	Pass
1**	2273.200	33.00	-9.63	54.0	-21.00	AV	6.00	150	Horizontal	Pass
2	5046.750	51.29	0.37	74.0	-22.71	Peak	85.00	150	Horizontal	Pass
2**	5046.750	42.45	0.37	54.0	-11.55	AV	85.00	150	Horizontal	Pass
3	5583.750	100.68	0.85	--	70.68	Peak	30.00	150	Horizontal	N/A
3**	5583.750	92.96	0.85	--	92.96	AV	30.00	150	Horizontal	N/A
4	8129.200	50.63	0.32	74.0	-23.37	Peak	336.00	150	Horizontal	Pass
4**	8129.200	41.77	0.32	54.0	-12.23	AV	336.00	150	Horizontal	Pass
5	10783.974	52.61	2.88	74.0	-21.39	Peak	16.00	150	Horizontal	Pass
5**	10783.974	45.19	2.88	54.0	-8.81	AV	16.00	150	Horizontal	Pass
6	15764.813	53.67	2.41	74.0	-20.33	Peak	127.00	150	Horizontal	Pass
6**	15764.813	44.53	2.41	54.0	-9.47	AV	127.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.400	35.78	-15.41	74.0	-38.22	Peak	223.00	150	Vertical	Pass
1**	1572.400	27.00	-15.41	54.0	-27.00	AV	223.00	150	Vertical	Pass
2	4804.750	51.20	0.97	74.0	-22.80	Peak	164.00	150	Vertical	Pass
2**	4804.750	41.23	0.97	54.0	-12.77	AV	164.00	150	Vertical	Pass
3	5573.750	100.42	1.35	--	-104.58	Peak	205.00	150	Vertical	N/A
3**	5573.750	92.44	1.35	--	92.44	AV	205.00	150	Vertical	N/A
4	8135.375	50.79	0.15	74.0	-23.21	Peak	337.00	150	Vertical	Pass
4**	8135.375	42.16	0.15	54.0	-11.84	AV	337.00	150	Vertical	Pass
5	11049.737	53.05	3.22	74.0	-20.95	Peak	86.00	150	Vertical	Pass
5**	11049.737	44.81	3.22	54.0	-9.19	AV	86.00	150	Vertical	Pass
6	15949.088	53.41	2.30	74.0	-20.59	Peak	147.00	150	Vertical	Pass
6**	15949.088	44.30	2.30	54.0	-9.70	AV	147.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.100	35.96	-15.41	74.0	-38.04	Peak	145.00	150	Horizontal	Pass
1**	1549.100	26.67	-15.41	54.0	-27.33	AV	145.00	150	Horizontal	Pass
2	4954.250	51.59	1.24	74.0	-22.41	Peak	225.00	150	Horizontal	Pass
2**	4954.250	42.61	1.24	54.0	-11.39	AV	225.00	150	Horizontal	Pass
3	5705.250	97.50	1.36	--	60.50	Peak	37.00	150	Horizontal	N/A
3**	5705.250	90.62	1.36	--	90.62	AV	37.00	150	Horizontal	N/A
4	8228.237	49.86	-0.44	74.0	-24.14	Peak	360.00	150	Horizontal	Pass
4**	8228.237	40.79	-0.44	54.0	-13.21	AV	360.00	150	Horizontal	Pass
5	11043.088	53.26	3.08	74.0	-20.74	Peak	0.00	150	Horizontal	Pass
5**	11043.088	45.81	3.08	54.0	-8.19	AV	0.00	150	Horizontal	Pass
6	15757.200	53.10	2.44	74.0	-20.90	Peak	55.00	150	Horizontal	Pass
6**	15757.200	44.79	2.44	54.0	-9.21	AV	55.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.400	35.91	-15.15	74.0	-38.09	Peak	94.00	150	Vertical	Pass
1**	1590.400	27.67	-15.15	54.0	-26.33	AV	94.00	150	Vertical	Pass
2	4222.500	49.25	-1.69	74.0	-24.75	Peak	30.00	150	Vertical	Pass
2**	4222.500	38.05	-1.69	54.0	-15.95	AV	30.00	150	Vertical	Pass
3	5693.750	98.94	1.19	--	-119.06	Peak	218.00	150	Vertical	N/A
3**	5693.750	91.28	1.19	--	91.28	AV	218.00	150	Vertical	N/A
4	8146.537	50.29	-0.24	74.0	-23.71	Peak	86.00	150	Vertical	Pass
4**	8146.537	41.59	-0.24	54.0	-12.41	AV	86.00	150	Vertical	Pass
5	11749.888	53.40	3.10	74.0	-20.60	Peak	357.00	150	Vertical	Pass
5**	11749.888	45.86	3.10	54.0	-8.14	AV	357.00	150	Vertical	Pass
6	15874.013	53.43	1.62	74.0	-20.57	Peak	43.00	150	Vertical	Pass
6**	15874.013	42.69	1.62	54.0	-11.31	AV	43.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2338.100	41.99	-9.27	74.0	-32.01	Peak	244.00	150	Horizontal	Pass
1**	2338.100	33.50	-9.27	54.0	-20.50	AV	244.00	150	Horizontal	Pass
2	4158.250	48.36	-3.06	74.0	-25.64	Peak	176.00	150	Horizontal	Pass
2**	4158.250	40.41	-3.06	54.0	-13.59	AV	176.00	150	Horizontal	Pass
3	5515.000	99.15	1.22	--	63.15	Peak	36.00	150	Horizontal	N/A
3**	5515.000	93.47	1.22	--	93.47	AV	36.00	150	Horizontal	N/A
4	9112.925	52.08	1.66	74.0	-21.92	Peak	6.00	150	Horizontal	Pass
4**	9112.925	43.16	1.66	54.0	-10.84	AV	6.00	150	Horizontal	Pass
5	11190.813	53.83	3.21	74.0	-20.17	Peak	225.00	150	Horizontal	Pass
5**	11190.813	45.46	3.21	54.0	-8.54	AV	225.00	150	Horizontal	Pass
6	15741.975	52.43	2.37	74.0	-21.57	Peak	281.00	150	Horizontal	Pass
6**	15741.975	44.19	2.37	54.0	-9.81	AV	281.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2268.000	41.84	-9.40	74.0	-32.16	Peak	320.00	150	Vertical	Pass
1**	2268.000	33.10	-9.40	54.0	-20.90	AV	320.00	150	Vertical	Pass
2	2794.000	44.03	-6.76	74.0	-29.97	Peak	90.00	150	Vertical	Pass
2**	2794.000	34.51	-6.76	54.0	-19.49	AV	90.00	150	Vertical	Pass
3	4209.750	48.27	-0.54	74.0	-25.73	Peak	38.00	150	Vertical	Pass
3**	4209.750	39.64	-0.54	54.0	-14.36	AV	38.00	150	Vertical	Pass
4	5503.750	100.09	0.87	--	-102.91	Peak	203.00	150	Vertical	N/A
4**	5503.750	92.31	0.87	--	92.31	AV	203.00	150	Vertical	N/A
5	9360.874	52.51	3.25	74.0	-21.49	Peak	176.00	150	Vertical	Pass
5**	9360.874	43.75	3.25	54.0	-10.25	AV	176.00	150	Vertical	Pass
6	15745.651	53.92	2.41	74.0	-20.08	Peak	54.00	150	Vertical	Pass
6**	15745.651	43.74	2.41	54.0	-10.26	AV	54.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2249.900	40.95	-10.06	74.0	-33.05	Peak	31.00	150	Horizontal	Pass
1**	2249.900	32.65	-10.06	54.0	-21.35	AV	31.00	150	Horizontal	Pass
2	2842.700	43.17	-7.09	74.0	-30.83	Peak	14.00	150	Horizontal	Pass
2**	2842.700	33.97	-7.09	54.0	-20.03	AV	14.00	150	Horizontal	Pass
3	3858.750	47.34	-3.53	74.0	-26.66	Peak	150.00	150	Horizontal	Pass
3**	3858.750	37.37	-3.53	54.0	-16.63	AV	150.00	150	Horizontal	Pass
4	5593.750	96.87	0.72	--	57.87	Peak	39.00	150	Horizontal	N/A
4**	5593.750	90.07	0.72	--	90.07	AV	39.00	150	Horizontal	N/A
5	9145.224	52.28	1.73	74.0	-21.72	Peak	0.00	150	Horizontal	Pass
5**	9145.224	43.56	1.73	54.0	-10.44	AV	0.00	150	Horizontal	Pass
6	11472.487	53.70	2.34	74.0	-20.30	Peak	215.00	150	Horizontal	Pass
6**	11472.487	44.18	2.34	54.0	-9.82	AV	215.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2754.000	43.00	-6.44	74.0	-31.00	Peak	329.00	150	Vertical	Pass
1**	2754.000	34.00	-6.44	54.0	-20.00	AV	329.00	150	Vertical	Pass
2	4203.250	48.74	-1.08	74.0	-25.26	Peak	0.00	150	Vertical	Pass
2**	4203.250	39.52	-1.08	54.0	-14.48	AV	0.00	150	Vertical	Pass
3	5575.000	97.81	1.33	--	-120.19	Peak	218.00	150	Vertical	N/A
3**	5575.000	90.27	1.33	--	90.27	AV	218.00	150	Vertical	N/A
4	8335.350	50.37	-0.33	74.0	-23.63	Peak	116.00	150	Vertical	Pass
4**	8335.350	41.30	-0.33	54.0	-12.70	AV	116.00	150	Vertical	Pass
5	11450.875	53.66	2.83	74.0	-20.34	Peak	285.00	150	Vertical	Pass
5**	11450.875	44.40	2.83	54.0	-9.60	AV	285.00	150	Vertical	Pass
6	15753.525	53.51	2.45	74.0	-20.49	Peak	95.00	150	Vertical	Pass
6**	15753.525	45.00	2.45	54.0	-9.00	AV	95.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2882.400	43.89	-6.00	74.0	-30.11	Peak	14.00	150	Horizontal	Pass
1**	2882.400	34.80	-6.00	54.0	-19.20	AV	14.00	150	Horizontal	Pass
2	4035.750	48.12	-1.74	74.0	-25.88	Peak	309.00	150	Horizontal	Pass
2**	4035.750	39.72	-1.74	54.0	-14.28	AV	309.00	150	Horizontal	Pass
3	4777.000	50.95	1.15	74.0	-23.05	Peak	211.00	150	Horizontal	Pass
3**	4777.000	42.43	1.15	54.0	-11.57	AV	211.00	150	Horizontal	Pass
4	5664.500	95.18	1.05	--	64.18	Peak	31.00	150	Horizontal	N/A
4**	5664.500	89.48	1.05	--	89.48	AV	31.00	150	Horizontal	N/A
5	8347.937	49.85	-0.17	74.0	-24.15	Peak	165.00	150	Horizontal	Pass
5**	8347.937	40.65	-0.17	54.0	-13.35	AV	165.00	150	Horizontal	Pass
6	15753.263	52.72	2.45	74.0	-21.28	Peak	240.00	150	Horizontal	Pass
6**	15753.263	44.75	2.45	54.0	-9.25	AV	240.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3920.750	48.07	-2.29	74.0	-25.93	Peak	301.00	150	Vertical	Pass
1**	3920.750	37.42	-2.29	54.0	-16.58	AV	301.00	150	Vertical	Pass
2	4919.000	50.70	0.81	74.0	-23.30	Peak	135.00	150	Vertical	Pass
2**	4919.000	41.97	0.81	54.0	-12.03	AV	135.00	150	Vertical	Pass
3	5675.000	96.02	0.85	--	-114.98	Peak	211.00	150	Vertical	N/A
3**	5675.000	89.92	0.85	--	89.92	AV	211.00	150	Vertical	N/A
4	8101.650	50.88	-0.14	74.0	-23.12	Peak	116.00	150	Vertical	Pass
4**	8101.650	40.76	-0.14	54.0	-13.24	AV	116.00	150	Vertical	Pass
5	11295.075	53.93	3.57	74.0	-20.07	Peak	355.00	150	Vertical	Pass
5**	11295.075	45.93	3.57	54.0	-8.07	AV	355.00	150	Vertical	Pass
6	15706.276	52.75	1.93	74.0	-21.25	Peak	168.00	150	Vertical	Pass
6**	15706.276	43.99	1.93	54.0	-10.01	AV	168.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3920.750	48.07	-2.29	74.0	-25.93	Peak	301.00	150	Vertical	Pass
1**	3920.750	37.42	-2.29	54.0	-16.58	AV	301.00	150	Vertical	Pass
2	4919.000	50.70	0.81	74.0	-23.30	Peak	135.00	150	Vertical	Pass
2**	4919.000	41.97	0.81	54.0	-12.03	AV	135.00	150	Vertical	Pass
3	5675.000	96.02	0.85	--	-114.98	Peak	211.00	150	Vertical	N/A
3**	5675.000	89.92	0.85	--	89.92	AV	211.00	150	Vertical	N/A
4	8101.650	50.88	-0.14	74.0	-23.12	Peak	116.00	150	Vertical	Pass
4**	8101.650	40.76	-0.14	54.0	-13.24	AV	116.00	150	Vertical	Pass
5	11295.075	53.93	3.57	74.0	-20.07	Peak	355.00	150	Vertical	Pass
5**	11295.075	45.93	3.57	54.0	-8.07	AV	355.00	150	Vertical	Pass
6	15706.276	52.75	1.93	74.0	-21.25	Peak	168.00	150	Vertical	Pass
6**	15706.276	43.99	1.93	54.0	-10.01	AV	168.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.900	36.02	-15.08	74.0	-37.98	Peak	297.00	150	Vertical	Pass
1**	1534.900	27.34	-15.08	54.0	-26.66	AV	297.00	150	Vertical	Pass
2	4713.250	50.49	-0.41	74.0	-23.51	Peak	59.00	150	Vertical	Pass
2**	4713.250	42.07	-0.41	54.0	-11.93	AV	59.00	150	Vertical	Pass
3	5494.750	99.35	0.72	--	-83.65	Peak	183.00	150	Vertical	N/a
3**	5494.750	92.03	0.72	--	92.03	AV	183.00	150	Vertical	N/A
4	8127.538	50.17	0.30	74.0	-23.83	Peak	56.00	150	Vertical	Pass
4**	8127.538	40.79	0.30	54.0	-13.21	AV	56.00	150	Vertical	Pass
5	11025.037	53.16	2.69	74.0	-20.84	Peak	36.00	150	Vertical	Pass
5**	11025.037	45.43	2.69	54.0	-8.57	AV	36.00	150	Vertical	Pass
6	15938.588	53.39	2.20	74.0	-20.61	Peak	313.00	150	Vertical	Pass
6**	15938.588	44.39	2.20	54.0	-9.61	AV	313.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.200	36.05	-15.38	74.0	-37.95	Peak	89.00	150	Horizontal	Pass
1**	1560.200	28.29	-15.38	54.0	-25.71	AV	89.00	150	Horizontal	Pass
2	5071.750	51.29	0.92	74.0	-22.71	Peak	95.00	150	Horizontal	Pass
2**	5071.750	43.33	0.92	54.0	-10.67	AV	95.00	150	Horizontal	Pass
3	5586.000	98.31	0.90	--	72.31	Peak	26.00	150	Horizontal	N/A
3**	5586.000	90.04	0.90	--	90.04	AV	26.00	150	Horizontal	N/A
4	8344.612	50.09	-0.24	74.0	-23.91	Peak	314.00	150	Horizontal	Pass
4**	8344.612	40.80	-0.24	54.0	-13.20	AV	314.00	150	Horizontal	Pass
5	11047.838	53.66	3.18	74.0	-20.34	Peak	360.00	150	Horizontal	Pass
5**	11047.838	44.89	3.18	54.0	-9.11	AV	360.00	150	Horizontal	Pass
6	15972.712	53.08	2.16	74.0	-20.92	Peak	333.00	150	Horizontal	Pass
6**	15972.712	44.86	2.16	54.0	-9.14	AV	333.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.100	35.96	-15.13	74.0	-38.04	Peak	65.00	150	Vertical	Pass
1**	1536.100	27.63	-15.13	54.0	-26.37	AV	65.00	150	Vertical	Pass
2	4847.000	51.68	0.50	74.0	-22.32	Peak	357.00	150	Vertical	Pass
2**	4847.000	41.72	0.50	54.0	-12.28	AV	357.00	150	Vertical	Pass
3	5585.000	99.70	0.85	--	-84.30	Peak	184.00	150	Vertical	N/A
3**	5585.000	91.84	0.85	--	91.84	AV	184.00	150	Vertical	N/A
4	8136.325	50.53	0.15	74.0	-23.47	Peak	126.00	150	Vertical	Pass
4**	8136.325	41.53	0.15	54.0	-12.47	AV	126.00	150	Vertical	Pass
5	10786.588	53.40	2.98	74.0	-20.60	Peak	65.00	150	Vertical	Pass
5**	10786.588	45.15	2.98	54.0	-8.85	AV	65.00	150	Vertical	Pass
6	15993.975	53.42	2.03	74.0	-20.58	Peak	353.00	150	Vertical	Pass
6**	15993.975	44.19	2.03	54.0	-9.81	AV	353.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2273.000	42.02	-9.61	74.0	-31.98	Peak	102.00	150	Horizontal	Pass
1**	2273.000	33.46	-9.61	54.0	-20.54	AV	102.00	150	Horizontal	Pass
2	4066.250	48.59	-2.68	74.0	-25.41	Peak	274.00	150	Horizontal	Pass
2**	4066.250	38.87	-2.68	54.0	-15.13	AV	274.00	150	Horizontal	Pass
3	5695.250	95.09	1.25	--	71.09	Peak	24.00	150	Horizontal	N/A
3**	5695.250	86.50	1.25	--	86.50	AV	24.00	150	Horizontal	N/A
4	8134.425	50.74	0.14	74.0	-23.26	Peak	96.00	150	Horizontal	Pass
4**	8134.425	41.51	0.14	54.0	-12.49	AV	96.00	150	Horizontal	Pass
5	10776.612	53.27	2.63	74.0	-20.73	Peak	75.00	150	Horizontal	Pass
5**	10776.612	44.13	2.63	54.0	-9.87	AV	75.00	150	Horizontal	Pass
6	15773.737	52.67	2.38	74.0	-21.33	Peak	271.00	150	Horizontal	Pass
6**	15773.737	44.06	2.38	54.0	-9.94	AV	271.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.200	35.70	-15.45	74.0	-38.30	Peak	142.00	150	Vertical	Pass
1**	1565.200	27.01	-15.45	54.0	-26.99	AV	142.00	150	Vertical	Pass
2	4122.750	48.26	-2.45	74.0	-25.74	Peak	136.00	150	Vertical	Pass
2**	4122.750	38.95	-2.45	54.0	-15.05	AV	136.00	150	Vertical	Pass
3	5693.250	97.22	1.17	--	-114.78	Peak	212.00	150	Vertical	N/A
3**	5693.250	90.54	1.17	--	90.54	AV	212.00	150	Vertical	N/A
4	8088.112	51.04	-0.25	74.0	-22.96	Peak	126.00	150	Vertical	Pass
4**	8088.112	41.20	-0.25	54.0	-12.80	AV	126.00	150	Vertical	Pass
5	11035.963	53.32	2.92	74.0	-20.68	Peak	360.00	150	Vertical	Pass
5**	11035.963	44.54	2.92	54.0	-9.46	AV	360.00	150	Vertical	Pass
6	15951.974	52.93	2.30	74.0	-21.07	Peak	292.00	150	Vertical	Pass
6**	15951.974	44.12	2.30	54.0	-9.88	AV	292.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2277.300	41.84	-10.10	74.0	-32.16	Peak	276.00	150	Horizontal	Pass
1**	2277.300	32.77	-10.10	54.0	-21.23	AV	276.00	150	Horizontal	Pass
2	4231.000	49.84	-1.66	74.0	-24.16	Peak	205.00	150	Horizontal	Pass
2**	4231.000	39.12	-1.66	54.0	-14.88	AV	205.00	150	Horizontal	Pass
3	5516.000	94.40	1.32	--	55.40	Peak	39.00	150	Horizontal	N/A
3**	5516.000	86.89	1.32	--	86.89	AV	39.00	150	Horizontal	N/A
4	8128.963	50.02	0.32	74.0	-23.98	Peak	137.00	150	Horizontal	Pass
4**	8128.963	41.69	0.32	54.0	-12.31	AV	137.00	150	Horizontal	Pass
5	11198.412	53.50	3.44	74.0	-20.50	Peak	67.00	150	Horizontal	Pass
5**	11198.412	45.09	3.44	54.0	-8.91	AV	67.00	150	Horizontal	Pass
6	15952.238	53.50	2.29	74.0	-20.50	Peak	230.00	150	Horizontal	Pass
6**	15952.238	44.82	2.29	54.0	-9.18	AV	230.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1380.700	35.77	-15.37	74.0	-38.23	Peak	3.00	150	Vertical	Pass
1**	1380.700	27.55	-15.37	54.0	-26.45	AV	3.00	150	Vertical	Pass
2	4049.500	48.81	-2.31	74.0	-25.19	Peak	72.00	150	Vertical	Pass
2**	4049.500	38.58	-2.31	54.0	-15.42	AV	72.00	150	Vertical	Pass
3	5503.250	95.22	0.85	--	-108.78	Peak	204.00	150	Vertical	N/A
3**	5503.250	87.54	0.85	--	87.54	AV	204.00	150	Vertical	N/A
4	8164.350	49.55	-0.41	74.0	-24.45	Peak	36.00	150	Vertical	Pass
4**	8164.350	40.63	-0.41	54.0	-13.37	AV	36.00	150	Vertical	Pass
5	10788.013	53.28	3.03	74.0	-20.72	Peak	306.00	150	Vertical	Pass
5**	10788.013	44.32	3.03	54.0	-9.68	AV	306.00	150	Vertical	Pass
6	15758.513	53.33	2.44	74.0	-20.67	Peak	179.00	150	Vertical	Pass
6**	15758.513	44.44	2.44	54.0	-9.56	AV	179.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1535.400	35.72	-15.10	74.0	-38.28	Peak	112.00	150	Horizontal	Pass
1**	1535.400	28.15	-15.10	54.0	-25.85	AV	112.00	150	Horizontal	Pass
2	3985.250	48.12	-2.71	74.0	-25.88	Peak	135.00	150	Horizontal	Pass
2**	3985.250	37.96	-2.71	54.0	-16.04	AV	135.00	150	Horizontal	Pass
3	5587.000	94.81	0.91	--	62.81	Peak	32.00	150	Horizontal	N/A
3**	5587.000	86.44	0.91	--	86.44	AV	32.00	150	Horizontal	N/A
4	8337.250	50.32	-0.27	74.0	-23.68	Peak	77.00	150	Horizontal	Pass
4**	8337.250	40.91	-0.27	54.0	-13.09	AV	77.00	150	Horizontal	Pass
5	11461.562	53.31	2.58	74.0	-20.69	Peak	327.00	150	Horizontal	Pass
5**	11461.562	45.40	2.58	54.0	-8.60	AV	327.00	150	Horizontal	Pass
6	15770.325	53.02	2.40	74.0	-20.98	Peak	281.00	150	Horizontal	Pass
6**	15770.325	44.03	2.40	54.0	-9.97	AV	281.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.900	35.98	-15.53	74.0	-38.02	Peak	86.00	150	Vertical	Pass
1**	1317.900	27.81	-15.53	54.0	-26.19	AV	86.00	150	Vertical	Pass
2	4210.750	48.33	-0.64	74.0	-25.67	Peak	253.00	150	Vertical	Pass
2**	4210.750	39.16	-0.64	54.0	-14.84	AV	253.00	150	Vertical	Pass
3	5586.250	94.84	0.91	--	-75.16	Peak	170.00	150	Vertical	N/A
3**	5586.250	86.66	0.91	--	86.66	AV	170.00	150	Vertical	N/A
4	8254.125	50.50	0.06	74.0	-23.50	Peak	6.00	150	Vertical	Pass
4**	8254.125	41.52	0.06	54.0	-12.48	AV	6.00	150	Vertical	Pass
5	10793.238	53.12	3.21	74.0	-20.88	Peak	266.00	150	Vertical	Pass
5**	10793.238	46.08	3.21	54.0	-7.92	AV	266.00	150	Vertical	Pass
6	15954.862	53.12	2.28	74.0	-20.88	Peak	239.00	150	Vertical	Pass
6**	15954.862	44.61	2.28	54.0	-9.39	AV	239.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2829.500	42.89	-6.42	74.0	-31.11	Peak	10.00	150	Horizontal	Pass
1**	2829.500	34.55	-6.42	54.0	-19.45	AV	10.00	150	Horizontal	Pass
2	3884.750	47.54	-2.37	74.0	-26.46	Peak	39.00	150	Horizontal	Pass
2**	3884.750	38.23	-2.37	54.0	-15.77	AV	39.00	150	Horizontal	Pass
3	4780.500	51.01	1.04	74.0	-22.99	Peak	86.00	150	Horizontal	Pass
3**	4780.500	42.11	1.04	54.0	-11.89	AV	86.00	150	Horizontal	Pass
4	5672.000	92.76	1.00	--	67.76	Peak	25.00	150	Horizontal	N/A
4**	5672.000	84.88	1.00	--	84.88	AV	25.00	150	Horizontal	N/A
5	8127.063	50.11	0.29	74.0	-23.89	Peak	156.00	150	Horizontal	Pass
5**	8127.063	41.53	0.29	54.0	-12.47	AV	156.00	150	Horizontal	Pass
6	15831.750	51.51	1.74	74.0	-22.49	Peak	158.00	150	Horizontal	Pass
6**	15831.750	43.43	1.74	54.0	-10.57	AV	158.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2339.800	41.62	-9.05	74.0	-32.38	Peak	249.00	150	Vertical	Pass
1**	2339.800	33.69	-9.05	54.0	-20.31	AV	249.00	150	Vertical	Pass
2	4123.000	47.99	-2.44	74.0	-26.01	Peak	163.00	150	Vertical	Pass
2**	4123.000	38.61	-2.44	54.0	-15.39	AV	163.00	150	Vertical	Pass
3	4846.500	51.26	0.53	74.0	-22.74	Peak	163.00	150	Vertical	Pass
3**	4846.500	42.01	0.53	54.0	-11.99	AV	163.00	150	Vertical	Pass
4	5676.500	92.92	0.78	--	-112.08	Peak	205.00	150	Vertical	N/A
4**	5676.500	86.24	0.78	--	86.24	AV	205.00	150	Vertical	N/A
5	9105.800	52.38	1.64	74.0	-21.62	Peak	275.00	150	Vertical	Pass
5**	9105.800	42.81	1.64	54.0	-11.19	AV	275.00	150	Vertical	Pass
6	12002.588	54.21	3.80	74.0	-19.79	Peak	145.00	150	Vertical	Pass
6**	12002.588	45.35	3.80	54.0	-8.65	AV	145.00	150	Vertical	Pass
7	15907.088	52.72	1.91	74.0	-21.28	Peak	76.00	150	Vertical	Pass
7**	15907.088	44.17	1.91	54.0	-9.83	AV	76.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2258.600	41.73	-9.68	74.0	-32.27	Peak	215.00	150	Horizontal	Pass
1**	2258.600	33.13	-9.68	54.0	-20.87	AV	215.00	150	Horizontal	Pass
2	4143.000	49.29	-2.79	74.0	-24.71	Peak	251.00	150	Horizontal	Pass
2**	4143.000	39.82	-2.79	54.0	-14.18	AV	251.00	150	Horizontal	Pass
3	5533.750	92.52	1.22	--	52.52	Peak	40.00	150	Horizontal	N/A
3**	5533.750	85.61	1.22	--	85.61	AV	40.00	150	Horizontal	N/A
4	8254.362	50.45	0.05	74.0	-23.55	Peak	108.00	150	Horizontal	Pass
4**	8254.362	41.38	0.05	54.0	-12.62	AV	108.00	150	Horizontal	Pass
5	10794.900	53.43	3.27	74.0	-20.57	Peak	320.00	150	Horizontal	Pass
5**	10794.900	45.87	3.27	54.0	-8.13	AV	320.00	150	Horizontal	Pass
6	15774.788	53.31	2.38	74.0	-20.69	Peak	165.00	150	Horizontal	Pass
6**	15774.788	45.58	2.38	54.0	-8.42	AV	165.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1340.400	36.20	-15.25	74.0	-37.80	Peak	335.00	150	Vertical	Pass
1**	1340.400	27.23	-15.25	54.0	-26.77	AV	335.00	150	Vertical	Pass
2	4210.000	48.38	-0.56	74.0	-25.62	Peak	146.00	150	Vertical	Pass
2**	4210.000	40.19	-0.56	54.0	-13.81	AV	146.00	150	Vertical	Pass
3	5526.500	93.15	1.56	--	-207.85	Peak	301.00	150	Vertical	N/A
3**	5526.500	85.16	1.56	--	85.16	AV	301.00	150	Vertical	N/A
4	8331.550	49.61	-0.23	74.0	-24.39	Peak	68.00	150	Vertical	Pass
4**	8331.550	41.02	-0.23	54.0	-12.98	AV	68.00	150	Vertical	Pass
5	10792.762	53.50	3.19	74.0	-20.50	Peak	320.00	150	Vertical	Pass
5**	10792.762	45.00	3.19	54.0	-9.00	AV	320.00	150	Vertical	Pass
6	15774.000	53.34	2.38	74.0	-20.66	Peak	228.00	150	Vertical	Pass
6**	15774.000	44.41	2.38	54.0	-9.59	AV	228.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1398.900	35.71	-14.99	74.0	-38.29	Peak	182.00	150	Horizontal	Pass
1**	1398.900	28.01	-14.99	54.0	-25.99	AV	182.00	150	Horizontal	Pass
2	4851.250	50.98	0.61	74.0	-23.02	Peak	256.00	150	Horizontal	Pass
2**	4851.250	40.99	0.61	54.0	-13.01	AV	256.00	150	Horizontal	Pass
3	5601.000	90.75	0.76	--	59.75	Peak	31.00	150	Horizontal	N/A
3**	5601.000	82.32	0.76	--	82.32	AV	31.00	150	Horizontal	N/A
4	8259.825	49.61	-0.10	74.0	-24.39	Peak	223.00	150	Horizontal	Pass
4**	8259.825	40.51	-0.10	54.0	-13.49	AV	223.00	150	Horizontal	Pass
5	10784.925	53.40	2.92	74.0	-20.60	Peak	164.00	150	Horizontal	Pass
5**	10784.925	45.20	2.92	54.0	-8.80	AV	164.00	150	Horizontal	Pass
6	15771.900	52.64	2.39	74.0	-21.36	Peak	196.00	150	Horizontal	Pass
6**	15771.900	44.07	2.39	54.0	-9.93	AV	196.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.000	36.17	-15.18	74.0	-37.83	Peak	101.00	150	Vertical	Pass
1**	1596.000	28.38	-15.18	54.0	-25.62	AV	101.00	150	Vertical	Pass
2	4908.000	51.31	0.72	74.0	-22.69	Peak	315.00	150	Vertical	Pass
2**	4908.000	42.63	0.72	54.0	-11.37	AV	315.00	150	Vertical	Pass
3	5586.750	91.56	0.92	--	-110.44	Peak	202.00	150	Vertical	N/A
3**	5586.750	83.99	0.92	--	83.99	AV	202.00	150	Vertical	N/A
4	8147.962	50.26	-0.31	74.0	-23.74	Peak	183.00	150	Vertical	Pass
4**	8147.962	41.74	-0.31	54.0	-12.26	AV	183.00	150	Vertical	Pass
5	10788.725	52.95	3.05	74.0	-21.05	Peak	323.00	150	Vertical	Pass
5**	10788.725	46.17	3.05	54.0	-7.83	AV	323.00	150	Vertical	Pass
6	15941.737	53.09	2.23	74.0	-20.91	Peak	247.00	150	Vertical	Pass
6**	15941.737	45.13	2.23	54.0	-8.87	AV	247.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.000	35.37	-15.28	74.0	-38.63	Peak	28.00	150	Horizontal	Pass
1**	1554.000	27.75	-15.28	54.0	-26.25	AV	28.00	150	Horizontal	Pass
2	4195.000	48.87	-1.97	74.0	-25.13	Peak	67.00	150	Horizontal	Pass
2**	4195.000	39.11	-1.97	54.0	-14.89	AV	67.00	150	Horizontal	Pass
3	5493.000	99.27	0.69	--	67.27	Peak	32.00	150	Horizontal	N/A
3**	5493.000	90.57	0.69	--	90.57	AV	32.00	150	Horizontal	N/A
4	8271.463	49.71	0.02	74.0	-24.29	Peak	91.00	150	Horizontal	Pass
4**	8271.463	40.67	0.02	54.0	-13.33	AV	91.00	150	Horizontal	Pass
5	10834.326	52.57	2.07	74.0	-21.43	Peak	71.00	150	Horizontal	Pass
5**	10834.326	43.53	2.07	54.0	-10.47	AV	71.00	150	Horizontal	Pass
6	15774.262	52.75	2.38	74.0	-21.25	Peak	17.00	150	Horizontal	Pass
6**	15774.262	44.64	2.38	54.0	-9.36	AV	17.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.600	36.06	-15.37	74.0	-37.94	Peak	21.00	150	Vertical	Pass
1**	1600.600	27.65	-15.37	54.0	-26.35	AV	21.00	150	Vertical	Pass
2	4205.750	48.41	-0.78	74.0	-25.59	Peak	172.00	150	Vertical	Pass
2**	4205.750	40.18	-0.78	54.0	-13.82	AV	172.00	150	Vertical	Pass
3	5503.500	101.01	0.86	--	-211.99	Peak	313.00	150	Vertical	N/A
3**	5503.500	92.31	0.86	--	92.31	AV	313.00	150	Vertical	N/A
4	8165.775	49.95	-0.40	74.0	-24.05	Peak	0.00	150	Vertical	Pass
4**	8165.775	41.67	-0.40	54.0	-12.33	AV	0.00	150	Vertical	Pass
5	10752.862	53.29	1.79	74.0	-20.71	Peak	162.00	150	Vertical	Pass
5**	10752.862	46.46	1.79	54.0	-7.54	AV	162.00	150	Vertical	Pass
6	15511.238	52.50	2.34	74.0	-21.50	Peak	153.00	150	Vertical	Pass
6**	15511.238	43.63	2.34	54.0	-10.37	AV	153.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.700	35.97	-15.12	74.0	-38.03	Peak	328.00	150	Horizontal	Pass
1**	1351.700	28.02	-15.12	54.0	-25.98	AV	328.00	150	Horizontal	Pass
2	4966.250	51.50	1.05	74.0	-22.50	Peak	81.00	150	Horizontal	Pass
2**	4966.250	42.07	1.05	54.0	-11.93	AV	81.00	150	Horizontal	Pass
3	5573.500	98.31	1.37	--	60.31	Peak	38.00	150	Horizontal	N/A
3**	5573.500	90.31	1.37	--	90.31	AV	38.00	150	Horizontal	N/A
4	8318.013	49.38	0.03	74.0	-24.62	Peak	11.00	150	Horizontal	Pass
4**	8318.013	41.72	0.03	54.0	-12.28	AV	11.00	150	Horizontal	Pass
5	10788.013	52.87	3.03	74.0	-21.13	Peak	361.00	150	Horizontal	Pass
5**	10788.013	44.57	3.03	54.0	-9.43	AV	361.00	150	Horizontal	Pass
6	15771.375	53.47	2.39	74.0	-20.53	Peak	132.00	150	Horizontal	Pass
6**	15771.375	43.53	2.39	54.0	-10.47	AV	132.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2359.300	42.33	-9.02	74.0	-31.67	Peak	160.00	150	Vertical	Pass
1**	2359.300	33.75	-9.02	54.0	-20.25	AV	160.00	150	Vertical	Pass
2	4208.000	49.24	-0.62	74.0	-24.76	Peak	59.00	150	Vertical	Pass
2**	4208.000	39.58	-0.62	54.0	-14.42	AV	59.00	150	Vertical	Pass
3	5584.750	98.98	0.84	--	-87.02	Peak	186.00	150	Vertical	N/A
3**	5584.750	91.13	0.84	--	91.13	AV	186.00	150	Vertical	N/A
4	8317.775	50.21	0.01	74.0	-23.79	Peak	181.00	150	Vertical	Pass
4**	8317.775	40.68	0.01	54.0	-13.32	AV	181.00	150	Vertical	Pass
5	10801.075	53.35	3.40	74.0	-20.65	Peak	162.00	150	Vertical	Pass
5**	10801.075	44.26	3.40	54.0	-9.74	AV	162.00	150	Vertical	Pass
6	15533.025	52.91	2.22	74.0	-21.09	Peak	360.00	150	Vertical	Pass
6**	15533.025	44.49	2.22	54.0	-9.51	AV	360.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.200	36.43	-15.06	74.0	-37.57	Peak	50.00	150	Horizontal	Pass
1**	1534.200	27.68	-15.06	54.0	-26.32	AV	50.00	150	Horizontal	Pass
2	4860.500	51.35	0.62	74.0	-22.65	Peak	360.00	150	Horizontal	Pass
2**	4860.500	41.74	0.62	54.0	-12.26	AV	360.00	150	Horizontal	Pass
3	5697.000	94.99	1.41	--	55.99	Peak	39.00	150	Horizontal	N/A
3**	5697.000	86.52	1.41	--	86.52	AV	39.00	150	Horizontal	N/A
4	8230.138	50.01	-0.20	74.0	-23.99	Peak	232.00	150	Horizontal	Pass
4**	8230.138	40.39	-0.20	54.0	-13.61	AV	232.00	150	Horizontal	Pass
5	11048.549	52.80	3.20	74.0	-21.20	Peak	360.00	150	Horizontal	Pass
5**	11048.549	44.16	3.20	54.0	-9.84	AV	360.00	150	Horizontal	Pass
6	15976.912	52.58	2.14	74.0	-21.42	Peak	49.00	150	Horizontal	Pass
6**	15976.912	44.61	2.14	54.0	-9.39	AV	49.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	34.33	-16.90	74.0	-39.67	Peak	289.00	150	Vertical	Pass
1**	1080.500	25.59	-16.90	54.0	-28.41	AV	289.00	150	Vertical	Pass
2	3755.250	47.88	-3.13	74.0	-26.12	Peak	117.00	150	Vertical	Pass
2**	3755.250	36.99	-3.13	54.0	-17.01	AV	117.00	150	Vertical	Pass
3	5702.500	95.87	1.42	--	-118.13	Peak	214.00	150	Vertical	N/A
3**	5702.500	87.12	1.42	--	87.12	AV	214.00	150	Vertical	N/A
4	8182.400	49.11	-0.31	74.0	-24.89	Peak	51.00	150	Vertical	Pass
4**	8182.400	40.82	-0.31	54.0	-13.18	AV	51.00	150	Vertical	Pass
5	11047.125	53.32	3.17	74.0	-20.68	Peak	253.00	150	Vertical	Pass
5**	11047.125	45.55	3.17	54.0	-8.45	AV	253.00	150	Vertical	Pass
6	15946.463	52.20	2.28	74.0	-21.80	Peak	183.00	150	Vertical	Pass
6**	15946.463	44.24	2.28	54.0	-9.76	AV	183.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.000	36.36	-15.55	74.0	-37.64	Peak	172.00	150	Horizontal	Pass
1**	1606.000	28.45	-15.55	54.0	-25.55	AV	172.00	150	Horizontal	Pass
2	5067.500	52.38	0.83	74.0	-21.62	Peak	38.00	150	Horizontal	Pass
2**	5067.500	42.86	0.83	54.0	-11.14	AV	38.00	150	Horizontal	Pass
3	5504.750	96.54	0.90	--	65.54	Peak	31.00	150	Horizontal	N/A
3**	5504.750	87.96	0.90	--	87.96	AV	31.00	150	Horizontal	N/A
4	8220.638	49.80	-0.53	74.0	-24.20	Peak	70.00	150	Horizontal	Pass
4**	8220.638	40.16	-0.53	54.0	-13.84	AV	70.00	150	Horizontal	Pass
5	11053.537	53.23	3.08	74.0	-20.77	Peak	152.00	150	Horizontal	Pass
5**	11053.537	44.27	3.08	54.0	-9.73	AV	152.00	150	Horizontal	Pass
6	15910.237	53.27	1.94	74.0	-20.73	Peak	339.00	150	Horizontal	Pass
6**	15910.237	43.82	1.94	54.0	-10.18	AV	339.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1214.800	35.10	-16.22	74.0	-38.90	Peak	57.00	150	Vertical	Pass
1**	1214.800	26.90	-16.22	54.0	-27.10	AV	57.00	150	Vertical	Pass
2	4775.500	51.50	1.11	74.0	-22.50	Peak	60.00	150	Vertical	Pass
2**	4775.500	43.18	1.11	54.0	-10.82	AV	60.00	150	Vertical	Pass
3	5527.250	96.28	1.53	--	-200.72	Peak	297.00	150	Vertical	N/A
3**	5527.250	86.34	1.53	--	86.34	AV	297.00	150	Vertical	N/A
4	8336.300	49.57	-0.24	74.0	-24.43	Peak	360.00	150	Vertical	Pass
4**	8336.300	40.84	-0.24	54.0	-13.16	AV	360.00	150	Vertical	Pass
5	11049.263	53.44	3.21	74.0	-20.56	Peak	313.00	150	Vertical	Pass
5**	11049.263	45.04	3.21	54.0	-8.96	AV	313.00	150	Vertical	Pass
6	15951.188	53.17	2.30	74.0	-20.83	Peak	236.00	150	Vertical	Pass
6**	15951.188	44.45	2.30	54.0	-9.55	AV	236.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.000	35.59	-15.30	74.0	-38.41	Peak	318.00	150	Horizontal	Pass
1**	1545.000	27.36	-15.30	54.0	-26.64	AV	318.00	150	Horizontal	Pass
2	4919.000	50.24	0.81	74.0	-23.76	Peak	10.00	150	Horizontal	Pass
2**	4919.000	41.44	0.81	54.0	-12.56	AV	10.00	150	Horizontal	Pass
3	5597.000	93.82	0.78	--	47.82	Peak	46.00	150	Horizontal	N/A
3**	5597.000	86.31	0.78	--	86.31	AV	46.00	150	Horizontal	N/A
4	8334.638	48.42	-0.39	74.0	-25.58	Peak	54.00	150	Horizontal	Pass
4**	8334.638	39.28	-0.39	54.0	-14.72	AV	54.00	150	Horizontal	Pass
5	11298.400	51.68	3.62	74.0	-22.32	Peak	274.00	150	Horizontal	Pass
5**	11298.400	43.64	3.62	54.0	-10.36	AV	274.00	150	Horizontal	Pass
6	15767.437	44.86	2.41	74.0	-29.14	Peak	79.00	150	Horizontal	Pass
6**	15767.437	37.06	2.41	54.0	-16.94	AV	79.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.500	36.01	-15.15	74.0	-37.99	Peak	170.00	150	Vertical	Pass
1**	1497.500	28.36	-15.15	54.0	-25.64	AV	170.00	150	Vertical	Pass
2	4309.500	48.87	-1.46	74.0	-25.13	Peak	326.00	150	Vertical	Pass
2**	4309.500	39.63	-1.46	54.0	-14.37	AV	326.00	150	Vertical	Pass
3	5585.750	96.11	0.88	--	-112.89	Peak	209.00	150	Vertical	N/A
3**	5585.750	86.40	0.88	--	86.40	AV	209.00	150	Vertical	N/A
4	8106.638	49.87	-0.20	74.0	-24.13	Peak	95.00	150	Vertical	Pass
4**	8106.638	40.99	-0.20	54.0	-13.01	AV	95.00	150	Vertical	Pass
5	10775.187	52.95	2.58	74.0	-21.05	Peak	104.00	150	Vertical	Pass
5**	10775.187	44.94	2.58	54.0	-9.06	AV	104.00	150	Vertical	Pass
6	15754.050	53.16	2.45	74.0	-20.84	Peak	6.00	150	Vertical	Pass
6**	15754.050	43.87	2.45	54.0	-10.13	AV	6.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.500	35.80	-15.08	74.0	-38.20	Peak	58.00	150	Horizontal	Pass
1**	1496.500	27.65	-15.08	54.0	-26.35	AV	58.00	150	Horizontal	Pass
2	4677.750	50.50	-0.13	74.0	-23.50	Peak	218.00	150	Horizontal	Pass
2**	4677.750	41.62	-0.13	54.0	-12.38	AV	218.00	150	Horizontal	Pass
3	5672.750	93.22	0.98	--	48.22	Peak	45.00	150	Horizontal	N/A
3**	5672.750	84.41	0.98	--	84.41	AV	45.00	150	Horizontal	N/A
4	8140.837	50.33	-0.13	74.0	-23.67	Peak	194.00	150	Horizontal	Pass
4**	8140.837	40.80	-0.13	54.0	-13.20	AV	194.00	150	Horizontal	Pass
5	11785.513	53.09	2.66	74.0	-20.91	Peak	314.00	150	Horizontal	Pass
5**	11785.513	44.34	2.66	54.0	-9.66	AV	314.00	150	Horizontal	Pass
6	15745.651	52.50	2.41	74.0	-21.50	Peak	295.00	150	Horizontal	Pass
6**	15745.651	44.18	2.41	54.0	-9.82	AV	295.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.300	35.93	-15.18	74.0	-38.07	Peak	278.00	150	Vertical	Pass
1**	1594.300	27.47	-15.18	54.0	-26.53	AV	278.00	150	Vertical	Pass
2	4227.750	48.20	-1.80	74.0	-25.80	Peak	162.00	150	Vertical	Pass
2**	4227.750	39.00	-1.80	54.0	-15.00	AV	162.00	150	Vertical	Pass
3	5661.500	92.89	0.98	--	-137.11	Peak	230.00	150	Vertical	N/A
3**	5661.500	84.37	0.98	--	84.37	AV	230.00	150	Vertical	N/A
4	8270.750	49.40	0.05	74.0	-24.60	Peak	294.00	150	Vertical	Pass
4**	8270.750	41.05	0.05	54.0	-12.95	AV	294.00	150	Vertical	Pass
5	11025.275	52.16	2.69	74.0	-21.84	Peak	304.00	150	Vertical	Pass
5**	11025.275	43.71	2.69	54.0	-10.29	AV	304.00	150	Vertical	Pass
6	15952.238	52.59	2.29	74.0	-21.41	Peak	325.00	150	Vertical	Pass
6**	15952.238	43.27	2.29	54.0	-10.73	AV	325.00	150	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.900	35.53	-15.56	74.0	-38.47	Peak	240.00	150	Horizontal	Pass
1**	1514.900	27.77	-15.56	54.0	-26.23	AV	240.00	150	Horizontal	Pass
2	3891.500	48.20	-2.72	74.0	-25.80	Peak	10.00	150	Horizontal	Pass
2**	3891.500	37.96	-2.72	54.0	-16.04	AV	10.00	150	Horizontal	Pass
3	5536.250	94.89	1.05	--	49.89	Peak	45.00	150	Horizontal	N/A
3**	5536.250	85.06	1.05	--	85.06	AV	45.00	150	Horizontal	N/A
4	8221.825	50.22	-0.53	74.0	-23.78	Peak	360.00	150	Horizontal	Pass
4**	8221.825	40.58	-0.53	54.0	-13.42	AV	360.00	150	Horizontal	Pass
5	10792.050	53.14	3.17	74.0	-20.86	Peak	154.00	150	Horizontal	Pass
5**	10792.050	44.18	3.17	54.0	-9.82	AV	154.00	150	Horizontal	Pass
6	15898.687	53.04	1.84	74.0	-20.96	Peak	346.00	150	Horizontal	Pass
6**	15898.687	42.88	1.84	54.0	-11.12	AV	346.00	150	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	36.24	-15.27	74.0	-37.76	Peak	346.00	150	Vertical	Pass
1**	1592.500	27.58	-15.27	54.0	-26.42	AV	346.00	150	Vertical	Pass
2	4187.750	48.81	-2.08	74.0	-25.19	Peak	175.00	150	Vertical	Pass
2**	4187.750	38.50	-2.08	54.0	-15.50	AV	175.00	150	Vertical	Pass
3	5520.000	94.11	1.56	--	-211.89	Peak	306.00	150	Vertical	N/A
3**	5520.000	84.22	1.56	--	84.22	AV	306.00	150	Vertical	N/A
4	8132.525	49.80	0.14	74.0	-24.20	Peak	193.00	150	Vertical	Pass
4**	8132.525	40.69	0.14	54.0	-13.31	AV	193.00	150	Vertical	Pass
5	11042.612	52.76	3.07	74.0	-21.24	Peak	43.00	150	Vertical	Pass
5**	11042.612	44.56	3.07	54.0	-9.44	AV	43.00	150	Vertical	Pass
6	15758.250	52.93	2.44	74.0	-21.07	Peak	130.00	150	Vertical	Pass
6**	15758.250	43.90	2.44	54.0	-10.10	AV	130.00	150	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.700	35.56	-15.14	74.0	-38.44	Peak	312.00	150	Horizontal	Pass
1**	1588.700	27.41	-15.14	54.0	-26.59	AV	312.00	150	Horizontal	Pass
2	4076.500	48.27	-2.52	74.0	-25.73	Peak	208.00	150	Horizontal	Pass
2**	4076.500	37.84	-2.52	54.0	-16.16	AV	208.00	150	Horizontal	Pass
3	5593.750	91.99	0.72	--	54.99	Peak	37.00	150	Horizontal	N/A
3**	5593.750	82.29	0.72	--	82.29	AV	37.00	150	Horizontal	N/A
4	8299.725	50.01	0.02	74.0	-23.99	Peak	54.00	150	Horizontal	Pass
4**	8299.725	40.36	0.02	54.0	-13.64	AV	54.00	150	Horizontal	Pass
5	10704.888	53.26	2.70	74.0	-20.74	Peak	54.00	150	Horizontal	Pass
5**	10704.888	44.85	2.70	54.0	-9.15	AV	54.00	150	Horizontal	Pass
6	15940.425	52.68	2.22	74.0	-21.32	Peak	130.00	150	Horizontal	Pass
6**	15940.425	43.70	2.22	54.0	-10.30	AV	130.00	150	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.400	35.21	-15.41	74.0	-38.79	Peak	271.00	150	Vertical	Pass
1**	1572.400	27.12	-15.41	54.0	-26.88	AV	271.00	150	Vertical	Pass
2	4722.750	51.95	-0.39	74.0	-22.05	Peak	202.00	150	Vertical	Pass
2**	4722.750	43.73	-0.39	54.0	-10.27	AV	202.00	150	Vertical	Pass
3	5579.250	91.29	1.10	--	-110.71	Peak	202.00	150	Vertical	N/A
3**	5579.250	82.40	1.10	--	82.40	AV	202.00	150	Vertical	N/A
4	8133.712	50.95	0.14	74.0	-23.05	Peak	207.00	150	Vertical	Pass
4**	8133.712	40.84	0.14	54.0	-13.16	AV	207.00	150	Vertical	Pass
5	10797.750	53.31	3.37	74.0	-20.69	Peak	326.00	150	Vertical	Pass
5**	10797.750	45.07	3.37	54.0	-8.93	AV	326.00	150	Vertical	Pass
6	15916.276	52.49	2.00	74.0	-21.51	Peak	221.00	150	Vertical	Pass
6**	15916.276	44.31	2.00	54.0	-9.69	AV	221.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2813.700	43.66	-6.68	74.0	-30.34	Peak	99.00	150	Horizontal	Pass
1**	2813.700	34.94	-6.68	54.0	-19.06	AV	99.00	150	Horizontal	Pass
2	5070.000	51.54	0.80	74.0	-22.46	Peak	360.00	150	Horizontal	Pass
2**	5070.000	42.90	0.80	54.0	-11.10	AV	360.00	150	Horizontal	Pass
3	5742.250	97.50	1.44	--	65.50	Peak	32.00	150	Horizontal	N/A
3**	5742.250	91.12	1.44	--	91.12	AV	32.00	150	Horizontal	N/A
4	8247.950	49.62	0.00	74.0	-24.38	Peak	6.00	150	Horizontal	Pass
4**	8247.950	41.25	0.00	54.0	-12.75	AV	6.00	150	Horizontal	Pass
5	11016.250	52.97	2.49	74.0	-21.03	Peak	126.00	150	Horizontal	Pass
5**	11016.250	44.45	2.49	54.0	-9.55	AV	126.00	150	Horizontal	Pass
6	15952.763	52.85	2.29	74.0	-21.15	Peak	148.00	150	Horizontal	Pass
6**	15952.763	43.67	2.29	54.0	-10.33	AV	148.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2805.500	42.94	-6.94	74.0	-31.06	Peak	182.00	150	Vertical	Pass
1**	2805.500	35.07	-6.94	54.0	-18.93	AV	182.00	150	Vertical	Pass
2	4303.750	48.90	-1.48	74.0	-25.10	Peak	210.00	150	Vertical	Pass
2**	4303.750	39.58	-1.48	54.0	-14.42	AV	210.00	150	Vertical	Pass
3	5749.500	98.11	1.61	--	-202.89	Peak	301.00	150	Vertical	N/A
3**	5749.500	92.28	1.61	--	92.28	AV	301.00	150	Vertical	N/A
4	8325.375	49.41	-0.16	74.0	-24.59	Peak	297.00	150	Vertical	Pass
4**	8325.375	40.88	-0.16	54.0	-13.12	AV	297.00	150	Vertical	Pass
5	11266.575	53.45	3.22	74.0	-20.55	Peak	318.00	150	Vertical	Pass
5**	11266.575	45.37	3.22	54.0	-8.63	AV	318.00	150	Vertical	Pass
6	15952.238	52.95	2.29	74.0	-21.05	Peak	271.00	150	Vertical	Pass
6**	15952.238	43.88	2.29	54.0	-10.12	AV	271.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4030.750	48.09	-2.11	74.0	-25.91	Peak	59.00	150	Horizontal	Pass
1**	4030.750	38.44	-2.11	54.0	-15.56	AV	59.00	150	Horizontal	Pass
2	4925.500	51.86	0.79	74.0	-22.14	Peak	329.00	150	Horizontal	Pass
2**	4925.500	42.17	0.79	54.0	-11.83	AV	329.00	150	Horizontal	Pass
3	5782.250	97.65	1.42	--	65.65	Peak	32.00	150	Horizontal	N/A
3**	5782.250	91.36	1.42	--	91.36	AV	32.00	150	Horizontal	N/A
4	8206.388	50.01	-0.13	74.0	-23.99	Peak	255.00	150	Horizontal	Pass
4**	8206.388	41.77	-0.13	54.0	-12.23	AV	255.00	150	Horizontal	Pass
5	11040.474	54.14	3.02	74.0	-19.86	Peak	165.00	150	Horizontal	Pass
5**	11040.474	44.73	3.02	54.0	-9.27	AV	165.00	150	Horizontal	Pass
6	15748.013	53.21	2.44	74.0	-20.79	Peak	320.00	150	Horizontal	Pass
6**	15748.013	44.43	2.44	54.0	-9.57	AV	320.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2809.200	43.35	-6.81	74.0	-30.65	Peak	238.00	150	Vertical	Pass
1**	2809.200	33.89	-6.81	54.0	-20.11	AV	238.00	150	Vertical	Pass
2	4118.750	48.53	-2.62	74.0	-25.47	Peak	176.00	150	Vertical	Pass
2**	4118.750	40.15	-2.62	54.0	-13.85	AV	176.00	150	Vertical	Pass
3	5781.750	98.36	1.41	--	-118.64	Peak	217.00	150	Vertical	N/A
3**	5781.750	91.10	1.41	--	91.10	AV	217.00	150	Vertical	N/A
4	8126.825	49.60	0.28	74.0	-24.40	Peak	336.00	150	Vertical	Pass
4**	8126.825	41.78	0.28	54.0	-12.22	AV	336.00	150	Vertical	Pass
5	11446.362	52.72	2.75	74.0	-21.28	Peak	0.00	150	Vertical	Pass
5**	11446.362	44.87	2.75	54.0	-9.13	AV	0.00	150	Vertical	Pass
6	15757.200	52.51	2.44	74.0	-21.49	Peak	210.00	150	Vertical	Pass
6**	15757.200	44.73	2.44	54.0	-9.27	AV	210.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2789.900	42.96	-6.97	74.0	-31.04	Peak	204.00	150	Horizontal	Pass
1**	2789.900	33.76	-6.97	54.0	-20.24	AV	204.00	150	Horizontal	Pass
2	4038.500	48.31	-1.59	74.0	-25.69	Peak	9.00	150	Horizontal	Pass
2**	4038.500	39.33	-1.59	54.0	-14.67	AV	9.00	150	Horizontal	Pass
3	5832.000	97.82	2.54	--	61.82	Peak	36.00	150	Horizontal	N/A
3**	5832.000	91.00	2.54	--	91.00	AV	36.00	150	Horizontal	N/A
4	9344.725	52.45	3.34	74.0	-21.55	Peak	286.00	150	Horizontal	Pass
4**	9344.725	43.90	3.34	54.0	-10.10	AV	286.00	150	Horizontal	Pass
5	12244.838	53.45	2.41	74.0	-20.55	Peak	206.00	150	Horizontal	Pass
5**	12244.838	43.99	2.41	54.0	-10.01	AV	206.00	150	Horizontal	Pass
6	15769.800	53.06	2.40	74.0	-20.94	Peak	24.00	150	Horizontal	Pass
6**	15769.800	44.76	2.40	54.0	-9.24	AV	24.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2877.400	43.44	-5.97	74.0	-30.56	Peak	1.00	150	Vertical	Pass
1**	2877.400	34.04	-5.97	54.0	-19.96	AV	1.00	150	Vertical	Pass
2	4286.250	48.59	-2.30	74.0	-25.41	Peak	7.00	150	Vertical	Pass
2**	4286.250	39.14	-2.30	54.0	-14.86	AV	7.00	150	Vertical	Pass
3	5831.250	86.34	2.47	--	73.34	Peak	13.00	150	Vertical	N/A
3**	5831.250	79.96	2.47	--	79.96	AV	13.00	150	Vertical	N/A
4	8107.350	49.85	-0.22	74.0	-24.15	Peak	8.00	150	Vertical	Pass
4**	8107.350	41.19	-0.22	54.0	-12.81	AV	8.00	150	Vertical	Pass
5	11268.000	53.63	3.24	74.0	-20.37	Peak	4.00	150	Vertical	Pass
5**	11268.000	44.78	3.24	54.0	-9.22	AV	4.00	150	Vertical	Pass
6	15702.862	52.56	1.89	74.0	-21.44	Peak	15.00	150	Vertical	Pass
6**	15702.862	43.71	1.89	54.0	-10.29	AV	15.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3880.500	47.94	-2.42	74.0	-26.06	Peak	15.00	150	Horizontal	Pass
1**	3880.500	39.06	-2.42	54.0	-14.94	AV	15.00	150	Horizontal	Pass
2	5048.500	51.75	0.42	74.0	-22.25	Peak	12.00	150	Horizontal	Pass
2**	5048.500	41.96	0.42	54.0	-12.04	AV	12.00	150	Horizontal	Pass
3	5739.500	94.72	1.32	--	80.72	Peak	14.00	150	Horizontal	N/A
3**	5739.500	88.05	1.32	--	88.05	AV	14.00	150	Horizontal	N/A
4	9135.250	51.44	1.71	74.0	-22.56	Peak	1.00	150	Horizontal	Pass
4**	9135.250	43.11	1.71	54.0	-10.89	AV	1.00	150	Horizontal	Pass
5	11044.275	53.70	3.11	74.0	-20.30	Peak	2.00	150	Horizontal	Pass
5**	11044.275	44.24	3.11	54.0	-9.76	AV	2.00	150	Horizontal	Pass
6	15707.850	52.62	1.95	74.0	-21.38	Peak	9.00	150	Horizontal	Pass
6**	15707.850	43.16	1.95	54.0	-10.84	AV	9.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4045.500	48.15	-1.94	74.0	-25.85	Peak	7.00	150	Vertical	Pass
1**	4045.500	40.13	-1.94	54.0	-13.87	AV	7.00	150	Vertical	Pass
2	4999.250	51.79	0.48	74.0	-22.21	Peak	15.00	150	Vertical	Pass
2**	4999.250	42.56	0.48	54.0	-11.44	AV	15.00	150	Vertical	Pass
3	5743.750	87.41	1.46	--	85.41	Peak	2.00	150	Vertical	N/A
3**	5743.750	80.94	1.46	--	80.94	AV	2.00	150	Vertical	N/A
4	9404.338	51.99	2.96	74.0	-22.01	Peak	2.00	150	Vertical	Pass
4**	9404.338	42.97	2.96	54.0	-11.03	AV	2.00	150	Vertical	Pass
5	10781.838	54.04	2.81	74.0	-19.96	Peak	5.00	150	Vertical	Pass
5**	10781.838	45.25	2.81	54.0	-8.75	AV	5.00	150	Vertical	Pass
6	15878.737	52.92	1.66	74.0	-21.08	Peak	11.00	150	Vertical	Pass
6**	15878.737	43.80	1.66	54.0	-10.20	AV	11.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2854.100	43.08	-7.07	74.0	-30.92	Peak	12.00	150	Horizontal	Pass
1**	2854.100	34.74	-7.07	54.0	-19.26	AV	12.00	150	Horizontal	Pass
2	3748.750	47.89	-2.25	74.0	-26.11	Peak	2.00	150	Horizontal	Pass
2**	3748.750	37.24	-2.25	54.0	-16.76	AV	2.00	150	Horizontal	Pass
3	4658.500	51.54	-0.65	74.0	-22.46	Peak	5.00	150	Horizontal	Pass
3**	4658.500	40.88	-0.65	54.0	-13.12	AV	5.00	150	Horizontal	Pass
4	5788.750	94.89	1.62	--	80.89	Peak	14.00	150	Horizontal	N/A
4**	5788.750	88.95	1.62	--	88.95	AV	14.00	150	Horizontal	N/A
5	11195.563	53.70	3.35	74.0	-20.30	Peak	10.00	150	Horizontal	Pass
5**	11195.563	44.99	3.35	54.0	-9.01	AV	10.00	150	Horizontal	Pass
6	15556.388	52.93	2.06	74.0	-21.07	Peak	8.00	150	Horizontal	Pass
6**	15556.388	42.54	2.06	54.0	-11.46	AV	8.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2344.000	41.30	-8.71	74.0	-32.70	Peak	6.00	150	Vertical	Pass
1**	2344.000	32.34	-8.71	54.0	-21.66	AV	6.00	150	Vertical	Pass
2	3740.000	47.80	-2.50	74.0	-26.20	Peak	10.00	150	Vertical	Pass
2**	3740.000	38.36	-2.50	54.0	-15.64	AV	10.00	150	Vertical	Pass
3	4683.750	51.53	-0.16	74.0	-22.47	Peak	10.00	150	Vertical	Pass
3**	4683.750	40.18	-0.16	54.0	-13.82	AV	10.00	150	Vertical	Pass
4	5788.250	86.57	1.62	--	77.57	Peak	9.00	150	Vertical	N/A
4**	5788.250	81.20	1.62	--	81.20	AV	9.00	150	Vertical	N/A
5	9360.874	51.87	3.25	74.0	-22.13	Peak	1.00	150	Vertical	Pass
5**	9360.874	43.79	3.25	54.0	-10.21	AV	1.00	150	Vertical	Pass
6	15985.838	52.91	2.08	74.0	-21.09	Peak	5.00	150	Vertical	Pass
6**	15985.838	43.55	2.08	54.0	-10.45	AV	5.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2798.500	42.72	-6.81	74.0	-31.28	Peak	10.00	150	Horizontal	Pass
1**	2798.500	34.30	-6.81	54.0	-19.70	AV	10.00	150	Horizontal	Pass
2	3875.000	48.22	-2.93	74.0	-25.78	Peak	13.00	150	Horizontal	Pass
2**	3875.000	38.31	-2.93	54.0	-15.69	AV	13.00	150	Horizontal	Pass
3	5829.500	95.13	2.36	--	83.13	Peak	12.00	150	Horizontal	N/A
3**	5829.500	88.85	2.36	--	88.85	AV	12.00	150	Horizontal	N/A
4	9102.000	51.61	1.64	74.0	-22.39	Peak	10.00	150	Horizontal	Pass
4**	9102.000	42.20	1.64	54.0	-11.80	AV	10.00	150	Horizontal	Pass
5	11696.687	53.69	2.35	74.0	-20.31	Peak	14.00	150	Horizontal	Pass
5**	11696.687	44.80	2.35	54.0	-9.20	AV	14.00	150	Horizontal	Pass
6	15934.913	52.44	2.17	74.0	-21.56	Peak	13.00	150	Horizontal	Pass
6**	15934.913	43.89	2.17	54.0	-10.11	AV	13.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4027.750	47.88	-2.33	74.0	-26.12	Peak	2.00	150	Vertical	Pass
1**	4027.750	37.64	-2.33	54.0	-16.36	AV	2.00	150	Vertical	Pass
2	5023.250	52.13	0.45	74.0	-21.87	Peak	8.00	150	Vertical	Pass
2**	5023.250	41.42	0.45	54.0	-12.58	AV	8.00	150	Vertical	Pass
3	5829.500	87.08	2.36	--	85.08	Peak	2.00	150	Vertical	N/A
3**	5829.500	80.89	2.36	--	80.89	AV	2.00	150	Vertical	N/A
4	9331.425	53.32	3.36	74.0	-20.68	Peak	6.00	150	Vertical	Pass
4**	9331.425	46.08	3.36	54.0	-7.92	AV	6.00	150	Vertical	Pass
5	11270.612	53.82	3.27	74.0	-20.18	Peak	14.00	150	Vertical	Pass
5**	11270.612	45.58	3.27	54.0	-8.42	AV	14.00	150	Vertical	Pass
6	15950.662	53.19	2.30	74.0	-20.81	Peak	3.00	150	Vertical	Pass
6**	15950.662	45.56	2.30	54.0	-8.44	AV	3.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4167.500	47.56	-2.91	74.0	-26.44	Peak	3.00	150	Horizontal	Pass
1**	4167.500	37.72	-2.91	54.0	-16.28	AV	3.00	150	Horizontal	Pass
2	4786.000	51.41	0.90	74.0	-22.59	Peak	14.00	150	Horizontal	Pass
2**	4786.000	41.17	0.90	54.0	-12.83	AV	14.00	150	Horizontal	Pass
3	5758.500	92.66	1.31	--	90.66	Peak	2.00	150	Horizontal	N/A
3**	5758.500	85.61	1.31	--	85.61	AV	2.00	150	Horizontal	N/A
4	8275.500	50.28	-0.17	74.0	-23.72	Peak	5.00	150	Horizontal	Pass
4**	8275.500	40.54	-0.17	54.0	-13.46	AV	5.00	150	Horizontal	Pass
5	11045.701	53.44	3.14	74.0	-20.56	Peak	15.00	150	Horizontal	Pass
5**	11045.701	45.41	3.14	54.0	-8.59	AV	15.00	150	Horizontal	Pass
6	15945.675	52.95	2.27	74.0	-21.05	Peak	1.00	150	Horizontal	Pass
6**	15945.675	43.33	2.27	54.0	-10.67	AV	1.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2785.400	42.52	-7.25	74.0	-31.48	Peak	9.00	150	Vertical	Pass
1**	2785.400	32.58	-7.25	54.0	-21.42	AV	9.00	150	Vertical	Pass
2	4024.500	47.92	-2.49	74.0	-26.08	Peak	11.00	150	Vertical	Pass
2**	4024.500	38.07	-2.49	54.0	-15.93	AV	11.00	150	Vertical	Pass
3	5757.000	85.24	1.36	--	81.24	Peak	4.00	150	Vertical	N/A
3**	5757.000	78.67	1.36	--	78.67	AV	4.00	150	Vertical	N/A
4	9332.375	52.57	3.36	74.0	-21.43	Peak	2.00	150	Vertical	Pass
4**	9332.375	44.77	3.36	54.0	-9.23	AV	2.00	150	Vertical	Pass
5	11272.275	54.16	3.29	74.0	-19.84	Peak	10.00	150	Vertical	Pass
5**	11272.275	45.47	3.29	54.0	-8.53	AV	10.00	150	Vertical	Pass
6	15787.650	52.62	2.34	74.0	-21.38	Peak	2.00	150	Vertical	Pass
6**	15787.650	44.23	2.34	54.0	-9.77	AV	2.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2733.700	42.55	-7.71	74.0	-31.45	Peak	6.00	150	Horizontal	Pass
1**	2733.700	34.02	-7.71	54.0	-19.98	AV	6.00	150	Horizontal	Pass
2	4800.250	51.09	0.84	74.0	-22.91	Peak	14.00	150	Horizontal	Pass
2**	4800.250	42.51	0.84	54.0	-11.49	AV	14.00	150	Horizontal	Pass
3	5789.000	91.80	1.64	--	79.80	Peak	12.00	150	Horizontal	N/A
3**	5789.000	85.94	1.64	--	85.94	AV	12.00	150	Horizontal	N/A
4	8248.187	50.23	0.01	74.0	-23.77	Peak	7.00	150	Horizontal	Pass
4**	8248.187	41.11	0.01	54.0	-12.89	AV	7.00	150	Horizontal	Pass
5	11301.488	53.53	3.59	74.0	-20.47	Peak	3.00	150	Horizontal	Pass
5**	11301.488	45.09	3.59	54.0	-8.91	AV	3.00	150	Horizontal	Pass
6	15960.375	52.91	2.24	74.0	-21.09	Peak	15.00	150	Horizontal	Pass
6**	15960.375	44.18	2.24	54.0	-9.82	AV	15.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3966.750	47.38	-3.13	74.0	-26.62	Peak	8.00	150	Vertical	Pass
1**	3966.750	37.50	-3.13	54.0	-16.50	AV	8.00	150	Vertical	Pass
2	4976.000	51.24	1.01	74.0	-22.76	Peak	1.00	150	Vertical	Pass
2**	4976.000	41.43	1.01	54.0	-12.57	AV	1.00	150	Vertical	Pass
3	5798.750	85.44	1.73	--	76.44	Peak	9.00	150	Vertical	N/A
3**	5798.750	79.82	1.73	--	79.82	AV	9.00	150	Vertical	N/A
4	9330.475	52.55	3.36	74.0	-21.45	Peak	9.00	150	Vertical	Pass
4**	9330.475	43.59	3.36	54.0	-10.41	AV	9.00	150	Vertical	Pass
5	11915.425	53.99	3.65	74.0	-20.01	Peak	12.00	150	Vertical	Pass
5**	11915.425	45.22	3.65	54.0	-8.78	AV	12.00	150	Vertical	Pass
6	15965.100	52.98	2.21	74.0	-21.02	Peak	8.00	150	Vertical	Pass
6**	15965.100	44.89	2.21	54.0	-9.11	AV	8.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4223.000	49.92	-1.71	74.0	-24.08	Peak	15.00	150	Horizontal	Pass
1**	4223.000	39.11	-1.71	54.0	-14.89	AV	15.00	150	Horizontal	Pass
2	5421.750	51.00	0.91	74.0	-23.00	Peak	6.00	150	Horizontal	Pass
2**	5421.750	41.93	0.91	54.0	-12.07	AV	6.00	150	Horizontal	Pass
3	5740.500	93.22	1.37	--	83.22	Peak	10.00	150	Horizontal	N/A
3**	5740.500	84.92	1.37	--	84.92	AV	10.00	150	Horizontal	N/A
4	8358.150	48.83	-0.30	74.0	-25.17	Peak	15.00	150	Horizontal	Pass
4**	8358.150	40.29	-0.30	54.0	-13.71	AV	15.00	150	Horizontal	Pass
5	10816.750	52.32	2.77	74.0	-21.68	Peak	12.00	150	Horizontal	Pass
5**	10816.750	43.91	2.77	54.0	-10.09	AV	12.00	150	Horizontal	Pass
6	15806.550	52.67	2.18	74.0	-21.33	Peak	14.00	150	Horizontal	Pass
6**	15806.550	43.60	2.18	54.0	-10.40	AV	14.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3837.250	47.66	-2.36	74.0	-26.34	Peak	4.00	150	Vertical	Pass
1**	3837.250	38.58	-2.36	54.0	-15.42	AV	4.00	150	Vertical	Pass
2	5024.250	52.31	0.45	74.0	-21.69	Peak	13.00	150	Vertical	Pass
2**	5024.250	42.97	0.45	54.0	-11.03	AV	13.00	150	Vertical	Pass
3	5747.750	86.86	1.55	--	82.86	Peak	4.00	150	Vertical	N/A
3**	5747.750	81.55	1.55	--	81.55	AV	4.00	150	Vertical	N/A
4	9348.525	52.12	3.34	74.0	-21.88	Peak	2.00	150	Vertical	Pass
4**	9348.525	43.59	3.34	54.0	-10.41	AV	2.00	150	Vertical	Pass
5	11882.412	54.06	3.41	74.0	-19.94	Peak	1.00	150	Vertical	Pass
5**	11882.412	45.06	3.41	54.0	-8.94	AV	1.00	150	Vertical	Pass
6	15504.151	53.33	2.39	74.0	-20.67	Peak	6.00	150	Vertical	Pass
6**	15504.151	44.39	2.39	54.0	-9.61	AV	6.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4042.000	48.59	-1.74	74.0	-25.41	Peak	45.00	150	Horizontal	Pass
1**	4042.000	38.93	-1.74	54.0	-15.07	AV	45.00	150	Horizontal	Pass
2	5014.750	51.33	0.48	74.0	-22.67	Peak	191.00	150	Horizontal	Pass
2**	5014.750	42.73	0.48	54.0	-11.27	AV	191.00	150	Horizontal	Pass
3	5789.250	95.86	1.65	--	77.86	Peak	18.00	150	Horizontal	N/A
3**	5789.250	88.71	1.65	--	88.71	AV	18.00	150	Horizontal	N/A
4	8222.537	50.45	-0.46	74.0	-23.55	Peak	96.00	150	Horizontal	Pass
4**	8222.537	41.02	-0.46	54.0	-12.98	AV	96.00	150	Horizontal	Pass
5	9337.362	53.25	3.35	74.0	-20.75	Peak	6.00	150	Horizontal	Pass
5**	9337.362	44.03	3.35	54.0	-9.97	AV	6.00	150	Horizontal	Pass
6	15761.401	53.99	2.43	74.0	-20.01	Peak	270.00	150	Horizontal	Pass
6**	15761.401	44.89	2.43	54.0	-9.11	AV	270.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3738.250	48.01	-2.69	74.0	-25.99	Peak	0.00	150	Vertical	Pass
1**	3738.250	37.79	-2.69	54.0	-16.21	AV	0.00	150	Vertical	Pass
2	4935.000	51.88	0.96	74.0	-22.12	Peak	232.00	150	Vertical	Pass
2**	4935.000	41.98	0.96	54.0	-12.02	AV	232.00	150	Vertical	Pass
3	5789.500	95.75	1.67	--	17.75	Peak	78.00	150	Vertical	N/A
3**	5789.500	88.91	1.67	--	88.91	AV	78.00	150	Vertical	N/A
4	9354.700	52.26	3.30	74.0	-21.74	Peak	225.00	150	Vertical	Pass
4**	9354.700	44.16	3.30	54.0	-9.84	AV	225.00	150	Vertical	Pass
5	11268.712	54.02	3.25	74.0	-19.98	Peak	66.00	150	Vertical	Pass
5**	11268.712	44.70	3.25	54.0	-9.30	AV	66.00	150	Vertical	Pass
6	15766.912	53.35	2.41	74.0	-20.65	Peak	95.00	150	Vertical	Pass
6**	15766.912	45.04	2.41	54.0	-8.96	AV	95.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4052.500	47.85	-2.53	74.0	-26.15	Peak	0.00	150	Horizontal	Pass
1**	4052.500	39.43	-2.53	54.0	-14.57	AV	0.00	150	Horizontal	Pass
2	4810.500	51.18	1.06	74.0	-22.82	Peak	239.00	150	Horizontal	Pass
2**	4810.500	41.62	1.06	54.0	-12.38	AV	239.00	150	Horizontal	Pass
3	5829.750	95.17	2.38	--	70.17	Peak	25.00	150	Horizontal	N/A
3**	5829.750	87.99	2.38	--	87.99	AV	25.00	150	Horizontal	N/A
4	9126.700	52.30	1.69	74.0	-21.70	Peak	67.00	150	Horizontal	Pass
4**	9126.700	42.93	1.69	54.0	-11.07	AV	67.00	150	Horizontal	Pass
5	11440.425	53.68	2.59	74.0	-20.32	Peak	127.00	150	Horizontal	Pass
5**	11440.425	45.26	2.59	54.0	-8.74	AV	127.00	150	Horizontal	Pass
6	15759.825	54.06	2.43	74.0	-19.94	Peak	291.00	150	Horizontal	Pass
6**	15759.825	44.71	2.43	54.0	-9.29	AV	291.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3998.750	48.10	-2.90	74.0	-25.90	Peak	151.00	150	Vertical	Pass
1**	3998.750	38.43	-2.90	54.0	-15.57	AV	151.00	150	Vertical	Pass
2	4891.750	51.28	0.42	74.0	-22.72	Peak	0.00	150	Vertical	Pass
2**	4891.750	42.30	0.42	54.0	-11.70	AV	0.00	150	Vertical	Pass
3	5829.000	96.63	2.33	--	-109.37	Peak	206.00	150	Vertical	N/A
3**	5829.000	89.15	2.33	--	89.15	AV	206.00	150	Vertical	N/A
4	9125.987	51.34	1.69	74.0	-22.66	Peak	215.00	150	Vertical	Pass
4**	9125.987	43.02	1.69	54.0	-10.98	AV	215.00	150	Vertical	Pass
5	11324.049	53.17	2.94	74.0	-20.83	Peak	86.00	150	Vertical	Pass
5**	11324.049	44.47	2.94	54.0	-9.53	AV	86.00	150	Vertical	Pass
6	15751.162	53.61	2.46	74.0	-20.39	Peak	333.00	150	Vertical	Pass
6**	15751.162	44.71	2.46	54.0	-9.29	AV	333.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4258.000	48.95	-2.19	74.0	-25.05	Peak	261.00	150	Horizontal	Pass
1**	4258.000	40.89	-2.19	54.0	-13.11	AV	261.00	150	Horizontal	Pass
2	5108.000	52.18	0.41	74.0	-21.82	Peak	66.00	150	Horizontal	Pass
2**	5108.000	43.11	0.41	54.0	-10.89	AV	66.00	150	Horizontal	Pass
3	5759.500	93.03	1.30	--	68.03	Peak	25.00	150	Horizontal	N/A
3**	5759.500	87.09	1.30	--	87.09	AV	25.00	150	Horizontal	N/A
4	9105.087	52.16	1.64	74.0	-21.84	Peak	326.00	150	Horizontal	Pass
4**	9105.087	42.59	1.64	54.0	-11.41	AV	326.00	150	Horizontal	Pass
5	12175.963	52.06	1.97	74.0	-21.94	Peak	96.00	150	Horizontal	Pass
5**	12175.963	44.59	1.97	54.0	-9.41	AV	96.00	150	Horizontal	Pass
6	15519.375	53.18	2.30	74.0	-20.82	Peak	87.00	150	Horizontal	Pass
6**	15519.375	44.31	2.30	54.0	-9.69	AV	87.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4209.250	48.60	-0.55	74.0	-25.40	Peak	52.00	150	Vertical	Pass
1**	4209.250	40.00	-0.55	54.0	-14.00	AV	52.00	150	Vertical	Pass
2	4883.000	51.12	0.63	74.0	-22.88	Peak	156.00	150	Vertical	Pass
2**	4883.000	42.01	0.63	54.0	-11.99	AV	156.00	150	Vertical	Pass
3	5748.750	93.22	1.57	--	-124.78	Peak	218.00	150	Vertical	N/A
3**	5748.750	86.56	1.57	--	86.56	AV	218.00	150	Vertical	N/A
4	8338.438	50.59	-0.31	74.0	-23.41	Peak	76.00	150	Vertical	Pass
4**	8338.438	41.16	-0.31	54.0	-12.84	AV	76.00	150	Vertical	Pass
5	12261.463	54.07	2.19	74.0	-19.93	Peak	46.00	150	Vertical	Pass
5**	12261.463	43.69	2.19	54.0	-10.31	AV	46.00	150	Vertical	Pass
6	15731.738	53.02	2.24	74.0	-20.98	Peak	126.00	150	Vertical	Pass
6**	15731.738	43.96	2.24	54.0	-10.04	AV	126.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4216.750	48.37	-1.19	74.0	-25.63	Peak	101.00	150	Horizontal	Pass
1**	4216.750	39.14	-1.19	54.0	-14.86	AV	101.00	150	Horizontal	Pass
2	4803.000	50.87	1.00	74.0	-23.13	Peak	343.00	150	Horizontal	Pass
2**	4803.000	41.42	1.00	54.0	-12.58	AV	343.00	150	Horizontal	Pass
3	5789.250	93.12	1.65	--	62.12	Peak	31.00	150	Horizontal	N/A
3**	5789.250	86.05	1.65	--	86.05	AV	31.00	150	Horizontal	N/A
4	9105.087	52.44	1.64	74.0	-21.56	Peak	336.00	150	Horizontal	Pass
4**	9105.087	44.27	1.64	54.0	-9.73	AV	336.00	150	Horizontal	Pass
5	11815.437	53.64	2.69	74.0	-20.36	Peak	316.00	150	Horizontal	Pass
5**	11815.437	44.58	2.69	54.0	-9.42	AV	316.00	150	Horizontal	Pass
6	15938.588	53.37	2.20	74.0	-20.63	Peak	312.00	150	Horizontal	Pass
6**	15938.588	44.25	2.20	54.0	-9.75	AV	312.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4134.000	48.25	-2.52	74.0	-25.75	Peak	350.00	150	Vertical	Pass
1**	4134.000	38.69	-2.52	54.0	-15.31	AV	350.00	150	Vertical	Pass
2	4854.500	50.88	0.62	74.0	-23.12	Peak	266.00	150	Vertical	Pass
2**	4854.500	41.19	0.62	54.0	-12.81	AV	266.00	150	Vertical	Pass
3	5800.000	93.85	1.70	--	-123.15	Peak	217.00	150	Vertical	N/A
3**	5800.000	87.08	1.70	--	87.08	AV	217.00	150	Vertical	N/A
4	8353.162	50.10	-0.34	74.0	-23.90	Peak	347.00	150	Vertical	Pass
4**	8353.162	41.54	-0.34	54.0	-12.46	AV	347.00	150	Vertical	Pass
5	9355.888	52.69	3.29	74.0	-21.31	Peak	276.00	150	Vertical	Pass
5**	9355.888	46.00	3.29	54.0	-8.00	AV	276.00	150	Vertical	Pass
6	11307.425	54.16	3.42	74.0	-19.84	Peak	360.00	150	Vertical	Pass
6**	11307.425	45.60	3.42	54.0	-8.40	AV	360.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4042.750	48.74	-1.77	74.0	-25.26	Peak	322.00	150	Horizontal	Pass
1**	4042.750	39.89	-1.77	54.0	-14.11	AV	322.00	150	Horizontal	Pass
2	5036.750	52.23	0.53	74.0	-21.77	Peak	101.00	150	Horizontal	Pass
2**	5036.750	43.00	0.53	54.0	-11.00	AV	101.00	150	Horizontal	Pass
3	5757.000	89.46	1.36	--	51.46	Peak	38.00	150	Horizontal	N/A
3**	5757.000	80.09	1.36	--	80.09	AV	38.00	150	Horizontal	N/A
4	8228.474	48.98	-0.41	74.0	-25.02	Peak	165.00	150	Horizontal	Pass
4**	8228.474	41.22	-0.41	54.0	-12.78	AV	165.00	150	Horizontal	Pass
5	11310.276	54.39	3.34	74.0	-19.61	Peak	35.00	150	Horizontal	Pass
5**	11310.276	45.73	3.34	54.0	-8.27	AV	35.00	150	Horizontal	Pass
6	15702.862	53.19	1.89	74.0	-20.81	Peak	158.00	150	Horizontal	Pass
6**	15702.862	43.22	1.89	54.0	-10.78	AV	158.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3872.750	48.03	-3.22	74.0	-25.97	Peak	134.00	150	Vertical	Pass
1**	3872.750	38.07	-3.22	54.0	-15.93	AV	134.00	150	Vertical	Pass
2	5017.250	51.44	0.44	74.0	-22.56	Peak	302.00	150	Vertical	Pass
2**	5017.250	42.29	0.44	54.0	-11.71	AV	302.00	150	Vertical	Pass
3	5799.000	90.42	1.73	--	-127.58	Peak	218.00	150	Vertical	N/A
3**	5799.000	81.54	1.73	--	81.54	AV	218.00	150	Vertical	N/A
4	9402.200	52.26	2.96	74.0	-21.74	Peak	228.00	150	Vertical	Pass
4**	9402.200	43.36	2.96	54.0	-10.64	AV	228.00	150	Vertical	Pass
5	11455.863	54.39	2.71	74.0	-19.61	Peak	75.00	150	Vertical	Pass
5**	11455.863	45.14	2.71	54.0	-8.86	AV	75.00	150	Vertical	Pass
6	15951.713	53.47	2.30	74.0	-20.53	Peak	280.00	150	Vertical	Pass
6**	15951.713	43.99	2.30	54.0	-10.01	AV	280.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4030.000	48.24	-2.16	74.0	-25.76	Peak	59.00	150	Horizontal	Pass
1**	4030.000	39.41	-2.16	54.0	-14.59	AV	59.00	150	Horizontal	Pass
2	4783.250	51.83	0.98	74.0	-22.17	Peak	280.00	150	Horizontal	Pass
2**	4783.250	41.50	0.98	54.0	-12.50	AV	280.00	150	Horizontal	Pass
3	5750.500	96.32	1.64	--	58.32	Peak	38.00	150	Horizontal	N/A
3**	5750.500	87.71	1.64	--	87.71	AV	38.00	150	Horizontal	N/A
4	9393.412	52.35	3.01	74.0	-21.65	Peak	125.00	150	Horizontal	Pass
4**	9393.412	43.51	3.01	54.0	-10.49	AV	125.00	150	Horizontal	Pass
5	11293.412	54.02	3.55	74.0	-19.98	Peak	165.00	150	Horizontal	Pass
5**	11293.412	46.18	3.55	54.0	-7.82	AV	165.00	150	Horizontal	Pass
6	15959.063	53.43	2.25	74.0	-20.57	Peak	54.00	150	Horizontal	Pass
6**	15959.063	44.46	2.25	54.0	-9.54	AV	54.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4023.250	48.39	-2.53	74.0	-25.61	Peak	143.00	150	Vertical	Pass
1**	4023.250	39.28	-2.53	54.0	-14.72	AV	143.00	150	Vertical	Pass
2	4894.000	51.81	0.41	74.0	-22.19	Peak	360.00	150	Vertical	Pass
2**	4894.000	42.37	0.41	54.0	-11.63	AV	360.00	150	Vertical	Pass
3	5751.000	96.86	1.62	--	-108.14	Peak	205.00	150	Vertical	N/A
3**	5751.000	88.63	1.62	--	88.63	AV	205.00	150	Vertical	N/A
4	9420.963	53.00	2.97	74.0	-21.00	Peak	0.00	150	Vertical	Pass
4**	9420.963	43.05	2.97	54.0	-10.95	AV	0.00	150	Vertical	Pass
5	11976.700	54.03	3.88	74.0	-19.97	Peak	326.00	150	Vertical	Pass
5**	11976.700	45.20	3.88	54.0	-8.80	AV	326.00	150	Vertical	Pass
6	15932.287	52.40	2.14	74.0	-21.60	Peak	179.00	150	Vertical	Pass
6**	15932.287	44.11	2.14	54.0	-9.89	AV	179.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4063.250	48.95	-2.67	74.0	-25.05	Peak	67.00	150	Horizontal	Pass
1**	4063.250	38.86	-2.67	54.0	-15.14	AV	67.00	150	Horizontal	Pass
2	5062.750	51.70	0.65	74.0	-22.30	Peak	32.00	150	Horizontal	Pass
2**	5062.750	42.94	0.65	54.0	-11.06	AV	32.00	150	Horizontal	Pass
3	5761.250	96.43	1.25	--	70.43	Peak	26.00	150	Horizontal	N/A
3**	5761.250	88.60	1.25	--	88.60	AV	26.00	150	Horizontal	N/A
4	8310.175	50.00	0.17	74.0	-24.00	Peak	166.00	150	Horizontal	Pass
4**	8310.175	40.93	0.17	54.0	-13.07	AV	166.00	150	Horizontal	Pass
5	11279.400	54.48	3.38	74.0	-19.52	Peak	360.00	150	Horizontal	Pass
5**	11279.400	45.43	3.38	54.0	-8.57	AV	360.00	150	Horizontal	Pass
6	15759.825	53.02	2.43	74.0	-20.98	Peak	25.00	150	Horizontal	Pass
6**	15759.825	44.77	2.43	54.0	-9.23	AV	25.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4132.750	47.97	-2.45	74.0	-26.03	Peak	101.00	150	Vertical	Pass
1**	4132.750	39.33	-2.45	54.0	-14.67	AV	101.00	150	Vertical	Pass
2	4946.000	52.30	1.00	74.0	-21.70	Peak	80.00	150	Vertical	Pass
2**	4946.000	42.05	1.00	54.0	-11.95	AV	80.00	150	Vertical	Pass
3	5752.000	98.43	1.57	--	-203.57	Peak	302.00	150	Vertical	N/A
3**	5752.000	89.05	1.57	--	89.05	AV	302.00	150	Vertical	N/A
4	8148.200	49.69	-0.32	74.0	-24.31	Peak	85.00	150	Vertical	Pass
4**	8148.200	41.50	-0.32	54.0	-12.50	AV	85.00	150	Vertical	Pass
5	9407.188	52.58	2.96	74.0	-21.42	Peak	360.00	150	Vertical	Pass
5**	9407.188	43.49	2.96	54.0	-10.51	AV	360.00	150	Vertical	Pass
6	15955.651	53.03	2.27	74.0	-20.97	Peak	0.00	150	Vertical	Pass
6**	15955.651	45.40	2.27	54.0	-8.60	AV	0.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4038.000	48.43	-1.56	74.0	-25.57	Peak	273.00	150	Horizontal	Pass
1**	4038.000	39.88	-1.56	54.0	-14.12	AV	273.00	150	Horizontal	Pass
2	4813.750	51.70	0.86	74.0	-22.30	Peak	73.00	150	Horizontal	Pass
2**	4813.750	41.76	0.86	54.0	-12.24	AV	73.00	150	Horizontal	Pass
3	5827.250	95.64	2.25	--	63.64	Peak	32.00	150	Horizontal	N/A
3**	5827.250	87.45	2.25	--	87.45	AV	32.00	150	Horizontal	N/A
4	9110.787	51.67	1.65	74.0	-22.33	Peak	286.00	150	Horizontal	Pass
4**	9110.787	43.52	1.65	54.0	-10.48	AV	286.00	150	Horizontal	Pass
5	10786.113	53.44	2.96	74.0	-20.56	Peak	266.00	150	Horizontal	Pass
5**	10786.113	45.09	2.96	54.0	-8.91	AV	266.00	150	Horizontal	Pass
6	15762.975	53.23	2.42	74.0	-20.77	Peak	85.00	150	Horizontal	Pass
6**	15762.975	44.35	2.42	54.0	-9.65	AV	85.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4062.750	48.04	-2.68	74.0	-25.96	Peak	4.00	150	Vertical	Pass
1**	4062.750	38.26	-2.68	54.0	-15.74	AV	4.00	150	Vertical	Pass
2	4648.750	50.74	-0.78	74.0	-23.26	Peak	25.00	150	Vertical	Pass
2**	4648.750	40.63	-0.78	54.0	-13.37	AV	25.00	150	Vertical	Pass
3	5826.250	97.56	2.18	--	-100.44	Peak	198.00	150	Vertical	N/A
3**	5826.250	89.09	2.18	--	89.09	AV	198.00	150	Vertical	N/A
4	8136.088	50.29	0.15	74.0	-23.71	Peak	306.00	150	Vertical	Pass
4**	8136.088	41.33	0.15	54.0	-12.67	AV	306.00	150	Vertical	Pass
5	11485.787	53.04	2.03	74.0	-20.96	Peak	25.00	150	Vertical	Pass
5**	11485.787	43.71	2.03	54.0	-10.29	AV	25.00	150	Vertical	Pass
6	15796.575	52.36	2.31	74.0	-21.64	Peak	271.00	150	Vertical	Pass
6**	15796.575	44.87	2.31	54.0	-9.13	AV	271.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3739.500	47.24	-2.56	74.0	-26.76	Peak	316.00	150	Horizontal	Pass
1**	3739.500	38.42	-2.56	54.0	-15.58	AV	316.00	150	Horizontal	Pass
2	4819.000	51.04	0.68	74.0	-22.96	Peak	39.00	150	Horizontal	Pass
2**	4819.000	42.07	0.68	54.0	-11.93	AV	39.00	150	Horizontal	Pass
3	5747.750	92.22	1.55	--	60.22	Peak	32.00	150	Horizontal	N/A
3**	5747.750	83.46	1.55	--	83.46	AV	32.00	150	Horizontal	N/A
4	8274.313	50.01	-0.16	74.0	-23.99	Peak	57.00	150	Horizontal	Pass
4**	8274.313	40.49	-0.16	54.0	-13.51	AV	57.00	150	Horizontal	Pass
5	9328.575	53.37	3.36	74.0	-20.63	Peak	316.00	150	Horizontal	Pass
5**	9328.575	44.43	3.36	54.0	-9.57	AV	316.00	150	Horizontal	Pass
6	15735.675	52.78	2.29	74.0	-21.22	Peak	85.00	150	Horizontal	Pass
6**	15735.675	44.50	2.29	54.0	-9.50	AV	85.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3989.250	48.14	-2.66	74.0	-25.86	Peak	308.00	150	Vertical	Pass
1**	3989.250	38.31	-2.66	54.0	-15.69	AV	308.00	150	Vertical	Pass
2	4970.500	51.42	1.06	74.0	-22.58	Peak	73.00	150	Vertical	Pass
2**	4970.500	42.24	1.06	54.0	-11.76	AV	73.00	150	Vertical	Pass
3	5756.500	93.81	1.38	--	-207.19	Peak	301.00	150	Vertical	N/A
3**	5756.500	86.13	1.38	--	86.13	AV	301.00	150	Vertical	N/A
4	8124.450	49.86	0.20	74.0	-24.14	Peak	177.00	150	Vertical	Pass
4**	8124.450	40.79	0.20	54.0	-13.21	AV	177.00	150	Vertical	Pass
5	11267.287	53.70	3.23	74.0	-20.30	Peak	316.00	150	Vertical	Pass
5**	11267.287	45.04	3.23	54.0	-8.96	AV	316.00	150	Vertical	Pass
6	15521.738	52.38	2.28	74.0	-21.62	Peak	0.00	150	Vertical	Pass
6**	15521.738	43.91	2.28	54.0	-10.09	AV	0.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4056.750	47.92	-2.68	74.0	-26.08	Peak	204.00	150	Horizontal	Pass
1**	4056.750	38.65	-2.68	54.0	-15.35	AV	204.00	150	Horizontal	Pass
2	4749.000	51.49	-0.25	74.0	-22.51	Peak	315.00	150	Horizontal	Pass
2**	4749.000	41.16	-0.25	54.0	-12.84	AV	315.00	150	Horizontal	Pass
3	5792.750	92.05	1.85	--	70.05	Peak	22.00	150	Horizontal	N/A
3**	5792.750	83.81	1.85	--	83.81	AV	22.00	150	Horizontal	N/A
4	9353.987	52.56	3.31	74.0	-21.44	Peak	46.00	150	Horizontal	Pass
4**	9353.987	45.06	3.31	54.0	-8.94	AV	46.00	150	Horizontal	Pass
5	10872.088	53.20	1.36	74.0	-20.80	Peak	109.00	150	Horizontal	Pass
5**	10872.088	43.34	1.36	54.0	-10.66	AV	109.00	150	Horizontal	Pass
6	15765.599	53.22	2.41	74.0	-20.78	Peak	105.00	150	Horizontal	Pass
6**	15765.599	44.15	2.41	54.0	-9.85	AV	105.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4054.500	48.03	-2.67	74.0	-25.97	Peak	0.00	150	Vertical	Pass
1**	4054.500	39.71	-2.67	54.0	-14.29	AV	0.00	150	Vertical	Pass
2	4853.000	51.25	0.68	74.0	-22.75	Peak	191.00	150	Vertical	Pass
2**	4853.000	42.69	0.68	54.0	-11.31	AV	191.00	150	Vertical	Pass
3	5798.750	94.33	1.73	--	-200.67	Peak	295.00	150	Vertical	N/A
3**	5798.750	86.56	1.73	--	86.56	AV	295.00	150	Vertical	N/A
4	9321.450	52.62	3.37	74.0	-21.38	Peak	96.00	150	Vertical	Pass
4**	9321.450	44.55	3.37	54.0	-9.45	AV	96.00	150	Vertical	Pass
5	11452.063	53.48	2.80	74.0	-20.52	Peak	245.00	150	Vertical	Pass
5**	11452.063	44.66	2.80	54.0	-9.34	AV	245.00	150	Vertical	Pass
6	15814.950	52.25	2.03	74.0	-21.75	Peak	137.00	150	Vertical	Pass
6**	15814.950	43.95	2.03	54.0	-10.05	AV	137.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4053.000	47.62	-2.56	74.0	-26.38	Peak	31.00	150	Horizontal	Pass
1**	4053.000	39.39	-2.56	54.0	-14.61	AV	31.00	150	Horizontal	Pass
2	4793.250	50.63	0.73	74.0	-23.37	Peak	358.00	150	Horizontal	Pass
2**	4793.250	42.22	0.73	54.0	-11.78	AV	358.00	150	Horizontal	Pass
3	5795.250	88.93	1.69	--	51.93	Peak	37.00	150	Horizontal	N/A
3**	5795.250	79.77	1.69	--	79.77	AV	37.00	150	Horizontal	N/A
4	9387.950	53.03	3.05	74.0	-20.97	Peak	226.00	150	Horizontal	Pass
4**	9387.950	43.84	3.05	54.0	-10.16	AV	226.00	150	Horizontal	Pass
5	11306.474	54.36	3.45	74.0	-19.64	Peak	325.00	150	Horizontal	Pass
5**	11306.474	45.96	3.45	54.0	-8.04	AV	325.00	150	Horizontal	Pass
6	15937.800	54.08	2.20	74.0	-19.92	Peak	0.00	150	Horizontal	Pass
6**	15937.800	45.85	2.20	54.0	-8.15	AV	0.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4098.500	47.81	-2.77	74.0	-26.19	Peak	267.00	150	Vertical	Pass
1**	4098.500	39.15	-2.77	54.0	-14.85	AV	267.00	150	Vertical	Pass
2	4970.750	51.74	1.05	74.0	-22.26	Peak	295.00	150	Vertical	Pass
2**	4970.750	42.14	1.05	54.0	-11.86	AV	295.00	150	Vertical	Pass
3	5768.250	90.32	1.26	--	-211.68	Peak	302.00	150	Vertical	N/A
3**	5768.250	81.81	1.26	--	81.81	AV	302.00	150	Vertical	N/A
4	9385.813	52.23	3.06	74.0	-21.77	Peak	66.00	150	Vertical	Pass
4**	9385.813	43.97	3.06	54.0	-10.03	AV	66.00	150	Vertical	Pass
5	11513.575	53.48	1.52	74.0	-20.52	Peak	0.00	150	Vertical	Pass
5**	11513.575	43.75	1.52	54.0	-10.25	AV	0.00	150	Vertical	Pass
6	15816.263	51.59	2.01	74.0	-22.41	Peak	125.00	150	Vertical	Pass
6**	15816.263	45.09	2.01	54.0	-8.91	AV	125.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass


Test Band	Mode	Channel	Verdict
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Antenna 0

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.36	39.71	74.0	-16.64	Peak	15.00	150	Horizontal	Pass
1**	5150.000	45.60	39.71	54.0	-8.40	AV	15.00	150	Horizontal	Pass
2	5026.175	60.68	39.81	74.0	-13.32	Peak	1.00	150	Horizontal	Pass
2**	5026.175	46.03	39.81	54.0	-7.97	AV	1.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.98	39.62	74.0	-20.02	Peak	6.00	150	Horizontal	Pass
1**	5350.000	41.57	39.62	54.0	-12.43	AV	6.00	150	Horizontal	Pass
2	5377.500	58.51	39.58	74.0	-15.49	Peak	14.00	150	Horizontal	Pass
2**	5377.500	41.60	39.58	54.0	-12.40	AV	14.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.63	39.70	74.0	-16.37	Peak	10.00	150	Horizontal	Pass
1**	5149.675	45.90	39.70	54.0	-8.10	AV	10.00	150	Horizontal	Pass
2	5037.225	60.31	39.84	74.0	-13.69	Peak	8.00	150	Horizontal	Pass
2**	5037.225	45.94	39.84	54.0	-8.06	AV	8.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.83	39.62	74.0	-19.17	Peak	3.00	150	Horizontal	Pass
1**	5350.000	41.65	39.62	54.0	-12.35	AV	3.00	150	Horizontal	Pass
2	5369.067	59.02	39.54	74.0	-14.98	Peak	13.00	150	Horizontal	Pass
2**	5369.067	41.44	39.54	54.0	-12.56	AV	13.00	150	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.82	39.71	74.0	-16.18	Peak	9.00	150	Horizontal	Pass
1**	5150.000	46.17	39.71	54.0	-7.83	AV	9.00	150	Horizontal	Pass
2	5029.425	60.73	39.83	74.0	-13.27	Peak	12.00	150	Horizontal	Pass
2**	5029.425	46.09	39.83	54.0	-7.91	AV	12.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.32	39.62	74.0	-19.68	Peak	7.00	150	Horizontal	Pass
1**	5350.000	41.84	39.62	54.0	-12.16	AV	7.00	150	Horizontal	Pass
2	5350.183	53.42	39.62	74.0	-20.58	Peak	8.00	150	Horizontal	Pass
2**	5350.183	41.86	39.62	54.0	-12.14	AV	8.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.94	39.71	74.0	-17.06	Peak	4.00	150	Horizontal	Pass
1**	5150.000	45.77	39.71	54.0	-8.23	AV	4.00	150	Horizontal	Pass
2	4995.950	58.80	39.76	74.0	-15.20	Peak	15.00	150	Horizontal	Pass
2**	4995.950	45.40	39.76	54.0	-8.60	AV	15.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	39.62	74.0	-19.27	Peak	15.00	150	Horizontal	Pass
1**	5350.000	41.64	39.62	54.0	-12.36	AV	15.00	150	Horizontal	Pass
2	5358.433	57.58	39.63	74.0	-16.42	Peak	2.00	150	Horizontal	Pass
2**	5358.433	41.73	39.63	54.0	-12.27	AV	2.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.02	39.71	74.0	-16.98	Peak	5.00	150	Horizontal	Pass
1**	5150.000	46.10	39.71	54.0	-7.90	AV	5.00	150	Horizontal	Pass
2	5063.225	59.95	39.80	74.0	-14.05	Peak	1.00	150	Horizontal	Pass
2**	5063.225	45.86	39.80	54.0	-8.14	AV	1.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.13	39.62	74.0	-19.87	Peak	1.00	150	Horizontal	Pass
1**	5350.000	41.56	39.62	54.0	-12.44	AV	1.00	150	Horizontal	Pass
2	5451.750	58.64	39.73	74.0	-15.36	Peak	7.00	150	Horizontal	Pass
2**	5451.750	41.86	39.73	54.0	-12.14	AV	7.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.20	39.71	74.0	-16.80	Peak	14.00	150	Horizontal	Pass
1**	5150.000	46.18	39.71	54.0	-7.82	AV	14.00	150	Horizontal	Pass
2	5038.200	59.82	39.84	74.0	-14.18	Peak	5.00	150	Horizontal	Pass
2**	5038.200	45.93	39.84	54.0	-8.07	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.52	39.62	74.0	-19.48	Peak	12.00	150	Horizontal	Pass
1**	5350.000	41.60	39.62	54.0	-12.40	AV	12.00	150	Horizontal	Pass
2	5441.300	57.86	39.84	74.0	-16.14	Peak	3.00	150	Horizontal	Pass
2**	5441.300	41.89	39.84	54.0	-12.11	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.44	39.71	74.0	-16.56	Peak	10.00	150	Horizontal	Pass
1**	5150.000	45.75	39.71	54.0	-8.25	AV	10.00	150	Horizontal	Pass
2	4755.450	57.82	39.08	74.0	-16.18	Peak	10.00	150	Horizontal	Pass
2**	4755.450	44.22	39.08	54.0	-9.78	AV	10.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.67	39.62	74.0	-19.33	Peak	6.00	150	Horizontal	Pass
1**	5350.000	41.71	39.62	54.0	-12.29	AV	6.00	150	Horizontal	Pass
2	5423.517	59.84	39.76	74.0	-14.16	Peak	3.00	150	Horizontal	Pass
2**	5423.517	41.66	39.76	54.0	-12.34	AV	3.00	150	Horizontal	Pass

U-NII-111ax40(SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.44	39.70	74.0	-16.56	Peak	15.00	150	Horizontal	Pass
1**	5149.675	45.93	39.70	54.0	-8.07	AV	15.00	150	Horizontal	Pass
2	5036.575	59.74	39.84	74.0	-14.26	Peak	15.00	150	Horizontal	Pass
2**	5036.575	45.77	39.84	54.0	-8.23	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax40(SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.89	39.62	74.0	-20.11	Peak	9.00	150	Horizontal	Pass
1**	5350.000	41.61	39.62	54.0	-12.39	AV	9.00	150	Horizontal	Pass
2	5369.983	58.58	39.54	74.0	-15.42	Peak	15.00	150	Horizontal	Pass
2**	5369.983	41.50	39.54	54.0	-12.50	AV	15.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.10	39.71	74.0	-15.90	Peak	14.00	150	Horizontal	Pass
1**	5150.000	46.04	39.71	54.0	-7.96	AV	14.00	150	Horizontal	Pass
2	5105.800	60.16	39.83	74.0	-13.84	Peak	3.00	150	Horizontal	Pass
2**	5105.800	46.04	39.83	54.0	-7.96	AV	3.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.73	39.62	74.0	-19.27	Peak	5.00	150	Horizontal	Pass
1**	5350.000	41.74	39.62	54.0	-12.26	AV	5.00	150	Horizontal	Pass
2	5388.500	58.11	39.75	74.0	-15.89	Peak	6.00	150	Horizontal	Pass
2**	5388.500	41.83	39.75	54.0	-12.17	AV	6.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.88	39.71	74.0	-16.12	Peak	5.00	150	Vertical	Pass
1**	5150.000	46.02	39.71	54.0	-7.98	AV	5.00	150	Vertical	Pass
2	5091.500	61.20	39.85	74.0	-12.80	Peak	9.00	150	Vertical	Pass
2**	5091.500	45.79	39.85	54.0	-8.21	AV	9.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.30	39.62	74.0	-18.70	Peak	9.00	150	Horizontal	Pass
1**	5350.000	41.56	39.62	54.0	-12.44	AV	9.00	150	Horizontal	Pass
2	5451.200	59.23	39.73	74.0	-14.77	Peak	10.00	150	Horizontal	Pass
2**	5451.200	41.72	39.73	54.0	-12.28	AV	10.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.93	39.71	74.0	-17.07	Peak	14.00	150	Horizontal	Pass
1**	5150.000	46.07	39.71	54.0	-7.93	AV	14.00	150	Horizontal	Pass
2	4838.000	60.21	39.42	74.0	-13.79	Peak	13.00	150	Horizontal	Pass
2**	4838.000	44.18	39.42	54.0	-9.82	AV	13.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.33	39.62	74.0	-18.67	Peak	4.00	150	Vertical	Pass
1**	5350.000	41.61	39.62	54.0	-12.39	AV	4.00	150	Vertical	Pass
2	5355.683	59.48	39.63	74.0	-14.52	Peak	12.00	150	Vertical	Pass
2**	5355.683	41.52	39.63	54.0	-12.48	AV	12.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.77	39.71	74.0	-17.23	Peak	15.00	150	Horizontal	Pass
1**	5150.000	45.97	39.71	54.0	-8.03	AV	15.00	150	Horizontal	Pass
2	5116.200	59.91	39.86	74.0	-14.09	Peak	15.00	150	Horizontal	Pass
2**	5116.200	45.90	39.86	54.0	-8.10	AV	15.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.59	39.62	74.0	-19.41	Peak	14.00	150	Vertical	Pass
1**	5350.000	41.67	39.62	54.0	-12.33	AV	14.00	150	Vertical	Pass
2	5366.133	56.92	39.56	74.0	-17.08	Peak	12.00	150	Vertical	Pass
2**	5366.133	41.46	39.56	54.0	-12.54	AV	12.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.22	39.71	74.0	-16.78	Peak	4.00	150	Horizontal	Pass
1**	5150.000	45.81	39.71	54.0	-8.19	AV	4.00	150	Horizontal	Pass
2	5078.825	60.00	39.93	74.0	-14.00	Peak	10.00	150	Horizontal	Pass
2**	5078.825	45.86	39.93	54.0	-8.14	AV	10.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.06	39.62	74.0	-18.94	Peak	3.00	150	Horizontal	Pass
1**	5350.000	41.69	39.62	54.0	-12.31	AV	3.00	150	Horizontal	Pass
2	5363.567	58.83	39.58	74.0	-15.17	Peak	2.00	150	Horizontal	Pass
2**	5363.567	41.59	39.58	54.0	-12.41	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.13	39.71	74.0	-15.87	Peak	8.00	150	Vertical	Pass
1**	5150.000	45.97	39.71	54.0	-8.03	AV	8.00	150	Vertical	Pass
2	5078.825	59.97	39.93	74.0	-14.03	Peak	11.00	150	Vertical	Pass
2**	5078.825	46.00	39.93	54.0	-8.00	AV	11.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.37	39.62	74.0	-19.63	Peak	15.00	150	Vertical	Pass
1**	5350.000	41.63	39.62	54.0	-12.37	AV	15.00	150	Vertical	Pass
2	5449.183	57.88	39.74	74.0	-16.12	Peak	15.00	150	Vertical	Pass
2**	5449.183	41.78	39.74	54.0	-12.22	AV	15.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.22	39.71	74.0	-16.78	Peak	6.00	150	Horizontal	Pass
1**	5150.000	46.07	39.71	54.0	-7.93	AV	6.00	150	Horizontal	Pass
2	5022.275	59.77	39.77	74.0	-14.23	Peak	1.00	150	Horizontal	Pass
2**	5022.275	45.67	39.77	54.0	-8.33	AV	1.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.59	39.62	74.0	-18.41	Peak	5.00	150	Horizontal	Pass
1**	5350.000	41.65	39.62	54.0	-12.35	AV	5.00	150	Horizontal	Pass
2	5401.517	59.81	39.74	74.0	-14.19	Peak	2.00	150	Horizontal	Pass
2**	5401.517	41.64	39.74	54.0	-12.36	AV	2.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.29	39.71	74.0	-15.71	Peak	10.00	150	Vertical	Pass
1**	5150.000	46.09	39.71	54.0	-7.91	AV	10.00	150	Vertical	Pass
2	5050.225	60.19	39.73	74.0	-13.81	Peak	8.00	150	Vertical	Pass
2**	5050.225	46.01	39.73	54.0	-7.99	AV	8.00	150	Vertical	Pass

U-NII-2A 11ax20(SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.67	39.62	74.0	-20.33	Peak	15.00	150	Vertical	Pass
1**	5350.000	41.63	39.62	54.0	-12.37	AV	15.00	150	Vertical	Pass
2	5375.483	57.34	39.57	74.0	-16.66	Peak	6.00	150	Vertical	Pass
2**	5375.483	41.50	39.57	54.0	-12.50	AV	6.00	150	Vertical	Pass

U-NII-2A 11ax40(SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.51	39.71	74.0	-17.49	Peak	7.00	150	Vertical	Pass
1**	5150.000	46.05	39.71	54.0	-7.95	AV	7.00	150	Vertical	Pass
2	5102.550	59.83	39.84	74.0	-14.17	Peak	2.00	150	Vertical	Pass
2**	5102.550	45.91	39.84	54.0	-8.09	AV	2.00	150	Vertical	Pass

U-NII-2A 11ax40(SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.91	39.62	74.0	-20.09	Peak	15.00	150	Horizontal	Pass
1**	5350.000	41.59	39.62	54.0	-12.41	AV	15.00	150	Horizontal	Pass
2	5376.584	58.50	39.57	74.0	-15.50	Peak	11.00	150	Horizontal	Pass
2**	5376.584	41.48	39.57	54.0	-12.52	AV	11.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.20	39.71	74.0	-16.80	Peak	15.00	150	Horizontal	Pass
1**	5150.000	45.94	39.71	54.0	-8.06	AV	15.00	150	Horizontal	Pass
2	5079.150	61.06	39.93	74.0	-12.94	Peak	3.00	150	Horizontal	Pass
2**	5079.150	46.15	39.93	54.0	-7.85	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.41	39.62	74.0	-19.59	Peak	15.00	150	Horizontal	Pass
1**	5350.000	41.87	39.62	54.0	-12.13	AV	15.00	150	Horizontal	Pass
2	5444.783	57.06	39.79	74.0	-16.94	Peak	5.00	150	Horizontal	Pass
2**	5444.783	41.73	39.79	54.0	-12.27	AV	5.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.74	39.83	68.2	-9.46	Peak	8.00	150	Vertical	Pass
1**	5470.000	42.10	39.83	--	42.10	AV	8.00	150	Vertical	N/A
2	5465.000	61.12	39.80	68.2	-7.08	Peak	3.00	150	Vertical	Pass
2**	5465.000	41.95	39.80	--	41.95	AV	3.00	150	Vertical	N/A
3	5460.000	59.84	39.74	74.0	-14.16	Peak	11.00	150	Vertical	Pass
3**	5460.000	41.75	39.74	54.0	-12.25	AV	11.00	150	Vertical	Pass
4	5397.600	62.71	39.76	74.0	-11.29	Peak	11.00	150	Vertical	Pass
4**	5397.600	41.61	39.76	54.0	-12.39	AV	11.00	150	Vertical	Pass

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.38	40.01	68.2	-13.82	Peak	1.00	150	Vertical	Pass
2	5747.916	58.41	40.30	68.2	-9.79	Peak	5.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.02	39.83	68.2	-9.18	Peak	11.00	150	Vertical	Pass
1**	5470.000	42.00	39.83	--	42.00	AV	11.00	150	Vertical	N/A
2	5463.000	62.08	39.78	68.2	-6.12	Peak	11.00	150	Vertical	Pass
2**	5463.000	42.00	39.78	--	42.00	AV	11.00	150	Vertical	N/A
3	5460.000	60.02	39.74	74.0	-13.98	Peak	6.00	150	Vertical	Pass
3**	5460.000	41.92	39.74	54.0	-12.08	AV	6.00	150	Vertical	Pass
4	5401.200	62.41	39.74	74.0	-11.59	Peak	7.00	150	Vertical	Pass
4**	5401.200	41.57	39.74	54.0	-12.43	AV	7.00	150	Vertical	Pass

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.43	40.01	68.2	-11.77	Peak	3.00	150	Vertical	Pass
2	5748.959	61.20	40.30	68.2	-7.00	Peak	0.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	58.23	39.83	68.2	-9.97	Peak	5.00	150	Vertical	Pass
1**	5470.000	42.02	39.83	--	42.02	AV	5.00	150	Vertical	N/A
2	5466.800	62.17	39.81	68.2	-6.03	Peak	11.00	150	Vertical	Pass
2**	5466.800	41.95	39.81	--	41.95	AV	11.00	150	Vertical	N/A
3	5460.000	56.29	39.74	74.0	-17.71	Peak	14.00	150	Vertical	Pass
3**	5460.000	41.95	39.74	54.0	-12.05	AV	14.00	150	Vertical	Pass
4	5408.400	61.75	39.64	74.0	-12.25	Peak	11.00	150	Vertical	Pass
4**	5408.400	41.45	39.64	54.0	-12.55	AV	11.00	150	Vertical	Pass

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.91	40.01	68.2	-13.29	Peak	6.00	150	Vertical	Pass
2	5770.417	58.04	40.00	68.2	-10.16	Peak	9.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	56.38	39.83	68.2	-11.82	Peak	15.00	150	Vertical	Pass
1**	5470.000	42.00	39.83	--	42.00	AV	15.00	150	Vertical	N/A
2	5464.000	61.43	39.79	68.2	-6.77	Peak	4.00	150	Vertical	Pass
2**	5464.000	41.96	39.79	--	41.96	AV	4.00	150	Vertical	N/A
3	5460.000	58.26	39.74	74.0	-15.74	Peak	15.00	150	Vertical	Pass
3**	5460.000	41.82	39.74	54.0	-12.18	AV	15.00	150	Vertical	Pass
4	5415.400	63.66	39.64	74.0	-10.34	Peak	14.00	150	Vertical	Pass
4**	5415.400	41.56	39.64	54.0	-12.44	AV	14.00	150	Vertical	Pass

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.93	40.01	68.2	-13.27	Peak	1.00	150	Horizontal	Pass
2	5739.167	57.79	40.14	68.2	-10.41	Peak	9.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.17	39.83	68.2	-11.03	Peak	9.00	150	Vertical	Pass
1**	5470.000	42.03	39.83	--	42.03	AV	9.00	150	Vertical	N/A
2	5464.400	62.46	39.79	68.2	-5.74	Peak	14.00	150	Vertical	Pass
2**	5464.400	41.99	39.79	--	41.99	AV	14.00	150	Vertical	N/A
3	5460.000	56.90	39.74	74.0	-17.10	Peak	1.00	150	Vertical	Pass
3**	5460.000	41.82	39.74	54.0	-12.18	AV	1.00	150	Vertical	Pass
4	5384.200	63.27	39.70	74.0	-10.73	Peak	12.00	150	Vertical	Pass
4**	5384.200	41.61	39.70	54.0	-12.39	AV	12.00	150	Vertical	Pass

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.77	40.01	68.2	-13.43	Peak	6.00	150	Vertical	Pass
2	5784.375	58.22	40.16	68.2	-9.98	Peak	1.00	150	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	59.35	39.83	68.2	-8.85	Peak	3.00	150	Vertical	Pass
1**	5470.000	41.93	39.83	--	41.93	AV	3.00	150	Vertical	N/A
2	5467.000	62.17	39.81	68.2	-6.03	Peak	5.00	150	Vertical	Pass
2**	5467.000	41.94	39.81	--	41.94	AV	5.00	150	Vertical	N/A
3	5459.600	56.43	39.74	74.0	-17.57	Peak	4.00	150	Vertical	Pass
3**	5459.600	41.91	39.74	54.0	-12.09	AV	4.00	150	Vertical	Pass
4	5388.800	63.61	39.75	74.0	-10.39	Peak	1.00	150	Vertical	Pass
4**	5388.800	42.10	39.75	54.0	-11.90	AV	1.00	150	Vertical	Pass

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.51	37.43	68.2	-11.69	Peak	265.00	150	Horizontal	Pass
2	5774.167	60.17	37.52	68.2	-8.03	Peak	175.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	60.03	39.83	68.2	-8.17	Peak	12.00	150	Horizontal	Pass
1**	5470.000	42.03	39.83	--	42.03	AV	12.00	150	Horizontal	N/A
2	5468.000	62.37	39.82	68.2	-5.83	Peak	6.00	150	Horizontal	Pass
2**	5468.000	42.05	39.82	--	42.05	AV	6.00	150	Horizontal	N/A
3	5460.000	57.75	39.74	74.0	-16.25	Peak	15.00	150	Horizontal	Pass
3**	5460.000	41.92	39.74	54.0	-12.08	AV	15.00	150	Horizontal	Pass
4	5419.800	63.06	39.69	74.0	-10.94	Peak	1.00	150	Horizontal	Pass
4**	5419.800	41.57	39.69	54.0	-12.43	AV	1.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.94	40.01	68.2	-12.26	Peak	6.00	150	Horizontal	Pass
2	5747.916	59.44	40.30	68.2	-8.76	Peak	13.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.32	39.83	68.2	-10.88	Peak	4.00	150	Vertical	Pass
1**	5470.000	42.09	39.83	--	42.09	AV	4.00	150	Vertical	N/A
2	5463.400	62.54	39.79	68.2	-5.66	Peak	13.00	150	Vertical	Pass
2**	5463.400	41.89	39.79	--	41.89	AV	13.00	150	Vertical	N/A
3	5460.600	56.06	39.75	68.2	-12.14	Peak	13.00	150	Vertical	Pass
3**	5460.600	41.91	39.75	--	41.91	AV	13.00	150	Vertical	N/A
4	5378.200	62.39	39.59	74.0	-11.61	Peak	9.00	150	Vertical	Pass
4**	5378.200	41.56	39.59	54.0	-12.44	AV	9.00	150	Vertical	Pass

U-NII-2C 11ax40(SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.90	40.01	68.2	-13.30	Peak	1.00	150	Vertical	Pass
2	5797.500	58.09	40.06	68.2	-10.11	Peak	7.00	150	Vertical	Pass

U-NII-2C 11ax80(SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5470.000	57.92	39.83	68.2	-10.28	Peak	9.00	150	Vertical	Pass
1**	5470.000	42.08	39.83	--	42.08	AV	9.00	150	Vertical	N/A
2	5466.000	63.63	39.80	68.2	-4.57	Peak	4.00	150	Vertical	Pass
2**	5466.000	42.07	39.80	--	42.07	AV	4.00	150	Vertical	N/A
3	5460.000	57.90	39.74	74.0	-16.10	Peak	15.00	150	Vertical	Pass
3**	5460.000	42.00	39.74	54.0	-12.00	AV	15.00	150	Vertical	Pass
4	5395.800	62.94	39.75	74.0	-11.06	Peak	1.00	150	Vertical	Pass
4**	5395.800	41.58	39.75	54.0	-12.42	AV	1.00	150	Vertical	Pass

U-NII-2C 11ax80(SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.23	37.43	68.2	-9.97	Peak	360.00	150	Horizontal	Pass
2	5748.541	61.59	37.43	68.2	-6.61	Peak	12.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.27	39.96	68.2	-12.93	Peak	4.00	150	Vertical	Pass
2	5621.042	58.98	40.00	68.2	-9.22	Peak	10.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.70	40.28	68.2	-12.50	Peak	11.00	150	Vertical	Pass
2	5959.500	59.67	40.23	68.2	-8.53	Peak	8.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.00	39.96	68.2	-13.20	Peak	3.00	150	Vertical	Pass
2	5631.042	57.76	39.94	68.2	-10.44	Peak	13.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.99	40.28	68.2	-12.21	Peak	0.00	150	Vertical	Pass
2	5968.750	59.84	40.21	68.2	-8.36	Peak	13.00	150	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.87	39.96	68.2	-12.33	Peak	15.00	150	Vertical	Pass
2	5608.750	59.99	40.06	68.2	-8.21	Peak	4.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.48	40.28	68.2	-11.72	Peak	15.00	150	Vertical	Pass
2	5975.500	59.50	40.18	68.2	-8.70	Peak	15.00	150	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.51	39.96	68.2	-12.69	Peak	7.00	150	Vertical	Pass
2	5613.959	58.54	40.08	68.2	-9.66	Peak	8.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.59	40.28	68.2	-11.61	Peak	11.00	150	Vertical	Pass
2	5946.500	59.97	40.12	68.2	-8.23	Peak	5.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.17	39.96	68.2	-10.03	Peak	10.00	150	Vertical	Pass
2	5614.583	61.22	40.07	68.2	-6.98	Peak	0.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.09	40.28	68.2	-12.11	Peak	1.00	150	Vertical	Pass
2	5950.750	59.53	40.14	68.2	-8.67	Peak	4.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.97	39.96	68.2	-12.23	Peak	34.00	150	Vertical	Pass
2	5637.917	59.73	39.91	68.2	-8.47	Peak	204.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.70	40.28	68.2	-12.50	Peak	75.00	150	Vertical	Pass
2	5972.750	59.58	40.19	68.2	-8.62	Peak	222.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.04	39.96	68.2	-13.16	Peak	11.00	150	Vertical	Pass
2	5609.375	58.99	40.07	68.2	-9.21	Peak	0.00	150	Vertical	Pass

U-NII-3 11ax20(SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.45	40.28	68.2	-10.75	Peak	12.00	150	Vertical	Pass
2	5957.250	59.41	40.20	68.2	-8.79	Peak	2.00	150	Vertical	Pass

U-NII-3 11ax40(SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.01	39.96	68.2	-11.19	Peak	14.00	150	Vertical	Pass
2	5614.583	58.40	40.07	68.2	-9.80	Peak	12.00	150	Vertical	Pass

U-NII-3 11ax40(SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.86	40.28	68.2	-11.34	Peak	14.00	150	Vertical	Pass
2	5979.250	60.05	40.16	68.2	-8.15	Peak	12.00	150	Vertical	Pass

U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	54.44	39.96	68.2	-13.76	Peak	10.00	150	Vertical	Pass
2	5643.750	58.47	39.93	68.2	-9.73	Peak	5.00	150	Vertical	Pass


U-NII-3 11ax80(SU) CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.10	40.28	68.2	-12.10	Peak	5.00	150	Vertical	Pass
2	5982.500	60.62	40.15	68.2	-7.58	Peak	12.00	150	Vertical	Pass


Antenna 1

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.68	39.70	74.0	-16.32	Peak	5.00	150	Horizontal	Pass
1**	5149.675	45.96	39.70	54.0	-8.04	AV	5.00	150	Horizontal	Pass
2	5071.675	60.19	39.87	74.0	-13.81	Peak	14.00	150	Horizontal	Pass
2**	5071.675	45.99	39.87	54.0	-8.01	AV	14.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.76	39.62	74.0	-19.24	Peak	11.00	150	Horizontal	Pass
1**	5350.000	41.56	39.62	54.0	-12.44	AV	11.00	150	Horizontal	Pass
2	5450.650	58.29	39.73	74.0	-15.71	Peak	1.00	150	Horizontal	Pass
2**	5450.650	41.78	39.73	54.0	-12.22	AV	1.00	150	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.85	39.71	74.0	-17.15	Peak	7.00	150	Horizontal	Pass
1**	5150.000	46.06	39.71	54.0	-7.94	AV	7.00	150	Horizontal	Pass
2	5035.275	59.79	39.85	74.0	-14.21	Peak	9.00	150	Horizontal	Pass
2**	5035.275	46.14	39.85	54.0	-7.86	AV	9.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.38	39.62	74.0	-19.62	Peak	8.00	150	Vertical	Pass
1**	5350.000	41.68	39.62	54.0	-12.32	AV	8.00	150	Vertical	Pass
2	5407.016	58.72	39.66	74.0	-15.28	Peak	1.00	150	Vertical	Pass
2**	5407.016	41.50	39.66	54.0	-12.50	AV	1.00	150	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.02	39.71	74.0	-16.98	Peak	3.00	150	Horizontal	Pass
1**	5150.000	46.20	39.71	54.0	-7.80	AV	3.00	150	Horizontal	Pass
2	4584.175	59.78	38.20	74.0	-14.22	Peak	13.00	150	Horizontal	Pass
2**	4584.175	44.20	38.20	54.0	-9.80	AV	13.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.63	39.62	74.0	-18.37	Peak	4.00	150	Vertical	Pass
1**	5350.000	41.71	39.62	54.0	-12.29	AV	4.00	150	Vertical	Pass
2	5453.400	58.15	39.72	74.0	-15.85	Peak	15.00	150	Vertical	Pass
2**	5453.400	41.81	39.72	54.0	-12.19	AV	15.00	150	Vertical	Pass

U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.79	39.71	74.0	-16.21	Peak	14.00	150	Horizontal	Pass
1**	5150.000	45.97	39.71	54.0	-8.03	AV	14.00	150	Horizontal	Pass
2	4609.200	59.68	38.29	74.0	-14.32	Peak	10.00	150	Horizontal	Pass
2**	4609.200	44.06	38.29	54.0	-9.94	AV	10.00	150	Horizontal	Pass

U-NII-1 11ac20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.28	39.62	74.0	-19.72	Peak	15.00	150	Horizontal	Pass
1**	5350.000	41.72	39.62	54.0	-12.28	AV	15.00	150	Horizontal	Pass
2	5387.583	58.57	39.75	74.0	-15.43	Peak	9.00	150	Horizontal	Pass
2**	5387.583	41.69	39.75	54.0	-12.31	AV	9.00	150	Horizontal	Pass