


1/2

REF 107.0 dB μ V AT 10 dB

PEAK
LOG
10
dB/

VA SB
SC FC
CORR



$$\begin{aligned} \text{Average Factor} &= \frac{1.75 \times 21.5 + 3.25 \times 4 + 5.75}{100} \\ &= \frac{56.375}{100} \\ &= 0.564 \text{ or } -5.0 \text{ dB} \end{aligned}$$

CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 1 MHz

#SWP 150 msec

10

MKR 5.7500 msec

REF 107.0 dB μ V

AT 10 dB

.12 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 1 MHz

#SWP 50.0 msec

hp

MKR 391.25 msec

REF 107.0 dB μ V

AT 10 dB

101.68 dB μ V

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 1 MHz

#SWP 500 msec

hp

MKR 29.625 sec


REF 107.0 dB μ V

AT 10 dB

-.07 dB

PEAK
LOG
10
dB/

VA SB
SC VC
CORR



CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 1.0 MHz

#VBW 1 MHz

#SWP 50.0 sec