

1	2	3	4
TOLERANCE(C)	SYMBOL	REVISION NO.	CODE
~ 6 ±0.15	△ x -	-	-
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			

4-R1

18

55

KENWOOD TS-480SAT

HF/50MHz ALL MODE TRANSCEIVER

DC13.8V = MAX20.5A
KENWOOD CORPORATION

FCC ID: K4433101110

S/NO. MADE IN SINGAPORE 21670

KENWOOD TS-480SAT

HF/50MHz ALL MODE TRANSCEIVER

DC13.8V = MAX20.5A
KENWOOD CORPORATION

FCC ID: K4433101110

S/NO. MADE IN SINGAPORE 21670

2:1

注記
NOTES:

- ・ ピク型は B72-1639-*4 を使用する。
CUTTING DIE FOR B72-1639-*4 MUST BE USED.
- ・ 印刷色/PRINTING COLOR
BLACK (BACKGROUND:SILVER)
- ・ フィルムを用いて印刷を行なう。
MUST BE PRINTED WITH FILM.
- ・ フィルムはケンウッドが供給する。
FILM TO BE SUPPLIED BY KENWOOD.
- ・ 納入形態は、10枚/シートである。
PER SHEET: 10 PCS

-	-	-	-	アルミ蒸着板 AL EVAPORATION SHEET 銀ツヤ消シ t0.05 FROSTED SILVER t0.05	シール印刷/SEAL PRINTING 裏面強粘着剤処理/ STRONG TACKIFIER ラミネート(ツヤ消レ)/ LAMINATE(FROSTING)	Y52-3280-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE 1:1		DESIGNED	CHECKED	APPROVED	PART NAME 機種銘板	-	
UNIT : mm					MODEL NAME-PLATE	-	
		DATE	2003-07-31	DRAWING NUMBER		-	
				PART NO.	SHEET NO.	REL.	
JIS Z8310-84		KENWOOD KENWOOD CORPORATION		B72-2167-04 1/1 00		S	

DRWN. DATE 2003-07-30

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x	
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			

THIS DEVICE COMPLIES WITH PART 15 OF THE
FCC RULES. OPERATION IS SUBJECT TO THE
FOLLOWING TWO CONDITIONS : (1) THIS DEVICE
MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE
RECEIVED, INCLUDING INTERFERENCE THAT MAY
CAUSE UNDESIRABLE OPERATION. 70700

THIS DEVICE COMPLIES WITH PART 15 OF THE
FCC RULES. OPERATION IS SUBJECT TO THE
FOLLOWING TWO CONDITIONS : (1) THIS DEVICE
MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE
RECEIVED, INCLUDING INTERFERENCE THAT MAY
CAUSE UNDESIRABLE OPERATION. 70700

2:1

注記
NOTES:

- 印刷の詳細はフィルムにより、色は文字：銀艶消し、地：黒とする。
FOR DETAILS ON PRINTING, REFER TO THE ORIGINAL FILM.
COLORS SHALL BE AS FOLLOWS:
LETTERS: FROSTED SILVER, BACKGROUND: BLACK
- フィルムを用いて印刷を行なう。
MUST BE PRINTED WITH FILM.
- フィルムはケンウッドが供給する。
FILM TO BE SUPPLIED BY KENWOOD.
- 納入形態は、10枚/シートである。
PER SHEET: 10PCS

-	-	-	-	アルミ蒸着板 t0.1 銀ツヤ消シ AL EVAPORATION PLATE t0.1 FROSTED SILVER	シール印刷、強粘着剤 ラミネート(ツヤ消シ) SEAL PRINTING STRONG TACKIFIER LAMINATE (FROSTING)	Y50-5520-00	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	STANDARD LABEL	-
UNIT	mm					キカクメイハン	-
		DATE	2001-05-24		DRAWING NUMBER	MMV -	-
					PART NO.	SHEET NO.	REL.
JIS Z8310-84	KENWOOD		KENWOOD CORPORATION		B42-7070-04	1/1	01

#

1	2	3	4
TOLERANCE (C)	MMV	SYMBOL	REVISION NO. CODE ISSUED DATE
~ 6 ±0.15	-	△ x	
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250 ~ 500 ±0.55			

4-R1 37

7

WARNING: MODIFICATION OF THIS DEVICE TO
RECEIVE CELLULAR RADIOTELEPHONE SERVICE
SIGNALS IS PROHIBITED UNDER FCC RULES
AND FEDERAL LAW. 70190

WARNING: MODIFICATION OF THIS DEVICE TO
RECEIVE CELLULAR RADIOTELEPHONE SERVICE
SIGNALS IS PROHIBITED UNDER FCC RULES
AND FEDERAL LAW. 70190

2:1

注記
NOTES:


- ・ 印刷色/PRINTING COLOR
BLACK (BACKGROUND:SILVER)
- ・ フィルムを用いて印刷を行なう。
MUST BE PRINTED WITH FILM.
- ・ フィルムはケンウッドが供給する。
FILM TO BE SUPPLIED BY KENWOOD.
- ・ 納入形態は、10枚/シートである。
PER SHEET: 10 PCS

-	-	-	-	アルミ蒸着板 AL EVAPORATION SHEET 銀ツヤ消シ t0.05 FROSTED SILVER t0.05	シール印刷/SEAL PRINTING 裏面強粘着剤処理/ STRONG TACKIFIER ラミネート(ツヤ消シ)/ LAMINATE(FROSTING)	Y52-3270-11	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME	規格銘板 STANDARD LABEL	-
UNIT	mm						-
		DATE	2000-09-14		DRAWING NUMBER	MMV -	-
					PART NO.	SHEET NO. REL.	-
JIS Z8310-84	KENWOOD	KENWOOD CORPORATION			B42-7019-04	1/1 00	S

DRWN. DATE 2003-07-31

#

TS-480SAT



BOTTOM VIEW

	DESIGN	DATE 2003-08-01	MODEL	LABEL LOCATION
		KENWOOD		