



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Tablet

Test Model: HIP-T69

Environmental Conditions

Temperature:	23.9°C
Relative Humidity:	53.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Jose Zhu
Supervised by:	Nick Peng





A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.019	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.003	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.946	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.314	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.283	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.293	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.304	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.297	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.97	21	Pass
NVNT	1-DH5	2441	Ant1	-0.34	21	Pass
NVNT	1-DH5	2480	Ant1	-1.33	21	Pass
NVNT	2-DH5	2402	Ant1	-1.26	21	Pass
NVNT	2-DH5	2441	Ant1	-1.71	21	Pass
NVNT	2-DH5	2480	Ant1	0.08	21	Pass
NVNT	3-DH5	2402	Ant1	-1.08	21	Pass
NVNT	3-DH5	2441	Ant1	-1.58	21	Pass
NVNT	3-DH5	2480	Ant1	0.45	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.828	2402.84	1.012	0.679	Pass
NVNT	2-DH5	Ant1	2402	2403.024	1.024	0.876	Pass
NVNT	3-DH5	Ant1	2402.03	2403.018	0.988	0.869	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	296.82	102	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	307.188	106	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	330.258	114	31600	400	Pass







Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst





Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated





Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.13	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.25	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.74	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.8	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.04	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.19	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-61.92	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-61.21	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-62.62	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-58.79	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-62.71	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-59.68	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.3	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.36	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.82	-20	Pass
NVNT	2-DH5	2402	Ant1	-51.82	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.2	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.77	-20	Pass
NVNT	3-DH5	2402	Ant1	-51.08	-20	Pass
NVNT	3-DH5	2441	Ant1	-46.28	-20	Pass
NVNT	3-DH5	2480	Ant1	-40.33	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.23	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.73	2	-	45.53	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.5	2	1.1	38.86	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2386.992	-48.12	2	-	49.14	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2371.728	-57.99	2	1.1	40.37	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.17	2	-	47.09	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-59.3	2	1.1	39.06	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.34	2	-	46.92	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.1	2	1.1	40.26	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.696	-45.55	2	-	51.71	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.024	-56.94	2	1.1	41.42	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.51	2	-	46.75	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.88	2	1.1	40.48	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.2	2	-	47.06	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-59.27	2	1.12	39.11	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2313.168	-47.53	2	-	49.73	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2339.76	-57.99	2	1.12	40.39	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.01	2	-	47.25	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.67	2	1.12	39.71	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.49	2	-	48.77	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.82	2	1.12	40.56	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2497	-47.17	2	-	50.09	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2494.096	-57.18	2	1.12	41.2	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.64	2	-	47.62	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.39	2	1.12	39.99	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.42	2	-	45.84	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.24	2	1.12	39.14	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2379.6	-47.69	2	-	49.57	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2386.512	-57.92	2	1.12	40.46	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.79	2	-	46.47	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.75	2	1.12	39.63	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.96	2	-	47.3	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.54	2	1.12	40.84	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.968	-45.43	2	-	51.83	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2495.776	-57.18	2	1.12	41.2	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.9	2	-	47.36	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.14	2	1.12	40.24	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

