

Annex A.5 Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.56	-13	40.56	Pass	401
0.15	30	0.01	Peak	0.17	-54.31	-13	41.31	Pass	2986
30	500	0.1	Peak	385.4	-45.22	-13	32.22	Pass	4701
500	1000	0.1	Peak	824.1	32.6	-13	-45.6	NA	5001
1000	10000	1	Peak	6790	-23.86	-13	10.86	Pass	9002




1.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.12	-13	42.12	Pass	401
0.15	30	0.01	Peak	0.18	-53.69	-13	40.69	Pass	2986
30	500	0.1	Peak	421.2	-44.16	-13	31.16	Pass	4701
500	1000	0.1	Peak	836.6	32.65	-13	-45.65	NA	5001
1000	10000	1	Peak	6819	-24.02	-13	11.02	Pass	9002



1.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.89	-13	42.89	Pass	401
0.15	30	0.01	Peak	0.28	-54.18	-13	41.18	Pass	2986
30	500	0.1	Peak	478.5	-44.36	-13	31.36	Pass	4701
500	1000	0.1	Peak	848.8	32.82	-13	-45.82	NA	5001
1000	10000	1	Peak	7154	-23.85	-13	10.85	Pass	9002



2. GPRS_PCS


2.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.49	-13	48.49	Pass	401
0.15	30	0.01	Peak	0.24	-59.63	-13	46.63	Pass	2986
30	1000	0.1	Peak	828.2	-49.97	-13	36.97	Pass	9701
1000	3000	1	Peak	1851	3.44	-13	-16.44	NA	2001
3000	20000	1	Peak	5763	-42.86	-13	29.86	Pass	17003




2.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.41	-13	48.41	Pass	401
0.15	30	0.01	Peak	0.18	-59.97	-13	46.97	Pass	2986
30	1000	0.1	Peak	490	-50.05	-13	37.05	Pass	9701
1000	3000	1	Peak	1880	19.92	-13	-32.92	NA	2001
3000	20000	1	Peak	17949	-44.48	-13	31.48	Pass	17003



2.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.65	-13	48.65	Pass	401
0.15	30	0.01	Peak	1.17	-60.7	-13	47.7	Pass	2986
30	1000	0.1	Peak	875.117	-49.58	-13	36.58	Pass	9701
1000	3000	1	Peak	1909	19.27	-13	-32.27	NA	2001
3000	20000	1	Peak	15005	-44.54	-13	31.54	Pass	17003



3. EGPRS_GSM850


3.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-55.46	-13	42.46	Pass	401
0.15	30	0.01	Peak	0.22	-55.08	-13	42.08	Pass	2986
30	500	0.1	Peak	410.3	-44.85	-13	31.85	Pass	4701
500	1000	0.1	Peak	824.2	29.56	-13	-42.56	N/A	5001
1000	10000	1	Peak	6700	-24.1	-13	11.1	Pass	9002




3.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.56	-13	42.56	Pass	401
0.15	30	0.01	Peak	0.18	-54.24	-13	41.24	Pass	2986
30	500	0.1	Peak	493.6	-44.69	-13	31.69	Pass	4701
500	1000	0.1	Peak	836.6	28.79	-13	-41.79	N/A	5001
1000	10000	1	Peak	6974	-23.79	-13	10.79	Pass	9002



3.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.03	-13	41.03	Pass	401
0.15	30	0.01	Peak	0.15	-54.18	-13	41.18	Pass	2986
30	500	0.1	Peak	465.1	-44.88	-13	31.88	Pass	4701
500	1000	0.1	Peak	848.8	28.35	-13	-41.35	N/A	5001
1000	10000	1	Peak	7665	-23.75	-13	10.75	Pass	9002



4. EGPRS_PCS


4.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-62.1	-13	49.1	Pass	401
0.15	30	0.01	Peak	0.33	-59.98	-13	46.98	Pass	2986
30	1000	0.1	Peak	987.392	-50.27	-13	37.27	Pass	9701
1000	3000	1	Peak	1850	29.89	-13	-42.89	N/A	2001
3000	20000	1	Peak	17822	-43.97	-13	30.97	Pass	17003




4.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.87	-13	48.87	Pass	401
0.15	30	0.01	Peak	0.15	-60.29	-13	47.29	Pass	2986
30	1000	0.1	Peak	865.111	-50.11	-13	37.11	Pass	9701
1000	3000	1	Peak	1880	30.05	-13	-43.05	N/A	2001
3000	20000	1	Peak	17998	-44.78	-13	31.78	Pass	17003



4.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.41	-13	49.41	Pass	401
0.15	30	0.01	Peak	0.26	-58.8	-13	45.8	Pass	2986
30	1000	0.1	Peak	760.1	-50.56	-13	37.56	Pass	9701
1000	3000	1	Peak	1910	29.67	-13	-42.67	N/A	2001
3000	20000	1	Peak	17784	-44.36	-13	31.36	Pass	17003



5. WCDMA_Band2

5.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.43	-13	52.43	Pass	401
0.15	30	0.01	Peak	0.15	-64.01	-13	51.01	Pass	2986
30	1000	0.1	Peak	938.759	-53.78	-13	40.78	Pass	9701
1000	3000	1	Peak	1854	23.4	-13	-36.4	NA	2001
3000	20000	1	Peak	14845	-28.24	-13	15.24	Pass	17003



5.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-64.99	-13	51.99	Pass	401
0.15	30	0.01	Peak	0.24	-64.15	-13	51.15	Pass	2986
30	1000	0.1	Peak	957.872	-54.34	-13	41.34	Pass	9701
1000	3000	1	Peak	1881	23.01	-13	-36.01	NA	2001
3000	20000	1	Peak	14513	-28.58	-13	15.58	Pass	17003



5.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.12	-13	52.12	Pass	401
0.15	30	0.01	Peak	0.17	-64.09	-13	51.09	Pass	2986
30	1000	0.1	Peak	883.623	-53.79	-13	40.79	Pass	9701
1000	3000	1	Peak	1909	23.1	-13	-36.1	NA	2001
3000	20000	1	Peak	13599	-28.18	-13	15.18	Pass	17003



6. WCDMA_Band4

6.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.65	-13	52.65	Pass	401
0.15	30	0.01	Peak	0.16	-64	-13	51	Pass	2986
30	1000	0.1	Peak	937.158	-54.06	-13	41.06	Pass	9701
1000	3000	1	Peak	1714	23.09	-13	-36.09	NA	2001
3000	20000	1	Peak	17811	-27.49	-13	14.49	Pass	17003



6.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-65.4	-13	52.4	Pass	401
0.15	30	0.01	Peak	0.82	-64.76	-13	51.76	Pass	2986
30	1000	0.1	Peak	991.995	-53.64	-13	40.64	Pass	9701
1000	3000	1	Peak	1734	22.91	-13	-35.91	NA	2001
3000	20000	1	Peak	14174	-27.59	-13	14.59	Pass	17003



6.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.79	-13	52.79	Pass	401
0.15	30	0.01	Peak	0.33	-63.31	-13	50.31	Pass	2986
30	1000	0.1	Peak	956.071	-54.18	-13	41.18	Pass	9701
1000	3000	1	Peak	1754	23.08	-13	-36.08	NA	2001
3000	20000	1	Peak	17864	-27.59	-13	14.59	Pass	17003



7. WCDMA_Band5

7.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.22	-13	52.22	Pass	401
0.15	30	0.01	Peak	0.16	-63.87	-13	50.87	Pass	2986
30	500	0.1	Peak	492.6	-53.91	-13	40.91	Pass	4701
500	1000	0.1	Peak	827.1	17.67	-13	-30.67	NA	5001
1000	10000	1	Peak	7319	-33.64	-13	20.64	Pass	9002



7.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.67	-13	52.67	Pass	401
0.15	30	0.01	Peak	0.28	-64.26	-13	51.26	Pass	2986
30	500	0.1	Peak	485.3	-54.54	-13	41.54	Pass	4701
500	1000	0.1	Peak	837.1	18.11	-13	-31.11	NA	5001
1000	10000	1	Peak	9771	-33.59	-13	20.59	Pass	9002



7.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.04	-13	52.04	Pass	401
0.15	30	0.01	Peak	0.76	-64.7	-13	51.7	Pass	2986
30	500	0.1	Peak	473.9	-54.05	-13	41.05	Pass	4701
500	1000	0.1	Peak	845.7	17.7	-13	-30.7	NA	5001
1000	10000	1	Peak	6716	-33.8	-13	20.8	Pass	9002



8. LTE_Band2


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	971.481	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-52.98	-13	39.98	Pass	841
1840	1920	1	RMS	1850.2	22.85	60	37.15	Pass	401
1920	3000	1	RMS	2976	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	11999	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13602	-39.62	-13	26.62	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	849.8	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1840	-53.09	-13	40.09	Pass	841
1840	1920	1	RMS	1850.2	21.96	60	38.04	Pass	401
1920	3000	1	RMS	2984	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11994	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13605	-39.66	-13	26.66	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	988.292	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1838	-53.71	-13	40.71	Pass	841
1840	1920	1	RMS	1879.6	22.68	60	37.32	Pass	401
1920	3000	1	RMS	2991	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	11992	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13598	-39.61	-13	26.61	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	863.61	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1839	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1879.6	21.67	60	38.33	Pass	401
1920	3000	1	RMS	2986	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11991	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13598	-39.67	-13	26.67	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	979.687	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1811	-53.71	-13	40.71	Pass	841
1840	1920	1	RMS	1908.8	22.7	60	37.3	Pass	401
1920	3000	1	RMS	2985	-51.25	-13	38.25	Pass	1081
3000	12000	1	RMS	12000	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	843.2	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1831	-53.73	-13	40.73	Pass	841
1840	1920	1	RMS	1908.8	21.8	60	38.2	Pass	401
1920	3000	1	RMS	2999	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13596	-39.67	-13	26.67	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	987.192	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-52.79	-13	39.79	Pass	841
1840	1920	1	RMS	1850.2	22.7	60	37.3	Pass	401
1920	3000	1	RMS	2995	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11992	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13604	-39.68	-13	26.68	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	967.679	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-52.93	-13	39.93	Pass	841
1840	1920	1	RMS	1850.2	21.98	60	38.02	Pass	401
1920	3000	1	RMS	2991	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11986	-44.06	-13	31.06	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	845.2	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-53.64	-13	40.64	Pass	841
1840	1920	1	RMS	1878.8	22.49	60	37.51	Pass	401
1920	3000	1	RMS	2994	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	976.284	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-53.63	-13	40.63	Pass	841
1840	1920	1	RMS	1878.8	21.56	60	38.44	Pass	401
1920	3000	1	RMS	2991	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	12000	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13599	-39.63	-13	26.63	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	848.8	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-53.71	-13	40.71	Pass	841
1840	1920	1	RMS	1907.2	22.51	60	37.49	Pass	401
1920	3000	1	RMS	2986	-51.28	-13	38.28	Pass	1081
3000	12000	1	RMS	11992	-43.99	-13	30.99	Pass	9002
12000	20000	1	RMS	13600	-39.57	-13	26.57	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	953.869	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.66	-13	40.66	Pass	841
1840	1920	1	RMS	1907.2	21.68	60	38.32	Pass	401
1920	3000	1	RMS	2986	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	11993	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	846.8	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1840	-52.96	-13	39.96	Pass	841
1840	1920	1	RMS	1850.4	22.85	60	37.15	Pass	401
1920	3000	1	RMS	2937	-51.24	-13	38.24	Pass	1081
3000	12000	1	RMS	11999	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13604	-39.63	-13	26.63	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	841	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-53.02	-13	40.02	Pass	841
1840	1920	1	RMS	1850.4	21.94	60	38.06	Pass	401
1920	3000	1	RMS	2927	-51.31	-13	38.31	Pass	1081
3000	12000	1	RMS	11995	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	845.6	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.37	-13	40.37	Pass	841
1840	1920	1	RMS	1877.8	22.79	60	37.21	Pass	401
1920	3000	1	RMS	2998	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	11999	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	848.4	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-53.48	-13	40.48	Pass	841
1840	1920	1	RMS	1877.8	22.02	60	37.98	Pass	401
1920	3000	1	RMS	2989	-51.27	-13	38.27	Pass	1081
3000	12000	1	RMS	11995	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13600	-39.61	-13	26.61	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	981.588	-65.05	-13	52.05	Pass	9701
1000	1840	1	RMS	1840	-53.58	-13	40.58	Pass	841
1840	1920	1	RMS	1905.4	22.61	60	37.39	Pass	401
1920	3000	1	RMS	2993	-51.27	-13	38.27	Pass	1081
3000	12000	1	RMS	11999	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13598	-39.6	-13	26.6	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	847.9	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1840	-53.56	-13	40.56	Pass	841
1840	1920	1	RMS	1905.4	21.94	60	38.06	Pass	401
1920	3000	1	RMS	2979	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11997	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	970.981	-65.05	-13	52.05	Pass	9701
1000	1840	1	RMS	1840	-48.64	-13	35.64	Pass	841
1840	1920	1	RMS	1850.6	22.99	60	37.01	Pass	401
1920	3000	1	RMS	2984	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	12000	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.68	-13	26.68	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	857.005	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1840	-48.89	-13	35.89	Pass	841
1840	1920	1	RMS	1850.6	22.25	60	37.75	Pass	401
1920	3000	1	RMS	2984	-51.28	-13	38.28	Pass	1081
3000	12000	1	RMS	11999	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	984.59	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1838	-53.32	-13	40.32	Pass	841
1840	1920	1	RMS	1875.6	22.89	60	37.11	Pass	401
1920	3000	1	RMS	2977	-51.31	-13	38.31	Pass	1081
3000	12000	1	RMS	11995	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	889.527	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1838	-53.33	-13	40.33	Pass	841
1840	1920	1	RMS	1875.6	21.94	60	38.06	Pass	401
1920	3000	1	RMS	2993	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	11996	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13603	-39.62	-13	26.62	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	848.5	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1840	-53.68	-13	40.68	Pass	841
1840	1920	1	RMS	1900.6	22.74	60	37.26	Pass	401
1920	3000	1	RMS	2997	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	11996	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13603	-39.64	-13	26.64	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	962.375	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1838	-53.68	-13	40.68	Pass	841
1840	1920	1	RMS	1900.6	21.86	60	38.14	Pass	401
1920	3000	1	RMS	2994	-51.22	-13	38.22	Pass	1081
3000	12000	1	RMS	11989	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13598	-39.74	-13	26.74	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	840.1	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-44.1	-13	31.1	Pass	841
1840	1920	1	RMS	1850.8	22.94	60	37.06	Pass	401
1920	3000	1	RMS	2987	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11998	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13605	-39.69	-13	26.69	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	844.2	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1840	-44.25	-13	31.25	Pass	841
1840	1920	1	RMS	1850.8	22.2	60	37.8	Pass	401
1920	3000	1	RMS	2982	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11991	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13599	-39.66	-13	26.66	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	856.105	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1836	-53.65	-13	40.65	Pass	841
1840	1920	1	RMS	1873.4	22.79	60	37.21	Pass	401
1920	3000	1	RMS	2938	-51.3	-13	38.3	Pass	1081
3000	12000	1	RMS	11999	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13603	-39.64	-13	26.64	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	959.573	-64.98	-13	51.98	Pass	9701
1000	1840	1	RMS	1838	-53.62	-13	40.62	Pass	841
1840	1920	1	RMS	1873.2	21.83	60	38.17	Pass	401
1920	3000	1	RMS	2984	-51.29	-13	38.29	Pass	1081
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.65	-13	26.65	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	847	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.59	-13	40.59	Pass	841
1840	1920	1	RMS	1895.8	22.71	60	37.29	Pass	401
1920	3000	1	RMS	1922	-43.65	-13	30.65	Pass	1081
3000	12000	1	RMS	12000	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	842.6	-65.2	-13	52.2	Pass	9701
1000	1840	1	RMS	1840	-53.68	-13	40.68	Pass	841
1840	1920	1	RMS	1895.8	21.95	60	38.05	Pass	401
1920	3000	1	RMS	1923	-44.05	-13	31.05	Pass	1081
3000	12000	1	RMS	11991	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.6	-13	26.6	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	855.304	-65.05	-13	52.05	Pass	9701
1000	1840	1	RMS	1840	-45.27	-13	32.27	Pass	841
1840	1920	1	RMS	1851	22.81	60	37.19	Pass	401
1920	3000	1	RMS	2843	-51.28	-13	38.28	Pass	1081
3000	12000	1	RMS	12000	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13599	-39.71	-13	26.71	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	831.5	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1840	-45.35	-13	32.35	Pass	841
1840	1920	1	RMS	1851	22.01	60	37.99	Pass	401
1920	3000	1	RMS	2995	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11998	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13607	-39.67	-13	26.67	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	842.4	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1836	-50.2	-13	37.2	Pass	841
1840	1920	1	RMS	1871	22.76	60	37.24	Pass	401
1920	3000	1	RMS	2996	-51.26	-13	38.26	Pass	1081
3000	12000	1	RMS	11993	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13603	-39.7	-13	26.7	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	847.2	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1836	-51.01	-13	38.01	Pass	841
1840	1920	1	RMS	1871	21.81	60	38.19	Pass	401
1920	3000	1	RMS	2994	-51.28	-13	38.28	Pass	1081
3000	12000	1	RMS	11995	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	988.993	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1838	-53.7	-13	40.7	Pass	841
1840	1920	1	RMS	1891	22.62	60	37.38	Pass	401
1920	3000	1	RMS	1922	-43.18	-13	30.18	Pass	1081
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13600	-39.61	-13	26.61	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.19	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	966.978	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1838	-53.74	-13	40.74	Pass	841
1840	1920	1	RMS	1891	21.7	60	38.3	Pass	401
1920	3000	1	RMS	1922	-43.82	-13	30.82	Pass	1081
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.49	-13	26.49	Pass	8001



9. LTE_Band4


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	996.898	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1700	-53.21	-13	40.21	Pass	701
1700	1765	1	RMS	1710.238	22.54	60	37.46	Pass	401
1765	3000	1	RMS	2992	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	12000	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13600	-39.6	-13	26.6	Pass	8001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	963.876	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1700	-53.27	-13	40.27	Pass	701
1700	1765	1	RMS	1710.238	21.61	60	38.39	Pass	401
1765	3000	1	RMS	2994	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	11995	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13606	-39.71	-13	26.71	Pass	8001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	993.696	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1695	-53.77	-13	40.77	Pass	701
1700	1765	1	RMS	1732.013	22.54	60	37.46	Pass	401
1765	3000	1	RMS	2993	-51.23	-13	38.23	Pass	1236
3000	12000	1	RMS	11997	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13601	-39.69	-13	26.69	Pass	8001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.2	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	965.677	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1695	-53.77	-13	40.77	Pass	701
1700	1765	1	RMS	1732.013	21.62	60	38.38	Pass	401
1765	3000	1	RMS	2994	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11996	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13608	-39.66	-13	26.66	Pass	8001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	853.403	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1681	-53.83	-13	40.83	Pass	701
1700	1765	1	RMS	1753.788	22.7	60	37.3	Pass	401
1765	3000	1	RMS	1773	-49.44	-13	36.44	Pass	1236
3000	12000	1	RMS	11999	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13600	-39.68	-13	26.68	Pass	8001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	834.6	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1681	-53.82	-13	40.82	Pass	701
1700	1765	1	RMS	1753.788	21.81	60	38.19	Pass	401
1765	3000	1	RMS	1773	-49.99	-13	36.99	Pass	1236
3000	12000	1	RMS	11982	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13600	-39.68	-13	26.68	Pass	8001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	971.181	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-52.81	-13	39.81	Pass	701
1700	1765	1	RMS	1710.238	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2987	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	11998	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	841.2	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1700	-53.1	-13	40.1	Pass	701
1700	1765	1	RMS	1710.238	21.65	60	38.35	Pass	401
1765	3000	1	RMS	2989	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	11995	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13599	-39.67	-13	26.67	Pass	8001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	867.712	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1679	-53.82	-13	40.82	Pass	701
1700	1765	1	RMS	1731.2	22.4	60	37.6	Pass	401
1765	3000	1	RMS	2991	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	12000	-44.07	-13	31.07	Pass	9002
12000	20000	1	RMS	13605	-39.64	-13	26.64	Pass	8001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.95	-13	59.95	Pass	2986
30	1000	0.1	RMS	833.8	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1678	-53.77	-13	40.77	Pass	701
1700	1765	1	RMS	1731.2	21.48	60	38.52	Pass	401
1765	3000	1	RMS	2998	-51.29	-13	38.29	Pass	1236
3000	12000	1	RMS	11882	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13610	-39.68	-13	26.68	Pass	8001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	996.498	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1679	-53.8	-13	40.8	Pass	701
1700	1765	1	RMS	1752.163	22.53	60	37.47	Pass	401
1765	3000	1	RMS	1771	-49.17	-13	36.17	Pass	1236
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.63	-13	26.63	Pass	8001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	834.5	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1680	-53.78	-13	40.78	Pass	701
1700	1765	1	RMS	1752.163	21.68	60	38.32	Pass	401
1765	3000	1	RMS	1771	-49.62	-13	36.62	Pass	1236
3000	12000	1	RMS	11999	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13602	-39.61	-13	26.61	Pass	8001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	844.6	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-53.23	-13	40.23	Pass	701
1700	1765	1	RMS	1710.238	22.6	60	37.4	Pass	401
1765	3000	1	RMS	2990	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	11994	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13605	-39.62	-13	26.62	Pass	8001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	930.754	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-53.3	-13	40.3	Pass	701
1700	1765	1	RMS	1710.238	21.73	60	38.27	Pass	401
1765	3000	1	RMS	3000	-51.25	-13	38.25	Pass	1236
3000	12000	1	RMS	11990	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	851.902	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1693	-53.74	-13	40.74	Pass	701
1700	1765	1	RMS	1730.388	22.63	60	37.37	Pass	401
1765	3000	1	RMS	2998	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	11996	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	849.901	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1687	-53.84	-13	40.84	Pass	701
1700	1765	1	RMS	1730.388	21.84	60	38.16	Pass	401
1765	3000	1	RMS	2999	-51.17	-13	38.17	Pass	1236
3000	12000	1	RMS	11999	-43.95	-13	30.95	Pass	9002
12000	20000	1	RMS	13602	-39.63	-13	26.63	Pass	8001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	58.29	Pass	2986
30	1000	0.1	RMS	892.629	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1677	-53.81	-13	40.81	Pass	701
1700	1765	1	RMS	1750.375	22.74	60	37.26	Pass	401
1765	3000	1	RMS	1769	-49.08	-13	36.08	Pass	1236
3000	12000	1	RMS	11989	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13598	-39.69	-13	26.69	Pass	8001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	846.2	-64.96	-13	51.96	Pass	9701
1000	1700	1	RMS	1676	-53.8	-13	40.8	Pass	701
1700	1765	1	RMS	1750.375	22.01	60	37.99	Pass	401
1765	3000	1	RMS	1769	-49.41	-13	36.41	Pass	1236
3000	12000	1	RMS	11996	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.61	-13	26.61	Pass	8001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	846.5	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1700	-48.4	-13	35.4	Pass	701
1700	1765	1	RMS	1710.563	22.74	60	37.26	Pass	401
1765	3000	1	RMS	2998	-51.26	-13	38.26	Pass	1236
3000	12000	1	RMS	11997	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13598	-39.62	-13	26.62	Pass	8001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	958.973	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-48.79	-13	35.79	Pass	701
1700	1765	1	RMS	1710.563	21.98	60	38.02	Pass	401
1765	3000	1	RMS	2981	-51.24	-13	38.24	Pass	1236
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13602	-39.61	-13	26.61	Pass	8001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	946.965	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1693	-53.6	-13	40.6	Pass	701
1700	1765	1	RMS	1728.113	22.74	60	37.26	Pass	401
1765	3000	1	RMS	2988	-51.27	-13	38.27	Pass	1236
3000	12000	1	RMS	11993	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13601	-39.66	-13	26.66	Pass	8001



9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	968.479	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1700	-53.71	-13	40.71	Pass	701
1700	1765	1	RMS	1728.113	21.8	60	38.2	Pass	401
1765	3000	1	RMS	2930	-51.2	-13	38.2	Pass	1236
3000	12000	1	RMS	12000	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.22	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	856.405	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1680	-53.79	-13	40.79	Pass	701
1700	1765	1	RMS	1745.5	22.78	60	37.22	Pass	401
1765	3000	1	RMS	1765	-47.24	-13	34.24	Pass	1236
3000	12000	1	RMS	12000	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13604	-39.69	-13	26.69	Pass	8001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	880.02	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1699	-53.8	-13	40.8	Pass	701
1700	1765	1	RMS	1745.5	21.88	60	38.12	Pass	401
1765	3000	1	RMS	1765	-47.69	-13	34.69	Pass	1236
3000	12000	1	RMS	11999	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13604	-39.66	-13	26.66	Pass	8001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.18	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	961.274	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-41.37	-13	28.37	Pass	701
1700	1765	1	RMS	1710.888	22.63	60	37.37	Pass	401
1765	3000	1	RMS	2988	-51.3	-13	38.3	Pass	1236
3000	12000	1	RMS	12000	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13605	-39.61	-13	26.61	Pass	8001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	837.3	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-42.51	-13	29.51	Pass	701
1700	1765	1	RMS	1710.888	21.87	60	38.13	Pass	401
1765	3000	1	RMS	2995	-51.27	-13	38.27	Pass	1236
3000	12000	1	RMS	11998	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13602	-39.66	-13	26.66	Pass	8001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	863.109	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1699	-44.18	-13	31.18	Pass	701
1700	1765	1	RMS	1725.838	22.69	60	37.31	Pass	401
1765	3000	1	RMS	1779	-50.18	-13	37.18	Pass	1236
3000	12000	1	RMS	12000	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13599	-39.7	-13	26.7	Pass	8001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.22	-72.78	-13	59.78	Pass	2986
30	1000	0.1	RMS	834.4	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1699	-45.66	-13	32.66	Pass	701
1700	1765	1	RMS	1725.838	21.71	60	38.29	Pass	401
1765	3000	1	RMS	1779	-51.19	-13	38.19	Pass	1236
3000	12000	1	RMS	11995	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13606	-39.58	-13	26.58	Pass	8001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	0.19	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	845.7	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1688	-53.76	-13	40.76	Pass	701
1700	1765	1	RMS	1740.788	22.7	60	37.3	Pass	401
1765	3000	1	RMS	1768	-30.98	-13	17.98	Pass	1236
3000	12000	1	RMS	11994	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13602	-39.65	-13	26.65	Pass	8001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	844.7	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1676	-53.78	-13	40.78	Pass	701
1700	1765	1	RMS	1740.788	21.96	60	38.04	Pass	401
1765	3000	1	RMS	1768	-31.75	-13	18.75	Pass	1236
3000	12000	1	RMS	12000	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13601	-39.51	-13	26.51	Pass	8001




9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	969.98	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-42.67	-13	29.67	Pass	701
1700	1765	1	RMS	1711.05	22.6	60	37.4	Pass	401
1765	3000	1	RMS	1782	-49.54	-13	36.54	Pass	1236
3000	12000	1	RMS	11994	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13602	-39.64	-13	26.64	Pass	8001




9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	982.588	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-43.85	-13	30.85	Pass	701
1700	1765	1	RMS	1711.05	21.82	60	38.18	Pass	401
1765	3000	1	RMS	1782	-50.08	-13	37.08	Pass	1236
3000	12000	1	RMS	11888	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13600	-39.69	-13	26.69	Pass	8001




9.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.17	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	977.285	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1688	-47.67	-13	34.67	Pass	701
1700	1765	1	RMS	1723.563	22.62	60	37.38	Pass	401
1765	3000	1	RMS	1795	-49.12	-13	36.12	Pass	1236
3000	12000	1	RMS	11990	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13604	-39.69	-13	26.69	Pass	8001




9.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	858.006	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1688	-48.78	-13	35.78	Pass	701
1700	1765	1	RMS	1723.563	21.69	60	38.31	Pass	401
1765	3000	1	RMS	1795	-49.98	-13	36.98	Pass	1236
3000	12000	1	RMS	11997	-44.11	-13	31.11	Pass	9002
12000	20000	1	RMS	13603	-39.66	-13	26.66	Pass	8001




9.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	1000	0.1	RMS	858.406	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-42.49	-13	29.49	Pass	701
1700	1765	1	RMS	1736.075	22.59	60	37.41	Pass	401
1765	3000	1	RMS	1772	-28.86	-13	15.86	Pass	1236
3000	12000	1	RMS	11998	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13603	-39.66	-13	26.66	Pass	8001



9.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	59.98	Pass	2986
30	1000	0.1	RMS	838.9	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1700	-43.85	-13	30.85	Pass	701
1700	1765	1	RMS	1736.075	21.64	60	38.36	Pass	401
1765	3000	1	RMS	1772	-30	-13	17	Pass	1236
3000	12000	1	RMS	11993	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.64	-13	26.64	Pass	8001



10. LTE_Band5


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	814	0.1	RMS	813.6	-65.1	-13	52.1	Pass	7841
814	860	0.1	RMS	824.3	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	870.2	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1648	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.6	-64.87	-13	51.87	Pass	7841
814	860	0.1	RMS	824.3	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	996.9	-65.11	-13	52.11	Pass	1401
1000	3000	1	RMS	1648	-49.77	-13	36.77	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.22	-72.85	-13	59.85	Pass	2986
30	814	0.1	RMS	742.9	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	836.1	20.3	60	39.7	Pass	461
860	1000	0.1	RMS	984.8	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1672	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	6798	-45.46	-13	32.46	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.18	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	808.7	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	836.1	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	986.3	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1672	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6800	-45.34	-13	32.34	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.17	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	771.8	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	847.9	20.36	60	39.64	Pass	461
860	1000	0.1	RMS	867.6	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1695	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	6800	-45.44	-13	32.44	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	768.5	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	847.9	19.49	60	40.51	Pass	461
860	1000	0.1	RMS	928.7	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1695	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	6801	-45.41	-13	32.41	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	814	0.1	RMS	813.6	-64.93	-13	51.93	Pass	7841
814	860	0.1	RMS	824.3	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	903.7	-65.05	-13	52.05	Pass	1401
1000	3000	1	RMS	1648	-49	-13	36	Pass	2001
3000	10000	1	RMS	6800	-45.45	-13	32.45	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.6	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	824.3	19.28	60	40.72	Pass	461
860	1000	0.1	RMS	985.7	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1648	-49.61	-13	36.61	Pass	2001
3000	10000	1	RMS	6800	-45.41	-13	32.41	Pass	7001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.25	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	727.1	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	835.3	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	983.8	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1670	-46.27	-13	33.27	Pass	2001
3000	10000	1	RMS	6804	-45.51	-13	32.51	Pass	7001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	812.1	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	835.3	19.2	60	40.8	Pass	461
860	1000	0.1	RMS	996.5	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1670	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6798	-45.43	-13	32.43	Pass	7001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	740.2	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	846.3	20.29	60	39.71	Pass	461
860	1000	0.1	RMS	937	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1692	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	6803	-45.5	-13	32.5	Pass	7001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	57.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	811	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	846.3	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	864.1	-65.19	-13	52.19	Pass	1401
1000	3000	1	RMS	1692	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.21	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.7	-64.55	-13	51.55	Pass	7841
814	860	0.1	RMS	824.4	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	976.8	-65.05	-13	52.05	Pass	1401
1000	3000	1	RMS	1648	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6800	-45.46	-13	32.46	Pass	7001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.17	-72.8	-13	59.8	Pass	2986
30	814	0.1	RMS	813.7	-64.99	-13	51.99	Pass	7841
814	860	0.1	RMS	824.4	19.35	60	40.65	Pass	461
860	1000	0.1	RMS	869.8	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1648	-49.78	-13	36.78	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	814	0.1	RMS	810.7	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	834.4	20.27	60	39.73	Pass	461
860	1000	0.1	RMS	881	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1668	-46.5	-13	33.5	Pass	2001
3000	10000	1	RMS	6801	-45.5	-13	32.5	Pass	7001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	808.8	-65.25	-13	52.25	Pass	7841
814	860	0.1	RMS	834.4	19.47	60	40.53	Pass	461
860	1000	0.1	RMS	964.1	-65.17	-13	52.17	Pass	1401
1000	3000	1	RMS	1668	-47.39	-13	34.39	Pass	2001
3000	10000	1	RMS	6802	-45.48	-13	32.48	Pass	7001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	730.5	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	844.4	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	960.8	-65.21	-13	52.21	Pass	1401
1000	3000	1	RMS	1688	-47.04	-13	34.04	Pass	2001
3000	10000	1	RMS	6802	-45.47	-13	32.47	Pass	7001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	812.7	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	844.4	19.67	60	40.33	Pass	461
860	1000	0.1	RMS	933.2	-65.1	-13	52.1	Pass	1401
1000	3000	1	RMS	1688	-48.11	-13	35.11	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.18	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	813.9	-64.86	-13	51.86	Pass	7841
814	860	0.1	RMS	824.6	20.41	60	39.59	Pass	461
860	1000	0.1	RMS	869.7	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1649	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6801	-45.43	-13	32.43	Pass	7001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.19	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	813.9	-64.71	-13	51.71	Pass	7841
814	860	0.1	RMS	824.6	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	871.5	-65.15	-13	52.15	Pass	1401
1000	3000	1	RMS	1649	-49.75	-13	36.75	Pass	2001
3000	10000	1	RMS	6801	-45.45	-13	32.45	Pass	7001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	794.6	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	832.1	20.58	60	39.42	Pass	461
860	1000	0.1	RMS	989.6	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1664	-46.59	-13	33.59	Pass	2001
3000	10000	1	RMS	6799	-45.39	-13	32.39	Pass	7001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	811.7	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	832.1	19.6	60	40.4	Pass	461
860	1000	0.1	RMS	962.5	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1664	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6798	-45.45	-13	32.45	Pass	7001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	810.5	-65.42	-13	52.42	Pass	7841
814	860	0.1	RMS	839.6	20.64	60	39.36	Pass	461
860	1000	0.1	RMS	862.5	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1679	-46.29	-13	33.29	Pass	2001
3000	10000	1	RMS	6799	-45.44	-13	32.44	Pass	7001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.18	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	812.5	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	839.6	19.73	60	40.27	Pass	461
860	1000	0.1	RMS	985.9	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1679	-47.22	-13	34.22	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001



11. LTE_Band7


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.64	-72.86	-25	47.86	Pass	2986
30	1000	0.1	RMS	539.7	-64.04	-25	39.04	Pass	9701
1000	2490	1	RMS	2490	-51.79	-25	26.79	Pass	1491
2490	2580	1	RMS	2500.35	21.76	60	38.24	Pass	401
2580	3000	1	RMS	2995	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11975	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	25499	-46.96	-25	21.96	Pass	14002




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.07	-25	47.07	Pass	401
0.15	30	0.01	RMS	0.21	-72.7	-25	47.7	Pass	2986
30	1000	0.1	RMS	539.7	-64.93	-25	39.93	Pass	9701
1000	2490	1	RMS	2490	-51.87	-25	26.87	Pass	1491
2490	2580	1	RMS	2500.35	20.83	60	39.17	Pass	401
2580	3000	1	RMS	2623	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	11979	-62	-25	37	Pass	9002
12000	26000	1	RMS	17800	-56.04	-25	31.04	Pass	14002




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	572.2	-64.96	-25	39.96	Pass	9701
1000	2490	1	RMS	2488	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2532.75	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2985	-51.26	-25	26.26	Pass	421
3000	12000	1	RMS	11990	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17800	-56.05	-25	31.05	Pass	14002




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	970.581	-65.09	-25	40.09	Pass	9701
1000	2490	1	RMS	2483	-52.29	-25	27.29	Pass	1491
2490	2580	1	RMS	2532.75	21.23	60	38.77	Pass	401
2580	3000	1	RMS	2994	-51.31	-25	26.31	Pass	421
3000	12000	1	RMS	11982	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17801	-56.08	-25	31.08	Pass	14002




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-25	47.19	Pass	401
0.15	30	0.01	RMS	0.23	-72.44	-25	47.44	Pass	2986
30	1000	0.1	RMS	604.7	-65.1	-25	40.1	Pass	9701
1000	2490	1	RMS	2483	-52.37	-25	27.37	Pass	1491
2490	2580	1	RMS	2565.375	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2992	-51.27	-25	26.27	Pass	421
3000	12000	1	RMS	11985	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17801	-56.04	-25	31.04	Pass	14002




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-25	47.3	Pass	401
0.15	30	0.01	RMS	0.19	-72.87	-25	47.87	Pass	2986
30	1000	0.1	RMS	860.107	-65.24	-25	40.24	Pass	9701
1000	2490	1	RMS	2487	-52.45	-25	27.45	Pass	1491
2490	2580	1	RMS	2565.375	21.12	60	38.88	Pass	401
2580	3000	1	RMS	2995	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11983	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17800	-56.09	-25	31.09	Pass	14002




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.18	-72.03	-25	47.03	Pass	2986
30	1000	0.1	RMS	540	-63.96	-25	38.96	Pass	9701
1000	2490	1	RMS	2490	-48.14	-25	23.14	Pass	1491
2490	2580	1	RMS	2500.575	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2626	-51.26	-25	26.26	Pass	421
3000	12000	1	RMS	11983	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17800	-56.07	-25	31.07	Pass	14002




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-25	48.11	Pass	401
0.15	30	0.01	RMS	0.44	-72.71	-25	47.71	Pass	2986
30	1000	0.1	RMS	540	-64.65	-25	39.65	Pass	9701
1000	2490	1	RMS	2490	-48.47	-25	23.47	Pass	1491
2490	2580	1	RMS	2500.575	21.04	60	38.96	Pass	401
2580	3000	1	RMS	2624	-51.28	-25	26.28	Pass	421
3000	12000	1	RMS	11983	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17801	-55.98	-25	30.98	Pass	14002



11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	47.11	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	570	-64.9	-25	39.9	Pass	9701
1000	2490	1	RMS	2488	-52.36	-25	27.36	Pass	1491
2490	2580	1	RMS	2530.5	22.1	60	37.9	Pass	401
2580	3000	1	RMS	2995	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11974	-62	-25	37	Pass	9002
12000	26000	1	RMS	17803	-56.07	-25	31.07	Pass	14002



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-25	47.52	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	869.814	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2482	-52.36	-25	27.36	Pass	1491
2490	2580	1	RMS	2530.5	21.13	60	38.87	Pass	401
2580	3000	1	RMS	2999	-51.28	-25	26.28	Pass	421
3000	12000	1	RMS	11975	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17800	-55.95	-25	30.95	Pass	14002



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-25	47.65	Pass	2986
30	1000	0.1	RMS	600	-64.52	-25	39.52	Pass	9701
1000	2490	1	RMS	2489	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2560.65	21.96	60	38.04	Pass	401
2580	3000	1	RMS	2580	-50.38	-25	25.38	Pass	421
3000	12000	1	RMS	11979	-61.95	-25	36.95	Pass	9002
12000	26000	1	RMS	17801	-56.04	-25	31.04	Pass	14002



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-25	46.95	Pass	2986
30	1000	0.1	RMS	600	-65.15	-25	40.15	Pass	9701
1000	2490	1	RMS	2487	-52.38	-25	27.38	Pass	1491
2490	2580	1	RMS	2560.65	21.02	60	38.98	Pass	401
2580	3000	1	RMS	2580	-50.23	-25	25.23	Pass	421
3000	12000	1	RMS	11982	-61.87	-25	36.87	Pass	9002
12000	26000	1	RMS	17797	-56.11	-25	31.11	Pass	14002



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-25	46.77	Pass	2986
30	1000	0.1	RMS	540.2	-64.05	-25	39.05	Pass	9701
1000	2490	1	RMS	2490	-44.75	-25	19.75	Pass	1491
2490	2580	1	RMS	2500.8	21.81	60	38.19	Pass	401
2580	3000	1	RMS	2625	-51.26	-25	26.26	Pass	421
3000	12000	1	RMS	11982	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	17803	-56.06	-25	31.06	Pass	14002



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-25	47.79	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-25	47.3	Pass	2986
30	1000	0.1	RMS	540.2	-64.85	-25	39.85	Pass	9701
1000	2490	1	RMS	2490	-45.74	-25	20.74	Pass	1491
2490	2580	1	RMS	2500.8	21.02	60	38.98	Pass	401
2580	3000	1	RMS	3000	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11979	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	17802	-56	-25	31	Pass	14002



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72	-25	47	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	567.7	-65.1	-25	40.1	Pass	9701
1000	2490	1	RMS	2479	-52.4	-25	27.4	Pass	1491
2490	2580	1	RMS	2528.25	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2980	-51.27	-25	26.27	Pass	421
3000	12000	1	RMS	5057	-61.58	-25	36.58	Pass	9002
12000	26000	1	RMS	17810	-56.09	-25	31.09	Pass	14002



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-25	47.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	957.872	-65.16	-25	40.16	Pass	9701
1000	2490	1	RMS	2490	-52.35	-25	27.35	Pass	1491
2490	2580	1	RMS	2528.25	21.08	60	38.92	Pass	401
2580	3000	1	RMS	2981	-51.32	-25	26.32	Pass	421
3000	12000	1	RMS	11979	-61.91	-25	36.91	Pass	9002
12000	26000	1	RMS	17800	-56.03	-25	31.03	Pass	14002



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-25	47.1	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-25	47.58	Pass	2986
30	1000	0.1	RMS	595.2	-64.67	-25	39.67	Pass	9701
1000	2490	1	RMS	2485	-52.39	-25	27.39	Pass	1491
2490	2580	1	RMS	2555.925	21.86	60	38.14	Pass	401
2580	3000	1	RMS	2582	-36.34	-25	11.34	Pass	421
3000	12000	1	RMS	11977	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17796	-56.02	-25	31.02	Pass	14002



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	47.61	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	595.2	-65.01	-25	40.01	Pass	9701
1000	2490	1	RMS	2488	-52.29	-25	27.29	Pass	1491
2490	2580	1	RMS	2555.925	21.02	60	38.98	Pass	401
2580	3000	1	RMS	2582	-37.59	-25	12.59	Pass	421
3000	12000	1	RMS	11977	-62.02	-25	37.02	Pass	9002
12000	26000	1	RMS	17805	-56.11	-25	31.11	Pass	14002



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-25	47.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-25	47.33	Pass	2986
30	1000	0.1	RMS	540.5	-64.2	-25	39.2	Pass	9701
1000	2490	1	RMS	2490	-45.52	-25	20.52	Pass	1491
2490	2580	1	RMS	2501.025	21.69	60	38.31	Pass	401
2580	3000	1	RMS	3000	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	11982	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17805	-56.11	-25	31.11	Pass	14002



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.27	-72.7	-25	47.7	Pass	2986
30	1000	0.1	RMS	540.5	-64.64	-25	39.64	Pass	9701
1000	2490	1	RMS	2490	-47.18	-25	22.18	Pass	1491
2490	2580	1	RMS	2501.025	20.9	60	39.1	Pass	401
2580	3000	1	RMS	2993	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	11977	-61.95	-25	36.95	Pass	9002
12000	26000	1	RMS	17800	-56.01	-25	31.01	Pass	14002



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	46.76	Pass	2986
30	1000	0.1	RMS	565.5	-64.88	-25	39.88	Pass	9701
1000	2490	1	RMS	2490	-50.59	-25	25.59	Pass	1491
2490	2580	1	RMS	2526	21.94	60	38.06	Pass	401
2580	3000	1	RMS	2990	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	5052	-61.77	-25	36.77	Pass	9002
12000	26000	1	RMS	17801	-56.07	-25	31.07	Pass	14002



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-25	47.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	829.5	-65.14	-25	40.14	Pass	9701
1000	2490	1	RMS	2490	-51.07	-25	26.07	Pass	1491
2490	2580	1	RMS	2526	20.98	60	39.02	Pass	401
2580	3000	1	RMS	2992	-51.35	-25	26.35	Pass	421
3000	12000	1	RMS	11980	-61.91	-25	36.91	Pass	9002
12000	26000	1	RMS	17803	-56.16	-25	31.16	Pass	14002



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.51	-25	47.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	590.5	-64.9	-25	39.9	Pass	9701
1000	2490	1	RMS	2484	-52.43	-25	27.43	Pass	1491
2490	2580	1	RMS	2550.975	21.78	60	38.22	Pass	401
2580	3000	1	RMS	2586	-40.4	-25	15.4	Pass	421
3000	12000	1	RMS	11985	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17798	-56.02	-25	31.02	Pass	14002



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.22	-72.28	-25	47.28	Pass	2986
30	1000	0.1	RMS	590.5	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2488	-52.35	-25	27.35	Pass	1491
2490	2580	1	RMS	2550.975	20.74	60	39.26	Pass	401
2580	3000	1	RMS	2581	-41.37	-25	16.37	Pass	421
3000	12000	1	RMS	11979	-61.99	-25	36.99	Pass	9002
12000	26000	1	RMS	17806	-56.05	-25	31.05	Pass	14002



12. LTE_Band38


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.37	-25	42.37	Pass	401
0.15	30	0.01	RMS	0.17	-67.2	-25	42.2	Pass	2986
30	1000	0.1	RMS	973.382	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2560	-43.24	-25	18.24	Pass	1561
2560	2630	1	RMS	2570.5	22.82	60	37.18	Pass	401
2630	3000	1	RMS	2989.825	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11993	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25490	-42.8	-25	17.8	Pass	14502




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.18	-68.82	-25	43.82	Pass	2986
30	1000	0.1	RMS	935.657	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2560	-44.27	-25	19.27	Pass	1561
2560	2630	1	RMS	2570.325	22.04	60	37.96	Pass	401
2630	3000	1	RMS	2992.6	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11993	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25501	-42.95	-25	17.95	Pass	14502




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.66	-25	42.66	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	928.353	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2560	-47.67	-25	22.67	Pass	1561
2560	2630	1	RMS	2592.9	23.5	60	36.5	Pass	401
2630	3000	1	RMS	2987.05	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11989	-47.72	-25	22.72	Pass	9002
12000	26500	1	RMS	25497	-42.84	-25	17.84	Pass	14502




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.17	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	842.3	-61.06	-25	36.06	Pass	9701
1000	2560	1	RMS	2558	-47.7	-25	22.7	Pass	1561
2560	2630	1	RMS	2592.9	22.8	60	37.2	Pass	401
2630	3000	1	RMS	2991.675	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	12000	-47.68	-25	22.68	Pass	9002
12000	26500	1	RMS	25505	-42.88	-25	17.88	Pass	14502




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.44	-25	43.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	868.513	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2546	-47.81	-25	22.81	Pass	1561
2560	2630	1	RMS	2615.3	23.06	60	36.94	Pass	401
2630	3000	1	RMS	2999.075	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11998	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25506	-42.7	-25	17.7	Pass	14502




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	969.18	-61.22	-25	36.22	Pass	9701
1000	2560	1	RMS	2557	-47.84	-25	22.84	Pass	1561
2560	2630	1	RMS	2615.475	22.11	60	37.89	Pass	401
2630	3000	1	RMS	2996.3	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11973	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25490	-42.8	-25	17.8	Pass	14502




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.65	-25	42.65	Pass	401
0.15	30	0.01	RMS	0.31	-68.69	-25	43.69	Pass	2986
30	1000	0.1	RMS	899.033	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2560	-41.03	-25	16.03	Pass	1561
2560	2630	1	RMS	2570.675	22.74	60	37.26	Pass	401
2630	3000	1	RMS	2989.825	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11967	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25508	-42.73	-25	17.73	Pass	14502




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.19	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	965.677	-60.98	-25	35.98	Pass	9701
1000	2560	1	RMS	2560	-42.52	-25	17.52	Pass	1561
2560	2630	1	RMS	2570.5	22.43	60	37.57	Pass	401
2630	3000	1	RMS	2988.9	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11994	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25498	-42.87	-25	17.87	Pass	14502



12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	933.956	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2495	-47.78	-25	22.78	Pass	1561
2560	2630	1	RMS	2590.45	23.16	60	36.84	Pass	401
2630	3000	1	RMS	2991.675	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11999	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25502	-42.91	-25	17.91	Pass	14502



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.16	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	997.298	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2536	-47.79	-25	22.79	Pass	1561
2560	2630	1	RMS	2590.45	22.15	60	37.85	Pass	401
2630	3000	1	RMS	2993.525	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11987	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25502	-42.87	-25	17.87	Pass	14502



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.21	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	845.8	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2560	-47.81	-25	22.81	Pass	1561
2560	2630	1	RMS	2610.75	23.49	60	36.51	Pass	401
2630	3000	1	RMS	2630	-45.87	-25	20.87	Pass	401
3000	12000	1	RMS	11983	-47.68	-25	22.68	Pass	9002
12000	26500	1	RMS	25500	-42.86	-25	17.86	Pass	14502



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.15	-67.37	-25	42.37	Pass	2986
30	1000	0.1	RMS	996.698	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2505	-47.8	-25	22.8	Pass	1561
2560	2630	1	RMS	2610.75	22.65	60	37.35	Pass	401
2630	3000	1	RMS	2630	-45.54	-25	20.54	Pass	401
3000	12000	1	RMS	11991	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25497	-42.78	-25	17.78	Pass	14502



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	950.067	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2560	-40.15	-25	15.15	Pass	1561
2560	2630	1	RMS	2570.85	22.91	60	37.09	Pass	401
2630	3000	1	RMS	2997.225	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11988	-47.62	-25	22.62	Pass	9002
12000	26500	1	RMS	25520	-42.9	-25	17.9	Pass	14502



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	0.15	-67.5	-25	42.5	Pass	2986
30	1000	0.1	RMS	877.619	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2559	-40.17	-25	15.17	Pass	1561
2560	2630	1	RMS	2570.85	21.83	60	38.17	Pass	401
2630	3000	1	RMS	2997.225	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11983	-47.75	-25	22.75	Pass	9002
12000	26500	1	RMS	25500	-42.83	-25	17.83	Pass	14502



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.19	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	962.475	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2557	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2588.175	22.78	60	37.22	Pass	401
2630	3000	1	RMS	2990.75	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11994	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25496	-42.85	-25	17.85	Pass	14502



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.25	-69	-25	44	Pass	2986
30	1000	0.1	RMS	901.535	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2490	-47.82	-25	22.82	Pass	1561
2560	2630	1	RMS	2588.35	22.32	60	37.68	Pass	401
2630	3000	1	RMS	2999.075	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11988	-47.71	-25	22.71	Pass	9002
12000	26500	1	RMS	25501	-42.84	-25	17.84	Pass	14502



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	927.552	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2558	-47.85	-25	22.85	Pass	1561
2560	2630	1	RMS	2605.85	23.64	60	36.36	Pass	401
2630	3000	1	RMS	2631.85	-38.49	-25	13.49	Pass	401
3000	12000	1	RMS	11998	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25485	-42.86	-25	17.86	Pass	14502



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.17	-68.75	-25	43.75	Pass	2986
30	1000	0.1	RMS	995.397	-61.11	-25	36.11	Pass	9701
1000	2560	1	RMS	2559	-47.79	-25	22.79	Pass	1561
2560	2630	1	RMS	2605.85	22.63	60	37.37	Pass	401
2630	3000	1	RMS	2631.85	-38.55	-25	13.55	Pass	401
3000	12000	1	RMS	11997	-47.69	-25	22.69	Pass	9002
12000	26500	1	RMS	25503	-42.8	-25	17.8	Pass	14502



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.36	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	998.399	-61.07	-25	36.07	Pass	9701
1000	2560	1	RMS	2559	-40.44	-25	15.44	Pass	1561
2560	2630	1	RMS	2571.025	23.06	60	36.94	Pass	401
2630	3000	1	RMS	2989.825	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11991	-47.74	-25	22.74	Pass	9002
12000	26500	1	RMS	25500	-42.87	-25	17.87	Pass	14502



12.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.18	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	977.785	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2559	-40.97	-25	15.97	Pass	1561
2560	2630	1	RMS	2571.025	22.45	60	37.55	Pass	401
2630	3000	1	RMS	2993.525	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11993	-47.77	-25	22.77	Pass	9002
12000	26500	1	RMS	25497	-42.96	-25	17.96	Pass	14502



12.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.09	-25	43.09	Pass	401
0.15	30	0.01	RMS	0.48	-68.76	-25	43.76	Pass	2986
30	1000	0.1	RMS	995.197	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2551	-47.17	-25	22.17	Pass	1561
2560	2630	1	RMS	2586.25	23.1	60	36.9	Pass	401
2630	3000	1	RMS	2992.6	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11981	-47.82	-25	22.82	Pass	9002
12000	26500	1	RMS	25502	-42.82	-25	17.82	Pass	14502



12.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.18	-67.97	-25	42.97	Pass	2986
30	1000	0.1	RMS	972.081	-60.86	-25	35.86	Pass	9701
1000	2560	1	RMS	2551	-47.54	-25	22.54	Pass	1561
2560	2630	1	RMS	2586.075	21.68	60	38.32	Pass	401
2630	3000	1	RMS	2994.45	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11990	-47.79	-25	22.79	Pass	9002
12000	26500	1	RMS	25486	-42.9	-25	17.9	Pass	14502



12.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.99	-25	42.99	Pass	401
0.15	30	0.01	RMS	0.18	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	875.417	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2552	-47.77	-25	22.77	Pass	1561
2560	2630	1	RMS	2600.95	23.35	60	36.65	Pass	401
2630	3000	1	RMS	2630.925	-38.26	-25	13.26	Pass	401
3000	12000	1	RMS	11986	-47.76	-25	22.76	Pass	9002
12000	26500	1	RMS	25490	-42.93	-25	17.93	Pass	14502



12.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.36	-68.52	-25	43.52	Pass	2986
30	1000	0.1	RMS	968.779	-61.18	-25	36.18	Pass	9701
1000	2560	1	RMS	2550	-47.73	-25	22.73	Pass	1561
2560	2630	1	RMS	2601.125	22.02	60	37.98	Pass	401
2630	3000	1	RMS	2631.85	-38.14	-25	13.14	Pass	401
3000	12000	1	RMS	11955	-47.78	-25	22.78	Pass	9002
12000	26500	1	RMS	25499	-42.88	-25	17.88	Pass	14502



13. LTE_Band41 120M

**13.1 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.17	-25	43.17	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	846.7	-61.1	-25	36.1	Pass	9701
1000	2525	1	RMS	2525	-44.49	-25	19.49	Pass	1526
2525	2665	1	RMS	2535.15	22.25	60	37.75	Pass	401
2665	3000	1	RMS	2997.488	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11997	-47.62	-25	22.62	Pass	9002
12000	26500	1	RMS	25485	-32.57	-25	7.57	Pass	14502



13.2 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.2	-25	42.2	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	43.15	Pass	2986
30	1000	0.1	RMS	868.713	-61	-25	36	Pass	9701
1000	2525	1	RMS	2525	-44.51	-25	19.51	Pass	1526
2525	2665	1	RMS	2535.5	21.57	60	38.43	Pass	401
2665	3000	1	RMS	2989.95	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11989	-47.7	-25	22.7	Pass	9002
12000	26500	1	RMS	25489	-32.56	-25	7.56	Pass	14502

