

EXHIBIT 2

Attestation and Product Family Declaration

(Pursuant to FCC Part 2.907, 2.908 and RSP 100 Sec 4)

2.1 Statement of Certification

Transceiver type described herein (AZ489FT7182/109U-89FT7182) is in compliance with all applicable parts of the FCC rules and ISSED RSS standards.

Each unit manufactured, imported, or marketed will conform to the samples tested herein, within the statistical variations that can be expected due to high volume production and test measurement error.

NAME: Chuah Yih Jian

SIGNATURE:

A handwritten signature in black ink, appearing to be 'Chuah Yih Jian', written over a faint dotted line.

DATE: 7th October 2024

TITLE: Engineering Hardware Manager

2.2 Spectrum Efficiency Declaration

The device supports TDMA (F2) transmission with 12.5 kHz spacing. Each transmit slot is 30 ms long and it is followed by 30 ms standby / receive. Transmission in digital TDMA mode (according to 6.25e efficiency standard) allows improved spectrum utilization whereby the existing 12.5 kHz channel now allows two voice conversations to take place instead of one. Furthermore, the portable radio has an integrated voice & data feature that extends the capability of the system to send & receive data through conventional infrastructure.

This device is also capable of supporting a minimum data rate of 4800 bits per second per 6.25kHz channel bandwidth.

NAME: Chuah Yih Jian

SIGNATURE:

A handwritten signature in black ink, appearing to be 'Chuah Yih Jian', written over a faint, dotted signature line.

DATE: 7th October 2024

TITLE: Engineering Hardware Manager

2.3 Product Family Declaration

FCC Model Number	Hardware Version Identification Number (HVIN)	Product Marketing Name (PMN)	Software Version (FVIN)	Description
AAH07RDH9SA1AN	AAH07RDH9SA1AN	R5	D02.25.01.0010	400-512 MHz 4W LKP DISPLAY BT/WIFI
AAH07RDC9SA1AN	AAH07RDC9SA1AN	R5	D02.25.01.0010	400-512 MHz 4W NKP BT/WIFI
AAH07RDH9SA1AN-AMA2	AAH07RDH9SA1AN-AMA2	R5	D02.25.01.0010	400-512 MHz 4W LKP DISPLAY BT/WIFI

Note 1- Below models have the same software and are electrically the same except mechanically:
AAH07RDH9SA1AN and AAH07RDH9SA1AN-AMA2 are the Limited Keypad with Display Model,
AAH07RDC9SA1AN is the Non Keypad without Display Model.

Note 2- WiFi 2.4GHz and BT do not transmit at the same time as both use a common antenna.

Note 3- WiFi 2.4GHz and BT do not transmit at the same time as it is limited by WiFi/BT coexistence.

Note 4- WiFi 5GHz and 2.4GHz do not transmit at the same time as it is limited by Chip architecture.

NAME: Chuah Yih Jian

SIGNATURE:



DATE: 7th October 2024

TITLE: Engineering Hardware Manager