



1.5 Describe The Magin Lierary A o notice any that common the UES was not brough again or

Accimical workship genome.
They is epithopial coloring serger likes influenced ADEMPTS\_2 ACCPUT united between orderings. ways not be replaced by risking place control pay with convenient powerful and and safe figures. Through the mobile and you can easily and quickly cand at the color brightness and

color temperature of the LES light and floo over also well natural fraction greater, and manufact ED light bed floors with the stopic (Forlier, year beautiful LES light basis). presented out formers the mobile prome Waglic Lotton temp against efficient combinion Affairs common one or more LED light band controllers formige discretion as as to half for revision and trage and common of multiple LED light bands. Describe in any single, stay to italy and see 1.2.74states

Adjust optor LED strips with NO.000 colors to strange outer and brightness and educt receive have LSD stops to change propheres and coop temperature.

Pay rectific must be hard or a second prophere dynine, populated for Eght. change fre-color and brightness with the Hythm of music the music rights

founds multiple actives mode for outer sharing and control (ED) arrors without reside Link distance contributes when distance of enteres and many re-many prise.

### March and sale automatic commercial

1.5 Performance
Maga: Langer AFF has poid year of year and competitivity. The actual testing and omification of fundants of trabile objects in computation and the current market. Most adversification APP is omail and provinces, 2 consumes two system resources. as the region time for of the mostle configuration are few Control token to wealt. He specially to be good high control to except with people's count opens. A Oppositing Environment

The APP program requires phones of system above Animal 4.3 and 406 K.0 Million phones configuration is not comple. 1. Surbactions

the known it verylon as all evaluation.

## 5.1 APP Dewaltons

104 and Anthrol assistes per disenting the "Magic Latinos" APP to approve the QR code. Class the dropper of other radio will "Scar QR code" scalable, scan the Magic Labour "QR code as below.



Affect the colleges is instalted and Statement of European Lab

### 3.2 App Connetton

(3) Like in the Wage Lanten APP was noted by APP page.



After entering the left-interface of Brannach is not enabled. "Infoot Magn-Lander to Business P. Classificat

(II) make the color and harphoons in earth or










(8) Switch to the incompliance dryther interface:



# Game atmosphere light T505

Instruction



# Instruction



### Basic parameters :

Controlling method: APP/RF Type/key board type Working temperature: -20degrees to - 60degrees

Power | LIW/Fire Power supply vultage : DCSV J. Each DCSV.3A power supply can load 15pcs mediates.)F need more

Applied places study room, heleg room, befroom, right slub or Bes ETV, gym, music har or restaurant, soffee shop and other home and communical places.

# **Product Characteristics**

Support mobile APP control, support 103 and Android system



李
















Stay turned for more smart interactive featured

# Installation instructions



2. Remove the release paper on one side of the double-sided non-marking adhesive, LOCK the double-sided adhesive to the center of the back of the module, and remove the release paper on the other stille of the eco-marking adhesive before installation. (This step is pesitted for dasktop installation).

1. First locate the drive control live extrance module, then insert the arrow pointing and of the consecting piece (NEXT end) who the cascade module, and insert the "PRE" end of the connecting piece into the previous module according to the sequence of the recording plus to complete the restallation.

4. Insert the USB and of the drive control line into the first module, and then plug the other and of the drive control live into any signal output port corresponding to the pickup, and power the power adapter to complete the installation.



## Connection manual

# DIY any assembly style





Please read carefully before using the product

made in china



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure statement

The device has been evaluated to meel general RF exposure requirement. The device can be used in portable exposure condition without restriction.