

Exhibit H: FCC ID Label & Location

FCC ID: HN2EASYLAN

PROGRAM SWITCH SETTINGS

0 = OFF
1 = ON

	TOP	1	2	3	4	5	6	7	8	BOTTOM	1	2	3	4	5	6	7	8
BAUD RATE																		
57600	0	1	1															
38400	1	0	1															
19200	0	0	0															
* 9600	1	0	0															
4800	0	1	0															
2400	1	1	0															
1200	0	0	1															
RESERVED	1	1	1															
PARITY																		
* EVEN	0	0																
ODD	1	0																
NONE	0	1																
WORD LENGTH																		
* 7 BITS	0																	
8 BITS	1																	
UNUSED																		

* INDICATES FACTORY DEFAULT SETTING

Intermec Technologies Corporation
Everett, WA 98203

Model 3400

SERVICE & SUPPORT
USA 1-800-755-5505
CANADA 1-800-668-7043
Others contact your local
Service Representative.

THIS EQUIPMENT COMPLIES WITH:
CET APPAREIL EST EN CONFORMITE AVEC:
USA: FCC PART 15 RULES
CANADA: ICES-003 CLASS B
SEE MANUAL
REFEREZ-VOUS A LA DOCUMENTATION
CISPR 22 CLASS B
MADE IN U.S.A.

3400E01400400
34400100108

CAUTION: CONTAINS HAZARDOUS VOLTAGES.
NO USER-SERVICEABLE PARTS INSIDE.

ATTENTION: TENSIONS DANGEREUSES A
L'INTERIEUR. CET APPAREIL NE CONTIENT
AUCUNE PIECE QUE L'UTILISATEUR
PUISSE REPARER.

VORSICHT! ENTHALT HOHE,
LEBENSGEFAHRliche SPANNUNG, KEINE VOM
VERBRAUCHER ZU BEDIENENDEN TEILE.

PELIGRO: ALTO VOLTAJE, NINGUNA
PARTE DEL EQUIPO PUEDE SER REPARADA
POR EL USUARIO.

729T
I.T.E.
~ 120V
2A
50-60 Hz
~ 127V
2A
50-60 Hz

CE

MAX.
PRINT
DARKNESS
MIN.
TOP
BOTTOM
(ON 1)
(OFF 0)

This printer contains:
Radio Model EasyLAN
FCC ID: H98EALAN
Canada: 1223 XXX XXXX
ISC: RSS/CHN 210

CE

RS232C

NETWORK CABLE INSTALLED
PARALLEL CABLE IS DISABLED

V.O. OPTION



MAX.
PRINT
DARKNESS
MIN.

(OFF)
0

This printer contains:
Radio Model EasyLAN
FCC ID: HN2EASYLAN
Canada: 1223 XXX XXXX
ISC: RSS/CNR 210

Complies with
(En conformité avec):
USA: FCC Part 15
Canada: ICES-003
See Manual
(Référez-vous à la documentation)



I/O OPTION

RS232

NETWORK CARD INSTALLED
PARALLEL PORT IS DISABLED

