



|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 68             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5500MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11000.000      | 43.338                | 41.304              | -30.662        | 74.000        | 2.033      | PK   |
| 2  | *    | 16500.000      | 47.148                | 38.409              | -26.852        | 74.000        | 8.739      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 69             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11160.000      | 42.105                | 39.889              | -31.895        | 74.000        | 2.216      | PK   |
| 2  | *    | 16740.000      | 45.904                | 37.548              | -28.096        | 74.000        | 8.356      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 70             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5580MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11160.000      | 42.995                | 40.779              | -31.005        | 74.000        | 2.216      | PK   |
| 2  | *    | 16740.000      | 46.157                | 37.801              | -27.843        | 74.000        | 8.356      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 71             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11400.000      | 42.518                | 39.334              | -31.482        | 74.000        | 3.184      | PK   |
| 2  | *    | 17100.000      | 46.887                | 39.797              | -27.113        | 74.000        | 7.090      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 72             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5700MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11400.000      | 42.648                | 39.464              | -31.352        | 74.000        | 3.184      | PK   |
| 2  | *    | 17100.000      | 46.024                | 38.934              | -27.976        | 74.000        | 7.090      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 73             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5720MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11440.000      | 42.756                | 39.332              | -31.244        | 74.000        | 3.424      | PK   |
| 2  | *    | 17160.000      | 45.722                | 38.265              | -28.278        | 74.000        | 7.457      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 74             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5720MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11440.000      | 44.133                | 40.709              | -29.867        | 74.000        | 3.424      | PK   |
| 2  | *    | 17160.000      | 45.300                | 37.843              | -28.700        | 74.000        | 7.457      | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 75             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11020.000      | 42.598                | 40.371              | -31.402        | 74.000        | 2.226      | PK   |
| 2  | *    | 16530.000      | 48.799                | 39.976              | -25.201        | 74.000        | 8.823      | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 76             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5510MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11020.000      | 43.352                | 41.125              | -30.648        | 74.000        | 2.226      | PK   |
| 2  | *    | 16530.000      | 46.255                | 37.432              | -27.745        | 74.000        | 8.823      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 77             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11180.000      | 42.827                | 40.443              | -31.173        | 74.000        | 2.383      | PK   |
| 2  | *    | 16770.000      | 47.777                | 39.950              | -26.223        | 74.000        | 7.827      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 78             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5590MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11180.000      | 43.515                | 41.131              | -30.485        | 74.000        | 2.383      | PK   |
| 2  | *    | 16770.000      | 47.488                | 39.661              | -26.512        | 74.000        | 7.827      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 79             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11340.000      | 41.994                | 38.966              | -32.006        | 74.000        | 3.028      | PK   |
| 2  | *    | 17010.000      | 47.249                | 39.669              | -26.751        | 74.000        | 7.581      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 80             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5670MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11340.000      | 43.132                | 40.104              | -30.868        | 74.000        | 3.028      | PK   |
| 2  | *    | 17010.000      | 46.791                | 39.211              | -27.209        | 74.000        | 7.581      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 81             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:02 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11000.000      | 42.964                | 40.930              | -31.036        | 74.000        | 2.033      | PK   |
| 2  | *    | 16500.000      | 47.762                | 39.023              | -26.238        | 74.000        | 8.739      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 82             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5500MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11000.000      | 42.864                | 40.830              | -31.136        | 74.000        | 2.033      | PK   |
| 2  | *    | 16500.000      | 46.330                | 37.591              | -27.670        | 74.000        | 8.739      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 83             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11160.000      | 42.763                | 40.547              | -31.237        | 74.000        | 2.216      | PK   |
| 2  | *    | 16740.000      | 46.373                | 38.017              | -27.627        | 74.000        | 8.356      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 84             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5580MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11160.000      | 42.118                | 39.902              | -31.882        | 74.000        | 2.216      | PK   |
| 2  | *    | 16740.000      | 46.228                | 37.872              | -27.772        | 74.000        | 8.356      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 85             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11400.000      | 43.671                | 40.487              | -30.329        | 74.000        | 3.184      | PK   |
| 2  | *    | 17100.000      | 44.957                | 37.867              | -29.043        | 74.000        | 7.090      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 86             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5700MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11400.000      | 42.264                | 39.080              | -31.736        | 74.000        | 3.184      | PK   |
| 2  | *    | 17100.000      | 47.355                | 40.265              | -26.645        | 74.000        | 7.090      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 87             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11440.000      | 44.435                | 41.011              | -29.565        | 74.000        | 3.424      | PK   |
| 2  | *    | 17160.000      | 45.564                | 38.107              | -28.436        | 74.000        | 7.457      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 88             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5720MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11440.000      | 45.310                | 41.886              | -28.690        | 74.000        | 3.424      | PK   |
| 2  | *    | 17160.000      | 46.171                | 38.714              | -27.829        | 74.000        | 7.457      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 89             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11020.000      | 43.219                | 40.992              | -30.781        | 74.000        | 2.226      | PK   |
| 2  | *    | 16530.000      | 46.809                | 37.986              | -27.191        | 74.000        | 8.823      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 90             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5510MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11020.000      | 41.377                | 39.150              | -32.623        | 74.000        | 2.226      | PK   |
| 2  | *    | 16530.000      | 47.105                | 38.282              | -26.895        | 74.000        | 8.823      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 91             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11180.000      | 43.606                | 41.222              | -30.394        | 74.000        | 2.383      | PK   |
| 2  | *    | 16770.000      | 46.161                | 38.334              | -27.839        | 74.000        | 7.827      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 92             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5590MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11180.000      | 43.220                | 40.836              | -30.780        | 74.000        | 2.383      | PK   |
| 2  | *    | 16770.000      | 46.721                | 38.894              | -27.279        | 74.000        | 7.827      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 93             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11340.000      | 43.368                | 40.340              | -30.632        | 74.000        | 3.028      | PK   |
| 2  | *    | 17010.000      | 46.788                | 39.208              | -27.212        | 74.000        | 7.581      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 94             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5670MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11340.000      | 42.697                | 39.669              | -31.303        | 74.000        | 3.028      | PK   |
| 2  | *    | 17010.000      | 46.470                | 38.890              | -27.530        | 74.000        | 7.581      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 95             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11060.000      | 42.566                | 40.509              | -31.434        | 74.000        | 2.057      | PK   |
| 2  | *    | 16590.000      | 47.353                | 37.928              | -26.647        | 74.000        | 9.426      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 96             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:03 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5530MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11060.000      | 42.610                | 40.553              | -31.390        | 74.000        | 2.057      | PK   |
| 2  | *    | 16590.000      | 47.173                | 37.748              | -26.827        | 74.000        | 9.426      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 99             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11000.000      | 41.929                | 39.895              | -32.071        | 74.000        | 2.033      | PK   |
| 2  | *    | 16500.000      | 46.959                | 38.220              | -27.041        | 74.000        | 8.739      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 100            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5500MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11000.000      | 43.706                | 41.672              | -30.294        | 74.000        | 2.033      | PK   |
| 2  | *    | 16500.000      | 46.814                | 38.075              | -27.186        | 74.000        | 8.739      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 101            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11160.000      | 42.257                | 40.041              | -31.743        | 74.000        | 2.216      | PK   |
| 2  | *    | 16740.000      | 46.124                | 37.768              | -27.876        | 74.000        | 8.356      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 102            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5580MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11160.000      | 43.170                | 40.954              | -30.830        | 74.000        | 2.216      | PK   |
| 2  | *    | 16740.000      | 47.250                | 38.894              | -26.750        | 74.000        | 8.356      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 103            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11400.000      | 42.123                | 38.939              | -31.877        | 74.000        | 3.184      | PK   |
| 2  | *    | 17100.000      | 45.761                | 38.671              | -28.239        | 74.000        | 7.090      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 104            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5700MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11400.000      | 42.498                | 39.314              | -31.502        | 74.000        | 3.184      | PK   |
| 2  | *    | 17100.000      | 45.806                | 38.716              | -28.194        | 74.000        | 7.090      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 105            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11440.000      | 44.424                | 41.000              | -29.576        | 74.000        | 3.424      | PK   |
| 2  | *    | 17160.000      | 45.959                | 38.502              | -28.041        | 74.000        | 7.457      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 106            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5720MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11440.000      | 43.614                | 40.190              | -30.386        | 74.000        | 3.424      | PK   |
| 2  | *    | 17160.000      | 45.384                | 37.927              | -28.616        | 74.000        | 7.457      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 107            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11020.000      | 41.832                | 39.605              | -32.168        | 74.000        | 2.226      | PK   |
| 2  | *    | 16530.000      | 47.391                | 38.568              | -26.609        | 74.000        | 8.823      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 108            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5510MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11020.000      | 43.421                | 41.194              | -30.579        | 74.000        | 2.226      | PK   |
| 2  | *    | 16530.000      | 46.601                | 37.778              | -27.399        | 74.000        | 8.823      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 109            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11180.000      | 43.430                | 41.046              | -30.570        | 74.000        | 2.383      | PK   |
| 2  | *    | 16770.000      | 46.944                | 39.117              | -27.056        | 74.000        | 7.827      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 110            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5590MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11180.000      | 43.143                | 40.759              | -30.857        | 74.000        | 2.383      | PK   |
| 2  | *    | 16770.000      | 46.051                | 38.224              | -27.949        | 74.000        | 7.827      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 111            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11340.000      | 42.329                | 39.301              | -31.671        | 74.000        | 3.028      | PK   |
| 2  | *    | 17010.000      | 47.927                | 40.347              | -26.073        | 74.000        | 7.581      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 112            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5670MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11340.000      | 43.118                | 40.090              | -30.882        | 74.000        | 3.028      | PK   |
| 2  | *    | 17010.000      | 47.188                | 39.608              | -26.812        | 74.000        | 7.581      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 113            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11060.000      | 42.437                | 40.380              | -31.563        | 74.000        | 2.057      | PK   |
| 2  | *    | 16590.000      | 47.934                | 38.509              | -26.066        | 74.000        | 9.426      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 114            |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 16:04 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5530MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11060.000      | 42.618                | 40.561              | -31.382        | 74.000        | 2.057      | PK   |
| 2  | *    | 16590.000      | 46.761                | 37.336              | -27.239        | 74.000        | 9.426      | PK   |

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                       | Page No.: 115            |
| Engineer: Neil                                          |                          |
| Site: AC5                                               | Time: 2021/01/16 - 16:05 |
| Limit: FCC_Part15.209_RE(3m)                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                      | Polarity: Horizontal     |
| EUT: AP510CX                                            | Power: PoE -48V          |
| Note: Mode 10 : Transmit at 5570MHz by 802.11ax(160MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11140.000      | 42.627                | 40.424              | -31.373        | 74.000        | 2.203      | PK   |
| 2  | *    | 16710.000      | 45.183                | 36.793              | -28.817        | 74.000        | 8.390      | PK   |

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                       | Page No.: 116            |
| Engineer: Neil                                          |                          |
| Site: AC5                                               | Time: 2021/01/16 - 16:05 |
| Limit: FCC_Part15.209_RE(3m)                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                      | Polarity: Vertical       |
| EUT: AP510CX                                            | Power: PoE -48V          |
| Note: Mode 10 : Transmit at 5570MHz by 802.11ax(160MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11140.000      | 42.810                | 40.607              | -31.190        | 74.000        | 2.203      | PK   |
| 2  | *    | 16710.000      | 46.706                | 38.316              | -27.294        | 74.000        | 8.390      | PK   |


|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 20B0117R                             | Page No.: 41             |
| Engineer: Neil                                |                          |
| Site: AC5                                     | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: AP510CX                                  | Power: PoE -48V          |
| Note: Mode 1 : Transmit at 5745MHz by 802.11a |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.888                | 41.063              | -30.112        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 45.747                | 37.917              | -28.253        | 74.000        | 7.830      | PK   |




|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 20B0117R                             | Page No.: 42             |
| Engineer: Neil                                |                          |
| Site: AC5                                     | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: AP510CX                                  | Power: PoE -48V          |
| Note: Mode 1 : Transmit at 5745MHz by 802.11a |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.527                | 40.702              | -30.473        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 46.819                | 38.989              | -27.181        | 74.000        | 7.830      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 20B0117R                             | Page No.: 43             |
| Engineer: Neil                                |                          |
| Site: AC5                                     | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: AP510CX                                  | Power: PoE -48V          |
| Note: Mode 1 : Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 44.166                | 40.849              | -29.834        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 45.746                | 37.722              | -28.254        | 74.000        | 8.023      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 20B0117R                             | Page No.: 44             |
| Engineer: Neil                                |                          |
| Site: AC5                                     | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: AP510CX                                  | Power: PoE -48V          |
| Note: Mode 1 : Transmit at 5785MHz by 802.11a |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 43.473                | 40.156              | -30.527        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 46.628                | 38.604              | -27.372        | 74.000        | 8.023      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 20B0117R                             | Page No.: 45             |
| Engineer: Neil                                |                          |
| Site: AC5                                     | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: AP510CX                                  | Power: PoE -48V          |
| Note: Mode 1 : Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 43.796                | 40.482              | -30.204        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 46.831                | 38.745              | -27.169        | 74.000        | 8.086      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Profile: 20B0117R                             | Page No.: 46             |
| Engineer: Neil                                |                          |
| Site: AC5                                     | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: AP510CX                                  | Power: PoE -48V          |
| Note: Mode 1 : Transmit at 5825MHz by 802.11a |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 42.570                | 39.256              | -31.430        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 46.900                | 38.814              | -27.100        | 74.000        | 8.086      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 47             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.681                | 40.856              | -30.319        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 45.652                | 37.822              | -28.348        | 74.000        | 7.830      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 48             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:34 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5745MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.070                | 40.245              | -30.930        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 47.429                | 39.599              | -26.571        | 74.000        | 7.830      | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 49             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 43.810                | 40.493              | -30.190        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 45.348                | 37.324              | -28.652        | 74.000        | 8.023      | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 50             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5785MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 43.144                | 39.827              | -30.856        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 45.081                | 37.057              | -28.919        | 74.000        | 8.023      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 51             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 43.122                | 39.808              | -30.878        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 46.800                | 38.714              | -27.200        | 74.000        | 8.086      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 52             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5825MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 44.438                | 41.124              | -29.562        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 47.501                | 39.415              | -26.499        | 74.000        | 8.086      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 53             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11510.000      | 44.343                | 40.659              | -29.657        | 74.000        | 3.684      | PK   |
| 2  | *    | 17265.000      | 47.215                | 38.231              | -26.785        | 74.000        | 8.984      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 54             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5755MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11510.000      | 44.749                | 41.065              | -29.251        | 74.000        | 3.684      | PK   |
| 2  | *    | 17265.000      | 47.340                | 38.356              | -26.660        | 74.000        | 8.984      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 55             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11590.000      | 44.032                | 40.110              | -29.968        | 74.000        | 3.922      | PK   |
| 2  | *    | 17385.000      | 45.976                | 38.255              | -28.024        | 74.000        | 7.721      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 56             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5795MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11590.000      | 43.295                | 39.373              | -30.705        | 74.000        | 3.922      | PK   |
| 2  | *    | 17385.000      | 45.373                | 37.652              | -28.627        | 74.000        | 7.721      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 57             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.050                | 40.225              | -30.950        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 45.113                | 37.283              | -28.887        | 74.000        | 7.830      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 58             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5745MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.316                | 40.491              | -30.684        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 46.979                | 39.149              | -27.021        | 74.000        | 7.830      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 59             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 43.654                | 40.337              | -30.346        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 45.804                | 37.780              | -28.196        | 74.000        | 8.023      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 60             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5785MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 42.519                | 39.202              | -31.481        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 44.721                | 36.697              | -29.279        | 74.000        | 8.023      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 61             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 43.781                | 40.467              | -30.219        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 46.629                | 38.543              | -27.371        | 74.000        | 8.086      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 62             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5825MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 44.065                | 40.751              | -29.935        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 47.581                | 39.495              | -26.419        | 74.000        | 8.086      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 63             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11510.000      | 43.916                | 40.232              | -30.084        | 74.000        | 3.684      | PK   |
| 2  | *    | 17265.000      | 47.145                | 38.161              | -26.855        | 74.000        | 8.984      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 64             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5755MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11510.000      | 44.284                | 40.600              | -29.716        | 74.000        | 3.684      | PK   |
| 2  | *    | 17265.000      | 46.218                | 37.234              | -27.782        | 74.000        | 8.984      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 65             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11590.000      | 44.224                | 40.302              | -29.776        | 74.000        | 3.922      | PK   |
| 2  | *    | 17385.000      | 44.859                | 37.138              | -29.141        | 74.000        | 7.721      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 66             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5795MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11590.000      | 43.519                | 39.597              | -30.481        | 74.000        | 3.922      | PK   |
| 2  | *    | 17385.000      | 46.225                | 38.504              | -27.775        | 74.000        | 7.721      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 67             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11550.000      | 44.358                | 41.066              | -29.642        | 74.000        | 3.291      | PK   |
| 2  | *    | 17325.000      | 46.683                | 38.450              | -27.317        | 74.000        | 8.233      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 68             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5775MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11550.000      | 44.464                | 41.172              | -29.536        | 74.000        | 3.291      | PK   |
| 2  | *    | 17325.000      | 46.755                | 38.522              | -27.245        | 74.000        | 8.233      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 69             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 42.922                | 40.097              | -31.078        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 45.806                | 37.976              | -28.194        | 74.000        | 7.830      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 70             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5745MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11490.000      | 43.106                | 40.281              | -30.894        | 74.000        | 2.825      | PK   |
| 2  | *    | 17235.000      | 45.561                | 37.731              | -28.439        | 74.000        | 7.830      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 71             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 42.839                | 39.522              | -31.161        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 45.674                | 37.650              | -28.326        | 74.000        | 8.023      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 72             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5785MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11570.000      | 43.599                | 40.282              | -30.401        | 74.000        | 3.317      | PK   |
| 2  | *    | 17355.000      | 44.737                | 36.713              | -29.263        | 74.000        | 8.023      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 73             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 43.781                | 40.467              | -30.219        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 47.413                | 39.327              | -26.587        | 74.000        | 8.086      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 74             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5825MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11650.000      | 43.417                | 40.103              | -30.583        | 74.000        | 3.314      | PK   |
| 2  | *    | 17475.000      | 48.421                | 40.335              | -25.579        | 74.000        | 8.086      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 75             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11510.000      | 44.208                | 40.524              | -29.792        | 74.000        | 3.684      | PK   |
| 2  | *    | 17265.000      | 47.263                | 38.279              | -26.737        | 74.000        | 8.984      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 76             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5755MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11510.000      | 43.815                | 40.131              | -30.185        | 74.000        | 3.684      | PK   |
| 2  | *    | 17265.000      | 47.500                | 38.516              | -26.500        | 74.000        | 8.984      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 77             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11590.000      | 44.454                | 40.532              | -29.546        | 74.000        | 3.922      | PK   |
| 2  | *    | 17385.000      | 45.613                | 37.892              | -28.387        | 74.000        | 7.721      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 78             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5795MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11590.000      | 43.949                | 40.027              | -30.051        | 74.000        | 3.922      | PK   |
| 2  | *    | 17385.000      | 45.922                | 38.201              | -28.078        | 74.000        | 7.721      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 79             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11550.000      | 44.482                | 41.190              | -29.518        | 74.000        | 3.291      | PK   |
| 2  | *    | 17325.000      | 45.967                | 37.734              | -28.033        | 74.000        | 8.233      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 80             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5775MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 11550.000      | 42.980                | 39.688              | -31.020        | 74.000        | 3.291      | PK   |
| 2  | *    | 17325.000      | 46.118                | 37.885              | -27.882        | 74.000        | 8.233      | PK   |

## Dipole-ETH7 Beamforming 2TX


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 39             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:51 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 43.018                | 42.157              | -30.982        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 45.809                | 39.171              | -28.191        | 74.000        | 6.637      | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 40             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:51 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.926                | 42.065              | -31.074        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 45.641                | 39.003              | -28.359        | 74.000        | 6.637      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 41             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:51 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.287                | 41.415              | -31.713        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 47.624                | 39.062              | -26.376        | 74.000        | 8.563      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 42             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:51 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.090                | 41.218              | -31.910        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 46.603                | 38.041              | -27.397        | 74.000        | 8.563      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 43             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.538                | 41.425              | -31.462        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 46.434                | 37.874              | -27.566        | 74.000        | 8.561      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 44             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.787                | 41.674              | -31.213        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.378                | 38.818              | -26.622        | 74.000        | 8.561      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 45             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.438                | 41.784              | -31.562        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 45.670                | 37.953              | -28.330        | 74.000        | 7.716      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 46             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.073                | 41.419              | -31.927        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 45.817                | 38.100              | -28.183        | 74.000        | 7.716      | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 47             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 40.293                | 39.488              | -33.707        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.724                | 38.664              | -26.276        | 74.000        | 9.060      | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 48             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 39.680                | 38.875              | -34.320        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.728                | 38.668              | -26.272        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 49             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.713                | 41.852              | -31.287        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 46.068                | 39.430              | -27.932        | 74.000        | 6.637      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 50             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.650                | 41.789              | -31.350        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 45.192                | 38.554              | -28.808        | 74.000        | 6.637      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 51             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 43.234                | 42.362              | -30.766        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 47.222                | 38.660              | -26.778        | 74.000        | 8.563      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 52             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.685                | 41.813              | -31.315        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 47.330                | 38.768              | -26.670        | 74.000        | 8.563      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 53             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.035                | 40.922              | -31.965        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.935                | 39.375              | -26.065        | 74.000        | 8.561      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 54             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 43.413                | 42.300              | -30.587        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.428                | 38.868              | -26.572        | 74.000        | 8.561      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 55             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.042                | 41.388              | -31.958        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.438                | 38.721              | -27.562        | 74.000        | 7.716      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 56             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.050                | 41.396              | -31.950        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.585                | 38.868              | -27.415        | 74.000        | 7.716      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 57             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 41.336                | 40.531              | -32.664        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.951                | 38.891              | -26.049        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 58             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:52 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 42.335                | 41.530              | -31.665        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.321                | 38.261              | -26.679        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 59             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 42.086                | 41.232              | -31.914        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 46.539                | 38.510              | -27.461        | 74.000        | 8.028      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 60             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 40.761                | 39.907              | -33.239        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 46.430                | 38.401              | -27.570        | 74.000        | 8.028      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 63             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 41.796                | 40.935              | -32.204        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 45.880                | 39.242              | -28.120        | 74.000        | 6.637      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 64             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.285                | 41.424              | -31.715        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 46.262                | 39.624              | -27.738        | 74.000        | 6.637      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 65             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.151                | 41.279              | -31.849        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 46.833                | 38.271              | -27.167        | 74.000        | 8.563      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 66             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.205                | 41.333              | -31.795        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 46.617                | 38.055              | -27.383        | 74.000        | 8.563      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 67             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.430                | 41.317              | -31.570        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.319                | 38.759              | -26.681        | 74.000        | 8.561      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 68             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.466                | 41.353              | -31.534        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.969                | 39.409              | -26.031        | 74.000        | 8.561      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 69             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.562                | 41.908              | -31.438        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.102                | 38.385              | -27.898        | 74.000        | 7.716      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 70             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 41.838                | 41.184              | -32.162        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.981                | 39.264              | -27.019        | 74.000        | 7.716      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 71             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 40.799                | 39.994              | -33.201        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 48.182                | 39.122              | -25.818        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 72             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 41.827                | 41.022              | -32.173        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.418                | 38.358              | -26.582        | 74.000        | 9.060      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 73             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 41.515                | 40.661              | -32.485        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 47.043                | 39.014              | -26.957        | 74.000        | 8.028      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 74             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 11:53 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 42.440                | 41.586              | -31.560        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 47.370                | 39.341              | -26.630        | 74.000        | 8.028      | PK   |

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                       | Page No.: 75             |
| Engineer: Neil                                          |                          |
| Site: AC5                                               | Time: 2021/01/16 - 11:54 |
| Limit: FCC_Part15.209_RE(3m)                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                      | Polarity: Horizontal     |
| EUT: AP510CX                                            | Power: PoE -48V          |
| Note: Mode 20 : Transmit at 5250MHz by 802.11ax(160MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10500.000      | 41.450                | 40.797              | -32.550        | 74.000        | 0.652      | PK   |
| 2  | *    | 15750.000      | 46.486                | 38.743              | -27.514        | 74.000        | 7.742      | PK   |

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                       | Page No.: 76             |
| Engineer: Neil                                          |                          |
| Site: AC5                                               | Time: 2021/01/16 - 11:54 |
| Limit: FCC_Part15.209_RE(3m)                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                      | Polarity: Vertical       |
| EUT: AP510CX                                            | Power: PoE -48V          |
| Note: Mode 20 : Transmit at 5250MHz by 802.11ax(160MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10500.000      | 41.507                | 40.854              | -32.493        | 74.000        | 0.652      | PK   |
| 2  | *    | 15750.000      | 46.020                | 38.277              | -27.980        | 74.000        | 7.742      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 35             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10520.000      | 42.325                | 40.591              | -31.675        | 74.000        | 1.735      | PK   |
| 2  | *    | 15780.000      | 46.971                | 38.131              | -27.029        | 74.000        | 8.840      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 36             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:05 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5260MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10520.000      | 42.446                | 40.712              | -31.554        | 74.000        | 1.735      | PK   |
| 2  | *    | 15780.000      | 48.189                | 39.349              | -25.811        | 74.000        | 8.840      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 37             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10560.000      | 42.181                | 40.865              | -31.819        | 74.000        | 1.316      | PK   |
| 2  | *    | 15840.000      | 47.127                | 38.902              | -26.873        | 74.000        | 8.226      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 38             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5280MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10560.000      | 41.991                | 40.675              | -32.009        | 74.000        | 1.316      | PK   |
| 2  | *    | 15840.000      | 47.280                | 39.055              | -26.720        | 74.000        | 8.226      | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 39             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10640.000      | 42.711                | 40.877              | -31.289        | 74.000        | 1.834      | PK   |
| 2  | *    | 15960.000      | 47.527                | 39.315              | -26.473        | 74.000        | 8.212      | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 40             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5320MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10640.000      | 42.087                | 40.253              | -31.913        | 74.000        | 1.834      | PK   |
| 2  | *    | 15960.000      | 47.319                | 39.107              | -26.681        | 74.000        | 8.212      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 41             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10540.000      | 43.153                | 41.801              | -30.847        | 74.000        | 1.351      | PK   |
| 2  | *    | 15810.000      | 46.134                | 37.195              | -27.866        | 74.000        | 8.939      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 42             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5270MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10540.000      | 43.528                | 42.176              | -30.472        | 74.000        | 1.351      | PK   |
| 2  | *    | 15810.000      | 47.567                | 38.628              | -26.433        | 74.000        | 8.939      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 43             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10620.000      | 42.219                | 41.000              | -31.781        | 74.000        | 1.219      | PK   |
| 2  | *    | 15930.000      | 48.195                | 39.267              | -25.805        | 74.000        | 8.928      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 44             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5310MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10620.000      | 42.067                | 40.848              | -31.933        | 74.000        | 1.219      | PK   |
| 2  | *    | 15930.000      | 47.844                | 38.916              | -26.156        | 74.000        | 8.928      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 45             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10520.000      | 43.165                | 41.431              | -30.835        | 74.000        | 1.735      | PK   |
| 2  | *    | 15780.000      | 46.566                | 37.726              | -27.434        | 74.000        | 8.840      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 46             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5260MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10520.000      | 43.627                | 41.893              | -30.373        | 74.000        | 1.735      | PK   |
| 2  | *    | 15780.000      | 47.836                | 38.996              | -26.164        | 74.000        | 8.840      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 47             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10560.000      | 42.698                | 41.382              | -31.302        | 74.000        | 1.316      | PK   |
| 2  | *    | 15840.000      | 46.567                | 38.342              | -27.433        | 74.000        | 8.226      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 48             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5280MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10560.000      | 41.405                | 40.089              | -32.595        | 74.000        | 1.316      | PK   |
| 2  | *    | 15840.000      | 47.128                | 38.903              | -26.872        | 74.000        | 8.226      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 49             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10640.000      | 42.867                | 41.033              | -31.133        | 74.000        | 1.834      | PK   |
| 2  | *    | 15960.000      | 47.380                | 39.168              | -26.620        | 74.000        | 8.212      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 50             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5320MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10640.000      | 42.779                | 40.945              | -31.221        | 74.000        | 1.834      | PK   |
| 2  | *    | 15960.000      | 46.861                | 38.649              | -27.139        | 74.000        | 8.212      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 51             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10540.000      | 43.662                | 42.310              | -30.338        | 74.000        | 1.351      | PK   |
| 2  | *    | 15810.000      | 47.993                | 39.054              | -26.007        | 74.000        | 8.939      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 52             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:06 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5270MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10540.000      | 43.574                | 42.222              | -30.426        | 74.000        | 1.351      | PK   |
| 2  | *    | 15810.000      | 47.562                | 38.623              | -26.438        | 74.000        | 8.939      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 53             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10620.000      | 43.713                | 42.494              | -30.287        | 74.000        | 1.219      | PK   |
| 2  | *    | 15930.000      | 47.578                | 38.650              | -26.422        | 74.000        | 8.928      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 54             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5310MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10620.000      | 43.012                | 41.793              | -30.988        | 74.000        | 1.219      | PK   |
| 2  | *    | 15930.000      | 47.565                | 38.637              | -26.435        | 74.000        | 8.928      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 55             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10580.000      | 41.739                | 40.296              | -32.261        | 74.000        | 1.444      | PK   |
| 2  | *    | 15870.000      | 47.490                | 38.737              | -26.510        | 74.000        | 8.753      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 56             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5290MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10580.000      | 42.540                | 41.097              | -31.460        | 74.000        | 1.444      | PK   |
| 2  | *    | 15870.000      | 46.770                | 38.017              | -27.230        | 74.000        | 8.753      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 57             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10520.000      | 43.070                | 41.336              | -30.930        | 74.000        | 1.735      | PK   |
| 2  | *    | 15780.000      | 46.819                | 37.979              | -27.181        | 74.000        | 8.840      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 58             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5260MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10520.000      | 42.079                | 40.345              | -31.921        | 74.000        | 1.735      | PK   |
| 2  | *    | 15780.000      | 46.628                | 37.788              | -27.372        | 74.000        | 8.840      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 59             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10560.000      | 42.929                | 41.613              | -31.071        | 74.000        | 1.316      | PK   |
| 2  | *    | 15840.000      | 48.683                | 40.458              | -25.317        | 74.000        | 8.226      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 60             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5280MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10560.000      | 42.335                | 41.019              | -31.665        | 74.000        | 1.316      | PK   |
| 2  | *    | 15840.000      | 48.207                | 39.982              | -25.793        | 74.000        | 8.226      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 61             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10640.000      | 43.898                | 42.064              | -30.102        | 74.000        | 1.834      | PK   |
| 2  | *    | 15960.000      | 47.329                | 39.117              | -26.671        | 74.000        | 8.212      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 62             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5320MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10640.000      | 42.984                | 41.150              | -31.016        | 74.000        | 1.834      | PK   |
| 2  | *    | 15960.000      | 46.781                | 38.569              | -27.219        | 74.000        | 8.212      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 63             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10540.000      | 42.662                | 41.310              | -31.338        | 74.000        | 1.351      | PK   |
| 2  | *    | 15810.000      | 47.988                | 39.049              | -26.012        | 74.000        | 8.939      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 64             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5270MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10540.000      | 43.147                | 41.795              | -30.853        | 74.000        | 1.351      | PK   |
| 2  | *    | 15810.000      | 47.277                | 38.338              | -26.723        | 74.000        | 8.939      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 65             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10620.000      | 42.772                | 41.553              | -31.228        | 74.000        | 1.219      | PK   |
| 2  | *    | 15930.000      | 48.069                | 39.141              | -25.931        | 74.000        | 8.928      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 66             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5310MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10620.000      | 42.632                | 41.413              | -31.368        | 74.000        | 1.219      | PK   |
| 2  | *    | 15930.000      | 47.995                | 39.067              | -26.005        | 74.000        | 8.928      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 67             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10580.000      | 41.472                | 40.029              | -32.528        | 74.000        | 1.444      | PK   |
| 2  | *    | 15870.000      | 47.317                | 38.564              | -26.683        | 74.000        | 8.753      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 68             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 13:07 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5290MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10580.000      | 41.767                | 40.324              | -32.233        | 74.000        | 1.444      | PK   |
| 2  | *    | 15870.000      | 48.508                | 39.755              | -25.492        | 74.000        | 8.753      | PK   |


## Dipole-ETH6 Beamforming 2TX

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 39             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:24 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 44.502                | 43.641              | -29.498        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 46.003                | 39.365              | -27.997        | 74.000        | 6.637      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 40             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5180MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.898                | 42.037              | -31.102        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 47.513                | 40.875              | -26.487        | 74.000        | 6.637      | PK   |


|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 41             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.746                | 41.874              | -31.254        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 47.270                | 38.708              | -26.730        | 74.000        | 8.563      | PK   |




|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 42             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5200MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 43.152                | 42.280              | -30.848        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 47.155                | 38.593              | -26.845        | 74.000        | 8.563      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 43             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.850                | 41.737              | -31.150        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 46.930                | 38.370              | -27.070        | 74.000        | 8.561      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 44             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 2 : Transmit at 5240MHz by 802.11n(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.857                | 41.744              | -31.143        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 46.472                | 37.912              | -27.528        | 74.000        | 8.561      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 45             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.596                | 41.942              | -31.404        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.983                | 39.266              | -27.017        | 74.000        | 7.716      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 46             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5190MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 41.422                | 40.768              | -32.578        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.107                | 38.390              | -27.893        | 74.000        | 7.716      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 47             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Horizontal     |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 41.239                | 40.434              | -32.761        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 48.383                | 39.323              | -25.617        | 74.000        | 9.060      | PK   |

|                                                      |                          |
|------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                    | Page No.: 48             |
| Engineer: Neil                                       |                          |
| Site: AC5                                            | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                         | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                   | Polarity: Vertical       |
| EUT: AP510CX                                         | Power: PoE -48V          |
| Note: Mode 3 : Transmit at 5230MHz by 802.11n(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 40.569                | 39.764              | -33.431        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 49.250                | 40.190              | -24.750        | 74.000        | 9.060      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 49             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.642                | 41.781              | -31.358        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 45.950                | 39.312              | -28.050        | 74.000        | 6.637      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 50             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5180MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 41.917                | 41.056              | -32.083        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 46.081                | 39.443              | -27.919        | 74.000        | 6.637      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 51             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.305                | 41.433              | -31.695        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 46.734                | 38.172              | -27.266        | 74.000        | 8.563      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 52             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5200MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.219                | 41.347              | -31.781        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 47.328                | 38.766              | -26.672        | 74.000        | 8.563      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 53             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 43.061                | 41.948              | -30.939        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.079                | 38.519              | -26.921        | 74.000        | 8.561      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 54             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 4 : Transmit at 5240MHz by 802.11ac(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 44.155                | 43.042              | -29.845        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 46.308                | 37.748              | -27.692        | 74.000        | 8.561      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 55             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 43.057                | 42.403              | -30.943        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.120                | 38.403              | -27.880        | 74.000        | 7.716      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 56             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5190MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 43.165                | 42.511              | -30.835        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.355                | 38.638              | -27.645        | 74.000        | 7.716      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 57             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 41.565                | 40.760              | -32.435        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.528                | 38.468              | -26.472        | 74.000        | 9.060      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 58             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 5 : Transmit at 5230MHz by 802.11ac(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 41.089                | 40.284              | -32.911        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.253                | 38.193              | -26.747        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 59             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 41.370                | 40.516              | -32.630        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 48.416                | 40.387              | -25.584        | 74.000        | 8.028      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 60             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 6 : Transmit at 5210MHz by 802.11ac(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 42.699                | 41.845              | -31.301        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 47.470                | 39.441              | -26.530        | 74.000        | 8.028      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 63             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.425                | 41.564              | -31.575        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 47.486                | 40.848              | -26.514        | 74.000        | 6.637      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 64             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5180MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10360.000      | 42.463                | 41.602              | -31.537        | 74.000        | 0.860      | PK   |
| 2  | *    | 15540.000      | 45.868                | 39.230              | -28.132        | 74.000        | 6.637      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 65             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.934                | 42.062              | -31.066        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 46.636                | 38.074              | -27.364        | 74.000        | 8.563      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 66             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5200MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10400.000      | 42.401                | 41.529              | -31.599        | 74.000        | 0.871      | PK   |
| 2  | *    | 15600.000      | 46.433                | 37.871              | -27.567        | 74.000        | 8.563      | PK   |


|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 67             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.953                | 41.840              | -31.047        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 47.792                | 39.232              | -26.208        | 74.000        | 8.561      | PK   |




|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 68             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 7 : Transmit at 5240MHz by 802.11ax(20MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10480.000      | 42.490                | 41.377              | -31.510        | 74.000        | 1.114      | PK   |
| 2  | *    | 15720.000      | 46.108                | 37.548              | -27.892        | 74.000        | 8.561      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 69             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.918                | 42.264              | -31.082        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 45.759                | 38.042              | -28.241        | 74.000        | 7.716      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 70             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5190MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10380.000      | 42.427                | 41.773              | -31.573        | 74.000        | 0.654      | PK   |
| 2  | *    | 15570.000      | 46.716                | 38.999              | -27.284        | 74.000        | 7.716      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 71             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 42.572                | 41.767              | -31.428        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.874                | 38.814              | -26.126        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 72             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 8 : Transmit at 5230MHz by 802.11ax(40MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10460.000      | 40.685                | 39.880              | -33.315        | 74.000        | 0.805      | PK   |
| 2  | *    | 15690.000      | 47.020                | 37.960              | -26.980        | 74.000        | 9.060      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 73             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:27 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Horizontal     |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) |                          |




| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 41.410                | 40.556              | -32.590        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 46.611                | 38.582              | -27.389        | 74.000        | 8.028      | PK   |

|                                                       |                          |
|-------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                     | Page No.: 74             |
| Engineer: Neil                                        |                          |
| Site: AC5                                             | Time: 2021/01/16 - 14:27 |
| Limit: FCC_Part15.209_RE(3m)                          | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                    | Polarity: Vertical       |
| EUT: AP510CX                                          | Power: PoE -48V          |
| Note: Mode 9 : Transmit at 5210MHz by 802.11ax(80MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10420.000      | 41.429                | 40.575              | -32.571        | 74.000        | 0.855      | PK   |
| 2  | *    | 15630.000      | 46.657                | 38.628              | -27.343        | 74.000        | 8.028      | PK   |

|                                                         |                          |
|---------------------------------------------------------|--------------------------|
| Profile: 20B0117R                                       | Page No.: 75             |
| Engineer: Neil                                          |                          |
| Site: AC5                                               | Time: 2021/01/16 - 14:27 |
| Limit: FCC_Part15.209_RE(3m)                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)                      | Polarity: Horizontal     |
| EUT: AP510CX                                            | Power: PoE -48V          |
| Note: Mode 10 : Transmit at 5250MHz by 802.11ax(160MHz) |                          |



| No | Mark | Frequency(MHz) | Measure Level(dBuV/m) | Reading Level(dBuV) | Over Limit(dB) | Limit(dBuV/m) | Factor(dB) | Type |
|----|------|----------------|-----------------------|---------------------|----------------|---------------|------------|------|
| 1  |      | 10500.000      | 42.781                | 42.128              | -31.219        | 74.000        | 0.652      | PK   |
| 2  | *    | 15750.000      | 46.351                | 38.608              | -27.649        | 74.000        | 7.742      | PK   |