


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.00	56.05	13.72	42.33	74.00	-17.95	100	281 Peak	Horizontal	
2	5468.00	54.72	12.28	42.44	68.20	-13.48	100	281 Peak	Horizontal	
3 *	5580.00	118.05	68.26	42.59	68.20	42.65	100	281 Peak	Horizontal	
4	6984.00	58.81	14.55	44.26	68.20	-9.39	100	281 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5428.50	59.25	16.81	42.44	74.00	-14.75	138	172 Peak	Vertical	
2	5462.00	59.00	16.60	42.40	68.20	-9.20	138	172 Peak	Vertical	
3 *	5580.00	125.20	82.61	42.59	68.20	57.00	138	172 Peak	Vertical	
4	6949.50	59.25	15.08	44.17	68.20	-8.95	138	172 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.58	43.84	1.46	42.38	54.00	-10.16	100	281 Average	Horizontal	
2 *	5500.00	100.14	57.55	42.59	54.00	46.14	100	281 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5423.00	47.55	5.09	42.46	54.00	-6.45	138	172 Average	Vertical	
2 *	5500.00	115.76	73.17	42.59	54.00	61.76	138	172 Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.00	55.68	13.12	42.56	74.00	-10.32	236	305 Peak	Horizontal	
2	5464.00	54.98	12.57	42.41	68.20	-13.22	236	305 Peak	Horizontal	
3 *	5700.00	110.46	67.87	42.59	68.20	42.26	236	305 Peak	Horizontal	
4	6977.00	60.00	15.76	44.24	68.20	-8.20	236	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.50	57.66	15.10	42.56	74.00	-16.34	148	188 Peak	Vertical	
2	5469.00	57.79	15.35	42.44	68.20	-10.41	148	188 Peak	Vertical	
3 *	5700.00	126.16	83.57	42.59	68.20	57.96	148	188 Peak	Vertical	
4 !	5726.50	66.10	23.28	42.82	68.20	-2.10	148	188 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5407.00	43.98	1.43	42.55	54.00	-10.02	236	305	Average	Horizontal
2 *	5700.00	101.43	58.84	42.59	54.00	47.43	236	305	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.00	46.47	4.10	42.37	54.00	-7.53	148	188	Average	Vertical
2 *	5700.00	115.99	73.40	42.59	54.00	61.99	148	188	Average	Vertical


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5400.50	56.76	14.17	42.59	74.00	-17.24	274	298 Peak	Horizontal	
2	5469.50	55.99	13.54	42.45	68.20	-12.21	274	298 Peak	Horizontal	
3 *	5510.00	108.48	65.82	42.66	68.20	40.28	274	298 Peak	Horizontal	
4	6915.00	59.98	15.83	44.15	68.20	-8.22	274	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5457.50	59.45	17.08	42.37	74.00	-14.55	139	189 Peak	Vertical	
2	5465.50	65.38	22.96	42.42	68.20	-2.82	139	189 Peak	Vertical	
3 *	5510.00	124.78	82.12	42.66	68.20	56.58	139	189 Peak	Vertical	
4	6889.00	59.26	15.13	44.13	68.20	-0.94	139	189 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.00	43.96	1.47	42.49	54.00	-10.04	274	298 Average	Horizontal	
2 *	5510.00	96.62	53.96	42.66	54.00	42.62	274	298 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.00	48.05	5.68	42.37	54.00	-5.95	139	189 Average	Vertical	
2 *	5510.00	112.37	69.71	42.66	54.00	58.37	139	189 Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5416.50	56.17	13.67	42.50	74.00	-17.83	160	222 Peak	Horizontal	
2	5467.00	56.67	14.24	42.43	68.20	-11.53	160	222 Peak	Horizontal	
3 *	5550.00	111.11	68.42	42.69	68.20	42.91	160	222 Peak	Horizontal	
4	6992.00	60.78	16.50	44.28	68.20	-7.42	160	222 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5460.00	62.44	20.05	42.39	68.20	-5.76	161	187 Peak	Vertical	
2	5462.50	66.19	23.78	42.41	68.20	-2.01	161	187 Peak	Vertical	
3 *	5550.00	126.30	83.61	42.69	68.20	58.10	161	187 Peak	Vertical	
4	6890.00	62.59	18.45	44.14	68.20	-5.61	161	187 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.00	43.83	1.40	42.43	54.00	-10.17	160	222 Average	Horizontal	
2 *	5550.00	99.40	56.71	42.69	54.00	45.40	160	222 Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	47.72	5.35	42.37	54.00	-6.28	161	187 Average	Vertical	
2 *	5550.00	115.12	72.43	42.69	54.00	61.12	161	187 Average	Vertical	


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5420.50	56.11	13.68	42.43	74.00	-17.89	100	310	Peak	Horizontal
2	5461.00	55.25	12.85	42.40	68.20	-12.95	100	310	Peak	Horizontal
3 *	5670.00	108.71	66.88	42.63	68.20	40.51	100	310	Peak	Horizontal
4	6933.00	59.22	15.06	44.16	68.20	-8.98	100	310	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5420.50	60.92	18.46	42.46	74.00	-13.08	150	187	Peak	Vertical
2	5460.00	60.04	17.65	42.39	68.20	-8.16	150	187	Peak	Vertical
3 *	5670.00	125.86	83.23	42.63	68.20	57.66	150	187	Peak	Vertical
4 !	5726.00	62.86	20.04	42.82	68.20	-5.34	150	187	Peak	Vertical

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.00	43.75	1.38	42.37	54.00	-10.25	100	310	Average	Horizontal
2 *	5670.00	97.61	54.98	42.63	54.00	43.61	100	310	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.00	48.17	5.83	42.34	54.00	-5.83	158	187	Average	Vertical
2 *	5670.00	114.72	72.09	42.63	54.00	60.72	158	187	Average	Vertical


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5362.000	55.86	13.60	42.26	74.00	-18.14	101	282 Peak	Horizontal	
2	5463.500	55.92	13.51	42.41	68.20	-12.28	101	282 Peak	Horizontal	
3	5530.000	97.95	55.27	42.68	68.20	29.75	101	282 Peak	Horizontal	
4	6946.000	58.95	14.78	44.17	68.20	-9.25	101	282 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.500	60.43	18.11	42.32	74.00	-13.57	118	185 Peak	Vertical	
2	5469.500	65.74	23.29	42.45	68.20	-2.46	118	185 Peak	Vertical	
3	5530.000	114.62	71.94	42.68	68.20	46.42	118	185 Peak	Vertical	
4	6887.000	59.62	15.49	44.13	68.20	-8.58	118	185 Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5388.000	43.77	1.29	42.48	54.00	-10.23	101	282 Average	Horizontal	
2	5538.000	86.78	44.10	42.68	54.00	32.78	101	282 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.500	50.01	7.69	42.32	54.00	-3.99	118	185 Average	Vertical	
2	5538.000	103.24	60.56	42.68	54.00	49.24	118	185 Average	Vertical	


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5431.500	55.84	13.42	42.42	74.00	-18.16	116	144 Peak	Horizontal	
2	5467.000	55.36	12.93	42.43	68.20	-12.84	116	144 Peak	Horizontal	
3 *	5610.000	104.48	61.93	42.55	68.20	36.28	116	144 Peak	Horizontal	
4	6982.000	59.31	15.06	44.25	68.20	-8.09	116	144 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5410.000	58.99	16.46	42.53	74.00	-15.01	165	186 Peak	Vertical	
2	5468.500	59.13	16.69	42.44	68.20	-9.07	165	186 Peak	Vertical	
3 *	5610.000	120.47	77.92	42.55	68.20	52.27	165	186 Peak	Vertical	
4 !	5731.000	64.28	21.42	42.86	68.20	-3.92	165	186 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.500	44.09	1.66	42.43	54.00	-9.91	116	144 Average	Horizontal	
2 *	5610.000	93.47	50.92	42.55	54.00	39.47	116	144 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.000	46.93	4.59	42.34	54.00	-7.07	165	186 Average	Vertical	
2 *	5610.000	109.75	67.20	42.55	54.00	55.75	165	186 Average	Vertical	

802.11ax HE160

CH 114 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 114 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.000	43.71	1.38	42.33	54.00	-10.29	264	298 Average	Horizontal	
2	5578.000	85.59	42.97	42.62	54.00	31.59	264	298 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.000	51.43	9.10	42.33	54.00	-2.57	184	188 Average	Vertical	
2	5578.000	99.70	57.08	42.62	54.00	45.70	184	188 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5494.50	56.51	13.89	42.62	68.20	-11.69	143	197 Peak	Horizontal	
2	5740.00	57.44	14.85	42.59	105.20	-47.76	143	197 Peak	Horizontal	
3	5728.00	63.81	21.85	42.76	110.80	-46.99	143	197 Peak	Horizontal	
4	5724.50	77.21	34.40	42.81	128.00	-50.87	143	197 Peak	Horizontal	
5	5745.00	114.11	71.13	42.98	130.00	-15.89	143	197 Peak	Horizontal	
6	5853.50	56.00	13.00	43.00	116.56	-60.56	143	197 Peak	Horizontal	
7	5865.00	57.30	14.24	43.06	108.00	-50.70	143	197 Peak	Horizontal	
8	5897.50	57.58	14.37	43.21	88.51	-30.93	143	197 Peak	Horizontal	
9	5976.50	57.45	14.03	43.42	68.20	-10.75	143	197 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5583.50	59.93	17.35	42.58	68.20	-8.27	135	193 Peak	Vertical	
2	5685.00	62.02	19.41	42.61	94.13	-32.11	135	193 Peak	Vertical	
3	5728.00	75.28	32.52	42.76	110.80	-35.52	135	193 Peak	Vertical	
4	5725.00	96.21	53.40	42.81	130.00	-33.79	135	193 Peak	Vertical	
5	5745.00	128.27	85.29	42.98	130.00	-1.73	135	193 Peak	Vertical	
6	5853.00	58.52	15.52	43.00	118.48	-59.96	135	193 Peak	Vertical	
7	5864.50	59.32	16.26	43.06	100.14	-48.82	135	193 Peak	Vertical	
8	5903.50	59.58	16.34	43.24	84.07	-24.49	135	193 Peak	Vertical	
9	5982.50	58.77	15.32	43.45	68.20	-9.43	135	193 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.50	56.77	14.15	42.62	68.20	-11.43	222	322 Peak	Horizontal	
2	5660.50	57.94	14.40	42.64	76.00	-18.06	222	322 Peak	Horizontal	
3	5712.50	57.38	14.68	42.70	108.70	-51.32	222	322 Peak	Horizontal	
4	5720.50	56.84	14.08	42.76	112.72	-55.68	222	322 Peak	Horizontal	
5	5785.00	115.25	72.27	42.98	130.00	-14.75	222	322 Peak	Horizontal	
6	5852.50	56.50	13.50	43.00	126.40	-63.90	222	322 Peak	Horizontal	
7	5867.00	57.92	14.85	43.07	107.44	-49.52	222	322 Peak	Horizontal	
8	5924.00	57.74	14.45	43.29	68.94	-11.20	222	322 Peak	Horizontal	
9	5991.00	58.72	15.26	43.46	68.20	-9.48	222	322 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.50	60.45	17.87	42.58	68.20	-7.75	147	157 Peak	Vertical	
2	5700.00	60.72	18.13	42.59	105.20	-44.48	147	157 Peak	Vertical	
3	5719.50	66.48	23.72	42.76	110.66	-44.18	147	157 Peak	Vertical	
4	5721.00	69.26	26.49	42.77	114.64	-45.38	147	157 Peak	Vertical	
5	5785.00	127.26	84.28	42.98	130.00	-2.74	147	157 Peak	Vertical	
6	5850.50	69.87	26.88	42.99	128.08	-58.21	147	157 Peak	Vertical	
7	5867.00	66.85	23.78	43.07	107.44	-40.59	147	157 Peak	Vertical	
8	5905.50	60.42	17.18	43.24	82.59	-22.17	147	157 Peak	Vertical	
9	5945.00	60.65	17.31	43.34	68.20	-7.55	147	157 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5639.50	57.48	14.85	42.63	68.20	-10.72	194	324 Peak	Horizontal	
2	5694.00	56.91	14.32	42.59	100.78	-43.87	194	324 Peak	Horizontal	
3	5708.00	56.97	14.32	42.65	107.44	-50.47	194	324 Peak	Horizontal	
4	5720.50	56.71	13.95	42.76	112.72	-56.01	194	324 Peak	Horizontal	
5	5825.00	113.57	70.60	42.97	130.00	-16.43	194	324 Peak	Horizontal	
6	5850.50	63.34	20.35	42.99	128.08	-64.74	194	324 Peak	Horizontal	
7	5863.50	62.72	19.67	43.05	106.42	-45.70	194	324 Peak	Horizontal	
8	5917.00	57.76	14.50	43.26	74.10	-16.34	194	324 Peak	Horizontal	
9	5938.00	58.02	14.69	43.33	68.20	-10.18	194	324 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4537.00	64.23	23.30	40.93	74.00	-9.77	147	156 Peak	Vertical	
2	5630.00	60.31	17.71	42.60	68.20	-7.89	147	156 Peak	Vertical	
3	5685.50	60.15	17.54	42.61	94.50	-34.35	147	156 Peak	Vertical	
4	5714.50	60.10	17.38	42.72	109.26	-49.16	147	156 Peak	Vertical	
5	5720.50	59.82	17.06	42.76	112.72	-52.90	147	156 Peak	Vertical	
6	5825.00	126.85	83.88	42.97	130.00	-3.15	147	156 Peak	Vertical	
7	5850.00	63.09	40.10	42.99	130.00	-46.91	147	156 Peak	Vertical	
8	5867.50	75.12	32.85	43.07	107.30	-32.18	147	156 Peak	Vertical	
9	5882.00	63.10	19.96	43.14	100.00	-36.90	147	156 Peak	Vertical	
10	5936.50	59.95	16.63	43.32	68.20	-8.25	147	156 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5644.00	56.74	14.10	42.64	68.20	-11.46	100	309 Peak	Horizontal	
2	5666.50	56.87	14.23	42.64	80.45	-23.58	100	309 Peak	Horizontal	
3	5728.00	67.62	24.86	42.76	110.80	-43.18	100	309 Peak	Horizontal	
4	5722.50	73.58	30.80	42.78	120.40	-46.82	100	309 Peak	Horizontal	
5	5745.00	114.79	71.81	42.98	130.00	-15.21	100	309 Peak	Horizontal	
6	5852.50	55.32	12.32	43.00	126.40	-65.08	100	309 Peak	Horizontal	
7	5860.00	56.46	13.42	43.04	109.40	-52.94	100	309 Peak	Horizontal	
8	5923.00	56.91	13.62	43.29	69.67	-12.76	100	309 Peak	Horizontal	
9	5964.00	57.92	14.52	43.40	68.20	-10.20	100	309 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5583.50	59.40	16.91	42.58	68.20	-8.71	162	188 Peak	Vertical	
2	5697.00	66.22	23.62	42.60	102.99	-36.77	162	188 Peak	Vertical	
3	5719.00	83.38	40.63	42.75	110.52	-27.14	162	188 Peak	Vertical	
4	5722.00	89.94	47.16	42.78	118.48	-28.54	162	188 Peak	Vertical	
5	5745.00	128.19	85.21	42.98	130.00	-1.81	162	188 Peak	Vertical	
6	5851.00	57.84	14.85	42.99	126.16	-68.32	162	188 Peak	Vertical	
7	5865.00	59.06	16.00	43.06	100.00	-40.94	162	188 Peak	Vertical	
8	5902.00	59.53	16.31	43.22	85.18	-25.65	162	188 Peak	Vertical	
9	5940.00	59.40	16.07	43.33	68.20	-8.00	162	188 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.00	57.47	14.85	42.62	68.20	-10.73	353	302 Peak	Horizontal	
2	5662.00	56.17	13.53	42.64	77.11	-20.94	353	302 Peak	Horizontal	
3	5711.50	56.89	14.20	42.69	108.42	-51.53	353	302 Peak	Horizontal	
4	5724.00	56.03	13.23	42.80	126.16	-70.13	353	302 Peak	Horizontal	
5	5785.00	113.70	70.72	42.98	130.00	-16.30	353	302 Peak	Horizontal	
6	5850.00	57.26	14.27	42.99	130.00	-72.74	353	302 Peak	Horizontal	
7	5870.00	56.84	13.76	43.08	106.69	-49.76	353	302 Peak	Horizontal	
8	5921.50	56.80	13.52	43.28	70.78	-13.98	353	302 Peak	Horizontal	
9	5927.50	57.29	14.00	43.29	68.20	-10.91	353	302 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5627.50	60.61	18.02	42.59	68.20	-7.59	163	188 Peak	Vertical	
2	5700.00	60.32	17.73	42.59	105.20	-44.88	163	188 Peak	Vertical	
3	5712.00	65.76	23.86	42.70	108.56	-42.80	163	188 Peak	Vertical	
4	5722.50	63.10	20.32	42.78	120.40	-57.30	163	188 Peak	Vertical	
5	5785.00	127.96	84.98	42.98	130.00	-2.04	163	188 Peak	Vertical	
6	5852.50	68.87	25.87	43.00	120.40	-51.53	163	188 Peak	Vertical	
7	5850.50	66.69	23.66	43.03	109.82	-43.13	163	188 Peak	Vertical	
8	5905.50	58.87	15.63	43.24	82.59	-23.72	163	188 Peak	Vertical	
9	5979.00	59.68	16.24	43.44	68.20	-8.52	163	188 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5626.50	56.35	13.76	42.59	68.20	-11.85	126	337 Peak	Horizontal	
2	5651.00	57.13	14.47	42.66	68.94	-11.81	126	337 Peak	Horizontal	
3	5728.00	56.05	13.29	42.76	110.80	-54.75	126	337 Peak	Horizontal	
4	5725.00	56.82	14.01	42.81	130.00	-73.18	126	337 Peak	Horizontal	
5	5825.00	113.71	70.74	42.97	130.00	-16.29	126	337 Peak	Horizontal	
6	5851.50	76.53	33.53	43.00	124.24	-47.71	126	337 Peak	Horizontal	
7	5856.50	69.06	26.04	43.02	110.38	-41.32	126	337 Peak	Horizontal	
8	5909.00	57.88	14.63	43.25	80.01	-22.13	126	337 Peak	Horizontal	
9	5932.50	56.76	13.45	43.31	68.20	-11.44	126	337 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5552.50	57.94	15.26	42.68	68.20	-10.26	100	150 Peak	Vertical	
2	5654.00	57.56	14.91	42.65	71.17	-13.61	100	150 Peak	Vertical	
3	5703.50	57.83	15.21	42.62	106.18	-48.35	100	150 Peak	Vertical	
4	5724.50	58.22	15.41	42.81	128.08	-69.86	100	150 Peak	Vertical	
5	5825.00	126.08	83.11	42.97	130.00	-3.92	100	150 Peak	Vertical	
6	5850.00	87.42	44.43	42.99	130.00	-42.58	100	150 Peak	Vertical	
7	5855.00	79.31	36.30	43.01	110.00	-31.49	100	150 Peak	Vertical	
8	5875.00	66.52	23.41	43.11	105.20	-38.68	100	150 Peak	Vertical	
9	5927.00	58.08	14.79	43.29	68.20	-10.12	100	150 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5532.00	56.84	14.16	42.68	68.20	-11.36	100	309 Peak	Horizontal	
2	5699.50	63.33	20.74	42.59	104.83	-41.50	100	309 Peak	Horizontal	
3	5716.00	77.78	35.05	42.73	109.68	-31.90	100	309 Peak	Horizontal	
4	5724.00	80.13	37.33	42.80	126.16	-46.03	100	309 Peak	Horizontal	
5	5755.00	110.14	67.12	43.02	130.00	-19.86	100	309 Peak	Horizontal	
6	5851.50	57.18	14.18	43.00	124.24	-67.06	100	309 Peak	Horizontal	
7	5866.50	56.87	13.80	43.07	107.58	-50.71	100	309 Peak	Horizontal	
8	5896.50	57.87	14.66	43.21	89.25	-31.38	100	309 Peak	Horizontal	
9	5930.00	57.39	14.09	43.30	68.20	-10.01	100	309 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.00	60.41	17.76	42.65	68.20	-7.79	201	185 Peak	Vertical	
2	5696.50	77.19	34.59	42.60	102.62	-25.43	201	185 Peak	Vertical	
3	5716.50	92.37	49.64	42.73	109.82	-17.45	201	185 Peak	Vertical	
4	5721.00	95.86	53.09	42.77	114.64	-18.78	201	185 Peak	Vertical	
5	5755.00	127.67	84.65	43.02	130.00	-2.33	201	185 Peak	Vertical	
6	5852.00	64.65	21.65	43.00	122.32	-57.67	201	185 Peak	Vertical	
7	5856.00	64.60	21.59	43.01	110.52	-45.92	201	185 Peak	Vertical	
8	5878.50	60.83	17.71	43.12	102.60	-41.77	201	185 Peak	Vertical	
9	5979.00	59.68	16.24	43.44	68.20	-8.52	201	185 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5599.00	57.15	14.63	42.52	68.20	-11.05	336	339 Peak	Horizontal	
2	5681.00	56.83	14.21	42.62	91.18	-34.35	336	339 Peak	Horizontal	
3	5719.00	60.23	17.48	42.75	110.52	-50.29	336	339 Peak	Horizontal	
4	5724.50	65.47	22.66	42.81	128.08	-62.61	336	339 Peak	Horizontal	
5	5795.00	111.37	68.41	42.96	130.00	-18.63	336	339 Peak	Horizontal	
6	5851.50	67.12	24.12	43.00	124.24	-57.12	336	339 Peak	Horizontal	
7	5857.50	64.49	21.47	43.02	110.10	-45.61	336	339 Peak	Horizontal	
8	5892.00	62.58	19.39	43.19	92.58	-30.00	336	339 Peak	Horizontal	
9	5928.00	58.19	14.89	43.30	68.20	-10.01	336	339 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	62.64	19.98	42.66	68.20	-5.56	150	189 Peak	Vertical	
2	5691.50	71.81	29.21	42.60	98.93	-27.12	150	189 Peak	Vertical	
3	5719.50	73.96	31.20	42.70	110.66	-36.70	150	189 Peak	Vertical	
4	5723.00	76.75	33.97	42.78	122.32	-45.57	150	189 Peak	Vertical	
5	5795.00	125.94	82.98	42.96	130.00	-4.06	150	189 Peak	Vertical	
6	5851.50	87.69	44.69	43.00	124.24	-36.55	150	189 Peak	Vertical	
7	5871.00	82.24	39.16	43.00	106.32	-24.08	150	189 Peak	Vertical	
8	5877.50	78.10	34.98	43.12	103.34	-25.24	150	189 Peak	Vertical	
9	5927.50	64.64	21.35	43.29	68.20	-3.56	150	189 Peak	Vertical	

802.11ax HE80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5625.000	57.56	14.97	42.59	68.20	-10.64	110	136 Peak	Horizontal	
2	5696.500	62.64	20.04	42.60	102.62	-39.98	110	136 Peak	Horizontal	
3	5717.000	68.92	26.18	42.74	109.96	-41.04	110	136 Peak	Horizontal	
4	5722.000	69.40	26.62	42.78	118.48	-49.08	110	136 Peak	Horizontal	
5	5775.000	105.58	62.59	42.99	130.00	-24.42	110	136 Peak	Horizontal	
6	5851.000	65.39	22.40	42.99	126.16	-68.77	110	136 Peak	Horizontal	
7	5858.000	63.72	20.70	43.02	109.96	-46.24	110	136 Peak	Horizontal	
8	5877.500	58.73	15.61	43.12	103.34	-44.61	110	136 Peak	Horizontal	
9	5997.500	56.83	13.35	43.48	68.20	-11.37	110	136 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5646.000	63.18	20.54	42.64	68.20	-5.02	160	189 Peak	Vertical	
2	5699.000	77.60	35.01	42.59	104.46	-26.86	160	189 Peak	Vertical	
3	5716.000	88.64	45.91	42.73	109.68	-21.04	160	189 Peak	Vertical	
4	5723.000	87.40	44.62	42.78	122.32	-34.92	160	189 Peak	Vertical	
5	5775.000	120.01	77.02	42.99	130.00	-9.99	160	189 Peak	Vertical	
6	5850.000	82.27	39.28	42.99	130.00	-47.73	160	189 Peak	Vertical	
7	5857.500	81.04	38.02	43.02	110.10	-29.06	160	189 Peak	Vertical	
8	5877.500	74.19	31.07	43.12	103.34	-29.15	160	189 Peak	Vertical	
9	5927.500	65.02	21.73	43.29	68.20	-3.18	160	189 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-3


802.11ax HE20

CH 165(Open) (9kHz ~ 150kHz)

CH 165(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.026	57.71	38.17	19.54	119.13	-61.42	100	217	Peak	Open	
2	0.059	52.23	32.91	19.32	112.19	-59.96	100	95	Peak	Open	
3	0.062	51.75	32.49	19.26	111.74	-59.99	100	247	Peak	Open	
4	0.115	50.39	31.85	18.54	106.37	-55.98	100	242	Peak	Open	
5	0.122	47.18	28.63	18.55	105.90	-58.72	100	245	Peak	Open	
6	0.125	49.88	31.32	18.56	105.67	-55.79	100	247	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.240	52.61	33.76	18.85	100.01	-47.40	100	249	Peak	Open	
2	0.837	43.63	24.60	19.03	69.04	-25.41	100	249	Peak	Open	
3	2.031	33.07	14.07	19.00	69.50	-36.43	100	231	Peak	Open	
4	13.374	34.75	13.35	21.40	69.50	-34.75	100	360	Peak	Open	
5	18.926	36.14	14.07	22.07	69.50	-33.36	100	349	Peak	Open	
6	22.866	35.69	13.40	22.29	69.50	-33.61	100	104	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-3


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	63.950	32.92	42.05	-9.13	40.00	-7.08	300	266	Peak	Horizontal	
2	106.630	31.79	42.83	-12.04	43.50	-11.71	300	277	Peak	Horizontal	
3	144.460	27.48	36.03	-8.55	43.50	-16.02	200	76	Peak	Horizontal	
4	354.950	31.41	38.22	-6.81	46.00	-14.59	100	138	Peak	Horizontal	
5	477.170	29.94	34.44	-4.50	46.00	-16.06	200	119	Peak	Horizontal	
6	846.740	32.67	31.24	1.43	46.00	-13.33	142	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	35.820	37.78	46.98	-9.20	40.00	-2.22	100	154	QP	Vertical	
2	106.630	35.66	47.70	-12.04	43.50	-7.84	100	137	Peak	Vertical	
3	147.370	32.26	40.68	-8.42	43.50	-11.24	100	208	Peak	Vertical	
4	482.020	30.74	35.33	-4.59	46.00	-15.26	100	168	Peak	Vertical	
5	628.490	28.60	30.19	-1.59	46.00	-17.40	100	292	Peak	Vertical	
6	845.770	32.48	31.05	1.43	46.00	-13.52	100	233	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz

U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	51.47	55.42	-3.95	68.20	-16.73	400	48 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	65.37	69.32	-3.95	68.20	-2.83	215	165 Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	54.44	58.38	-3.86	68.20	-13.76	400	327 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	65.89	69.75	-3.86	68.20	-2.31	100	23 Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	50.73	54.33	-3.60	68.20	-17.47	300	202 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	65.83	69.43	-3.60	68.20	-2.37	100	353 Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	55.26	59.21	-3.95	68.20	-12.94	100	291 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	65.31	69.26	-3.95	68.20	-2.89	192	358 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1 10400.00	54.79	58.65	-3.86	68.20	-13.41	100	292 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1 10400.00	65.52	69.38	-3.86	68.20	-2.68	176	360 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	54.74	58.34	-3.60	68.20	-13.46	100	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	65.53	69.13	-3.60	68.20	-2.67	173	358 Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	52.82	56.72	-3.90	68.20	-15.38	400	212 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10380.00	65.72	69.62	-3.90	68.20	-2.48	175	180 Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	53.01	56.67	-3.66	68.20	-15.19	400	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	65.56	69.22	-3.66	68.20	-2.64	161	360 Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1 10420.00	45.04	48.84	-3.80	68.20	-23.16	100	200 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1 10420.00	54.45	58.25	-3.80	68.20	-13.75	100	360 Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	58.47	61.99	-3.52	68.20	-9.73	103	67 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	65.24	68.76	-3.52	68.20	-2.96	162	183 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	10600.00	39.86	43.33	-3.47	54.00	-14.14	100	263 Average	Horizontal	
2	10600.00	54.25	57.72	-3.47	74.00	-19.75	100	263 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	10600.00	45.71	49.18	-3.47	54.00	-8.29	100	259 Average	Vertical	
2	10600.00	61.76	65.23	-3.47	74.00	-12.24	100	259 Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	39.25	42.66	-3.41	54.00	-14.75	100	92 Average	Horizontal	
2	10640.00	54.34	57.75	-3.41	74.00	-19.66	100	92 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	46.54	49.95	-3.41	54.00	-7.46	186	354 Average	Vertical	
2	10640.00	60.80	64.21	-3.41	74.00	-13.20	186	354 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	57.99	61.51	-3.52	68.20	-10.21	100	344 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	65.54	69.06	-3.52	68.20	-2.66	100	188 Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10600.00	41.00	44.47	-3.47	54.00	-13.00	100	67 Average	Horizontal	
2	10600.00	53.54	57.01	-3.47	74.00	-20.46	100	67 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	10600.00	50.89	54.36	-3.47	54.00	-3.11	161	360 Average	Vertical	
2	10600.00	63.43	66.90	-3.47	74.00	-10.57	161	360 Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	43.70	47.11	-3.41	54.00	-10.30	100	122 Average	Horizontal	
2	10640.00	56.99	60.40	-3.41	74.00	-17.01	100	122 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	51.56	54.97	-3.41	54.00	-2.44	162	360 Average	Vertical	
2	10640.00	63.74	67.15	-3.41	74.00	-10.26	162	360 Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	56.68	60.19	-3.51	68.20	-11.52	100	271 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	65.73	69.24	-3.51	68.20	-2.47	181	180 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10620.00	41.42	44.86	-3.44	54.00	-12.58	113	125 Average	Horizontal	
2	10620.00	50.63	54.07	-3.44	74.00	-23.37	113	125 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10620.00	47.07	50.51	-3.44	54.00	-6.93	342	1 Average	Vertical	
2	10620.00	55.82	59.26	-3.44	74.00	-18.18	342	1 Peak	Vertical	