

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #204

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5180(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5148.950	54.69	0.81	55.50	68.23	-12.73	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #204

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #213

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5240(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5353.200	51.63	1.20	52.83	68.23	-15.40	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #213

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #214

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5240(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5351.600	52.38	1.20	53.58	68.23	-14.65	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #214

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #299

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5230(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5355.600	51.87	1.21	53.08	68.23	-15.15	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #299

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #300

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5230(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5352.500	52.53	1.20	53.73	68.23	-14.50	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #300

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #301

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5230(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5350.450	52.88	1.20	54.08	68.23	-14.15	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #301

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #302

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5230(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.350	53.54	1.20	54.74	68.23	-13.49	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #302

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #319

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5190(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5148.650	57.62	0.81	58.43	68.23	-9.80	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #319

Page: 1

Appendix A

50074914 002



Produkte
Products

Page 1094 of 1244

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #320

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5190(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.200	56.67	0.81	57.48	68.23	-10.75	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #320

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #321

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5190(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.300	55.83	0.81	56.64	68.23	-11.59	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #321

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #322

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH40 5190(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5148.400	58.57	0.81	59.38	68.23	-8.85	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #322

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #323

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5180(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.750	54.65	0.82	55.47	68.23	-12.76	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #323

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #324

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5180(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.750	54.75	0.82	55.57	68.23	-12.66	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #324

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #333

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5240(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5353.200	51.63	1.20	52.83	68.23	-15.40	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #333

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #334

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5240(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5351.600	52.38	1.20	53.58	68.23	-14.65	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #334

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #419

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5230(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5354.050	51.36	1.20	52.56	68.23	-15.67	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #419

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #420

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5230(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5352.500	52.53	1.20	53.73	68.23	-14.50	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #420

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #421

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5230(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5353.150	52.48	1.20	53.68	68.23	-14.55	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #421

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #422

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5230(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5359.250	52.33	1.22	53.55	68.23	-14.68	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #422

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #439

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5190(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.600	58.79	0.82	59.61	68.23	-8.62	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #439

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #440

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5190(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.200	58.17	0.81	58.98	68.23	-9.25	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #440

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #441

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5190(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5149.300	55.83	0.81	56.64	68.23	-11.59	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #441

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #442

Date: 2017/03/10

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11ac40 5190(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5148.400	57.07	0.81	57.88	68.23	-10.35	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #442


Page: 1

7.2 Bandedge (U-NII-2A Band)

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15C(Bandedge)Peak Power: Humidity: 50 %
 EUT: WIFI Module
 M/N:
 Mode: 11a 5260(ANT0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5147.900	52.29	0.81	53.10	68.23	-15.13	peak		

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #38

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11a 5260(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.950	54.06	0.82	54.88	68.23	-13.35	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data :#38

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #47

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11a 5320(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.550	52.84	1.20	54.04	68.23	-14.19	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HaixinData: #47

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV Haixin

Data: #48

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11a 5320(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5351.750	52.60	1.20	53.80	68.23	-14.43	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #48

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #97

Date: 17/03/09/

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5320(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5351.250	63.30	1.20	64.50	68.23	-3.73	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #97

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #98

Date: 17/03/09/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5320(ANT0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.150	57.96	1.20	59.16	68.23	-9.07	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #98

Page: 1

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #107

Date: 17/03/09/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5320(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.500	55.99	1.20	57.19	68.23	-11.04	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #107

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV Haixin

Data: #108

Date: 17/03/09/

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power:

Humidity: 50 %

EUT: WIFI Module

M/N:

Mode: 11nH20 5320(ANT0+ANT1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.950	61.46	1.20	62.66	68.23	-5.57	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV Haixin\Data: #108

Page: 1