







Mode	1																																																																	
	Band Edge																																																																	
	2400-2483.5 Bluetooth BR_GFSK_CH00_2402MHz																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.03</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>41.57</td><td>31.95</td><td>7.10</td><td>30.90</td><td>6.00</td><td>100</td><td>58 PEAK</td></tr><tr><td>2</td><td>2379.03</td><td>30.87</td><td>54.00</td><td>-23.13</td><td>16.72</td><td>31.95</td><td>7.10</td><td>30.90</td><td>6.00</td><td>100</td><td>58 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.03	55.72	74.00	-18.28	41.57	31.95	7.10	30.90	6.00	100	58 PEAK	2	2379.03	30.87	54.00	-23.13	16.72	31.95	7.10	30.90	6.00	100	58 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2379.03	55.72	74.00	-18.28	41.57	31.95	7.10	30.90	6.00	100	58 PEAK																																																							
2	2379.03	30.87	54.00	-23.13	16.72	31.95	7.10	30.90	6.00	100	58 AVERAGE																																																							
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.03</td><td>74.00</td><td>23.03</td><td>82.77</td><td>32.00</td><td>7.13</td><td>30.87</td><td>6.00</td><td>100</td><td>58 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>72.18</td><td>54.00</td><td>18.18</td><td>57.92</td><td>32.00</td><td>7.13</td><td>30.87</td><td>6.00</td><td>100</td><td>58 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.03	74.00	23.03	82.77	32.00	7.13	30.87	6.00	100	58 PEAK	2	2402.00	72.18	54.00	18.18	57.92	32.00	7.13	30.87	6.00	100	58 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2402.00	97.03	74.00	23.03	82.77	32.00	7.13	30.87	6.00	100	58 PEAK																																																							
2	2402.00	72.18	54.00	18.18	57.92	32.00	7.13	30.87	6.00	100	58 AVERAGE																																																							



Mode	1																																																																																																																																																		
	Harmonic																																																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																										
Peak Avg																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>4804.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>60.58</td><td>34.10</td><td>10.29</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg			1	4804.00	39.54	74.00	-34.46	60.58	34.10	10.29	65.43	0.00	---	---	---	---	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>4804.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>60.71</td><td>34.10</td><td>10.29</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg			1	4804.00	39.67	74.00	-34.33	60.71	34.10	10.29	65.43	0.00	---	---	---	---	---	---
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																						
1	4804.00	39.54	74.00	-34.46	60.58	34.10	10.29	65.43	0.00	---	---	---	---	---	---	PEAK																																																																																																																																			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																						
1	4804.00	39.67	74.00	-34.33	60.71	34.10	10.29	65.43	0.00	---	---	---	---	---	---	PEAK																																																																																																																																			



Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>60.56</td><td>34.10</td><td>10.39</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>58.42</td><td>35.00</td><td>12.82</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.61	74.00	-34.39	60.56	34.10	10.39	65.44	0.00	---	---	PEAK	2	7323.00	41.79	74.00	-32.21	58.42	35.00	12.82	65.25	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>39.37</td><td>74.00</td><td>-34.63</td><td>60.32</td><td>34.10</td><td>10.39</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>58.76</td><td>35.00</td><td>12.82</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.37	74.00	-34.63	60.32	34.10	10.39	65.44	0.00	---	---	PEAK	2	7323.00	42.13	74.00	-31.87	58.76	35.00	12.82	65.25	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4882.00	39.61	74.00	-34.39	60.56	34.10	10.39	65.44	0.00	---	---	PEAK																																																																																																																		
2	7323.00	41.79	74.00	-32.21	58.42	35.00	12.82	65.25	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4882.00	39.37	74.00	-34.63	60.32	34.10	10.39	65.44	0.00	---	---	PEAK																																																																																																																		
2	7323.00	42.13	74.00	-31.87	58.76	35.00	12.82	65.25	0.00	---	---	PEAK																																																																																																																		



3

Mode

Band Edge


2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz

Pol.


Horizontal

Fundamental

Peak



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2484.60	55.87	74.00	-18.13	41.09	32.13	7.29	30.64	6.00	339	176	PEAK
2	2484.60	31.02	54.00	-22.98	16.24	32.13	7.29	30.64	6.00	339	176	AVERAGE



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	2480.00	98.69	74.00	24.69	83.95	32.12	7.28	30.66	6.00	339	176	PEAK
2	2480.00	73.84	54.00	19.84	59.10	32.12	7.28	30.66	6.00	339	176	AVERAGE



3

Mode

Band Edge


2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz

Pol.

Vertical

Fundamental

Peak




Level (dBuV/m)

Frequency (MHz)

FCC PART 15C

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2498.05	56.11	74.00	-17.89	41.25	32.15	7.32	30.61	6.00	104	193	PEAK
2	2498.05	31.26	54.00	-22.74	16.40	32.15	7.32	30.61	6.00	104	193	AVERAGE





Level (dBuV/m)

Frequency (MHz)

FCC PART 15C


	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2480.00	96.48	74.00	22.48	81.74	32.12	7.28	30.66	6.00	104	193	PEAK
2	2480.00	71.63	54.00	17.63	56.89	32.12	7.28	30.66	6.00	104	193	AVERAGE



Mode	3																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.20</td><td>74.00</td><td>-33.80</td><td>61.05</td><td>34.10</td><td>10.50</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>57.67</td><td>35.00</td><td>12.87</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.20	74.00	-33.80	61.05	34.10	10.50	65.45	0.00	---	---	PEAK	2	7440.00	41.01	74.00	-32.99	57.67	35.00	12.87	65.33	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.45</td><td>74.00</td><td>-33.55</td><td>61.30</td><td>34.10</td><td>10.50</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.68</td><td>74.00</td><td>-32.32</td><td>58.34</td><td>35.00</td><td>12.87</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.45	74.00	-33.55	61.30	34.10	10.50	65.45	0.00	---	---	PEAK	2	7440.00	41.68	74.00	-32.32	58.34	35.00	12.87	65.33	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4960.00	40.20	74.00	-33.80	61.05	34.10	10.50	65.45	0.00	---	---	PEAK																																																																																																																	
2	7440.00	41.01	74.00	-32.99	57.67	35.00	12.87	65.33	0.00	---	---	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4960.00	40.45	74.00	-33.55	61.30	34.10	10.50	65.45	0.00	---	---	PEAK																																																																																																																	
2	7440.00	41.68	74.00	-32.32	58.34	35.00	12.87	65.33	0.00	---	---	PEAK																																																																																																																	



Mode	18-25G	
	Emission above 18GHz	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	5																																																																																																																																																																																																																						
	Band Edge - L																																																																																																																																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																																																																																																																					
Peak																																																																																																																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2317.80</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>41.59</td><td>31.59</td><td>8.89</td><td>30.98</td><td>6.00</td><td>313</td><td>237</td><td>PEAK</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>2317.80</td><td>32.24</td><td>54.00</td><td>-21.76</td><td>16.74</td><td>31.59</td><td>8.89</td><td>30.98</td><td>6.00</td><td>313</td><td>237</td><td>AVERAGE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	2317.80	57.09	74.00	-16.91	41.59	31.59	8.89	30.98	6.00	313	237	PEAK								2	2317.80	32.24	54.00	-21.76	16.74	31.59	8.89	30.98	6.00	313	237	AVERAGE								<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.03</td><td>74.00</td><td>30.03</td><td>88.08</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>313</td><td>237</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>2402.00</td><td>79.18</td><td>74.00</td><td>5.18</td><td>63.23</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>313</td><td>237</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td>2480.00</td><td>96.47</td><td>74.00</td><td>22.47</td><td>79.75</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>313</td><td>237</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	2402.00	104.03	74.00	30.03	88.08	31.92	8.97	30.94	6.00	313	237	Peak								2	2402.00	79.18	74.00	5.18	63.23	31.92	8.97	30.94	6.00	313	237	Average								3	2480.00	96.47	74.00	22.47	79.75	32.30	9.30	30.88	6.00	313	237	Peak						
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	2317.80	57.09	74.00	-16.91	41.59	31.59	8.89	30.98	6.00	313	237	PEAK																																																																																																																																																																																																											
2	2317.80	32.24	54.00	-21.76	16.74	31.59	8.89	30.98	6.00	313	237	AVERAGE																																																																																																																																																																																																											
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	2402.00	104.03	74.00	30.03	88.08	31.92	8.97	30.94	6.00	313	237	Peak																																																																																																																																																																																																											
2	2402.00	79.18	74.00	5.18	63.23	31.92	8.97	30.94	6.00	313	237	Average																																																																																																																																																																																																											
3	2480.00	96.47	74.00	22.47	79.75	32.30	9.30	30.88	6.00	313	237	Peak																																																																																																																																																																																																											



5

Mode

Band Edge - L

2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz

Pol.

Vertical


Fundamental

Peak





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2377.73	57.59	74.00	-16.41	41.92	31.68	8.94	30.95	6.00	266	54 PEAK
2	2377.73	32.74	54.00	-21.26	17.07	31.68	8.94	30.95	6.00	266	54 AVERAGE

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2402.00	104.75	74.00	30.75	88.00	31.92	8.97	30.94	6.00	266	54 Peak
2	2402.00	79.90	74.00	5.90	63.95	31.92	8.97	30.94	6.00	266	54 Average
3	2480.00	96.12	74.00	22.12	79.40	32.30	9.30	30.88	6.00	266	54 Peak







Mode	5																																																																												
	Harmonic																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>70.21</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>103 179 Peak</td></tr><tr><td>2</td><td>4804.00</td><td>27.55</td><td>54.00</td><td>-26.45</td><td>45.36</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>103 179 Average</td></tr><tr><td>3</td><td>4960.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>64.85</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>--- --- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	52.40	74.00	-21.60	70.21	34.28	13.60	65.69	0.00	103 179 Peak	2	4804.00	27.55	54.00	-26.45	45.36	34.28	13.60	65.69	0.00	103 179 Average	3	4960.00	47.28	74.00	-26.72	64.85	34.14	13.69	65.40	0.00	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4804.00	52.40	74.00	-21.60	70.21	34.28	13.60	65.69	0.00	103 179 Peak																																																																			
2	4804.00	27.55	54.00	-26.45	45.36	34.28	13.60	65.69	0.00	103 179 Average																																																																			
3	4960.00	47.28	74.00	-26.72	64.85	34.14	13.69	65.40	0.00	--- --- Peak																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>70.21</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>103 179 Peak</td></tr><tr><td>2</td><td>4804.00</td><td>27.55</td><td>54.00</td><td>-26.45</td><td>45.36</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>103 179 Average</td></tr><tr><td>3</td><td>4960.00</td><td>47.28</td><td>74.00</td><td>-26.72</td><td>64.85</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>--- --- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	52.40	74.00	-21.60	70.21	34.28	13.60	65.69	0.00	103 179 Peak	2	4804.00	27.55	54.00	-26.45	45.36	34.28	13.60	65.69	0.00	103 179 Average	3	4960.00	47.28	74.00	-26.72	64.85	34.14	13.69	65.40	0.00	--- --- Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4804.00	52.40	74.00	-21.60	70.21	34.28	13.60	65.69	0.00	103 179 Peak																																																																			
2	4804.00	27.55	54.00	-26.45	45.36	34.28	13.60	65.69	0.00	103 179 Average																																																																			
3	4960.00	47.28	74.00	-26.72	64.85	34.14	13.69	65.40	0.00	--- --- Peak																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>70.27</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>104 7 Peak</td></tr><tr><td>2</td><td>4804.00</td><td>27.61</td><td>54.00</td><td>-26.39</td><td>45.42</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>104 7 Average</td></tr><tr><td>3</td><td>4960.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>67.23</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>--- --- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	52.46	74.00	-21.54	70.27	34.28	13.60	65.69	0.00	104 7 Peak	2	4804.00	27.61	54.00	-26.39	45.42	34.28	13.60	65.69	0.00	104 7 Average	3	4960.00	49.66	74.00	-24.34	67.23	34.14	13.69	65.40	0.00	--- --- Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4804.00	52.46	74.00	-21.54	70.27	34.28	13.60	65.69	0.00	104 7 Peak																																																																			
2	4804.00	27.61	54.00	-26.39	45.42	34.28	13.60	65.69	0.00	104 7 Average																																																																			
3	4960.00	49.66	74.00	-24.34	67.23	34.14	13.69	65.40	0.00	--- --- Peak																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>70.27</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>104 7 Peak</td></tr><tr><td>2</td><td>4804.00</td><td>27.61</td><td>54.00</td><td>-26.39</td><td>45.42</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>104 7 Average</td></tr><tr><td>3</td><td>4960.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>67.23</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>--- --- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	52.46	74.00	-21.54	70.27	34.28	13.60	65.69	0.00	104 7 Peak	2	4804.00	27.61	54.00	-26.39	45.42	34.28	13.60	65.69	0.00	104 7 Average	3	4960.00	49.66	74.00	-24.34	67.23	34.14	13.69	65.40	0.00	--- --- Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	4804.00	52.46	74.00	-21.54	70.27	34.28	13.60	65.69	0.00	104 7 Peak																																																																			
2	4804.00	27.61	54.00	-26.39	45.42	34.28	13.60	65.69	0.00	104 7 Average																																																																			
3	4960.00	49.66	74.00	-24.34	67.23	34.14	13.69	65.40	0.00	--- --- Peak																																																																			





		5																																																																																																																									
Mode		Band Edge - L																																																																																																																									
		2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																									
Pol.		Horizontal					Fundamental																																																																																																																				
Peak																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2363.30</td><td>56.63</td><td>74.00</td><td>-17.37</td><td>41.13</td><td>31.53</td><td>8.93</td><td>30.96</td><td>6.00</td><td>300</td><td>242</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2363.30	56.63	74.00	-17.37	41.13	31.53	8.93	30.96	6.00	300	242	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>104.23</td><td>74.00</td><td>30.23</td><td>88.28</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>300</td><td>242</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>98.99</td><td>74.00</td><td>24.99</td><td>82.27</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>300</td><td>242</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	104.23	74.00	30.23	88.28	31.92	8.97	30.94	6.00	300	242	Peak	2	2480.00	98.99	74.00	24.99	82.27	32.30	9.30	30.88	6.00	300	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2363.30	56.63	74.00	-17.37	41.13	31.53	8.93	30.96	6.00	300	242	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2402.00	104.23	74.00	30.23	88.28	31.92	8.97	30.94	6.00	300	242	Peak																																																																																																															
2	2480.00	98.99	74.00	24.99	82.27	32.30	9.30	30.88	6.00	300	242	Peak																																																																																																															
Avg																																																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2363.56</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>30.89</td><td>31.54</td><td>8.93</td><td>30.96</td><td>6.00</td><td>300</td><td>242</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2363.56	46.40	54.00	-7.60	30.89	31.54	8.93	30.96	6.00	300	242	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>101.53</td><td>54.00</td><td>47.53</td><td>85.58</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>300</td><td>242</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>95.67</td><td>54.00</td><td>41.67</td><td>78.95</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>300</td><td>242</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	101.53	54.00	47.53	85.58	31.92	8.97	30.94	6.00	300	242	Average	2	2480.00	95.67	54.00	41.67	78.95	32.30	9.30	30.88	6.00	300	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2363.56	46.40	54.00	-7.60	30.89	31.54	8.93	30.96	6.00	300	242	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2402.00	101.53	54.00	47.53	85.58	31.92	8.97	30.94	6.00	300	242	Average																																																																																																															
2	2480.00	95.67	54.00	41.67	78.95	32.30	9.30	30.88	6.00	300	242	Average																																																																																																															







Mode	5																																																																																																											
	Band Edge - L																																																																																																											
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2366.68</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>41.32</td><td>31.57</td><td>8.93</td><td>30.96</td><td>6.00</td><td>268</td><td>55 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.68	56.86	74.00	-17.14	41.32	31.57	8.93	30.96	6.00	268	55 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.06</td><td>74.00</td><td>31.06</td><td>89.11</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>268</td><td>55 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>95.70</td><td>74.00</td><td>21.70</td><td>78.98</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>268</td><td>55 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.06	74.00	31.06	89.11	31.92	8.97	30.94	6.00	268	55 Peak	2	2480.00	95.70	74.00	21.70	78.98	32.30	9.30	30.88	6.00	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2366.68	56.86	74.00	-17.14	41.32	31.57	8.93	30.96	6.00	268	55 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2402.00	105.06	74.00	31.06	89.11	31.92	8.97	30.94	6.00	268	55 Peak																																																																																																	
2	2480.00	95.70	74.00	21.70	78.98	32.30	9.30	30.88	6.00	268	55 Peak																																																																																																	
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.86</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>30.35</td><td>31.68</td><td>8.94</td><td>30.95</td><td>6.00</td><td>268</td><td>55 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.86	46.02	54.00	-7.98	30.35	31.68	8.94	30.95	6.00	268	55 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.55</td><td>54.00</td><td>48.55</td><td>86.60</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>268</td><td>55 Average</td></tr><tr><td>2</td><td>2480.00</td><td>92.52</td><td>54.00</td><td>38.52</td><td>75.00</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>268</td><td>55 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.55	54.00	48.55	86.60	31.92	8.97	30.94	6.00	268	55 Average	2	2480.00	92.52	54.00	38.52	75.00	32.30	9.30	30.88	6.00	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2377.86	46.02	54.00	-7.98	30.35	31.68	8.94	30.95	6.00	268	55 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2402.00	102.55	54.00	48.55	86.60	31.92	8.97	30.94	6.00	268	55 Average																																																																																																	
2	2480.00	92.52	54.00	38.52	75.00	32.30	9.30	30.88	6.00	268	55 Average																																																																																																	







Mode	5																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>69.82</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>104</td><td>176</td><td>Peak</td></tr><tr><td>2</td><td>4004.00</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>67.50</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>104</td><td>176</td><td>Average</td></tr><tr><td>3</td><td>4960.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>67.46</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	52.01	74.00	-21.99	69.82	34.28	13.60	65.69	0.00	104	176	Peak	2	4004.00	49.69	54.00	-4.31	67.50	34.28	13.60	65.69	0.00	104	176	Average	3	4960.00	49.89	74.00	-24.11	67.46	34.14	13.69	65.40	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>69.49</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>100</td><td>12</td><td>Peak</td></tr><tr><td>2</td><td>4004.00</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>66.84</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>100</td><td>12</td><td>Average</td></tr><tr><td>3</td><td>4960.00</td><td>50.10</td><td>74.00</td><td>-23.90</td><td>67.67</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	51.68	74.00	-22.32	69.49	34.28	13.60	65.69	0.00	100	12	Peak	2	4004.00	49.03	54.00	-4.97	66.84	34.28	13.60	65.69	0.00	100	12	Average	3	4960.00	50.10	74.00	-23.90	67.67	34.14	13.69	65.40	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4004.00	52.01	74.00	-21.99	69.82	34.28	13.60	65.69	0.00	104	176	Peak																																																																																																																																											
2	4004.00	49.69	54.00	-4.31	67.50	34.28	13.60	65.69	0.00	104	176	Average																																																																																																																																											
3	4960.00	49.89	74.00	-24.11	67.46	34.14	13.69	65.40	0.00	---	---	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4004.00	51.68	74.00	-22.32	69.49	34.28	13.60	65.69	0.00	100	12	Peak																																																																																																																																											
2	4004.00	49.03	54.00	-4.97	66.84	34.28	13.60	65.69	0.00	100	12	Average																																																																																																																																											
3	4960.00	50.10	74.00	-23.90	67.67	34.14	13.69	65.40	0.00	---	---	Peak																																																																																																																																											





Mode	5																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.92</td><td>63.13</td><td>74.00</td><td>-10.87</td><td>46.40</td><td>32.30</td><td>9.31</td><td>30.88</td><td>6.00</td><td>152</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	63.13	74.00	-10.87	46.40	32.30	9.31	30.88	6.00	152	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>88.12</td><td>74.00</td><td>14.12</td><td>72.17</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>152</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>103.89</td><td>74.00</td><td>29.89</td><td>87.17</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>152</td><td>360</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	88.12	74.00	14.12	72.17	31.92	8.97	30.94	6.00	152	360	Peak	2	2480.00	103.89	74.00	29.89	87.17	32.30	9.30	30.88	6.00	152	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.92	63.13	74.00	-10.87	46.40	32.30	9.31	30.88	6.00	152	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	88.12	74.00	14.12	72.17	31.92	8.97	30.94	6.00	152	360	Peak																																																																																																				
2	2480.00	103.89	74.00	29.89	87.17	32.30	9.30	30.88	6.00	152	360	Peak																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>51.14</td><td>54.00</td><td>-2.86</td><td>34.41</td><td>32.30</td><td>9.31</td><td>30.88</td><td>6.00</td><td>152</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.14	54.00	-2.86	34.41	32.30	9.31	30.88	6.00	152	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>85.66</td><td>54.00</td><td>31.66</td><td>69.71</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>152</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>100.43</td><td>54.00</td><td>46.43</td><td>83.71</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>152</td><td>360</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	85.66	54.00	31.66	69.71	31.92	8.97	30.94	6.00	152	360	Average	2	2480.00	100.43	54.00	46.43	83.71	32.30	9.30	30.88	6.00	152	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.50	51.14	54.00	-2.86	34.41	32.30	9.31	30.88	6.00	152	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	85.66	54.00	31.66	69.71	31.92	8.97	30.94	6.00	152	360	Average																																																																																																				
2	2480.00	100.43	54.00	46.43	83.71	32.30	9.30	30.88	6.00	152	360	Average																																																																																																				




Mode	5																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>58.95</td><td>74.00</td><td>-15.05</td><td>42.22</td><td>32.30</td><td>9.31</td><td>30.88</td><td>6.00</td><td>254</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	58.95	74.00	-15.05	42.22	32.30	9.31	30.88	6.00	254	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>93.65</td><td>74.00</td><td>19.65</td><td>77.70</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>254</td><td>234</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>98.39</td><td>74.00</td><td>24.39</td><td>81.67</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>254</td><td>234</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.65	74.00	19.65	77.70	31.92	8.97	30.94	6.00	254	234	Peak	2	2480.00	98.39	74.00	24.39	81.67	32.30	9.30	30.88	6.00	254	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.74	58.95	74.00	-15.05	42.22	32.30	9.31	30.88	6.00	254	234	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	93.65	74.00	19.65	77.70	31.92	8.97	30.94	6.00	254	234	Peak																																																																																																				
2	2480.00	98.39	74.00	24.39	81.67	32.30	9.30	30.88	6.00	254	234	Peak																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>30.80</td><td>32.30</td><td>9.31</td><td>30.88</td><td>6.00</td><td>254</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.53	54.00	-6.47	30.80	32.30	9.31	30.88	6.00	254	234	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>91.48</td><td>54.00</td><td>37.48</td><td>75.53</td><td>31.92</td><td>8.97</td><td>30.94</td><td>6.00</td><td>254</td><td>234</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>94.85</td><td>54.00</td><td>40.85</td><td>78.13</td><td>32.30</td><td>9.30</td><td>30.88</td><td>6.00</td><td>254</td><td>234</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	91.48	54.00	37.48	75.53	31.92	8.97	30.94	6.00	254	234	Average	2	2480.00	94.85	54.00	40.85	78.13	32.30	9.30	30.88	6.00	254	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.50	47.53	54.00	-6.47	30.80	32.30	9.31	30.88	6.00	254	234	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	91.48	54.00	37.48	75.53	31.92	8.97	30.94	6.00	254	234	Average																																																																																																				
2	2480.00	94.85	54.00	40.85	78.13	32.30	9.30	30.88	6.00	254	234	Average																																																																																																				




Mode	5																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																												
	2400-2483.5_Zigbee_CH26_2480MHz																																																																																																																																																																																												
Pol.	Horizontal											Vertical																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>69.18</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>71.04</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>117</td><td>151</td><td>Peak</td></tr><tr><td>3</td><td>4960.00</td><td>48.02</td><td>54.00</td><td>-5.98</td><td>65.59</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>117</td><td>151</td><td>Average</td></tr><tr><td>4</td><td>7440.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>58.71</td><td>35.60</td><td>15.75</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	51.37	74.00	-22.63	69.18	34.28	13.60	65.69	0.00	---	---	Peak	2	4960.00	53.47	74.00	-20.53	71.04	34.14	13.69	65.40	0.00	117	151	Peak	3	4960.00	48.02	54.00	-5.98	65.59	34.14	13.69	65.40	0.00	117	151	Average	4	7440.00	44.87	74.00	-29.13	58.71	35.60	15.75	65.19	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>69.25</td><td>34.28</td><td>13.60</td><td>65.69</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>68.90</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>120</td><td>121</td><td>Peak</td></tr><tr><td>3</td><td>4960.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>62.85</td><td>34.14</td><td>13.69</td><td>65.40</td><td>0.00</td><td>120</td><td>121</td><td>Average</td></tr><tr><td>4</td><td>7440.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>58.47</td><td>35.60</td><td>15.75</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	51.44	74.00	-22.56	69.25	34.28	13.60	65.69	0.00	---	---	Peak	2	4960.00	51.33	74.00	-22.67	68.90	34.14	13.69	65.40	0.00	120	121	Peak	3	4960.00	45.28	54.00	-8.72	62.85	34.14	13.69	65.40	0.00	120	121	Average	4	7440.00	44.63	74.00	-29.37	58.47	35.60	15.75	65.19	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	4804.00	51.37	74.00	-22.63	69.18	34.28	13.60	65.69	0.00	---	---	Peak																																																																																																																																																																																	
2	4960.00	53.47	74.00	-20.53	71.04	34.14	13.69	65.40	0.00	117	151	Peak																																																																																																																																																																																	
3	4960.00	48.02	54.00	-5.98	65.59	34.14	13.69	65.40	0.00	117	151	Average																																																																																																																																																																																	
4	7440.00	44.87	74.00	-29.13	58.71	35.60	15.75	65.19	0.00	---	---	Peak																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																			
1	4804.00	51.44	74.00	-22.56	69.25	34.28	13.60	65.69	0.00	---	---	Peak																																																																																																																																																																																	
2	4960.00	51.33	74.00	-22.67	68.90	34.14	13.69	65.40	0.00	120	121	Peak																																																																																																																																																																																	
3	4960.00	45.28	54.00	-8.72	62.85	34.14	13.69	65.40	0.00	120	121	Average																																																																																																																																																																																	
4	7440.00	44.63	74.00	-29.37	58.47	35.60	15.75	65.19	0.00	---	---	Peak																																																																																																																																																																																	

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.86 / 100 = 5.72 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.85 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.