



Appendix A

RF Test Data for BT(Conducted Measurement)

Product Name: BDE Bluetooth 5.1 Dual-Mode MCU Module

Test Model: BDE-BDM209B

Environmental Conditions

Temperature:	23.9° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.947	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.947	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.915	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.336	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.353	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.351	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.344	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.331	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.319	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	10.51	21	Pass
NVNT	1-DH5	2441	Ant1	10.53	21	Pass
NVNT	1-DH5	2480	Ant1	10.39	21	Pass
NVNT	2-DH5	2402	Ant1	10.48	21	Pass
NVNT	2-DH5	2441	Ant1	10.52	21	Pass
NVNT	2-DH5	2480	Ant1	10.38	21	Pass
NVNT	3-DH5	2402	Ant1	11.01	21	Pass
NVNT	3-DH5	2441	Ant1	11.11	21	Pass
NVNT	3-DH5	2480	Ant1	10.99	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.01	2403.058	1.048	0.631	Pass
NVNT	2-DH5	Ant1	2402.046	2403.064	1.018	0.902	Pass
NVNT	3-DH5	Ant1	2401.998	2402.984	0.986	0.887	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.891	283.318	98	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.893	300.872	104	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.894	329.916	114	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-60.54	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-60.54	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-48.14	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-51.14	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-47.65	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.53	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-49.59	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-59.18	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-47.47	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.08	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-47.35	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-55.08	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-45.64	-20	Pass
NVNT	1-DH5	2441	Ant1	-48.07	-20	Pass
NVNT	1-DH5	2480	Ant1	-49.27	-20	Pass
NVNT	2-DH5	2402	Ant1	-50.01	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.3	-20	Pass
NVNT	2-DH5	2480	Ant1	-55.84	-20	Pass
NVNT	3-DH5	2402	Ant1	-51.39	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.09	-20	Pass
NVNT	3-DH5	2480	Ant1	-54.59	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.15	1.13	0.35
NVNT	1-DH5	2441	Ant1	77.15	1.13	0.35
NVNT	1-DH5	2480	Ant1	77.15	1.13	0.35
NVNT	2-DH5	2402	Ant1	77.17	1.13	0.35
NVNT	2-DH5	2441	Ant1	77.17	1.13	0.35
NVNT	2-DH5	2480	Ant1	77.23	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.23	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.23	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.13	2	-	46.13	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.19	2	1.13	40.2	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2381.232	-37.99	2	-	59.27	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2381.136	-53.64	2	1.13	44.75	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.64	2	-	47.62	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-56.82	2	1.13	41.57	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-44.19	2	-	53.07	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-54.15	2	1.13	44.24	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2489.68	-42.39	2	-	54.87	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.12	-53.6	2	1.13	44.79	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.49	2	-	46.77	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.26	2	1.13	41.13	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.14	2	-	46.12	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.28	2	1.13	40.11	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2384.4	-36.31	2	-	60.95	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2376.912	-56.46	2	1.13	41.93	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-48.71	2	-	48.55	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-56.52	2	1.13	41.87	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-40.42	2	-	56.84	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.95	2	1.12	47.43	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.4	-37.94	2	-	59.32	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.632	-50.17	2	1.12	48.21	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.75	2	-	47.51	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.6	2	1.12	40.78	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.18	2	-	48.08	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.62	2	1.12	39.76	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2387.184	-38.23	2	-	59.03	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2382.96	-54.3	2	1.12	44.08	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-44.07	2	-	53.19	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-55.96	2	1.12	42.42	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-38.56	2	-	58.7	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.98	2	1.12	47.4	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.656	-35.12	2	-	62.14	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.68	-49.61	2	1.12	48.77	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-46.02	2	-	51.24	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.02	2	1.12	41.36	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

