



Appendix 4: AP305CX-Eth2 RSE

Profile: 1962097R	Page No.: 321
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.700	32.181	-30.300	74.000	11.519	PK
2	*	15540.000	50.776	32.919	-23.224	74.000	17.857	PK

Profile: 1962097R	Page No.: 322
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.551	32.032	-30.449	74.000	11.519	PK
2	*	15540.000	50.800	32.943	-23.200	74.000	17.857	PK

Profile: 1962097R	Page No.: 323
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.595	31.526	-30.405	74.000	12.070	PK
2	*	15660.000	49.630	32.025	-24.370	74.000	17.605	PK

Profile: 1962097R	Page No.: 324
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.861	29.792	-32.139	74.000	12.070	PK
2	*	15660.000	48.212	30.607	-25.788	74.000	17.605	PK

Profile: 1962097R	Page No.: 325
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.971	31.699	-30.029	74.000	12.272	PK
2	*	15720.000	50.096	32.059	-23.904	74.000	18.038	PK

Profile: 1962097R	Page No.: 326
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.988	30.716	-31.012	74.000	12.272	PK
2	*	15720.000	50.011	31.974	-23.989	74.000	18.038	PK

Profile: 1962097R	Page No.: 327
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.783	30.345	-30.217	74.000	13.438	PK
2	*	17235.000	51.997	30.059	-22.003	74.000	21.938	PK

Profile: 1962097R	Page No.: 328
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.351	28.913	-31.649	74.000	13.438	PK
2	*	17235.000	50.922	28.984	-23.078	74.000	21.938	PK

Profile: 1962097R	Page No.: 329
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.404	28.768	-31.596	74.000	13.637	PK
2	*	17355.000	52.338	29.297	-21.662	74.000	23.041	PK

Profile: 1962097R	Page No.: 330
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.508	29.872	-30.492	74.000	13.637	PK
2	*	17355.000	53.718	30.677	-20.282	74.000	23.041	PK

Profile: 1962097R	Page No.: 331
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.236	30.057	-29.764	74.000	14.179	PK
2	*	17475.000	51.184	31.832	-22.816	74.000	19.352	PK

Profile: 1962097R	Page No.: 332
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.952	28.773	-31.048	74.000	14.179	PK
2	*	17475.000	49.322	29.970	-24.678	74.000	19.352	PK

Profile: 1962097R	Page No.: 333
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.814	30.295	-32.186	74.000	11.519	PK
2	*	15540.000	49.298	31.441	-24.702	74.000	17.857	PK

Profile: 1962097R	Page No.: 334
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.767	30.248	-32.233	74.000	11.519	PK
2	*	15540.000	48.828	30.971	-25.172	74.000	17.857	PK

Profile: 1962097R	Page No.: 335
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.183	29.114	-32.817	74.000	12.070	PK
2	*	15660.000	47.854	30.249	-26.146	74.000	17.605	PK

Profile: 1962097R	Page No.: 336
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.972	29.903	-32.028	74.000	12.070	PK
2	*	15660.000	47.757	30.152	-26.243	74.000	17.605	PK

Profile: 1962097R	Page No.: 337
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.603	30.331	-31.397	74.000	12.272	PK
2	*	15720.000	48.900	30.863	-25.100	74.000	18.038	PK

Profile: 1962097R	Page No.: 338
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.957	29.685	-32.043	74.000	12.272	PK
2	*	15720.000	48.996	30.959	-25.004	74.000	18.038	PK

Profile: 1962097R	Page No.: 339
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.371	28.933	-31.629	74.000	13.438	PK
2	*	17235.000	53.124	31.186	-20.876	74.000	21.938	PK

Profile: 1962097R	Page No.: 340
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.973	30.535	-30.027	74.000	13.438	PK
2	*	17235.000	52.851	30.913	-21.149	74.000	21.938	PK

Profile: 1962097R	Page No.: 341
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.226	29.590	-30.774	74.000	13.637	PK
2	*	17355.000	53.938	30.897	-20.062	74.000	23.041	PK

Profile: 1962097R	Page No.: 342
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.394	28.758	-31.606	74.000	13.637	PK
2	*	17355.000	52.975	29.934	-21.025	74.000	23.041	PK

Profile: 1962097R	Page No.: 343
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.879	29.700	-30.121	74.000	14.179	PK
2	*	17475.000	49.504	30.152	-24.496	74.000	19.352	PK

Profile: 1962097R	Page No.: 344
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.289	30.110	-29.711	74.000	14.179	PK
2	*	17475.000	50.550	31.198	-23.450	74.000	19.352	PK

Profile: 1962097R	Page No.: 345
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.532	31.013	-31.468	74.000	11.519	PK
2	*	15540.000	48.927	31.070	-25.073	74.000	17.857	PK

Profile: 1962097R	Page No.: 346
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.929	30.410	-32.071	74.000	11.519	PK
2	*	15540.000	49.360	31.503	-24.640	74.000	17.857	PK

Profile: 1962097R	Page No.: 347
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.855	29.786	-32.145	74.000	12.070	PK
2	*	15660.000	48.059	30.454	-25.941	74.000	17.605	PK

Profile: 1962097R	Page No.: 348
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.986	29.917	-32.014	74.000	12.070	PK
2	*	15660.000	47.874	30.269	-26.126	74.000	17.605	PK

Profile: 1962097R	Page No.: 349
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.282	30.010	-31.718	74.000	12.272	PK
2	*	15720.000	48.938	30.901	-25.062	74.000	18.038	PK

Profile: 1962097R	Page No.: 350
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.092	30.820	-30.908	74.000	12.272	PK
2	*	15720.000	49.960	31.923	-24.040	74.000	18.038	PK

Profile: 1962097R	Page No.: 351
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.648	29.210	-31.352	74.000	13.438	PK
2	*	17235.000	51.804	29.866	-22.196	74.000	21.938	PK

Profile: 1962097R	Page No.: 352
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.705	29.267	-31.295	74.000	13.438	PK
2	*	17235.000	50.746	28.808	-23.254	74.000	21.938	PK

Profile: 1962097R	Page No.: 353
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.384	28.748	-31.616	74.000	13.637	PK
2	*	17355.000	51.992	28.951	-22.008	74.000	23.041	PK

Profile: 1962097R	Page No.: 354
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.526	28.890	-31.474	74.000	13.637	PK
2	*	17355.000	53.464	30.423	-20.536	74.000	23.041	PK

Profile: 1962097R	Page No.: 355
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.219	28.040	-31.781	74.000	14.179	PK
2	*	17475.000	49.394	30.042	-24.606	74.000	19.352	PK

Profile: 1962097R	Page No.: 356
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.814	28.635	-31.186	74.000	14.179	PK
2	*	17475.000	49.075	29.723	-24.925	74.000	19.352	PK

Profile: 1962097R	Page No.: 369
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.411	31.892	-30.589	74.000	11.519	PK
2	*	15540.000	50.288	32.431	-23.712	74.000	17.857	PK

Profile: 1962097R	Page No.: 370
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.988	30.469	-32.012	74.000	11.519	PK
2	*	15540.000	48.813	30.956	-25.187	74.000	17.857	PK

Profile: 1962097R	Page No.: 371
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.986	28.917	-33.014	74.000	12.070	PK
2	*	15660.000	47.921	30.316	-26.079	74.000	17.605	PK

Profile: 1962097R	Page No.: 372
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	40.881	28.812	-33.119	74.000	12.070	PK
2	*	15660.000	48.467	30.862	-25.533	74.000	17.605	PK

Profile: 1962097R	Page No.: 373
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.377	31.105	-30.623	74.000	12.272	PK
2	*	15720.000	49.717	31.680	-24.283	74.000	18.038	PK

Profile: 1962097R	Page No.: 374
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.501	30.229	-31.499	74.000	12.272	PK
2	*	15720.000	48.763	30.726	-25.237	74.000	18.038	PK

Profile: 1962097R	Page No.: 375
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.198	28.760	-31.802	74.000	13.438	PK
2	*	17235.000	51.904	29.966	-22.096	74.000	21.938	PK

Profile: 1962097R	Page No.: 376
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.577	30.139	-30.423	74.000	13.438	PK
2	*	17235.000	52.306	30.368	-21.694	74.000	21.938	PK

Profile: 1962097R	Page No.: 377
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.383	28.747	-31.617	74.000	13.637	PK
2	*	17355.000	53.961	30.920	-20.039	74.000	23.041	PK

Profile: 1962097R	Page No.: 378
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.526	28.890	-31.474	74.000	13.637	PK
2	*	17355.000	52.654	29.613	-21.346	74.000	23.041	PK

Profile: 1962097R	Page No.: 379
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.964	30.785	-29.036	74.000	14.179	PK
2	*	17475.000	50.068	30.716	-23.932	74.000	19.352	PK

Profile: 1962097R	Page No.: 380
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.957	29.778	-30.043	74.000	14.179	PK
2	*	17475.000	50.272	30.920	-23.728	74.000	19.352	PK

Profile: 1962097R	Page No.: 381
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.625	33.106	-29.375	74.000	11.519	PK
2	*	15540.000	50.770	32.913	-23.230	74.000	17.857	PK

Profile: 1962097R	Page No.: 382
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.288	29.769	-32.712	74.000	11.519	PK
2	*	15540.000	48.787	30.930	-25.213	74.000	17.857	PK

Profile: 1962097R	Page No.: 383
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.537	29.468	-32.463	74.000	12.070	PK
2	*	15660.000	49.063	31.458	-24.937	74.000	17.605	PK

Profile: 1962097R	Page No.: 384
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.141	30.072	-31.859	74.000	12.070	PK
2	*	15660.000	48.255	30.650	-25.745	74.000	17.605	PK

Profile: 1962097R	Page No.: 385
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.835	29.563	-32.165	74.000	12.272	PK
2	*	15720.000	48.339	30.302	-25.661	74.000	18.038	PK

Profile: 1962097R	Page No.: 386
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.918	29.646	-32.082	74.000	12.272	PK
2	*	15720.000	48.538	30.501	-25.462	74.000	18.038	PK

Profile: 1962097R	Page No.: 387
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.332	28.894	-31.668	74.000	13.438	PK
2	*	17235.000	51.585	29.647	-22.415	74.000	21.938	PK

Profile: 1962097R	Page No.: 388
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.150	29.712	-30.850	74.000	13.438	PK
2	*	17235.000	51.850	29.912	-22.150	74.000	21.938	PK

Profile: 1962097R	Page No.: 389
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.170	29.534	-30.830	74.000	13.637	PK
2	*	17355.000	53.557	30.516	-20.443	74.000	23.041	PK

Profile: 1962097R	Page No.: 390
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.943	29.307	-31.057	74.000	13.637	PK
2	*	17355.000	52.454	29.413	-21.546	74.000	23.041	PK

Profile: 1962097R	Page No.: 391
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.532	29.353	-30.468	74.000	14.179	PK
2	*	17475.000	49.887	30.535	-24.113	74.000	19.352	PK

Profile: 1962097R	Page No.: 392
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.225	29.046	-30.775	74.000	14.179	PK
2	*	17475.000	49.448	30.096	-24.552	74.000	19.352	PK

Profile: 1962097R	Page No.: 393
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.758	34.239	-28.242	74.000	11.519	PK
2	*	15540.000	50.394	32.537	-23.606	74.000	17.857	PK

Profile: 1962097R	Page No.: 394
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.641	33.122	-29.359	74.000	11.519	PK
2	*	15540.000	49.180	31.323	-24.820	74.000	17.857	PK

Profile: 1962097R	Page No.: 395
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.488	33.419	-28.512	74.000	12.070	PK
2	*	15660.000	49.423	31.818	-24.577	74.000	17.605	PK

Profile: 1962097R	Page No.: 396
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.030	31.961	-29.970	74.000	12.070	PK
2	*	15660.000	47.631	30.026	-26.369	74.000	17.605	PK

Profile: 1962097R	Page No.: 397
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.912	30.640	-31.088	74.000	12.272	PK
2	*	15720.000	49.160	31.123	-24.840	74.000	18.038	PK

Profile: 1962097R	Page No.: 398
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.990	30.718	-31.010	74.000	12.272	PK
2	*	15720.000	48.768	30.731	-25.232	74.000	18.038	PK

Profile: 1962097R	Page No.: 399
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.058	29.620	-30.942	74.000	13.438	PK
2	*	17235.000	51.011	29.073	-22.989	74.000	21.938	PK

Profile: 1962097R	Page No.: 400
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.865	29.427	-31.135	74.000	13.438	PK
2	*	17235.000	51.054	29.116	-22.946	74.000	21.938	PK

Profile: 1962097R	Page No.: 401
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.791	29.155	-31.209	74.000	13.637	PK
2	*	17355.000	53.216	30.175	-20.784	74.000	23.041	PK

Profile: 1962097R	Page No.: 402
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.911	29.275	-31.089	74.000	13.637	PK
2	*	17355.000	52.884	29.843	-21.116	74.000	23.041	PK

Profile: 1962097R	Page No.: 403
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.722	29.543	-30.278	74.000	14.179	PK
2	*	17475.000	49.787	30.435	-24.213	74.000	19.352	PK

Profile: 1962097R	Page No.: 404
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.759	28.580	-31.241	74.000	14.179	PK
2	*	17475.000	50.689	31.337	-23.311	74.000	19.352	PK

Profile: 1962097R	Page No.: 405
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.770	35.251	-27.230	74.000	11.519	PK
2	*	15540.000	50.308	32.451	-23.692	74.000	17.857	PK

Profile: 1962097R	Page No.: 406
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.238	31.719	-30.762	74.000	11.519	PK
2	*	15540.000	49.261	31.404	-24.739	74.000	17.857	PK

Profile: 1962097R	Page No.: 407
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.307	30.238	-31.693	74.000	12.070	PK
2	*	15660.000	48.277	30.672	-25.723	74.000	17.605	PK

Profile: 1962097R	Page No.: 408
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.390	30.321	-31.610	74.000	12.070	PK
2	*	15660.000	49.081	31.476	-24.919	74.000	17.605	PK

Profile: 1962097R	Page No.: 409
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.562	31.290	-30.438	74.000	12.272	PK
2	*	15720.000	49.091	31.054	-24.909	74.000	18.038	PK

Profile: 1962097R	Page No.: 410
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.178	30.906	-30.822	74.000	12.272	PK
2	*	15720.000	48.563	30.526	-25.437	74.000	18.038	PK

Profile: 1962097R	Page No.: 411
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.907	28.469	-32.093	74.000	13.438	PK
2	*	17235.000	50.974	29.036	-23.026	74.000	21.938	PK

Profile: 1962097R	Page No.: 412
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.296	29.858	-30.704	74.000	13.438	PK
2	*	17235.000	52.126	30.188	-21.874	74.000	21.938	PK

Profile: 1962097R	Page No.: 413
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.903	28.267	-32.097	74.000	13.637	PK
2	*	17355.000	52.709	29.668	-21.291	74.000	23.041	PK

Profile: 1962097R	Page No.: 414
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.367	28.731	-31.633	74.000	13.637	PK
2	*	17355.000	52.831	29.790	-21.169	74.000	23.041	PK

Profile: 1962097R	Page No.: 415
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.465	29.286	-30.535	74.000	14.179	PK
2	*	17475.000	49.385	30.033	-24.615	74.000	19.352	PK

Profile: 1962097R	Page No.: 416
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.480	29.301	-30.520	74.000	14.179	PK
2	*	17475.000	50.160	30.808	-23.840	74.000	19.352	PK

Profile: 1962097R	Page No.: 417
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.926	31.276	-31.074	74.000	11.650	PK
2	*	15570.000	50.552	32.678	-23.448	74.000	17.874	PK

Profile: 1962097R	Page No.: 418
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.330	30.680	-31.670	74.000	11.650	PK
2	*	15570.000	48.614	30.740	-25.386	74.000	17.874	PK

Profile: 1962097R	Page No.: 419
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.408	29.344	-32.592	74.000	12.064	PK
2	*	15690.000	50.097	32.239	-23.903	74.000	17.857	PK

Profile: 1962097R	Page No.: 420
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.221	30.157	-31.779	74.000	12.064	PK
2	*	15690.000	49.066	31.208	-24.934	74.000	17.857	PK

Profile: 1962097R	Page No.: 421
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.920	29.586	-31.080	74.000	13.334	PK
2	*	17265.000	52.107	29.077	-21.893	74.000	23.030	PK

Profile: 1962097R	Page No.: 422
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.300	28.966	-31.700	74.000	13.334	PK
2	*	17265.000	51.668	28.638	-22.332	74.000	23.030	PK

Profile: 1962097R	Page No.: 423
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.793	29.883	-30.207	74.000	13.909	PK
2	*	17385.000	53.562	31.786	-20.438	74.000	21.775	PK

Profile: 1962097R	Page No.: 424
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.946	30.036	-30.054	74.000	13.909	PK
2	*	17385.000	53.110	31.334	-20.890	74.000	21.775	PK

Profile: 1962097R	Page No.: 425
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.035	30.385	-31.965	74.000	11.650	PK
2	*	15570.000	50.517	32.643	-23.483	74.000	17.874	PK

Profile: 1962097R	Page No.: 426
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.209	30.559	-31.791	74.000	11.650	PK
2	*	15570.000	48.652	30.778	-25.348	74.000	17.874	PK

Profile: 1962097R	Page No.: 427
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.403	29.339	-32.597	74.000	12.064	PK
2	*	15690.000	48.550	30.692	-25.450	74.000	17.857	PK

Profile: 1962097R	Page No.: 428
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.868	28.804	-33.132	74.000	12.064	PK
2	*	15690.000	48.103	30.245	-25.897	74.000	17.857	PK

Profile: 1962097R	Page No.: 429
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.103	30.769	-29.897	74.000	13.334	PK
2	*	17265.000	53.377	30.347	-20.623	74.000	23.030	PK

Profile: 1962097R	Page No.: 430
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	41.696	28.362	-32.304	74.000	13.334	PK
2	*	17265.000	51.655	28.625	-22.345	74.000	23.030	PK

Profile: 1962097R	Page No.: 431
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.494	29.584	-30.506	74.000	13.909	PK
2	*	17385.000	53.502	31.726	-20.498	74.000	21.775	PK

Profile: 1962097R	Page No.: 432
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.645	30.735	-29.355	74.000	13.909	PK
2	*	17385.000	53.241	31.465	-20.759	74.000	21.775	PK

Profile: 1962097R	Page No.: 433
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.692	32.042	-30.308	74.000	11.650	PK
2	*	15570.000	50.351	32.477	-23.649	74.000	17.874	PK

Profile: 1962097R	Page No.: 434
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.973	31.323	-31.027	74.000	11.650	PK
2	*	15570.000	48.763	30.889	-25.237	74.000	17.874	PK

Profile: 1962097R	Page No.: 435
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.630	29.566	-32.370	74.000	12.064	PK
2	*	15690.000	48.578	30.720	-25.422	74.000	17.857	PK

Profile: 1962097R	Page No.: 436
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.964	28.900	-33.036	74.000	12.064	PK
2	*	15690.000	49.046	31.188	-24.954	74.000	17.857	PK

Profile: 1962097R	Page No.: 437
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.799	29.465	-31.201	74.000	13.334	PK
2	*	17265.000	52.493	29.463	-21.507	74.000	23.030	PK

Profile: 1962097R	Page No.: 438
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.328	29.994	-30.672	74.000	13.334	PK
2	*	17265.000	53.252	30.222	-20.748	74.000	23.030	PK

Profile: 1962097R	Page No.: 439
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.663	28.753	-31.337	74.000	13.909	PK
2	*	17385.000	53.083	31.307	-20.917	74.000	21.775	PK

Profile: 1962097R	Page No.: 440
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.767	29.857	-30.233	74.000	13.909	PK
2	*	17385.000	53.395	31.619	-20.605	74.000	21.775	PK

Profile: 1962097R	Page No.: 441
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.835	31.185	-31.165	74.000	11.650	PK
2	*	15570.000	49.140	31.266	-24.860	74.000	17.874	PK

Profile: 1962097R	Page No.: 442
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.586	30.936	-31.414	74.000	11.650	PK
2	*	15570.000	50.246	32.372	-23.754	74.000	17.874	PK

Profile: 1962097R	Page No.: 443
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.954	28.890	-33.046	74.000	12.064	PK
2	*	15690.000	48.732	30.874	-25.268	74.000	17.857	PK

Profile: 1962097R	Page No.: 444
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.393	29.329	-32.607	74.000	12.064	PK
2	*	15690.000	48.732	30.874	-25.268	74.000	17.857	PK

Profile: 1962097R	Page No.: 445
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.197	29.863	-30.803	74.000	13.334	PK
2	*	17265.000	52.611	29.581	-21.389	74.000	23.030	PK

Profile: 1962097R	Page No.: 446
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.477	30.143	-30.523	74.000	13.334	PK
2	*	17265.000	53.136	30.106	-20.864	74.000	23.030	PK

Profile: 1962097R	Page No.: 447
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.146	29.236	-30.854	74.000	13.909	PK
2	*	17385.000	52.991	31.215	-21.009	74.000	21.775	PK

Profile: 1962097R	Page No.: 448
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.345	29.435	-30.655	74.000	13.909	PK
2	*	17385.000	52.903	31.127	-21.097	74.000	21.775	PK

Profile: 1962097R	Page No.: 449
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.910	32.391	-30.090	74.000	11.519	PK
2	*	15540.000	50.510	32.653	-23.490	74.000	17.857	PK

Profile: 1962097R	Page No.: 450
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.271	30.752	-31.729	74.000	11.519	PK
2	*	15540.000	49.720	31.863	-24.280	74.000	17.857	PK

Profile: 1962097R	Page No.: 451
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.095	30.026	-31.905	74.000	12.070	PK
2	*	15660.000	48.205	30.600	-25.795	74.000	17.605	PK

Profile: 1962097R	Page No.: 452
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.340	29.271	-32.660	74.000	12.070	PK
2	*	15660.000	48.357	30.752	-25.643	74.000	17.605	PK

Profile: 1962097R	Page No.: 453
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.736	29.464	-32.264	74.000	12.272	PK
2	*	15720.000	48.520	30.483	-25.480	74.000	18.038	PK

Profile: 1962097R	Page No.: 454
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.660	30.388	-31.340	74.000	12.272	PK
2	*	15720.000	50.533	32.496	-23.467	74.000	18.038	PK

Profile: 1962097R	Page No.: 455
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.169	28.731	-31.831	74.000	13.438	PK
2	*	17235.000	51.465	29.527	-22.535	74.000	21.938	PK

Profile: 1962097R	Page No.: 456
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.272	28.834	-31.728	74.000	13.438	PK
2	*	17235.000	50.372	28.434	-23.628	74.000	21.938	PK

Profile: 1962097R	Page No.: 457
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.348	29.712	-30.652	74.000	13.637	PK
2	*	17355.000	52.236	29.195	-21.764	74.000	23.041	PK

Profile: 1962097R	Page No.: 458
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.478	28.842	-31.522	74.000	13.637	PK
2	*	17355.000	53.231	30.190	-20.769	74.000	23.041	PK

Profile: 1962097R	Page No.: 459
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.710	28.531	-31.290	74.000	14.179	PK
2	*	17475.000	49.067	29.715	-24.933	74.000	19.352	PK

Profile: 1962097R	Page No.: 460
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.591	29.412	-30.409	74.000	14.179	PK
2	*	17475.000	49.503	30.151	-24.497	74.000	19.352	PK

Profile: 1962097R	Page No.: 461
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.727	30.208	-32.273	74.000	11.519	PK
2	*	15540.000	48.834	30.977	-25.166	74.000	17.857	PK

Profile: 1962097R	Page No.: 462
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.414	29.895	-32.586	74.000	11.519	PK
2	*	15540.000	49.077	31.220	-24.923	74.000	17.857	PK

Profile: 1962097R	Page No.: 463
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.648	29.579	-32.352	74.000	12.070	PK
2	*	15660.000	48.022	30.417	-25.978	74.000	17.605	PK

Profile: 1962097R	Page No.: 464
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.662	29.593	-32.338	74.000	12.070	PK
2	*	15660.000	48.783	31.178	-25.217	74.000	17.605	PK

Profile: 1962097R	Page No.: 465
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.774	29.502	-32.226	74.000	12.272	PK
2	*	15720.000	48.039	30.002	-25.961	74.000	18.038	PK

Profile: 1962097R	Page No.: 466
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.562	29.290	-32.438	74.000	12.272	PK
2	*	15720.000	48.196	30.159	-25.804	74.000	18.038	PK

Profile: 1962097R	Page No.: 467
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.144	30.706	-29.856	74.000	13.438	PK
2	*	17235.000	51.395	29.457	-22.605	74.000	21.938	PK

Profile: 1962097R	Page No.: 468
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.692	29.254	-31.308	74.000	13.438	PK
2	*	17235.000	52.125	30.187	-21.875	74.000	21.938	PK

Profile: 1962097R	Page No.: 469
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.603	28.967	-31.397	74.000	13.637	PK
2	*	17355.000	52.109	29.068	-21.891	74.000	23.041	PK

Profile: 1962097R	Page No.: 470
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.475	28.839	-31.525	74.000	13.637	PK
2	*	17355.000	52.481	29.440	-21.519	74.000	23.041	PK

Profile: 1962097R	Page No.: 471
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.834	29.655	-30.166	74.000	14.179	PK
2	*	17475.000	52.084	32.732	-21.916	74.000	19.352	PK

Profile: 1962097R	Page No.: 472
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.163	28.984	-30.837	74.000	14.179	PK
2	*	17475.000	49.586	30.234	-24.414	74.000	19.352	PK

Profile: 1962097R	Page No.: 473
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.882	33.363	-29.118	74.000	11.519	PK
2	*	15540.000	50.134	32.277	-23.866	74.000	17.857	PK

Profile: 1962097R	Page No.: 474
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.475	31.956	-30.525	74.000	11.519	PK
2	*	15540.000	48.955	31.098	-25.045	74.000	17.857	PK

Profile: 1962097R	Page No.: 475
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.522	29.453	-32.478	74.000	12.070	PK
2	*	15660.000	47.827	30.222	-26.173	74.000	17.605	PK

Profile: 1962097R	Page No.: 476
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.328	30.259	-31.672	74.000	12.070	PK
2	*	15660.000	48.439	30.834	-25.561	74.000	17.605	PK

Profile: 1962097R	Page No.: 477
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.844	30.572	-31.156	74.000	12.272	PK
2	*	15720.000	48.661	30.624	-25.339	74.000	18.038	PK

Profile: 1962097R	Page No.: 478
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.669	30.397	-31.331	74.000	12.272	PK
2	*	15720.000	48.335	30.298	-25.665	74.000	18.038	PK

Profile: 1962097R	Page No.: 479
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.429	30.991	-29.571	74.000	13.438	PK
2	*	17235.000	52.484	30.546	-21.516	74.000	21.938	PK

Profile: 1962097R	Page No.: 480
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.552	29.114	-31.448	74.000	13.438	PK
2	*	17235.000	51.891	29.953	-22.109	74.000	21.938	PK

Profile: 1962097R	Page No.: 481
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.023	29.387	-30.977	74.000	13.637	PK
2	*	17355.000	53.063	31.093	-20.937	74.000	21.970	PK

Profile: 1962097R	Page No.: 482
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 00:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac (20MHz) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.437	29.801	-30.563	74.000	13.637	PK
2	*	17355.000	53.598	30.557	-20.402	74.000	23.041	PK