

.....

## 1. ID Label Information and Location Photos










### 1.1 ID Label Information

According to the requirement section 2.925 and 2.926, the sample label shown below shall be Permanently affixed at a conspicuous location on the device supplied to the user and be readily visible to the purchaser at the time purchase

Figure 3.1 PRODUCT LABEL

Both the FCC ID and compliance statement are included in the product label

<b>HYUNDAI</b>	
Model NO	: B790
POWER	: AC 100-240VAC 2.5 A 50/60Hz
FCC ID	: CKLB790
Serial No	:
<p>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:</p> <p>(1) This device may not cause harmful interference, and</p> <p>(2) This device must accept any interference received, including interference that may cause undesired operation.</p>	
<p>" Product complies with DHHS Rules-21 CFR subchapter J-applicable at date of manufacture"</p> <p>HYUNDAI ELECTRONICS AMERICA 166 Baypoint Parkway, San Jose , CA 95134 MANUFACTURED BY HYUNDAI ELECTRONICS IND. CO., LTD.</p> <p>MADE IN KOREA</p>	

<b>HYUNDAI</b>		See installation instructions before connecting to the supply.		Model No. : B790 POWER : 100-240V~ 2.5A 60/50Hz FCC ID : CKLB790 Serial No. : 2 Manufactured MARCH 1999	
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions : (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.		 E142408 Listed I.T.E 6K83		 LR 65701	
"Product complies with DHHS Rules-21 CFR subchapter j-applicable at date of manufacture"					
WARNUNG : Vor öffnen des Gerätes Netzstecker ziehen. Disconnect power before opening.		 TÜV Rheinland			
HYUNDAI ELECTRONICS AMERICA 3101 North 1st Street, San Jose, CA95134 MANUFACTURED BY HYUNDAI ELECTRONICS IND. CO., LTD. 631 6313 100 01		 TÜV Rheinland Gruppe		 ISO 9241-3	
MADE IN KOREA				Die in diesem Gerät entstehende Röntgenstrahlung ist durch eine eigensichere Kathodenstrahlröhre nach Anlage III Röntgenverordnung ausreichend abgeschirmt. Beschleunigungsspannung : Max. 27.5kV This Class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada. Apparaten skall anslutas till jordat nätuttag. Connect only to a properly grounded outlet.	

## 1.2 Label Location Photos

The label shown shall be permanently affixed at a conspicuous location on the device and be readily visible to the user at the time purchase.(Labeling requirements per 2.925)





