











802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5357.00	57.78	14.78	43.00	74.00	-16.30	100	308	Peak	Horizontal	
2	5467.00	56.67	13.48	43.27	68.20	-11.53	100	308	Peak	Horizontal	
3 *	5678.00	111.77	68.25	43.52	68.20	43.57	100	308	Peak	Horizontal	
4	6968.00	62.01	16.69	45.32	68.20	-6.19	100	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5448.50	57.89	13.84	43.25	74.00	-16.91	100	334	Peak	Vertical	
2	5468.50	56.46	13.20	43.26	68.20	-11.74	100	334	Peak	Vertical	
3 *	5678.00	111.54	68.02	43.52	68.20	43.34	100	334	Peak	Vertical	
4	6905.50	61.00	15.76	45.24	68.20	-7.20	100	334	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	63.54	20.28	43.26	74.00	-10.46	250	132	Peak	Horizontal	
2	5466.50	65.78	22.51	43.27	68.20	-2.42	250	132	Peak	Horizontal	
3 *	5498.00	113.03	69.65	43.38	68.20	44.83	250	132	Peak	Horizontal	
4	6899.00	60.75	15.52	45.23	68.20	-7.45	250	132	Peak	Horizontal	





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5468.00	62.74	19.48	43.26	68.20	-5.46	100	94	Peak	Vertical	
2	5470.00	65.12	21.85	43.27	68.20	-3.08	100	94	Peak	Vertical	
3 *	5538.00	109.48	66.10	43.38	68.20	41.28	100	94	Peak	Vertical	
4	6788.50	60.35	15.44	44.91	68.20	-7.85	100	94	Peak	Vertical	











Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5649.00	56.35	13.91	42.44	68.20	-11.85	264	122	Peak	Horizontal	
2	5697.50	56.52	14.14	42.38	103.36	-46.84	264	122	Peak	Horizontal	
3	5715.00	56.12	13.68	42.44	109.40	-53.28	264	122	Peak	Horizontal	
4	5725.00	60.34	17.85	42.49	122.20	-61.86	264	122	Peak	Horizontal	
5	5745.00	112.77	70.19	42.58	122.20	-9.43	264	122	Peak	Horizontal	
6	5851.50	56.05	13.38	42.67	118.78	-62.73	264	122	Peak	Horizontal	
7	5873.50	56.69	14.01	42.68	105.62	-48.93	264	122	Peak	Horizontal	
8	5923.50	57.26	14.46	42.80	69.31	-12.05	264	122	Peak	Horizontal	
9	5948.00	57.06	14.94	42.92	68.20	-10.34	264	122	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5479.50	56.49	14.23	42.26	68.20	-11.71	218	299	Peak	Vertical	
2	5689.50	56.70	14.31	42.39	97.46	-40.76	218	299	Peak	Vertical	
3	5708.00	56.00	13.59	42.41	107.44	-51.44	218	299	Peak	Vertical	
4	5725.00	58.94	16.45	42.49	122.20	-63.26	218	299	Peak	Vertical	
5	5745.00	110.76	68.18	42.58	122.20	-11.44	218	299	Peak	Vertical	
6	5852.50	56.20	13.53	42.67	116.50	-60.30	218	299	Peak	Vertical	
7	5867.50	57.35	14.67	42.68	107.30	-49.95	218	299	Peak	Vertical	
8	5906.00	57.10	14.38	42.72	82.22	-25.12	218	299	Peak	Vertical	
9	5958.50	57.23	14.28	42.95	68.20	-10.97	218	299	Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5556.00	56.49	14.22	42.27	68.20	-11.71	241	309 Peak	Horizontal	
2	5652.00	57.00	14.56	42.44	69.69	-12.69	241	309 Peak	Horizontal	
3	5719.00	56.25	13.78	42.47	110.52	-54.27	241	309 Peak	Horizontal	
4	5721.00	56.84	14.37	42.47	113.08	-56.24	241	309 Peak	Horizontal	
5	5785.00	113.57	70.87	42.70	122.20	-8.63	241	309 Peak	Horizontal	
6	5853.00	56.39	13.72	42.67	115.36	-58.97	241	309 Peak	Horizontal	
7	5866.50	57.23	14.55	42.68	107.58	-50.35	241	309 Peak	Horizontal	
8	5911.00	57.01	14.27	42.74	78.53	-21.52	241	309 Peak	Horizontal	
9	5937.50	57.08	14.21	42.87	68.20	-11.12	241	309 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5593.50	56.45	14.23	42.22	68.20	-11.75	100	94 Peak	Vertical	
2	5680.00	56.87	14.47	42.40	90.44	-33.57	100	94 Peak	Vertical	
3	5709.50	56.62	14.20	42.42	107.86	-51.24	100	94 Peak	Vertical	
4	5721.00	56.52	14.05	42.47	113.08	-56.56	100	94 Peak	Vertical	
5	5785.00	110.58	67.88	42.70	122.20	-11.62	100	94 Peak	Vertical	
6	5855.00	56.29	13.62	42.67	110.80	-54.51	100	94 Peak	Vertical	
7	5859.00	57.01	14.34	42.67	109.68	-52.67	100	94 Peak	Vertical	
8	5912.50	56.62	13.86	42.76	77.42	-20.80	100	94 Peak	Vertical	
9	5929.00	56.89	14.05	42.84	68.20	-11.31	100	94 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5633.00	55.94	13.58	42.36	68.20	-12.26	134	310	Peak	Horizontal	
2	5655.50	57.71	15.27	42.44	72.29	-14.58	134	310	Peak	Horizontal	
3	5700.00	55.58	13.21	42.37	105.20	-49.62	134	310	Peak	Horizontal	
4	5720.00	55.28	12.81	42.47	110.80	-55.52	134	310	Peak	Horizontal	
5	5825.00	113.66	70.96	42.70	122.20	-8.54	134	310	Peak	Horizontal	
6	5851.00	55.53	12.86	42.67	119.92	-64.39	134	310	Peak	Horizontal	
7	5863.50	56.01	13.33	42.68	108.42	-52.41	134	310	Peak	Horizontal	
8	5900.50	56.53	13.83	42.70	86.29	-29.76	134	310	Peak	Horizontal	
9	5938.00	56.54	13.67	42.87	68.20	-11.66	134	310	Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5636.00	55.74	13.37	42.37	68.20	-12.46	100	55	Peak	Vertical	
2	5650.50	56.36	13.92	42.44	68.57	-12.21	100	55	Peak	Vertical	
3	5710.00	55.91	13.49	42.42	108.00	-52.09	100	55	Peak	Vertical	
4	5724.50	54.48	11.99	42.49	121.06	-66.58	100	55	Peak	Vertical	
5	5825.00	110.56	67.86	42.70	122.20	-11.64	100	55	Peak	Vertical	
6	5854.50	55.95	13.28	42.67	111.94	-55.99	100	55	Peak	Vertical	
7	5869.50	55.65	12.97	42.68	106.74	-51.09	100	55	Peak	Vertical	
8	5899.50	57.36	14.66	42.70	87.03	-29.67	100	55	Peak	Vertical	
9	5931.00	57.07	14.23	42.84	68.20	-11.13	100	55	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5643.00	56.23	13.82	42.41	68.20	-11.97	100	298	Peak	Horizontal	
2	5663.00	56.32	13.90	42.42	77.85	-21.53	100	298	Peak	Horizontal	
3	5719.00	56.51	14.04	42.47	110.52	-54.01	100	298	Peak	Horizontal	
4	5723.00	57.37	14.89	42.48	117.64	-60.27	100	298	Peak	Horizontal	
5	5745.00	111.89	69.31	42.58	122.20	-10.31	100	298	Peak	Horizontal	
6	5853.50	56.15	13.48	42.67	114.22	-58.07	100	298	Peak	Horizontal	
7	5868.00	57.13	14.45	42.68	107.16	-50.03	100	298	Peak	Horizontal	
8	5909.50	58.21	15.47	42.74	79.64	-21.43	100	298	Peak	Horizontal	
9	5925.50	57.12	14.31	42.81	68.20	-11.08	100	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5603.00	56.44	14.22	42.22	68.20	-11.76	146	333	Peak	Vertical	
2	5676.00	57.64	15.23	42.41	67.48	-29.84	146	333	Peak	Vertical	
3	5720.00	56.89	14.42	42.47	110.80	-53.91	146	333	Peak	Vertical	
4	5725.00	60.81	18.32	42.49	122.20	-61.39	146	333	Peak	Vertical	
5	5745.00	111.29	68.71	42.58	122.20	-10.91	146	333	Peak	Vertical	
6	5858.00	55.97	13.30	42.67	122.20	-66.23	146	333	Peak	Vertical	
7	5867.50	56.48	13.80	42.68	107.30	-50.82	146	333	Peak	Vertical	
8	5916.00	56.42	13.65	42.77	74.84	-18.42	146	333	Peak	Vertical	
9	5927.50	57.06	14.23	42.83	68.20	-11.14	146	333	Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5613.00	57.23	14.96	42.27	68.20	-10.97	238	124 Peak	Horizontal	
2	5677.50	56.88	14.48	42.40	88.59	-31.71	238	124 Peak	Horizontal	
3	5708.00	56.38	13.97	42.41	107.44	-51.06	238	124 Peak	Horizontal	
4	5720.00	55.93	13.46	42.47	110.80	-54.87	238	124 Peak	Horizontal	
5	5785.00	116.35	73.65	42.70	122.20	-5.85	238	124 Peak	Horizontal	
6	5855.00	55.70	13.03	42.67	110.80	-55.10	238	124 Peak	Horizontal	
7	5862.00	56.50	13.83	42.67	108.84	-52.34	238	124 Peak	Horizontal	
8	5912.50	56.77	14.01	42.76	77.42	-20.65	238	124 Peak	Horizontal	
9	5992.00	56.57	13.53	43.04	68.20	-11.63	238	124 Peak	Horizontal	

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5622.50	56.78	14.46	42.32	68.20	-11.42	100	333 Peak	Vertical	
2	5668.00	56.01	13.60	42.41	81.56	-25.55	100	333 Peak	Vertical	
3	5715.00	57.16	14.72	42.44	109.40	-52.24	100	333 Peak	Vertical	
4	5723.00	56.27	13.79	42.48	117.64	-61.37	100	333 Peak	Vertical	
5	5785.00	113.28	70.58	42.70	122.20	-8.92	100	333 Peak	Vertical	
6	5855.00	55.96	13.29	42.67	110.80	-54.84	100	333 Peak	Vertical	
7	5863.50	56.65	13.97	42.68	108.42	-51.77	100	333 Peak	Vertical	
8	5911.50	57.55	14.79	42.76	78.16	-20.61	100	333 Peak	Vertical	
9	5978.50	57.79	14.78	43.01	68.20	-10.41	100	333 Peak	Vertical	

802.11ax HE20
CH 165 (Horizontal) Peak
CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5584.50	56.41	14.07	42.34	68.20	-11.79	100	298 Peak	Horizontal	
2	5691.50	57.18	14.79	42.39	98.93	-41.75	100	298 Peak	Horizontal	
3	5703.00	57.37	14.98	42.39	106.04	-48.67	100	298 Peak	Horizontal	
4	5722.50	55.78	13.30	42.48	116.50	-60.72	100	298 Peak	Horizontal	
5	5825.00	114.65	71.95	42.70	122.20	-7.55	100	298 Peak	Horizontal	
6	5851.00	58.34	15.67	42.67	119.92	-61.58	100	298 Peak	Horizontal	
7	5859.00	56.71	14.04	42.67	109.68	-52.97	100	298 Peak	Horizontal	
8	5909.50	57.42	14.68	42.74	79.64	-22.22	100	298 Peak	Horizontal	
9	5949.50	57.24	14.31	42.93	68.20	-10.96	100	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5631.00	56.26	13.91	42.35	68.20	-11.94	100	297 Peak	Vertical	
2	5652.50	56.13	13.70	42.43	70.06	-13.93	100	297 Peak	Vertical	
3	5710.00	56.17	13.75	42.42	108.00	-51.83	100	297 Peak	Vertical	
4	5722.00	55.93	13.45	42.48	115.36	-59.43	100	297 Peak	Vertical	
5	5825.00	112.15	69.45	42.70	122.20	-10.05	100	297 Peak	Vertical	
6	5851.00	56.93	14.26	42.67	119.92	-62.99	100	297 Peak	Vertical	
7	5863.00	56.85	14.17	42.68	108.56	-51.71	100	297 Peak	Vertical	
8	5907.00	57.39	14.66	42.73	81.48	-24.09	100	297 Peak	Vertical	
9	5938.00	57.00	14.13	42.87	68.20	-11.20	100	297 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5613.00	56.44	14.17	42.27	68.20	-11.76	229	318	Peak	Horizontal	
2	5685.50	56.79	14.39	42.40	94.50	-37.71	229	318	Peak	Horizontal	
3	5719.00	62.91	20.44	42.47	110.52	-47.61	229	318	Peak	Horizontal	
4	5723.50	66.63	24.15	42.48	118.78	-52.15	229	318	Peak	Horizontal	
5	5755.00	114.14	71.52	42.62	122.20	-8.06	229	318	Peak	Horizontal	
6	5854.00	55.29	12.62	42.67	113.06	-57.79	229	318	Peak	Horizontal	
7	5875.00	56.67	13.99	42.68	105.28	-48.53	229	318	Peak	Horizontal	
8	5916.50	56.69	13.91	42.78	74.47	-17.78	229	318	Peak	Horizontal	
9	5980.00	56.93	13.92	43.01	68.20	-11.27	229	318	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5618.50	56.43	14.14	42.29	68.20	-11.77	100	331	Peak	Vertical	
2	5679.00	57.42	15.01	42.41	66.74	-29.32	100	331	Peak	Vertical	
3	5720.00	62.79	20.32	42.47	110.80	-48.01	100	331	Peak	Vertical	
4	5723.50	66.50	24.02	42.48	118.78	-52.28	100	331	Peak	Vertical	
5	5755.00	111.68	69.06	42.62	122.20	-10.52	100	331	Peak	Vertical	
6	5850.00	55.35	12.68	42.67	122.20	-66.85	100	331	Peak	Vertical	
7	5869.50	55.90	13.22	42.68	106.74	-50.84	100	331	Peak	Vertical	
8	5883.50	56.53	13.84	42.69	98.89	-42.36	100	331	Peak	Vertical	
9	5953.00	57.14	14.20	42.94	68.20	-11.06	100	331	Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5683.00	56.37	14.15	42.22	68.20	-11.83	100	304 Peak	Horizontal	
2	5694.00	56.82	13.64	42.38	100.78	-44.76	100	304 Peak	Horizontal	
3	5711.50	56.58	14.15	42.43	106.42	-51.84	100	304 Peak	Horizontal	
4	5720.00	55.33	12.86	42.47	110.80	-55.47	100	304 Peak	Horizontal	
5	5795.00	112.43	69.71	42.72	122.20	-9.77	100	304 Peak	Horizontal	
6	5850.00	56.51	13.84	42.67	122.20	-65.69	100	304 Peak	Horizontal	
7	5872.00	55.83	13.15	42.68	106.04	-50.21	100	304 Peak	Horizontal	
8	5923.50	57.29	14.49	42.80	69.31	-12.02	100	304 Peak	Horizontal	
9	5972.00	56.88	13.90	42.98	68.20	-11.32	100	304 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5634.00	56.23	13.86	42.37	68.20	-11.97	100	80 Peak	Vertical	
2	5699.00	56.98	14.61	42.37	104.46	-47.48	100	80 Peak	Vertical	
3	5712.00	57.13	14.70	42.43	108.56	-51.43	100	80 Peak	Vertical	
4	5720.00	56.70	14.23	42.47	110.80	-54.10	100	80 Peak	Vertical	
5	5795.00	111.90	69.18	42.72	122.20	-10.30	100	80 Peak	Vertical	
6	5850.00	58.16	15.49	42.67	122.20	-64.04	100	80 Peak	Vertical	
7	5869.00	56.35	13.67	42.68	106.88	-50.53	100	80 Peak	Vertical	
8	5911.50	57.16	14.40	42.76	78.16	-21.00	100	80 Peak	Vertical	
9	5979.00	57.51	14.50	43.01	68.20	-10.69	100	80 Peak	Vertical	

802.11ax HE80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5643.00	58.71	16.30	42.41	68.20	-9.49	228	126	Peak	Horizontal	
2	5700.00	65.10	22.73	42.37	105.20	-40.10	228	126	Peak	Horizontal	
3	5719.50	70.96	28.49	42.47	110.66	-39.70	228	126	Peak	Horizontal	
4	5720.50	71.18	28.71	42.47	111.94	-40.76	228	126	Peak	Horizontal	
5	5775.00	110.65	67.98	42.67	122.20	-11.55	228	126	Peak	Horizontal	
6	5851.50	61.73	19.06	42.67	118.78	-57.05	228	126	Peak	Horizontal	
7	5859.00	60.92	18.25	42.67	109.68	-48.76	228	126	Peak	Horizontal	
8	5878.00	58.98	16.30	42.68	102.97	-43.99	228	126	Peak	Horizontal	
9	5961.50	57.27	14.31	42.96	68.20	-10.93	228	126	Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5648.50	56.69	14.26	42.43	68.20	-11.51	100	192	Peak	Vertical	
2	5700.00	63.43	21.06	42.37	105.20	-41.77	100	192	Peak	Vertical	
3	5719.50	68.65	26.18	42.47	110.66	-42.01	100	192	Peak	Vertical	
4	5720.00	67.68	25.21	42.47	110.80	-43.12	100	192	Peak	Vertical	
5	5775.00	106.88	64.21	42.67	122.20	-15.32	100	192	Peak	Vertical	
6	5851.00	61.12	18.45	42.67	119.92	-58.80	100	192	Peak	Vertical	
7	5857.50	59.44	16.77	42.67	110.10	-50.66	100	192	Peak	Vertical	
8	5880.00	57.30	14.61	42.69	101.49	-44.19	100	192	Peak	Vertical	
9	5954.00	57.23	14.29	42.94	68.20	-10.97	100	192	Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-2C


802.11ax HE80

CH 106(Open) (9kHz ~ 150kHz)

CH 106(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	57.59	38.64	18.95	119.13	-61.54	100	115	Peak	Open	
2	0.05	47.98	28.95	19.03	113.02	-65.04	100	202	Peak	Open	
3	0.06	45.64	26.77	18.87	111.98	-66.34	100	176	Peak	Open	
4	0.08	43.00	24.61	18.39	109.50	-66.50	100	202	Peak	Open	
5	0.09	38.55	20.41	18.14	108.44	-69.89	100	172	Peak	Open	
6	0.11	36.08	18.10	17.98	106.54	-70.46	100	178	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.39	37.35	18.56	18.79	95.81	-58.46	100	86	Peak	Open	
2	0.69	34.46	15.53	18.93	70.79	-36.33	100	204	Peak	Open	
3	5.46	30.96	11.28	19.68	69.50	-38.54	100	97	Peak	Open	
4	14.51	31.76	9.89	21.87	69.50	-37.74	100	89	Peak	Open	
5	20.90	34.85	12.60	22.25	69.50	-34.65	100	205	Peak	Open	
6	25.55	34.41	12.12	22.29	69.50	-35.09	100	48	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-2C


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	38.73	29.11	37.37	-8.26	48.00	-18.89	380	261	Peak	Horizontal	
2	166.77	24.89	31.82	-6.93	43.50	-18.61	290	263	Peak	Horizontal	
3	252.13	36.20	44.17	-7.97	46.00	-9.80	100	122	Peak	Horizontal	
4	416.06	37.23	41.33	-4.10	46.00	-8.77	100	225	Peak	Horizontal	
5	627.52	29.41	29.09	0.32	46.00	-16.59	100	58	Peak	Horizontal	
6	852.56	34.24	38.59	-4.35	46.00	-11.76	100	226	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	43.58	33.67	41.16	-7.49	48.00	-14.33	100	157	Peak	Vertical	
2	100.81	28.46	35.40	-6.94	43.50	-15.04	100	37	Peak	Vertical	
3	252.13	32.37	40.34	-7.97	46.00	-13.63	100	54	Peak	Vertical	
4	416.06	36.38	40.48	-4.10	46.00	-9.62	125	0	Peak	Vertical	
5	728.40	32.83	31.19	1.64	46.00	-13.17	100	80	Peak	Vertical	
6	845.77	33.62	29.92	3.70	46.00	-12.38	100	302	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1

802.11a

CH 36 (Horizontal)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-20

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	62.88	67.51	-4.71	68.20	-5.40	100	53	Peak	Horizontal	
2 15540.00	40.35	39.01	1.34	54.00	-13.65	100	285	Average	Horizontal	
3 15540.00	55.47	54.13	1.34	74.00	-18.53	100	285	Peak	Horizontal	

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	62.88	67.51	-4.71	68.20	-5.40	100	53	Peak	Horizontal	
2 15540.00	40.35	39.01	1.34	54.00	-13.65	100	285	Average	Horizontal	
3 15540.00	55.47	54.13	1.34	74.00	-18.53	100	285	Peak	Horizontal	


CH 36 (Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-20

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	64.68	69.39	-4.71	68.20	-3.52	100	189	Peak	Vertical	
2 15540.00	43.75	42.41	1.34	54.00	-10.25	400	257	Average	Vertical	
3 15540.00	61.73	60.39	1.34	74.00	-12.27	400	257	Peak	Vertical	

Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	64.68	69.39	-4.71	68.20	-3.52	100	189	Peak	Vertical	
2 15540.00	43.75	42.41	1.34	54.00	-10.25	400	257	Average	Vertical	
3 15540.00	61.73	60.39	1.34	74.00	-12.27	400	257	Peak	Vertical	




802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	58.23	62.59	-4.36	68.20	-9.97	100	357 Peak	Horizontal	
2	15720.00	36.25	34.39	1.86	54.00	-17.75	100	157 Average	Horizontal	
3	15720.00	52.23	50.37	1.86	74.00	-21.77	100	157 Peak	Horizontal	





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	64.19	68.55	-4.36	68.20	-4.01	100	260 Peak	Vertical	
2	15720.00	37.62	35.76	1.86	54.00	-16.38	100	14 Average	Vertical	
3	15720.00	59.50	57.64	1.86	74.00	-14.50	100	14 Peak	Vertical	











U-NII-2A

802.11a

CH 52 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-21

1000 4000.6000.8000. 12000. 16000. 20000. 24000. 28000. 32000. 36000. 40000

Frequency (MHz)

FCC_PK(B1-B3)
FCC_AVG
-6dB

	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	52.83	57.12	-4.29	68.20	-15.37	100	360	Peak	Horizontal	

CH 52 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-06-21

1000 4000.6000.8000. 12000. 16000. 20000. 24000. 28000. 32000. 36000. 40000

Frequency (MHz)

FCC_PK(B1-B3)
FCC_AVG
-6dB

	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	64.67	68.96	-4.29	68.20	-3.53	100	271	Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	42.63	46.87	-4.24	54.00	-11.37	100	360	Average	Horizontal	
2	10600.00	58.83	62.27	-4.24	74.00	-15.97	100	360	Peak	Horizontal	
3	15900.00	36.12	34.25	1.87	54.00	-17.88	100	111	Average	Horizontal	
4	15900.00	49.46	47.59	1.87	74.00	-24.54	100	111	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	50.17	54.41	-4.24	54.00	-3.83	100	265	Average	Vertical	
2	10600.00	65.12	69.36	-4.24	74.00	-8.88	100	265	Peak	Vertical	
3	15900.00	35.86	33.99	1.87	54.00	-18.14	100	28	Average	Vertical	
4	15900.00	49.67	47.80	1.87	74.00	-24.33	100	28	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10648.00	42.97	47.11	-4.14	54.00	-11.03	100	360	Average	Horizontal	
2	10648.00	57.99	62.13	-4.14	74.00	-16.01	100	360	Peak	Horizontal	
3	15968.00	35.63	33.49	2.14	54.00	-18.37	120	360	Average	Horizontal	
4	15968.00	49.68	47.54	2.14	74.00	-24.32	120	360	Peak	Horizontal	





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10648.00	50.61	54.75	-4.14	54.00	-3.39	100	266	Average	Vertical	
2	10648.00	65.72	69.86	-4.14	74.00	-8.28	100	266	Peak	Vertical	
3	15968.00	35.72	33.58	2.14	54.00	-18.28	100	69	Average	Vertical	
4	15968.00	49.28	47.14	2.14	74.00	-24.72	100	69	Peak	Vertical	











U-NII-2C

802.11a

CH 100 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-06-21

Freq Level Read Limit Over APos TPos Remark Pol/Phase Note

	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	44.80	48.23	-3.43	54.00	-9.20	102	338	Average	Horizontal	
2	11000.00	54.00	57.43	-3.43	74.00	-20.00	102	338	Peak	Horizontal	

CH 100 (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-06-21

Freq Level Read Limit Over APos TPos Remark Pol/Phase Note

	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	49.46	52.89	-3.43	54.00	-4.54	100	259	Average	Vertical	
2	11000.00	59.77	63.20	-3.43	74.00	-14.23	100	259	Peak	Vertical	

