CUTiE

POCKET HARD DISK DRIVE

※ INSTALLATION MANUAL

We strongly recommend reading the MANUAL before using the product

FCC Compliance

LABELLING REQUIREMENTS(Part 15, Section 15.19 (a)(3))

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operations.

The instructions furnished the user shall include the following or similar statement, placed in a prominent location in the text of the manual.

INFORMATION TO THE USER (Part 15, Section 15.105(b))

INFORMATION TO THE USER

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

WARNING (Part 15, Section 15.21)

Changes or modifications not expressly approved by the sarotech could void the user's authority to operate the equipment.

Information

1. How to make the HDD

■ How to make USB products

1. The product is not formated.

2. Separate the PCB from the FHD - 256.

3. Connect the hard disk to the 44pin connector of PCB.

   Fix the HDD and PCB connector on the basis of No. 1 pin.

   (please be sure to check it)

■ **Caution :** The 4 pieces of pin in the left side of the HDD are for the fixing of master/slave. Do not connect to the PCB.

4. Connect the PCB and HDD then put them into the Hard.

5. Set up the 2 screws with cross driver.

4. System Requirement

■ 586 Pentium or greater or MAC

■ USB port has to be possible to use

■ Included CD-ROM drive or the driver should be possible to be downloaded from internet web site.

※ Caution

▪ Be careful not to have any slight impact

▪ Do not keep it in high temperature places

It can make some troubles

▪ Do not keep it in humid places

5. Driver Installation

5-1 Installation of USB 2.0 driver

■ Caution

Using below 6GB hard disk can make some troubles like loss of data

We recommend you to use 6GB hard disk or greater

1. Windows 98

1) Insert the offered CD into the CD-ROM drive in computer before you connect the product.

2) Carry out "Win98Setup.exe" which is in USB folder under Windows folder in CD-ROM