

ATD700S

USER GUIDE

V2021-06-09



1 CONTENTS

2	- II	ntroduction
3	C	Contacts
4	L	Disclaimers4
2	4.1	FCC Interference Statement (Part 15.105 (b))4
2	1.2	FCC Part 15 Clause 15.214
2	1.3	FCC Part 15.19(a) [interference compliance statement]4
_	1.4	ISED RSS-Gen Notice5
2	1.5	FCC RF Exposure Guidance Statement5
2	1.6	ISED RF Exposure Guidance Statement5
5	V	Version History5



V2021-06-09 ATD700S USER GUIDE PG 3 OF 5

2 INTRODUCTION

The ATD700S is a solar-powered LTE CAT-M1, IP67 rated mobile asset tracking device with onboard radar sensor for monitoring fill level tanks in agriculture.

ATD700S is affixed to the top of a tank and will use radar to measure the fluid level. Tank location will be obtained using GNSS. After measuring fluid level and location the data will be sent to a cloud server using cellular air interface connection.


Top:



Bottom:



Product Structure:





3 CONTACTS

- support@mobilogix.com
- https://mobilogix.com/contact/

4 DISCLAIMERS

4.1 FCC INTERFERENCE STATEMENT (PART 15.105 (B))

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help.

4.2 FCC PART 15 CLAUSE 15.21

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

4.3 FCC PART 15.19(A) [INTERFERENCE COMPLIANCE STATEMENT]

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



PG 4 OF 5

V2021-06-09 ATD700S USER GUIDE PG 5 OF 5

4.4 ISED RSS-GEN NOTICE

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage;
- (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'encompromettre le fonctionnement.

4.5 FCC RF EXPOSURE GUIDANCE STATEMENT

In order to comply with FCC/ISED RF Exposure requirements, this device must be installed to provide at least 20 cm separation from the human body at all times.

4.6 ISED RF EXPOSURE GUIDANCE STATEMENT

In order to comply with FCC/ISED RF Exposure requirements, this device must be installed to provide at least 20 cm separation from the human body at all times.

Afin de se conformer aux exigences d'exposition RF FCC / ISED, cet appareil doit être installé pour fournir au moins 20 cm de séparation du corps humain en tout temps.

5 VERSION HISTORY

Date	Description
2021-06-09	Document release.

