


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

03/02/2024



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

03/02/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9743G	3.26	6.0826G	-32.88	-29.28	-3.60	1
5.9972G	3.31	6.1041G	-39.43	-36.19	-3.24	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

03/02/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2112G	4.27	6.3466G	-39.86	-35.73	-4.13	1
6.2368G	3.69	6.344G	-40.02	-35.68	-4.34	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

03/02/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3934G	3.11	6.5048G	-42.21	-36.70	-5.51	1
6.3687G	2.90	6.5072G	-43.01	-37.10	-5.91	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

03/02/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4539G	2.48	6.5877G	-45.12	-37.52	-7.60	1
6.4512G	2.67	6.587G	-44.09	-37.11	-6.98	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

03/02/2024

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5303G	2.26	6.668G	-45.57	-37.74	-7.83	1
6.5375G	2.42	6.6657G	-45.11	-37.58	-7.53	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

03/02/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6139G	1.68	6.505G	-46.13	-38.19	-7.94	1
6.6384G	1.60	6.7485G	-45.44	-38.40	-7.04	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

03/02/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6924G	1.58	6.8276G	-45.47	-38.42	-7.05	1
6.6959G	1.67	6.8285G	-45.31	-38.33	-6.98	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

03/02/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7992G	1.09	6.664G	-46.06	-38.91	-7.15	1
6.7739G	1.64	6.6591G	-45.78	-38.36	-7.42	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0101G	1.15	6.9027G	-46.70	-38.85	-7.85	1
7.0168G	1.49	6.9036G	-45.78	-38.51	-7.27	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05119G	4.06	6.2748G	-36.70	-35.94	-0.76	1
6.05299G	3.24	6.197G	-27.65	-21.06	-6.59	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

03/02/2024



6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

03/02/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53259G	4.52	6.263G	-37.98	-35.23	-2.75	1
6.52859G	4.83	6.3096G	-28.19	-25.40	-2.79	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

03/02/2024

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60202G	4.35	6.4688G	-30.58	-28.50	-2.08	1
6.60861G	4.27	6.4672G	-29.39	-25.85	-3.54	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

03/02/2024



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

03/02/2024

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13939G	1.20	6.7814G	-42.06	-38.80	-3.26	1
6.13779G	1.16	6.8642G	-42.58	-38.84	-3.74	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

03/02/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23341G	4.01	6.5838G	-25.62	-16.35	-9.27	1
6.29819G	4.26	6.5954G	-25.30	-16.08	-9.22	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz Straddle 5.925-6.425GHz_TX

03/02/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.38981G	3.77	6.1282G	-24.76	-17.05	-7.71	1
6.45779G	3.79	6.0978G	-25.63	-16.27	-9.36	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX

03/02/2024

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55021G	3.26	6.2694G	-25.70	-17.13	-8.57	1
6.54021G	3.15	6.267G	-25.68	-17.20	-8.48	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962323G	-7.15	5.986025G	-59.09	-47.15	-11.94	1
5.957149G	-6.05	5.98585G	-58.34	-45.39	-12.95	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202673G	-8.90	6.236725G	-59.00	-48.90	-10.10	1
6.190401G	-7.97	6.2359G	-58.88	-47.97	-10.91	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412376G	-9.18	6.4596G	-58.90	-49.18	-9.72	1
6.407677G	-7.71	6.451925G	-58.68	-47.71	-10.97	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4362G	-8.46	6.466G	-58.40	-48.44	-9.96	1
6.428802G	-7.08	6.46555G	-57.74	-46.81	-10.93	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.870376G	-8.27	6.90705G	-57.73	-48.27	-9.46	1
6.870451G	-6.97	6.905675G	-56.32	-46.30	-10.02	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.902373G	-7.71	6.929425G	-57.01	-47.71	-9.30	1
6.898124G	-6.33	6.937175G	-56.62	-46.33	-10.29	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

28/03/2024

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.970249G	-4.11	6.02645G	-55.26	-44.11	-11.15	1
5.970499G	-3.12	6.02405G	-53.85	-43.11	-10.74	2


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

28/03/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.213648G	-7.38	6.26605G	-57.26	-47.38	-9.88	1
6.2031G	-6.06	6.26855G	-56.87	-46.06	-10.81	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

28/03/2024

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.475152G	-6.33	6.42415G	-56.91	-46.33	-10.58	1
6.492448G	-4.59	6.42375G	-56.10	-44.59	-11.51	2


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

28/03/2024

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532998G	-6.59	6.46565G	-56.53	-46.59	-9.94	1
6.531248G	-5.03	6.4639G	-55.66	-45.03	-10.63	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9943G	0.56	6.1063G	-46.49	-39.44	-7.05	1
6.01419G	1.67	6.1124G	-45.63	-37.97	-7.66	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2313G	-2.04	6.3485G	-51.36	-42.04	-9.32	1
6.2413G	-1.00	6.3466G	-51.13	-41.00	-10.13	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3742G	-1.09	6.5064G	-50.96	-41.09	-9.87	1
6.3696G	0.19	6.5061G	-49.85	-39.81	-10.04	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

28/03/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4794G	-1.15	6.3049G	-51.07	-41.15	-9.92	1
6.479G	-0.09	6.3429G	-50.59	-40.09	-10.50	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

28/03/2024

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5375G	-0.30	6.3849G	-50.34	-40.30	-10.04	1
6.553G	0.66	6.6671G	-49.72	-39.34	-10.38	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

28/03/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6188G	-0.61	6.494G	-50.22	-40.61	-9.61	1
6.6362G	0.77	6.504G	-49.21	-39.23	-9.98	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

28/03/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6878G	-0.44	6.5824G	-50.36	-40.44	-9.92	1
6.6923G	1.07	6.8263G	-48.25	-38.93	-9.32	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

28/03/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7944G	-0.84	6.9078G	-49.71	-40.84	-8.87	1
6.7903G	0.59	6.9067G	-48.90	-39.41	-9.49	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0098G	-1.34	6.8647G	-48.88	-41.34	-7.54	1
7.0157G	-0.09	6.9007G	-49.02	-40.09	-8.93	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

28/03/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	2.59	6.2692G	-39.08	-37.41	-1.67	1
6.05299G	3.52	6.295G	-39.80	-36.48	-3.32	2


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

28/03/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15961G	0.85	6.428G	-46.03	-39.15	-6.88	1
6.24518G	2.32	6.4274G	-42.50	-37.61	-4.89	2


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

28/03/2024

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32261G	0.66	6.5878G	-46.53	-39.33	-7.20	1
6.37279G	2.10	6.5896G	-44.01	-37.86	-6.15	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47541G	2.36	6.2624G	-43.24	-37.31	-5.93	1
6.52699G	3.36	6.2604G	-40.94	-36.64	-4.30	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63841G	2.46	6.9074G	-42.53	-37.47	-5.06	1
6.64241G	3.33	6.9074G	-40.84	-36.60	-4.24	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15499G	1.09	6.591G	-40.90	-38.91	-1.99	1
6.13859G	1.70	6.5938G	-39.28	-38.30	-0.98	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23061G	2.71	6.7494G	-38.82	-37.09	-1.73	1
6.29859G	3.45	6.7842G	-37.90	-36.40	-1.50	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39141G	2.50	6.969G	-40.45	-37.50	-2.95	1
6.45619G	3.32	6.9894G	-39.31	-36.68	-2.63	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

28/03/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48143G	2.88	6.0902G	-37.77	-37.12	-0.65	1
6.54901G	3.54	6.0338G	-38.18	-36.46	-1.72	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

28/03/2024

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64582G	5.46	6.479G	-22.00	-14.95	-7.05	1
6.60384G	5.80	6.4818G	-19.56	-14.43	-5.13	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

28/03/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87421G	-2.17	7.4866G	-44.46	-42.17	-2.29	1
6.85781G	-1.02	7.4974G	-44.22	-41.02	-3.20	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

03/02/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

03/02/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001998G	-12.84	6.9643G	-67.00	-51.73	-15.27	1
7.001173G	-11.82	6.9644G	-66.20	-50.41	-15.79	2
7.003448G	-12.63	6.96435G	-65.96	-52.11	-13.85	3
7.001273G	-11.63	6.964425G	-66.32	-50.02	-16.30	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

03/02/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.092151G	-12.64	7.064325G	-67.69	-51.40	-16.29	1
7.100024G	-12.45	7.125625G	-66.82	-51.33	-15.49	2
7.092401G	-12.91	7.064325G	-67.99	-51.85	-16.14	3
7.093525G	-12.24	7.064425G	-66.89	-50.20	-16.69	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0128G	-5.11	6.8651G	-55.94	-45.11	-10.83	1
7.0085G	-4.66	6.9038G	-58.00	-44.66	-13.34	2
7.0181G	-4.98	6.9035G	-58.07	-44.98	-13.09	3
7.0143G	-4.81	6.9037G	-58.08	-44.77	-13.31	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05179G	-1.85	6.2684G	-52.96	-41.85	-11.11	1
6.05019G	-2.08	6.2692G	-53.25	-42.08	-11.17	2
6.04859G	-2.07	6.2684G	-53.45	-41.95	-11.50	3
6.05239G	-1.71	6.2682G	-52.88	-41.71	-11.17	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

03/02/2024




5.925-6.425GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz Straddle 5.925-6.425GHz_TX

03/02/2024




6.425-6.525GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.525-6.875GHz 802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418699G	-8.43	6.3843G	-63.76	-46.70	-17.06	1
6.421198G	-8.03	6.3843G	-63.13	-46.48	-16.65	2
6.416225G	-8.22	6.38435G	-64.09	-47.42	-16.67	3
6.418724G	-8.01	6.38445G	-63.18	-46.37	-16.81	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6435MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438724G	-7.40	6.40435G	-62.58	-47.40	-15.18	1
6.43615G	-8.08	6.404325G	-63.47	-47.49	-15.98	2
6.441248G	-7.87	6.46555G	-63.29	-47.43	-15.86	3
6.441248G	-7.98	6.4656G	-63.19	-46.57	-16.62	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6475MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.476225G	-7.79	6.505525G	-62.99	-45.77	-17.22	1
6.4736G	-8.03	6.444325G	-63.90	-47.54	-16.36	2
6.478799G	-8.81	6.505575G	-63.73	-48.40	-15.33	3
6.471276G	-8.29	6.505525G	-63.53	-46.88	-16.65	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6515MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521198G	-7.81	6.484425G	-63.27	-46.37	-16.90	1
6.508777G	-7.46	6.48425G	-63.25	-46.30	-16.95	2
6.517549G	-7.89	6.5456G	-63.52	-46.75	-16.77	3
6.521273G	-7.21	6.484425G	-63.07	-46.42	-16.65	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.530001G	-9.14	6.504425G	-64.08	-47.45	-16.63	1
6.536225G	-8.49	6.56555G	-64.19	-46.85	-17.34	2
6.536225G	-8.86	6.5656G	-64.52	-48.29	-16.23	3
6.531126G	-8.85	6.50435G	-64.35	-48.33	-16.02	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701223G	-9.87	6.725575G	-65.07	-49.17	-15.90	1
6.699949G	-9.00	6.664375G	-64.24	-48.92	-15.32	2
6.688127G	-9.45	6.66445G	-64.57	-47.99	-16.58	3
6.701223G	-8.64	6.6644G	-63.37	-47.88	-15.49	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6445MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6485MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9947G	-2.30	6.1077G	-55.41	-42.30	-13.11	1
6.0024G	-2.32	6.107G	-56.13	-42.32	-13.81	2
5.9994G	-2.40	6.1078G	-55.97	-42.40	-13.57	3
5.9972G	-2.00	6.1069G	-55.50	-41.94	-13.56	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2171G	-2.84	6.347G	-56.44	-42.84	-13.60	1
6.2376G	-2.47	6.3466G	-57.13	-42.47	-14.66	2
6.2374G	-3.06	6.1031G	-57.44	-43.06	-14.38	3
6.2405G	-2.42	6.2662G	-35.38	-22.43	-12.95	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3774G	-2.75	6.2633G	-55.93	-42.75	-13.18	1
6.3744G	-2.65	6.5073G	-56.60	-42.65	-13.95	2
6.3933G	-3.23	6.5071G	-57.06	-43.23	-13.83	3
6.3733G	-2.14	6.5067G	-56.14	-42.02	-14.12	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6465MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4775G	-2.05	6.3047G	-55.43	-42.05	-13.38	1
6.4537G	-1.26	6.5866G	-55.77	-41.26	-14.51	2
6.4526G	-1.47	6.5062G	-35.04	-21.48	-13.56	3
6.4739G	-1.74	6.5063G	-35.94	-21.77	-14.17	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.016G	-3.86	6.865G	-54.58	-43.86	-10.72	1
7.0135G	-3.00	6.9029G	-56.59	-43.00	-13.59	2
7.013G	-3.70	6.9031G	-57.05	-43.64	-13.41	3
7.0102G	-3.68	6.9029G	-57.11	-43.68	-13.43	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05719G	-1.55	6.268G	-52.42	-41.55	-10.87	1
6.00221G	-1.55	6.2684G	-51.80	-41.53	-10.27	2
6.05159G	-1.53	6.268G	-52.06	-41.53	-10.53	3
6.0422G	-1.07	6.2678G	-51.47	-40.86	-10.61	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

03/02/2024




5.925-6.425GHz 802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6425MHz Straddle 5.925-6.425GHz_TX

03/02/2024




6.425-6.525GHz 802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz 802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.525-6.875GHz 802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

28/03/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961523G	-12.10	5.9961G	-59.74	-52.10	-7.64	1
5.957774G	-11.20	5.905075G	-59.06	-51.20	-7.86	2
5.957874G	-10.49	5.9206G	-59.02	-50.49	-8.53	3
5.958674G	-10.43	5.91895G	-59.23	-50.43	-8.80	4


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

28/03/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200474G	-11.84	6.238325G	-58.96	-51.84	-7.12	1
6.1958G	-10.72	6.2307G	-59.05	-50.72	-8.33	2
6.190126G	-10.39	6.24375G	-58.42	-50.39	-8.03	3
6.200024G	-10.19	6.2357G	-58.93	-50.19	-8.74	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410476G	-12.89	6.456275G	-58.60	-52.89	-5.71	1
6.411676G	-11.43	6.44825G	-58.43	-51.43	-7.00	2
6.410251G	-11.28	6.3781G	-58.10	-51.28	-6.82	3
6.417374G	-11.37	6.45735G	-58.11	-51.37	-6.74	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.436525G	-12.23	6.476775G	-58.63	-52.23	-6.40	1
6.439674G	-11.56	6.469425G	-58.70	-51.56	-7.14	2
6.440524G	-11.29	6.474575G	-58.33	-51.29	-7.04	3
6.427627G	-11.31	6.46865G	-58.62	-51.31	-7.31	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.479374G	-10.93	6.508325G	-58.68	-50.93	-7.75	1
6.472101G	-9.54	6.4426G	-58.69	-49.54	-9.15	2
6.469326G	-9.96	6.508775G	-58.21	-49.96	-8.25	3
6.467202G	-9.96	6.5079G	-58.28	-49.96	-8.32	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

28/03/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.509026G	-12.52	6.47135G	-58.66	-52.52	-6.14	1
6.518549G	-11.52	6.469175G	-58.61	-51.52	-7.09	2
6.5145G	-12.05	6.47845G	-58.52	-52.05	-6.47	3
6.51625G	-11.42	6.476975G	-58.36	-51.42	-6.94	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

28/03/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.535825G	-12.90	6.48945G	-58.61	-52.90	-5.71	1
6.533825G	-12.18	6.5014G	-59.09	-52.18	-6.91	2
6.527052G	-12.23	6.503325G	-58.60	-52.23	-6.37	3
6.533025G	-11.66	6.5019G	-58.50	-51.66	-6.84	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

28/03/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691426G	-12.93	6.73735G	-59.79	-52.93	-6.86	1
6.689976G	-11.77	6.730275G	-59.55	-51.77	-7.78	2
6.700024G	-11.60	6.7405G	-59.11	-51.60	-7.51	3
6.689951G	-11.40	6.74345G	-59.21	-51.40	-7.81	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868377G	-13.26	6.918G	-58.20	-53.26	-4.94	1
6.879099G	-12.91	6.911G	-58.10	-52.91	-5.19	2
6.869676G	-12.58	6.9222G	-57.87	-52.58	-5.29	3
6.8756G	-12.08	6.9166G	-57.91	-52.08	-5.83	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

28/03/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888952G	-13.06	6.93585G	-57.60	-53.06	-4.54	1
6.89375G	-12.19	6.938125G	-58.12	-52.19	-5.93	2
6.892376G	-12.88	6.936725G	-57.89	-52.88	-5.01	3
6.897949G	-11.58	6.936725G	-57.67	-51.58	-6.09	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

28/03/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.993825G	-12.69	6.9603G	-57.79	-52.69	-5.10	1
6.990001G	-12.05	6.96305G	-58.16	-52.05	-6.11	2
6.992626G	-12.20	6.960075G	-57.32	-52.20	-5.12	3
6.992426G	-10.99	6.9544G	-57.42	-50.99	-6.43	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

28/03/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.092376G	-13.45	7.133175G	-58.59	-53.45	-5.14	1
7.091301G	-12.94	7.13185G	-58.68	-52.94	-5.74	2
7.094275G	-13.35	7.129675G	-58.53	-53.35	-5.18	3
7.087802G	-11.73	7.132G	-58.12	-51.73	-6.39	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

28/03/2024



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

28/03/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.553553G	-11.16	6.50295G	-56.75	-51.16	-5.59	1
6.557302G	-10.16	6.46605G	-57.02	-50.16	-6.86	2
6.571148G	-9.97	6.4868G	-56.90	-49.97	-6.93	3
6.567549G	-10.09	6.4991G	-56.64	-50.09	-6.55	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

28/03/2024

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.673903G	-11.35	6.78415G	-57.59	-51.35	-6.24	1
6.669854G	-10.10	6.77315G	-57.62	-50.10	-7.52	2
6.679201G	-9.97	6.77595G	-57.21	-49.97	-7.24	3
6.676502G	-9.77	6.75035G	-57.09	-49.77	-7.32	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

28/03/2024

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.894498G	-9.55	6.96285G	-55.53	-49.55	-5.98	1
6.876852G	-8.97	6.96635G	-55.78	-48.97	-6.81	2
6.889149G	-9.22	6.9564G	-55.49	-49.22	-6.27	3
6.892648G	-8.47	6.94575G	-55.76	-48.47	-7.29	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

28/03/2024

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.938547G	-11.04	6.98695G	-55.86	-51.04	-4.82	1
6.92625G	-9.46	7.00515G	-56.05	-49.46	-6.59	2
6.927499G	-10.02	6.9875G	-55.88	-50.02	-5.86	3
6.920201G	-9.26	6.98765G	-55.58	-49.26	-6.32	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

28/03/2024



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

28/03/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9974G	-3.83	6.1077G	-51.46	-43.83	-7.63	1
5.9972G	-2.61	6.1163G	-51.40	-42.61	-8.79	2
5.9912G	-2.69	6.1061G	-51.39	-42.69	-8.70	3
5.9994G	-2.44	6.1072G	-51.53	-42.44	-9.09	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

28/03/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2362G	-5.48	6.371G	-51.79	-45.48	-6.31	1
6.2384G	-3.92	6.3589G	-51.37	-43.92	-7.45	2
6.2132G	-3.52	6.4145G	-51.25	-43.52	-7.73	3
6.2401G	-4.02	6.3993G	-51.37	-44.02	-7.35	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

28/03/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3768G	-5.51	6.5079G	-51.46	-45.51	-5.95	1
6.3963G	-4.31	6.5071G	-50.78	-44.31	-6.47	2
6.4001G	-4.14	6.5064G	-50.82	-44.14	-6.68	3
6.3877G	-4.46	6.5082G	-51.21	-44.46	-6.75	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

28/03/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4757G	-5.81	6.3227G	-52.09	-45.81	-6.28	1
6.4796G	-4.96	6.3184G	-51.91	-44.96	-6.95	2
6.4572G	-5.05	6.3428G	-51.76	-45.05	-6.71	3
6.4747G	-4.93	6.3204G	-51.76	-44.93	-6.83	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

28/03/2024

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5574G	-6.07	6.4217G	-51.88	-46.07	-5.81	1
6.5359G	-5.17	6.4206G	-52.13	-45.17	-6.96	2
6.5584G	-5.44	6.4213G	-51.98	-45.44	-6.54	3
6.5534G	-4.88	6.4192G	-51.69	-44.88	-6.81	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

28/03/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6368G	-6.05	6.4917G	-51.74	-46.05	-5.69	1
6.59441G	-5.15	6.4999G	-51.85	-45.15	-6.70	2
6.6157G	-5.12	6.5023G	-51.56	-45.12	-6.44	3
6.6173G	-4.70	6.5035G	-51.32	-44.70	-6.62	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.695G	-5.26	6.8964G	-51.27	-45.26	-6.01	1
6.6942G	-4.02	6.897G	-51.33	-44.02	-7.31	2
6.6932G	-4.12	6.8745G	-51.00	-44.12	-6.88	3
6.6905G	-3.82	6.8701G	-50.99	-43.82	-7.17	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.774G	-6.38	6.983G	-50.81	-46.38	-4.43	1
6.7948G	-5.16	6.981G	-50.88	-45.16	-5.72	2
6.794G	-5.07	6.9481G	-50.77	-45.07	-5.70	3
6.7768G	-4.63	6.9681G	-50.64	-44.63	-6.01	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

28/03/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0142G	-6.45	7.1954G	-50.90	-46.45	-4.45	1
7.0111G	-5.60	7.1844G	-51.27	-45.60	-5.67	2
7.0142G	-5.58	6.896G	-51.12	-45.58	-5.54	3
7.0125G	-4.93	7.1879G	-50.92	-44.93	-5.99	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04899G	1.22	6.2678G	-43.94	-38.67	-5.27	1
6.05139G	2.10	6.2672G	-41.83	-37.80	-4.03	2
6.05339G	2.16	6.2676G	-41.97	-37.60	-4.37	3
6.0404G	2.26	6.2686G	-42.06	-37.74	-4.32	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

28/03/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76521G	-2.10	7.2144G	-48.51	-42.10	-6.41	1
6.84799G	-1.31	7.2204G	-48.41	-41.31	-7.10	2
6.85539G	-1.44	7.2042G	-48.20	-41.44	-6.76	3
6.79661G	-0.75	6.5812G	-47.82	-40.75	-7.07	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

28/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01099G	-2.15	7.3814G	-47.59	-42.15	-5.44	1
6.92561G	-1.62	7.367G	-47.95	-41.62	-6.33	2
6.95821G	-1.43	7.3802G	-47.71	-41.43	-6.28	3
6.92302G	-1.17	7.3804G	-47.58	-41.17	-6.41	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

28/03/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

28/03/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

28/03/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37821G	-1.05	6.967G	-45.86	-41.05	-4.81	1
6.47139G	0.15	6.9226G	-44.65	-39.85	-4.80	2
6.38101G	0.10	6.911G	-44.53	-39.90	-4.63	3
6.46139G	0.13	6.917G	-44.74	-39.87	-4.87	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

28/03/2024

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
20M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48742G	-0.97	7.3822G	-46.22	-40.97	-5.25	1
6.48023G	-0.41	6.0982G	-45.75	-40.41	-5.34	2
6.62019G	-0.21	6.0918G	-45.46	-40.21	-5.25	3
6.54901G	0.11	6.0962G	-44.82	-39.89	-4.93	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

28/03/2024




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

28/03/2024



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-60.34	2.66	-63.00	≤ -62
						Minimal	-61.34	2.66	-64.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-62.34	2.66	-65.02	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				Center	6185	OFF	-60.34	2.66	-63.01	≤ -62
						Minimal	-61.34	2.66	-64.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				High edge	6260	OFF	-61.34	2.66	-64.01	≤ -62
						Minimal	-62.34	2.66	-65.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-63.00	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-65.02	OFF	9	90	90	Pass
				Center	6185	-63.01	OFF	9	90	90	Pass
				High edge	6260	-64.01	OFF	9	90	90	Pass

Incumbent signal (AWGN) Plot

Bandwidth: 20MHz

Frequency (MHz): 6215 MHz



Date: 26.MAR.2024 09:27:02

Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 26.MAR.2024 09:30:48

Frequency (MHz): 6185 MHz




Date: 26.MAR.2024 09:31:24



Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Note : M1 : Inject AWGN signal

Bandwidth: 160MHz


Test CH 47 ; Incumbent signal 6110 MHz



Date: 21.MAR 2024 20:34:17


Note : M1 : Inject AWGN signal

Test CH 47 ; Incumbent signal 6185 MHz



Date: 21.MAR 2024 21:03:23

Note : M1 : Inject AWGN signal



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-61.34	2.66	-64.03	≤ -62
						Minimal	-62.34	2.66	-65.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-62.34	2.66	-65.02	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-63.34	2.66	-66.00	≤ -62
						Minimal	-64.34	2.66	-67.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-62.34	2.66	-65.00	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT160										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-61.34	2.66	-64.00	≤ -62
						Minimal	-62.34	2.66	-65.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				Center	6185	OFF	-60.34	2.66	-63.02	≤ -62
						Minimal	-61.34	2.66	-64.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				High edge	6260	OFF	-62.34	2.66	-65.00	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-62.34	2.66	-65.04	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				Center	6505	OFF	-59.34	2.66	-62.00	≤ -62
						Minimal	-60.34	2.66	-63.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				High edge	6580	OFF	-63.34	2.66	-66.00	≤ -62
						Minimal	-64.34	2.66	-67.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-63.34	2.66	-66.03	≤ -62
						Minimal	-64.34	2.66	-67.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				Center	6665	OFF	-62.34	2.66	-65.00	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				High edge	6740	OFF	-63.34	2.66	-66.02	≤ -62
						Minimal	-64.34	2.66	-67.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62

8	207	160	6985	Low edge	6910	OFF	-61.34	2.66	-64.00	≤ -62
						Minimal	-62.34	2.66	-65.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				Center	6985	OFF	-59.34	2.66	-62.03	≤ -62
						Minimal	-60.34	2.66	-63.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62
				High edge	7060	OFF	-62.34	2.66	-65.00	≤ -62
						Minimal	-63.34	2.66	-66.00	≤ -62
						ON	-79.34	2.66	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-64.03	OFF	9	90	90	Pass
6	101	20	6455	Center	6455	-65.02	OFF	9	90	90	Pass
7	149	20	6695	Center	6695	-66.00	OFF	9	90	90	Pass
8	213	20	7015	Center	7015	-65.00	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-64.00	OFF	9	90	90	Pass
				Center	6185	-63.02	OFF	9	90	90	Pass
				High edge	6260	-65.00	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-65.04	OFF	9	90	90	Pass
				Center	6505	-62.00	OFF	9	90	90	Pass
				High edge	6580	-66.00	OFF	9	90	90	Pass
7	143	160	6665	Low edge	6590	-66.03	OFF	9	90	90	Pass
				Center	6665	-65.00	OFF	10	100	90	Pass
				High edge	6740	-66.02	OFF	9	90	90	Pass
8	207	160	6985	Low edge	6910	-64.00	OFF	9	90	90	Pass
				Center	6985	-62.03	OFF	9	90	90	Pass
				High edge	7060	-65.00	OFF	9	90	90	Pass

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 26.MAR.2024 09:39:20

Frequency (MHz): 6455 MHz




Date: 26.MAR.2024 09:40:31

Frequency (MHz): 6695 MHz



Date: 26.MAR.2024 09:43:05

Frequency (MHz): 7015 MHz



Date: 26.MAR.2024 09:44:35


Bandwidth: 160MHz

Frequency (MHz): 6110 MHz



Date: 26.MAR.2024 09:50:36

Frequency (MHz): 6185 MHz



Date: 26.MAR.2024 09:48:33