

\*\*\*\*\* INFORMATION FOR CERTIFICATION (1) \*\*\*\*\*

APPLICANT:

Name : Sharp Corporation  
CS & Environmental Promotion Division, Quality Compliance Dept.  
Address : 22-22 Nagaike-Cho, Abeno-Ku  
Osaka 545-8522, Japan  
Grantee Code: : APY  
Applicant Rep. : M. Nishikawa

CONTACT PERSON:

Name : Sharp Electronics Corporation  
Address : Sharp Plaza, Mahwah, New Jersey 07495  
Applicant Rep. : Steve Petruska, Product Safety Dept.  
Telephone No. : 201-529-9689

MEASUREMENT SITE:

Name : Japan Quality Assurance Organization  
Kita-Kansai Testing Center  
Saito EMC Branch  
Address : 7-3-10, Saito Asagi, Ibaraki-shi, Osaka 561-0027, Japan

MANUFACTURER:

Name : Sharp Appliances (Thailand) Ltd.  
Address : 64 Moo 5, Tambol Bangsamuk Amphur Bangpakong  
Chachoengsao Province, Thailand

FCC IDENTIFICATION : APYDMR0176

EQUIPMENT

Model Name : Microwave Oven, Models R-830BK, R-830BW, R-830BS  
Brand : Sharp Electronics Corp.  
Importer : Sharp Electronics Corp.

---

\*\*\*\*\* INFORMATION FOR CERTIFICATION (2) \*\*\*\*\*

(1) Type(s) of emission: Not Applicable

(2) Frequency range: 2450 MHz

(3) Range of operating power and description of means provided for variation of operating power:

RF output power 900 W (Average power output is controlled by ON/OFF switching cycles.)

(4) Max. power rating as described in the applicable rules:

900 W (by IEC method)

(5) The voltage and current to magnetron:

Magnetron Cat. No. 2M303H(L) : 4.1 kV peak, 330 mA

(6) Function of each electro tube, semiconductor or other active circuit device:

Fixed Magnetrons, Type 2M303H(L) as power generator

(7) Complete circuit diagram: Attached

(8) Instruction book: Attached

(9) Tune up procedure over the power range or at specific operating power levels: Not adjustable.

(10) A description of all circuitry and devices provided for determining and stabilizing frequency:

Fixed by magnetron and oven design

(11) A description of any circuit or devices employed for suppression of spurious radiation, for limiting modulation, and for limiting the operating power:

Suppression obtained by shielding design

(12) Identification plate or label: Illustration attached

Location of identification plate or label: Photo. Attached

\*\*\*\*\* INFORMATION FOR CERTIFICATION (3) \*\*\*\*\*

DESCRIPTION OF THE MICROWAVE OVEN

Unit Body Dimensions	:	<u>520 mm wide, 310 mm high, 486 mm deep</u>
Door Dimensions	:	<u>415 mm wide, 277 mm high</u> (Viewing Area: 272 mm wide, 141 mm high)
Oven Cavity Dimensions	:	<u>343 mm wide, 209 mm high, 357 mm deep</u>
Feed Type and Location	:	<u>Supplied by waveguide located side of oven.</u>
Door Seal Type	:	<u>Choke and Capacitive Seals</u>
Magnetron Type	:	<u>2M303H(L) mfd by Toshiba</u>