


Mode:	ant1 11ac20 5240	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.72	62.52	51.59	-10.93	74.00	22.41	Horizontal	PASS

Mode:	ant1 11ac20 5240	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.96	63.57	52.78	-10.79	74.00	21.22	Vertical	PASS

Mode:	ant2 11ac20 5240	Voltage:	120V/60Hz
-------	------------------	----------	-----------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5357.07	63.33	52.07	-11.26	74.00	21.93	Horizontal	PASS

Mode:	ant2 11ac20 5240	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5360.94	62.94	51.44	-11.50	74.00	22.56	Vertical	PASS

Mode:	MIMO 11ac20 5240	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5354.50	62.60	51.53	-11.07	74.00	22.47	Horizontal	PASS

Mode:	MIMO 11ac20 5240	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.00	62.80	51.93	-10.87	74.00	22.07	Vertical	PASS

Mode:	ant1 11ac40 5190	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5125.49	69.63	-12.72	56.91	74.00	17.09	Horizontal	PASS
2	5148.21	73.68	-10.93	62.75	74.00	11.25	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5125.49	50.74	-12.72	38.02	54.00	15.98	Horizontal	PASS
2	5148.21	55.82	-10.93	44.89	54.00	9.11	Horizontal	PASS

Mode:	ant1 11ac40 5190	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5101.24	69.36	-12.75	56.61	74.00	17.39	Vertical	PASS
2	5130.72	72.27	-12.42	59.85	74.00	14.15	Vertical	PASS
3	5144.53	75.59	-11.51	64.08	74.00	9.92	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5101.24	50.08	-12.75	37.33	54.00	16.67	Vertical	PASS
2	5130.72	51.21	-12.42	38.79	54.00	15.21	Vertical	PASS
3	5144.53	55.61	-11.51	44.10	54.00	9.90	Vertical	PASS

Mode:	ant2 11ac40 5190	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5128.48	72.19	-12.54	59.65	74.00	14.35	Horizontal	PASS
2	5148.79	74.32	-10.84	63.48	74.00	10.52	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5128.48	51.43	-12.54	38.89	54.00	15.11	Horizontal	PASS
2	5148.79	54.85	-10.84	44.01	54.00	9.99	Horizontal	PASS

Mode:	ant2 11ac40 5190	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5111.29	70.40	-12.93	57.47	74.00	16.53	Vertical	PASS
2	5148.86	75.11	-10.83	64.28	74.00	9.72	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5111.29	50.45	-12.93	37.52	54.00	16.48	Vertical	PASS
2	5148.86	55.38	-10.83	44.55	54.00	9.45	Vertical	PASS

Mode:	MIMO 11ac40 5190	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5113.04	73.71	-12.95	60.76	74.00	13.24	Horizontal	PASS
2	5133.22	76.81	-12.37	64.44	74.00	9.56	Horizontal	PASS
3	5148.79	79.73	-10.84	68.89	74.00	5.11	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5113.04	50.96	-12.95	38.01	54.00	15.99	Horizontal	PASS
2	5133.22	53.09	-12.37	40.72	54.00	13.28	Horizontal	PASS
3	5148.79	58.72	-10.84	47.88	54.00	6.12	Horizontal	PASS

Mode:	MIMO 11ac40 5190	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5112.55	72.22	-12.94	59.28	74.00	14.72	Vertical	PASS
2	5138.13	75.65	-12.26	63.39	74.00	10.61	Vertical	PASS
3	5148.99	76.79	-10.81	65.98	74.00	8.02	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5112.55	50.42	-12.94	37.48	54.00	16.52	Vertical	PASS
2	5138.13	53.31	-12.26	41.05	54.00	12.95	Vertical	PASS
3	5148.99	58.64	-10.81	47.83	54.00	6.17	Vertical	PASS

Mode:	ant1 11ac40 5230	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.70	62.17	51.32	-10.85	74.00	22.68	Horizontal	PASS

Mode:	ant1 11ac40 5230	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5353.16	64.10	53.14	-10.96	74.00	20.86	Vertical	PASS

Mode:	ant2 11ac40 5230	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	63.64	52.91	-10.73	74.00	21.09	Horizontal	PASS

Mode:	ant2 11ac40 5230	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5353.90	63.78	52.76	-11.02	74.00	21.24	Vertical	PASS

Mode:	MIMO 11ac40 5230	Voltage:	120V/60Hz
-------	------------------	----------	-----------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5353.16	62.75	51.79	-10.96	74.00	22.21	Horizontal	PASS

Mode:	MIMO 11ac40 5230	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5358.48	63.29	51.92	-11.37	74.00	22.08	Vertical	PASS

Mode:	ant1 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5124.09	73.33	-12.81	60.52	74.00	13.48	Horizontal	PASS
2	5149.70	75.99	-10.70	65.29	74.00	8.71	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5124.09	55.95	-12.81	43.14	54.00	10.86	Horizontal	PASS
2	5149.70	58.38	-10.70	47.68	54.00	6.32	Horizontal	PASS

Mode:	ant1 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5125.23	69.88	-12.74	57.14	74.00	16.86	Vertical	PASS
2	5133.48	71.80	-12.37	59.43	74.00	14.57	Vertical	PASS
3	5149.54	73.46	-10.72	62.74	74.00	11.26	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5125.23	53.52	-12.74	40.78	54.00	13.22	Vertical	PASS
2	5133.48	54.34	-12.37	41.97	54.00	12.03	Vertical	PASS
3	5149.54	55.21	-10.72	44.49	54.00	9.51	Vertical	PASS

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5101.34	69.55	-12.75	56.80	74.00	17.20	Horizontal	PASS
2	5143.49	73.04	-11.67	61.37	74.00	12.63	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5101.34	50.66	-12.75	37.91	54.00	16.09	Horizontal	PASS
2	5143.49	53.88	-11.67	42.21	54.00	11.79	Horizontal	PASS

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5145.12	68.28	-11.42	56.86	74.00	17.14	Vertical	PASS
2	5148.86	69.77	-10.83	58.94	74.00	15.06	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5145.12	52.09	-11.42	40.67	54.00	13.33	Vertical	PASS
2	5148.86	51.91	-10.83	41.08	54.00	12.92	Vertical	PASS

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5099.85	71.39	-12.73	58.66	74.00	15.34	Horizontal	PASS
2	5139.63	76.35	-12.23	64.12	74.00	9.88	Horizontal	PASS
3	5147.88	77.20	-10.98	66.22	74.00	7.78	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5099.85	53.53	-12.73	40.80	54.00	13.20	Horizontal	PASS
2	5139.63	59.31	-12.23	47.08	54.00	6.92	Horizontal	PASS
3	5147.88	60.66	-10.98	49.68	54.00	4.32	Horizontal	PASS

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	5130.56	70.79	-12.43	58.36	74.00	15.64	Vertical	PASS
2	5145.57	71.76	-11.34	60.42	74.00	13.58	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5130.56	53.22	-12.43	40.79	54.00	13.21	Vertical	PASS
2	5145.57	54.33	-11.34	42.99	54.00	11.01	Vertical	PASS

Mode:	ant1 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5358.19	63.23	51.88	-11.35	74.00	22.12	Horizontal	PASS

Mode:	ant1 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5374.36	63.06	51.40	-11.66	74.00	22.60	Vertical	PASS

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5376.18	63.11	51.43	-11.68	74.00	22.57	Horizontal	PASS

Mode:	ant2 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.88	62.74	51.80	-10.94	74.00	22.20	Vertical	PASS

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5371.92	63.79	52.15	-11.64	74.00	21.85	Horizontal	PASS

Mode:	MIMO 11ac80 5210	Voltage:	120V/60Hz
-------	------------------	----------	-----------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5399.38	64.35	52.27	-12.08	74.00	21.73	Vertical	PASS

Mode:	ant1 11a 5745	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.25	63.79	50.20	-13.59	68.23	18.03	Horizontal	PASS
2	5691.93	64.11	50.70	-13.41	99.26	48.56	Horizontal	PASS
3	5705.69	67.86	54.52	-13.34	106.80	52.28	Horizontal	PASS
4	5740.70	109.20	96.20	-13.00	122.20	26.00	Horizontal	PASS
5	5857.73	63.17	50.24	-12.93	110.03	59.79	Horizontal	PASS
6	5892.34	64.69	51.75	-12.94	92.34	40.59	Horizontal	PASS
7	5946.06	64.90	51.89	-13.01	68.23	16.34	Horizontal	PASS

Mode:	ant1 11a 5745	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5628.12	64.39	50.81	-13.58	68.23	17.42	Vertical	PASS
2	5695.27	66.85	53.44	-13.41	101.72	48.28	Vertical	PASS
3	5708.86	71.45	58.14	-13.31	107.69	49.55	Vertical	PASS
4	5741.55	109.44	96.45	-12.99	122.20	25.75	Vertical	PASS
5	5854.91	64.52	51.59	-12.93	110.98	59.39	Vertical	PASS
6	5888.12	63.40	50.46	-12.94	95.46	45.00	Vertical	PASS
7	5945.46	64.36	51.35	-13.01	68.23	16.88	Vertical	PASS

Mode:	ant2 11a 5745	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5621.39	63.32	49.71	-13.61	68.23	18.52	Horizontal	PASS
2	5686.79	63.85	50.43	-13.42	95.47	45.04	Horizontal	PASS
3	5714.04	70.54	57.28	-13.26	109.13	51.85	Horizontal	PASS
4	5747.53	110.26	97.33	-12.93	122.20	24.87	Horizontal	PASS
5	5871.68	63.77	50.84	-12.93	106.13	55.29	Horizontal	PASS
6	5899.92	63.70	50.76	-12.94	86.73	35.97	Horizontal	PASS
7	5956.08	63.80	50.86	-12.94	68.23	17.37	Horizontal	PASS

Mode:	ant2 11a 5745	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.33	63.53	50.04	-13.49	68.23	18.19	Vertical	PASS
2	5656.12	63.41	49.96	-13.45	72.77	22.81	Vertical	PASS
3	5713.93	68.87	55.61	-13.26	109.10	53.49	Vertical	PASS
4	5746.87	108.98	96.04	-12.94	122.20	26.16	Vertical	PASS
5	5873.44	64.01	51.08	-12.93	105.63	54.55	Vertical	PASS
6	5885.85	64.48	51.54	-12.94	97.14	45.60	Vertical	PASS
7	5928.59	63.75	50.76	-12.99	68.23	17.47	Vertical	PASS

Mode:	ant1 11a 5785	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5630.20	63.79	50.22	-13.57	68.23	18.01	Horizontal	PASS
2	5693.82	63.30	49.89	-13.41	100.66	50.77	Horizontal	PASS
3	5716.94	64.03	50.80	-13.23	109.95	59.15	Horizontal	PASS
4	5786.44	108.01	94.70	-13.31	122.20	27.50	Horizontal	PASS
5	5860.88	64.45	51.52	-12.93	109.15	57.63	Horizontal	PASS
6	5900.22	64.57	51.63	-12.94	86.51	34.88	Horizontal	PASS
7	5940.64	65.09	52.08	-13.01	68.23	16.15	Horizontal	PASS

Mode:	ant1 11a 5785	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.90	64.06	50.54	-13.52	68.23	17.69	Vertical	PASS
2	5671.17	63.60	50.17	-13.43	83.93	33.76	Vertical	PASS
3	5719.08	63.30	50.09	-13.21	110.54	60.45	Vertical	PASS
4	5779.33	108.01	94.78	-13.23	122.20	27.42	Vertical	PASS
5	5859.02	64.59	51.66	-12.93	109.67	58.01	Vertical	PASS
6	5883.53	65.16	52.22	-12.94	98.87	46.65	Vertical	PASS
7	5971.23	64.45	51.71	-12.74	68.23	16.52	Vertical	PASS

Mode:	ant2 11a 5785	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.20	62.37	48.89	-13.48	68.23	19.34	Horizontal	PASS
2	5685.54	62.72	49.30	-13.42	94.54	45.24	Horizontal	PASS
3	5701.29	63.18	49.79	-13.39	105.56	55.77	Horizontal	PASS
4	5786.77	110.57	97.26	-13.31	122.20	24.94	Horizontal	PASS
5	5873.46	63.10	50.17	-12.93	105.63	55.46	Horizontal	PASS
6	5882.72	63.67	50.73	-12.94	99.47	48.74	Horizontal	PASS
7	5955.40	63.88	50.93	-12.95	68.23	17.30	Horizontal	PASS

Mode:	ant2 11a 5785	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.97	63.54	50.03	-13.51	68.23	18.20	Vertical	PASS
2	5663.97	63.81	50.37	-13.44	78.60	28.23	Vertical	PASS
3	5702.71	63.03	49.66	-13.37	105.96	56.30	Vertical	PASS
4	5783.44	109.29	96.01	-13.28	122.20	26.19	Vertical	PASS
5	5864.23	63.70	50.77	-12.93	108.21	57.44	Vertical	PASS
6	5895.21	64.15	51.21	-12.94	90.22	39.01	Vertical	PASS
7	5949.12	64.20	51.18	-13.02	68.23	17.05	Vertical	PASS

Mode:	ant1 11a 5825	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5619.16	64.24	50.61	-13.63	68.23	17.62	Horizontal	PASS
2	5653.85	64.68	51.22	-13.46	71.09	19.87	Horizontal	PASS
3	5714.11	63.17	49.91	-13.26	109.16	59.25	Horizontal	PASS
4	5821.93	108.39	95.16	-13.23	122.20	27.04	Horizontal	PASS
5	5855.87	70.04	57.11	-12.93	110.55	53.44	Horizontal	PASS
6	5900.54	64.20	51.26	-12.94	86.28	35.02	Horizontal	PASS
7	5952.96	64.98	52.00	-12.98	68.23	16.23	Horizontal	PASS

Mode:	ant1 11a 5825	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5631.72	63.77	50.21	-13.56	68.23	18.02	Vertical	PASS
2	5678.22	63.57	50.14	-13.43	89.14	39.00	Vertical	PASS
3	5702.23	63.47	50.09	-13.38	105.83	55.74	Vertical	PASS
4	5822.31	108.15	94.93	-13.22	122.20	27.27	Vertical	PASS
5	5875.09	64.88	51.94	-12.94	105.13	53.19	Vertical	PASS
6	5901.68	63.77	50.83	-12.94	85.43	34.60	Vertical	PASS
7	5969.89	64.40	51.64	-12.76	68.23	16.59	Vertical	PASS

Mode:	ant2 11a 5825	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5630.90	62.79	49.23	-13.56	68.23	19.00	Horizontal	PASS
2	5660.02	63.13	49.68	-13.45	75.67	25.99	Horizontal	PASS
3	5703.97	63.29	49.93	-13.36	106.31	56.38	Horizontal	PASS
4	5822.72	112.78	99.56	-13.22	122.20	22.64	Horizontal	PASS
5	5855.31	72.30	59.37	-12.93	110.71	51.34	Horizontal	PASS
6	5889.60	63.96	51.02	-12.94	94.37	43.35	Horizontal	PASS
7	5930.24	64.13	51.14	-12.99	68.23	17.09	Horizontal	PASS

Mode:	ant2 11a 5825	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.67	63.67	50.16	-13.51	68.23	18.07	Vertical	PASS
2	5674.34	63.24	49.81	-13.43	86.27	36.46	Vertical	PASS
3	5707.66	64.08	50.76	-13.32	107.35	56.59	Vertical	PASS
4	5828.03	109.89	96.73	-13.16	122.20	25.47	Vertical	PASS
5	5857.69	65.18	52.25	-12.93	110.04	57.79	Vertical	PASS
6	5890.35	64.05	51.11	-12.94	93.81	42.70	Vertical	PASS
7	5928.19	64.17	51.18	-12.99	68.23	17.05	Vertical	PASS

Mode:	ant1 11n20 5745	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.48	63.45	49.92	-13.53	68.23	18.31	Horizontal	PASS
2	5662.96	63.51	50.07	-13.44	77.85	27.78	Horizontal	PASS
3	5721.58	75.84	62.65	-13.19	114.41	51.76	Horizontal	PASS
4	5740.78	108.73	95.73	-13.00	122.20	26.47	Horizontal	PASS
5	5862.36	64.11	51.18	-12.93	108.74	57.56	Horizontal	PASS
6	5887.32	66.16	53.22	-12.94	96.06	42.84	Horizontal	PASS
7	5964.23	63.60	50.77	-12.83	68.23	17.46	Horizontal	PASS

Mode:	ant1 11n20 5745	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5650.62	63.65	50.19	-13.46	68.70	18.51	Vertical	PASS
2	5694.97	63.68	50.27	-13.41	101.50	51.23	Vertical	PASS
3	5718.31	70.67	57.45	-13.22	110.33	52.88	Vertical	PASS
4	5743.89	109.10	96.13	-12.97	122.20	26.07	Vertical	PASS
5	5876.91	63.99	51.05	-12.94	103.78	52.73	Vertical	PASS
6	5904.89	63.03	50.08	-12.95	83.06	32.98	Vertical	PASS
7	5932.88	63.69	50.70	-12.99	68.23	17.53	Vertical	PASS

Mode:	ant2 11n20 5745	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5642.97	63.97	50.47	-13.50	68.23	17.76	Horizontal	PASS
2	5665.30	63.32	49.88	-13.44	79.58	29.70	Horizontal	PASS
3	5717.04	72.91	59.68	-13.23	109.97	50.29	Horizontal	PASS
4	5747.45	109.79	96.86	-12.93	122.20	25.34	Horizontal	PASS
5	5868.19	64.24	51.31	-12.93	107.10	55.79	Horizontal	PASS
6	5889.19	64.12	51.18	-12.94	94.67	43.49	Horizontal	PASS
7	5937.25	63.86	50.86	-13.00	68.23	17.37	Horizontal	PASS

Mode:	ant2 11n20 5745	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5620.90	63.53	49.91	-13.62	68.23	18.32	Vertical	PASS
2	5683.19	63.87	50.45	-13.42	92.81	42.36	Vertical	PASS
3	5718.20	72.38	59.16	-13.22	110.30	51.14	Vertical	PASS
4	5742.37	108.78	95.80	-12.98	122.20	26.40	Vertical	PASS
5	5865.17	64.08	51.15	-12.93	107.95	56.80	Vertical	PASS
6	5883.02	65.07	52.13	-12.94	99.24	47.11	Vertical	PASS
7	5948.72	63.22	50.20	-13.02	68.23	18.03	Vertical	PASS

Mode:	MIMO 11n20 5745	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.24	63.43	49.91	-13.52	68.23	18.32	Horizontal	PASS
2	5693.62	64.33	50.92	-13.41	100.50	49.58	Horizontal	PASS
3	5714.36	73.63	60.37	-13.26	109.22	48.85	Horizontal	PASS
4	5741.79	110.82	97.83	-12.99	122.20	24.37	Horizontal	PASS
5	5867.21	64.04	51.11	-12.93	107.38	56.27	Horizontal	PASS
6	5900.78	64.34	51.40	-12.94	86.10	34.70	Horizontal	PASS
7	5955.49	64.37	51.42	-12.95	68.23	16.81	Horizontal	PASS

Mode:	MIMO 11n20 5745	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5615.01	63.67	50.02	-13.65	68.23	18.21	Vertical	PASS
2	5682.80	63.75	50.33	-13.42	92.52	42.19	Vertical	PASS
3	5720.66	74.57	61.37	-13.20	112.31	50.94	Vertical	PASS
4	5743.44	112.10	99.13	-12.97	122.20	23.07	Vertical	PASS
5	5854.60	64.29	51.36	-12.93	111.71	60.35	Vertical	PASS
6	5902.00	64.31	51.37	-12.94	85.20	33.83	Vertical	PASS
7	5955.59	65.15	52.20	-12.95	68.23	16.03	Vertical	PASS

Mode:	ant1 11n20 5785	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5602.81	64.45	50.74	-13.71	68.23	17.49	Horizontal	PASS
2	5658.22	63.84	50.39	-13.45	74.33	23.94	Horizontal	PASS
3	5705.62	63.87	50.53	-13.34	106.78	56.25	Horizontal	PASS
4	5787.64	108.02	94.70	-13.32	122.20	27.50	Horizontal	PASS
5	5865.32	64.51	51.58	-12.93	107.91	56.33	Horizontal	PASS
6	5894.87	64.10	51.16	-12.94	90.47	39.31	Horizontal	PASS
7	5934.49	65.00	52.00	-13.00	68.23	16.23	Horizontal	PASS

Mode:	ant1 11n20 5785	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5630.28	63.78	50.21	-13.57	68.23	18.02	Vertical	PASS
2	5667.03	64.38	50.94	-13.44	80.86	29.92	Vertical	PASS
3	5715.65	63.15	49.90	-13.25	109.59	59.69	Vertical	PASS
4	5781.47	107.34	94.08	-13.26	122.20	28.12	Vertical	PASS
5	5862.73	64.32	51.39	-12.93	108.63	57.24	Vertical	PASS
6	5887.48	64.29	51.35	-12.94	95.94	44.59	Vertical	PASS
7	5934.44	64.64	51.64	-13.00	68.23	16.59	Vertical	PASS

Mode:	ant2 11n20 5785	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5633.47	63.80	50.25	-13.55	68.23	17.98	Horizontal	PASS
2	5693.45	63.44	50.03	-13.41	100.38	50.35	Horizontal	PASS
3	5714.75	64.25	50.99	-13.26	109.33	58.34	Horizontal	PASS
4	5788.87	97.65	84.31	-13.34	122.20	37.89	Horizontal	PASS
5	5867.78	64.02	51.09	-12.93	107.22	56.13	Horizontal	PASS
6	5901.85	64.47	51.53	-12.94	85.31	33.78	Horizontal	PASS
7	5932.73	64.18	51.19	-12.99	68.23	17.04	Horizontal	PASS

Mode:	ant2 11n20 5785	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.29	64.14	50.66	-13.48	68.23	17.57	Vertical	PASS
2	5671.70	63.59	50.16	-13.43	84.32	34.16	Vertical	PASS
3	5715.86	63.53	50.29	-13.24	109.64	59.35	Vertical	PASS
4	5782.07	102.50	89.24	-13.26	122.20	32.96	Vertical	PASS
5	5883.88	64.12	51.18	-12.94	98.60	47.42	Vertical	PASS
6	5903.44	64.59	51.64	-12.95	84.13	32.49	Vertical	PASS
7	5937.77	64.63	51.63	-13.00	68.23	16.60	Vertical	PASS

Mode:	MIMO 11n20 5785	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5617.49	63.41	49.77	-13.64	68.23	18.46	Horizontal	PASS
2	5651.75	63.77	50.31	-13.46	69.53	19.22	Horizontal	PASS
3	5715.01	63.28	50.03	-13.25	109.41	59.38	Horizontal	PASS
4	5787.04	111.99	98.67	-13.32	122.20	23.53	Horizontal	PASS
5	5860.45	64.06	51.13	-12.93	109.27	58.14	Horizontal	PASS
6	5903.10	64.28	51.34	-12.94	84.38	33.04	Horizontal	PASS
7	5941.04	64.84	51.83	-13.01	68.23	16.40	Horizontal	PASS

Mode:	MIMO 11n20 5785	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.51	63.07	49.55	-13.52	68.23	18.68	Vertical	PASS
2	5681.00	64.82	51.40	-13.42	91.19	39.79	Vertical	PASS
3	5712.65	63.14	49.86	-13.28	108.75	58.89	Vertical	PASS
4	5782.72	111.51	98.24	-13.27	122.20	23.96	Vertical	PASS
5	5877.60	64.17	51.23	-12.94	103.26	52.03	Vertical	PASS
6	5885.10	64.38	51.44	-12.94	97.70	46.26	Vertical	PASS
7	5949.23	64.64	51.62	-13.02	68.23	16.61	Vertical	PASS

Mode:	ant1 11n20 5825	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5631.82	64.46	50.90	-13.56	68.23	17.33	Horizontal	PASS
2	5678.66	64.05	50.62	-13.43	89.46	38.84	Horizontal	PASS
3	5710.78	63.35	50.06	-13.29	108.22	58.16	Horizontal	PASS
4	5822.55	107.89	94.67	-13.22	122.20	27.53	Horizontal	PASS
5	5860.20	65.30	52.37	-12.93	109.34	56.97	Horizontal	PASS
6	5911.88	64.95	51.99	-12.96	77.90	25.91	Horizontal	PASS
7	5952.68	64.09	51.10	-12.99	68.23	17.13	Horizontal	PASS

Mode:	ant1 11n20 5825	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5615.61	64.00	50.35	-13.65	68.23	17.88	Vertical	PASS
2	5678.45	64.24	50.81	-13.43	89.31	38.50	Vertical	PASS
3	5715.65	64.03	50.78	-13.25	109.59	58.81	Vertical	PASS
4	5823.64	107.48	94.27	-13.21	122.20	27.93	Vertical	PASS
5	5854.60	66.40	53.47	-12.93	111.71	58.24	Vertical	PASS
6	5894.14	63.54	50.60	-12.94	91.01	40.41	Vertical	PASS
7	5968.64	64.50	51.72	-12.78	68.23	16.51	Vertical	PASS

Mode:	ant2 11n20 5825	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.08	64.35	50.85	-13.50	68.23	17.38	Horizontal	PASS
2	5689.32	63.48	50.07	-13.41	97.34	47.27	Horizontal	PASS
3	5708.86	63.35	50.04	-13.31	107.69	57.65	Horizontal	PASS
4	5827.95	112.96	99.80	-13.16	122.20	22.40	Horizontal	PASS
5	5858.21	72.31	59.38	-12.93	109.90	50.52	Horizontal	PASS
6	5894.33	63.61	50.67	-12.94	90.87	40.20	Horizontal	PASS
7	5943.92	64.35	51.34	-13.01	68.23	16.89	Horizontal	PASS

Mode:	ant2 11n20 5825	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5642.26	63.47	49.97	-13.50	68.23	18.26	Vertical	PASS
2	5676.80	62.98	49.55	-13.43	88.09	38.54	Vertical	PASS
3	5717.00	63.74	50.51	-13.23	109.96	59.45	Vertical	PASS
4	5830.78	110.34	97.21	-13.13	122.20	24.99	Vertical	PASS
5	5851.91	71.31	58.38	-12.93	117.82	59.44	Vertical	PASS
6	5888.23	64.74	51.80	-12.94	95.38	43.58	Vertical	PASS
7	5960.18	63.98	51.09	-12.89	68.23	17.14	Vertical	PASS

Mode:	MIMO 11n20 5825	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5649.55	63.15	49.69	-13.46	68.23	18.54	Horizontal	PASS
2	5667.65	64.60	51.16	-13.44	81.32	30.16	Horizontal	PASS
3	5719.46	63.95	50.74	-13.21	110.65	59.91	Horizontal	PASS
4	5822.16	110.54	97.31	-13.23	122.20	24.89	Horizontal	PASS
5	5855.51	69.74	56.81	-12.93	110.65	53.84	Horizontal	PASS
6	5915.48	64.57	51.61	-12.96	75.24	23.63	Horizontal	PASS
7	5956.53	64.32	51.38	-12.94	68.23	16.85	Horizontal	PASS

Mode:	MIMO 11n20 5825	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5611.30	64.18	50.51	-13.67	68.23	17.72	Vertical	PASS
2	5664.59	63.32	49.88	-13.44	79.06	29.18	Vertical	PASS
3	5707.89	64.42	51.10	-13.32	107.41	56.31	Vertical	PASS
4	5828.21	112.76	99.60	-13.16	122.20	22.60	Vertical	PASS
5	5857.86	73.45	60.52	-12.93	110.00	49.48	Vertical	PASS
6	5889.75	64.42	51.48	-12.94	94.26	42.78	Vertical	PASS
7	5954.37	64.44	51.48	-12.96	68.23	16.75	Vertical	PASS

Mode:	ant1 11n40 5755	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.47	65.07	51.55	-13.52	68.23	16.68	Horizontal	PASS
2	5694.93	69.27	55.86	-13.41	101.47	45.61	Horizontal	PASS
3	5715.35	72.83	59.58	-13.25	109.50	49.92	Horizontal	PASS
4	5753.30	105.08	92.13	-12.95	122.20	30.07	Horizontal	PASS
5	5862.92	64.01	51.08	-12.93	108.58	57.50	Horizontal	PASS
6	5892.58	65.14	52.20	-12.94	92.16	39.96	Horizontal	PASS
7	5946.51	64.74	51.73	-13.01	68.23	16.50	Horizontal	PASS

Mode:	ant1 11n40 5755	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5630.45	64.16	50.59	-13.57	68.23	17.64	Vertical	PASS
2	5694.91	68.47	55.06	-13.41	101.46	46.40	Vertical	PASS
3	5712.67	70.17	56.89	-13.28	108.75	51.86	Vertical	PASS
4	5744.15	105.26	92.29	-12.97	122.20	29.91	Vertical	PASS
5	5869.65	63.73	50.80	-12.93	106.69	55.89	Vertical	PASS
6	5908.95	64.47	51.52	-12.95	80.06	28.54	Vertical	PASS
7	5954.33	64.49	51.53	-12.96	68.23	16.70	Vertical	PASS

Mode:	ant2 11n40 5755	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5623.00	63.33	49.72	-13.61	68.23	18.51	Horizontal	PASS
2	5681.24	67.04	53.62	-13.42	91.37	37.75	Horizontal	PASS
3	5708.83	69.94	56.63	-13.31	107.67	51.04	Horizontal	PASS
4	5757.88	107.23	94.23	-13.00	122.20	27.97	Horizontal	PASS
5	5864.31	66.18	53.25	-12.93	108.19	54.94	Horizontal	PASS
6	5879.42	66.87	53.93	-12.94	101.91	47.98	Horizontal	PASS
7	5945.27	64.42	51.41	-13.01	68.23	16.82	Horizontal	PASS

Mode:	ant2 11n40 5755	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.37	64.64	51.17	-13.47	68.23	17.06	Vertical	PASS
2	5679.78	65.24	51.82	-13.42	90.29	38.47	Vertical	PASS
3	5719.16	70.79	57.58	-13.21	110.57	52.99	Vertical	PASS
4	5747.49	104.41	91.48	-12.93	122.20	30.72	Vertical	PASS
5	5862.55	66.46	53.53	-12.93	108.68	55.15	Vertical	PASS
6	5888.27	65.12	52.18	-12.94	95.35	43.17	Vertical	PASS
7	5974.66	64.58	51.88	-12.70	68.23	16.35	Vertical	PASS

Mode:	MIMO 11n40 5755	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.62	64.06	50.59	-13.47	68.23	17.64	Horizontal	PASS
2	5693.79	67.77	54.36	-13.41	100.63	46.27	Horizontal	PASS
3	5717.49	77.13	63.90	-13.23	110.10	46.20	Horizontal	PASS
4	5758.70	109.05	96.04	-13.01	122.20	26.16	Horizontal	PASS
5	5859.34	68.35	55.42	-12.93	109.58	54.16	Horizontal	PASS
6	5895.23	67.28	54.34	-12.94	90.20	35.86	Horizontal	PASS
7	5946.42	66.51	53.50	-13.01	68.23	14.73	Horizontal	PASS

Mode:	MIMO 11n40 5755	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.20	63.86	50.35	-13.51	68.23	17.88	Vertical	PASS
2	5693.13	69.29	55.88	-13.41	100.14	44.26	Vertical	PASS
3	5716.16	75.03	61.79	-13.24	109.73	47.94	Vertical	PASS
4	5744.85	107.22	94.26	-12.96	122.20	27.94	Vertical	PASS
5	5871.34	63.69	50.76	-12.93	106.22	55.46	Vertical	PASS
6	5904.10	64.44	51.49	-12.95	83.64	32.15	Vertical	PASS
7	5947.41	64.88	51.86	-13.02	68.23	16.37	Vertical	PASS

Mode:	ant1 11n40 5795	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.28	64.26	50.74	-13.52	68.23	17.49	Horizontal	PASS
2	5684.77	63.36	49.94	-13.42	93.98	44.04	Horizontal	PASS
3	5711.47	64.33	51.04	-13.29	108.42	57.38	Horizontal	PASS
4	5797.48	105.81	92.38	-13.43	122.20	29.82	Horizontal	PASS
5	5866.56	65.89	52.96	-12.93	107.56	54.60	Horizontal	PASS
6	5890.20	65.42	52.48	-12.94	93.92	41.44	Horizontal	PASS
7	5931.55	64.67	51.68	-12.99	68.23	16.55	Horizontal	PASS

Mode:	ant1 11n40 5795	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5623.58	63.46	49.86	-13.60	68.23	18.37	Vertical	PASS
2	5663.99	63.66	50.22	-13.44	78.61	28.39	Vertical	PASS
3	5712.69	67.92	54.64	-13.28	108.76	54.12	Vertical	PASS
4	5786.04	105.46	92.15	-13.31	122.20	30.05	Vertical	PASS
5	5865.04	65.66	52.73	-12.93	107.99	55.26	Vertical	PASS
6	5883.12	64.85	51.91	-12.94	99.17	47.26	Vertical	PASS
7	5930.74	64.20	51.21	-12.99	68.23	17.02	Vertical	PASS

Mode:	ant2 11n40 5795	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5611.71	63.95	50.28	-13.67	68.23	17.95	Horizontal	PASS
2	5685.76	62.70	49.28	-13.42	94.71	45.43	Horizontal	PASS
3	5719.64	65.20	51.99	-13.21	110.70	58.71	Horizontal	PASS
4	5803.41	108.72	95.30	-13.42	122.20	26.90	Horizontal	PASS
5	5862.64	71.74	58.81	-12.93	108.66	49.85	Horizontal	PASS
6	5880.68	68.39	55.45	-12.94	100.98	45.53	Horizontal	PASS
7	5950.24	64.97	51.95	-13.02	68.23	16.28	Horizontal	PASS

Mode:	ant2 11n40 5795	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5603.45	63.75	50.04	-13.71	68.23	18.19	Vertical	PASS
2	5676.99	63.47	50.04	-13.43	88.23	38.19	Vertical	PASS
3	5715.59	63.34	50.09	-13.25	109.57	59.48	Vertical	PASS
4	5799.67	105.90	92.44	-13.46	122.20	29.76	Vertical	PASS
5	5857.00	66.45	53.52	-12.93	110.24	56.72	Vertical	PASS
6	5892.00	66.95	54.01	-12.94	92.59	38.58	Vertical	PASS
7	5969.82	65.26	52.50	-12.76	68.23	15.73	Vertical	PASS

Mode:	MIMO 11n40 5795	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5644.57	63.96	50.47	-13.49	68.23	17.76	Horizontal	PASS
2	5694.57	65.40	51.99	-13.41	101.21	49.22	Horizontal	PASS
3	5722.44	68.49	55.31	-13.18	116.37	61.06	Horizontal	PASS
4	5801.85	109.82	96.38	-13.44	122.20	25.82	Horizontal	PASS
5	5862.36	72.64	59.71	-12.93	108.74	49.03	Horizontal	PASS
6	5882.20	70.71	57.77	-12.94	99.86	42.09	Horizontal	PASS
7	5954.91	66.48	53.52	-12.96	68.23	14.71	Horizontal	PASS

Mode:	MIMO 11n40 5795	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.63	64.01	50.52	-13.49	68.23	17.71	Vertical	PASS
2	5697.07	67.79	54.39	-13.40	103.05	48.66	Vertical	PASS
3	5715.05	67.82	54.57	-13.25	109.42	54.85	Vertical	PASS
4	5798.74	109.03	95.58	-13.45	122.20	26.62	Vertical	PASS
5	5862.23	68.25	55.32	-12.93	108.77	53.45	Vertical	PASS
6	5892.98	69.23	56.29	-12.94	91.87	35.58	Vertical	PASS
7	5953.09	65.10	52.12	-12.98	68.23	16.11	Vertical	PASS

Mode:	ant1 11ac20 5745	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5632.00	64.61	51.05	-13.56	68.23	17.18	Horizontal	PASS
2	5678.07	64.48	51.05	-13.43	89.03	37.98	Horizontal	PASS
3	5708.09	70.06	56.74	-13.32	107.47	50.73	Horizontal	PASS
4	5743.31	108.93	95.95	-12.98	122.20	26.25	Horizontal	PASS
5	5861.91	64.24	51.31	-12.93	108.86	57.55	Horizontal	PASS
6	5880.21	64.15	51.21	-12.94	101.33	50.12	Horizontal	PASS
7	5963.16	64.85	52.00	-12.85	68.23	16.23	Horizontal	PASS

Mode:	ant1 11ac20 5745	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5623.92	64.02	50.42	-13.60	68.23	17.81	Vertical	PASS
2	5685.84	63.65	50.23	-13.42	94.76	44.53	Vertical	PASS
3	5719.27	74.40	61.19	-13.21	110.60	49.41	Vertical	PASS
4	5746.50	108.64	95.70	-12.94	122.20	26.50	Vertical	PASS
5	5867.35	63.86	50.93	-12.93	107.34	56.41	Vertical	PASS
6	5917.86	64.19	51.22	-12.97	73.49	22.27	Vertical	PASS
7	5949.79	64.08	51.06	-13.02	68.23	17.17	Vertical	PASS

Mode:	ant2 11ac20 5745	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.04	63.54	50.02	-13.52	68.23	18.21	Horizontal	PASS
2	5678.37	63.60	50.17	-13.43	89.25	39.08	Horizontal	PASS
3	5718.59	66.03	52.81	-13.22	110.41	57.60	Horizontal	PASS
4	5747.06	110.10	97.16	-12.94	122.20	25.04	Horizontal	PASS
5	5848.65	64.74	51.80	-12.94	122.20	70.40	Horizontal	PASS
6	5895.23	63.78	50.84	-12.94	90.20	39.36	Horizontal	PASS
7	5943.34	64.40	51.39	-13.01	68.23	16.84	Horizontal	PASS

Mode:	ant2 11ac20 5745	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5616.72	63.29	49.65	-13.64	68.23	18.58	Vertical	PASS
2	5654.95	63.34	49.89	-13.45	71.91	22.02	Vertical	PASS
3	5716.64	71.34	58.10	-13.24	109.86	51.76	Vertical	PASS
4	5743.65	109.09	96.12	-12.97	122.20	26.08	Vertical	PASS
5	5863.01	64.89	51.96	-12.93	108.55	56.59	Vertical	PASS
6	5892.72	64.33	51.39	-12.94	92.06	40.67	Vertical	PASS
7	5940.98	64.08	51.07	-13.01	68.23	17.16	Vertical	PASS

Mode:	MIMO 11ac20 5745	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5634.95	63.95	50.41	-13.54	68.23	17.82	Horizontal	PASS
2	5691.93	63.99	50.58	-13.41	99.26	48.68	Horizontal	PASS
3	5719.89	71.19	57.98	-13.21	110.77	52.79	Horizontal	PASS
4	5746.83	112.33	99.39	-12.94	122.20	22.81	Horizontal	PASS
5	5864.40	63.63	50.70	-12.93	108.16	57.46	Horizontal	PASS
6	5882.08	64.13	51.19	-12.94	99.94	48.75	Horizontal	PASS
7	5944.39	64.45	51.44	-13.01	68.23	16.79	Horizontal	PASS

Mode:	MIMO 11ac20 5745	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5616.72	64.72	51.08	-13.64	68.23	17.15	Vertical	PASS
2	5674.98	63.62	50.19	-13.43	86.74	36.55	Vertical	PASS
3	5714.39	74.24	60.98	-13.26	109.23	48.25	Vertical	PASS
4	5741.71	112.27	99.28	-12.99	122.20	22.92	Vertical	PASS
5	5854.03	64.64	51.71	-12.93	112.99	61.28	Vertical	PASS
6	5880.04	64.73	51.79	-12.94	101.46	49.67	Vertical	PASS
7	5963.22	64.62	51.77	-12.85	68.23	16.46	Vertical	PASS

Mode:	ant1 11ac20 5785	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5633.00	63.83	50.28	-13.55	68.23	17.95	Horizontal	PASS
2	5674.36	64.38	50.95	-13.43	86.29	35.34	Horizontal	PASS
3	5703.20	63.41	50.04	-13.37	106.10	56.06	Horizontal	PASS
4	5783.60	110.69	97.41	-13.28	122.20	24.79	Horizontal	PASS
5	5854.45	64.54	51.61	-12.93	112.05	60.44	Horizontal	PASS
6	5884.26	64.55	51.61	-12.94	98.33	46.72	Horizontal	PASS
7	5935.77	63.51	50.51	-13.00	68.23	17.72	Horizontal	PASS

Mode:	ant1 11ac20 5785	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5623.36	63.77	50.17	-13.60	68.23	18.06	Vertical	PASS
2	5663.71	63.09	49.65	-13.44	78.40	28.75	Vertical	PASS
3	5718.73	63.43	50.21	-13.22	110.45	60.24	Vertical	PASS
4	5782.74	110.38	97.11	-13.27	122.20	25.09	Vertical	PASS
5	5867.68	63.97	51.04	-12.93	107.25	56.21	Vertical	PASS
6	5880.12	64.66	51.72	-12.94	101.40	49.68	Vertical	PASS
7	5961.12	63.99	51.11	-12.88	68.23	17.12	Vertical	PASS

Mode:	ant2 11ac20 5785	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5610.01	63.53	49.85	-13.68	68.23	18.38	Horizontal	PASS
2	5667.89	64.46	51.02	-13.44	81.50	30.48	Horizontal	PASS
3	5708.60	63.06	49.74	-13.32	107.61	57.87	Horizontal	PASS
4	5786.12	111.16	97.85	-13.31	122.20	24.35	Horizontal	PASS
5	5856.25	63.45	50.52	-12.93	110.45	59.93	Horizontal	PASS
6	5904.68	64.49	51.54	-12.95	83.21	31.67	Horizontal	PASS
7	5936.76	64.49	51.49	-13.00	68.23	16.74	Horizontal	PASS

Mode:	ant2 11ac20 5785	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.05	64.52	50.99	-13.53	68.23	17.24	Vertical	PASS
2	5697.91	64.65	51.25	-13.40	103.67	52.42	Vertical	PASS
3	5716.40	64.14	50.90	-13.24	109.80	58.90	Vertical	PASS
4	5781.54	112.10	98.84	-13.26	122.20	23.36	Vertical	PASS
5	5869.20	65.22	52.29	-12.93	106.82	54.53	Vertical	PASS
6	5897.98	64.78	51.84	-12.94	88.16	36.32	Vertical	PASS
7	5949.10	65.38	52.36	-13.02	68.23	15.87	Vertical	PASS

Mode:	MIMO 11ac20 5785	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.63	63.98	50.46	-13.52	68.23	17.77	Horizontal	PASS
2	5687.51	63.80	50.39	-13.41	96.00	45.61	Horizontal	PASS
3	5714.39	64.10	50.84	-13.26	109.23	58.39	Horizontal	PASS
4	5787.86	112.28	98.95	-13.33	122.20	23.25	Horizontal	PASS
5	5869.33	65.04	52.11	-12.93	106.78	54.67	Horizontal	PASS
6	5885.98	65.23	52.29	-12.94	97.05	44.76	Horizontal	PASS
7	5958.06	64.56	51.64	-12.92	68.23	16.59	Horizontal	PASS

Mode:	MIMO 11ac20 5785	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.35	64.35	50.86	-13.49	68.23	17.37	Vertical	PASS
2	5658.59	64.48	51.03	-13.45	74.61	23.58	Vertical	PASS
3	5711.84	63.98	50.70	-13.28	108.52	57.82	Vertical	PASS
4	5782.37	111.93	98.66	-13.27	122.20	23.54	Vertical	PASS
5	5861.53	64.83	51.90	-12.93	108.97	57.07	Vertical	PASS
6	5902.64	65.10	52.16	-12.94	84.72	32.56	Vertical	PASS
7	5958.18	65.37	52.46	-12.91	68.23	15.77	Vertical	PASS

Mode:	ant1 11ac20 5825	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5632.81	63.66	50.11	-13.55	68.23	18.12	Horizontal	PASS
2	5679.74	64.85	51.43	-13.42	90.26	38.83	Horizontal	PASS
3	5712.93	63.93	50.66	-13.27	108.82	58.16	Horizontal	PASS
4	5822.02	111.30	98.07	-13.23	122.20	24.13	Horizontal	PASS
5	5857.07	74.53	61.60	-12.93	110.22	48.62	Horizontal	PASS
6	5898.79	64.78	51.84	-12.94	87.57	35.73	Horizontal	PASS
7	5950.73	64.86	51.85	-13.01	68.23	16.38	Horizontal	PASS

Mode:	ant1 11ac20 5825	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.42	64.73	51.19	-13.54	68.23	17.04	Vertical	PASS
2	5693.90	63.33	49.92	-13.41	100.71	50.79	Vertical	PASS
3	5707.66	63.15	49.83	-13.32	107.35	57.52	Vertical	PASS
4	5823.77	110.52	97.31	-13.21	122.20	24.89	Vertical	PASS
5	5851.15	70.22	57.29	-12.93	119.58	62.29	Vertical	PASS
6	5896.50	64.47	51.53	-12.94	89.26	37.73	Vertical	PASS
7	5934.38	64.18	51.18	-13.00	68.23	17.05	Vertical	PASS

Mode:	ant2 11ac20 5825	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.81	63.08	49.49	-13.59	68.23	18.74	Horizontal	PASS
2	5669.47	62.39	48.95	-13.44	82.67	33.72	Horizontal	PASS
3	5711.36	62.87	49.58	-13.29	108.38	58.80	Horizontal	PASS
4	5824.03	113.62	100.41	-13.21	122.20	21.79	Horizontal	PASS
5	5874.21	67.83	54.90	-12.93	105.42	50.52	Horizontal	PASS
6	5894.57	63.69	50.75	-12.94	90.69	39.94	Horizontal	PASS
7	5953.62	63.72	50.75	-12.97	68.23	17.48	Horizontal	PASS

Mode:	ant2 11ac20 5825	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5650.34	63.82	50.36	-13.46	68.49	18.13	Vertical	PASS
2	5687.67	63.74	50.33	-13.41	96.12	45.79	Vertical	PASS
3	5705.66	63.35	50.01	-13.34	106.79	56.78	Vertical	PASS
4	5829.06	112.85	99.70	-13.15	122.20	22.50	Vertical	PASS
5	5858.35	72.99	60.06	-12.93	109.86	49.80	Vertical	PASS
6	5894.35	64.34	51.40	-12.94	90.85	39.45	Vertical	PASS
7	5934.40	64.41	51.41	-13.00	68.23	16.82	Vertical	PASS

Mode:	MIMO 11ac20 5825	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5625.22	64.88	51.29	-13.59	68.23	16.94	Horizontal	PASS
2	5658.63	64.48	51.03	-13.45	74.64	23.61	Horizontal	PASS
3	5703.99	64.42	51.06	-13.36	106.32	55.26	Horizontal	PASS
4	5823.24	112.74	99.53	-13.21	122.20	22.67	Horizontal	PASS
5	5860.15	71.68	58.75	-12.93	109.36	50.61	Horizontal	PASS
6	5888.67	64.65	51.71	-12.94	95.06	43.35	Horizontal	PASS
7	5929.51	64.97	51.98	-12.99	68.23	16.25	Horizontal	PASS

Mode:	MIMO 11ac20 5825	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5619.55	64.37	50.75	-13.62	68.23	17.48	Vertical	PASS
2	5677.81	64.25	50.82	-13.43	88.84	38.02	Vertical	PASS
3	5720.54	63.61	50.41	-13.20	112.05	61.64	Vertical	PASS
4	5829.73	112.66	99.52	-13.14	122.20	22.68	Vertical	PASS
5	5855.12	71.79	58.86	-12.93	110.76	51.90	Vertical	PASS
6	5883.94	67.23	54.29	-12.94	98.56	44.27	Vertical	PASS
7	5961.16	64.63	51.76	-12.87	68.23	16.47	Vertical	PASS

Mode:	ant1 11ac40 5755	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5650.23	64.33	50.87	-13.46	68.40	17.53	Horizontal	PASS
2	5693.69	69.66	56.25	-13.41	100.56	44.31	Horizontal	PASS
3	5723.00	76.46	63.29	-13.17	117.66	54.37	Horizontal	PASS
4	5753.75	107.63	94.68	-12.95	122.20	27.52	Horizontal	PASS
5	5861.59	65.87	52.94	-12.93	108.95	56.01	Horizontal	PASS
6	5894.53	64.25	51.31	-12.94	90.72	39.41	Horizontal	PASS
7	5947.94	64.53	51.51	-13.02	68.23	16.72	Horizontal	PASS

Mode:	ant1 11ac40 5755	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5636.73	68.08	54.55	-13.53	68.23	13.68	Vertical	PASS
2	5686.94	69.67	56.25	-13.42	95.58	39.33	Vertical	PASS
3	5720.13	77.95	64.75	-13.20	111.11	46.36	Vertical	PASS
4	5746.20	107.97	95.02	-12.95	122.20	27.18	Vertical	PASS
5	5858.89	64.36	51.43	-12.93	109.71	58.28	Vertical	PASS
6	5890.69	64.50	51.56	-12.94	93.56	42.00	Vertical	PASS
7	5931.06	64.97	51.98	-12.99	68.23	16.25	Vertical	PASS

Mode:	ant2 11ac40 5755	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5642.05	63.85	50.35	-13.50	68.23	17.88	Horizontal	PASS
2	5682.18	68.53	55.11	-13.42	92.07	36.96	Horizontal	PASS
3	5717.32	78.64	65.41	-13.23	110.05	44.64	Horizontal	PASS
4	5757.73	109.46	96.46	-13.00	122.20	25.74	Horizontal	PASS
5	5872.88	67.99	55.06	-12.93	105.79	50.73	Horizontal	PASS
6	5888.52	64.07	51.13	-12.94	95.17	44.04	Horizontal	PASS
7	5933.01	64.32	51.33	-12.99	68.23	16.90	Horizontal	PASS

Mode:	ant2 11ac40 5755	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5624.17	63.85	50.25	-13.60	68.23	17.98	Vertical	PASS
2	5678.97	68.05	54.62	-13.43	89.70	35.08	Vertical	PASS
3	5717.86	75.99	62.77	-13.22	110.20	47.43	Vertical	PASS
4	5752.70	109.26	96.32	-12.94	122.20	25.88	Vertical	PASS
5	5863.63	68.81	55.88	-12.93	108.38	52.50	Vertical	PASS
6	5891.16	67.75	54.81	-12.94	93.21	38.40	Vertical	PASS
7	5958.25	64.13	51.22	-12.91	68.23	17.01	Vertical	PASS

Mode:	MIMO 11ac40 5755	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.69	64.24	50.76	-13.48	68.23	17.47	Horizontal	PASS
2	5696.36	70.07	56.67	-13.40	102.52	45.85	Horizontal	PASS
3	5710.04	76.57	63.27	-13.30	108.02	44.75	Horizontal	PASS
4	5744.04	108.58	95.61	-12.97	122.20	26.59	Horizontal	PASS
5	5853.90	68.52	55.59	-12.93	113.29	57.70	Horizontal	PASS
6	5910.77	66.68	53.72	-12.96	78.71	24.99	Horizontal	PASS
7	5941.56	65.99	52.98	-13.01	68.23	15.25	Horizontal	PASS

Mode:	MIMO 11ac40 5755	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.58	65.44	51.90	-13.54	68.23	16.33	Vertical	PASS
2	5694.93	71.13	57.72	-13.41	101.47	43.75	Vertical	PASS
3	5720.66	79.18	65.98	-13.20	112.31	46.33	Vertical	PASS
4	5753.72	110.10	97.15	-12.95	122.20	25.05	Vertical	PASS
5	5859.06	67.71	54.78	-12.93	109.66	54.88	Vertical	PASS
6	5885.42	67.95	55.01	-12.94	97.46	42.45	Vertical	PASS
7	5933.84	67.50	54.51	-12.99	68.23	13.72	Vertical	PASS

Mode:	ant1 11ac40 5795	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5627.65	64.52	50.94	-13.58	68.23	17.29	Horizontal	PASS
2	5680.10	65.23	51.81	-13.42	90.53	38.72	Horizontal	PASS
3	5701.93	66.07	52.69	-13.38	105.74	53.05	Horizontal	PASS
4	5791.76	108.11	94.74	-13.37	122.20	27.46	Horizontal	PASS
5	5857.37	69.29	56.36	-12.93	110.13	53.77	Horizontal	PASS
6	5897.72	65.35	52.41	-12.94	88.36	35.95	Horizontal	PASS
7	5967.38	65.44	52.65	-12.79	68.23	15.58	Horizontal	PASS

Mode:	ant1 11ac40 5795	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5626.72	65.63	52.04	-13.59	68.23	16.19	Vertical	PASS
2	5698.46	68.00	54.60	-13.40	104.07	49.47	Vertical	PASS
3	5713.91	69.15	55.89	-13.26	109.10	53.21	Vertical	PASS
4	5797.97	107.52	94.08	-13.44	122.20	28.12	Vertical	PASS
5	5858.36	66.18	53.25	-12.93	109.86	56.61	Vertical	PASS
6	5915.93	64.09	51.12	-12.97	74.91	23.79	Vertical	PASS
7	5943.87	64.11	51.10	-13.01	68.23	17.13	Vertical	PASS

Mode:	ant2 11ac40 5795	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5621.15	63.95	50.33	-13.62	68.23	17.90	Horizontal	PASS
2	5695.70	63.86	50.45	-13.41	102.04	51.59	Horizontal	PASS
3	5706.59	66.83	53.49	-13.34	107.05	53.56	Horizontal	PASS
4	5805.51	109.63	96.23	-13.40	122.20	25.97	Horizontal	PASS
5	5871.11	70.88	57.95	-12.93	106.28	48.33	Horizontal	PASS
6	5880.08	68.95	56.01	-12.94	101.43	45.42	Horizontal	PASS
7	5956.51	65.35	52.41	-12.94	68.23	15.82	Horizontal	PASS

Mode:	ant2 11ac40 5795	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5628.98	65.31	51.74	-13.57	68.23	16.49	Vertical	PASS
2	5677.55	67.46	54.03	-13.43	88.64	34.61	Vertical	PASS
3	5716.14	68.53	55.29	-13.24	109.72	54.43	Vertical	PASS
4	5807.47	109.01	95.63	-13.38	122.20	26.57	Vertical	PASS
5	5871.81	67.67	54.74	-12.93	106.09	51.35	Vertical	PASS
6	5899.19	65.88	52.94	-12.94	87.27	34.33	Vertical	PASS
7	5942.42	64.62	51.61	-13.01	68.23	16.62	Vertical	PASS

Mode:	MIMO 11ac40 5795	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.50	63.36	49.88	-13.48	68.23	18.35	Horizontal	PASS
2	5681.54	67.43	54.01	-13.42	91.59	37.58	Horizontal	PASS
3	5718.95	67.83	54.62	-13.21	110.51	55.89	Horizontal	PASS
4	5797.87	108.95	95.51	-13.44	122.20	26.69	Horizontal	PASS
5	5863.58	68.58	55.65	-12.93	108.39	52.74	Horizontal	PASS
6	5904.27	64.22	51.27	-12.95	83.52	32.25	Horizontal	PASS
7	5923.19	65.25	52.27	-12.98	69.56	17.29	Horizontal	PASS

Mode:	MIMO 11ac40 5795	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.50	65.58	52.05	-13.53	68.23	16.18	Vertical	PASS
2	5682.03	66.79	53.37	-13.42	91.95	38.58	Vertical	PASS
3	5711.64	69.09	55.80	-13.29	108.46	52.66	Vertical	PASS
4	5801.42	108.70	95.26	-13.44	122.20	26.94	Vertical	PASS
5	5859.45	69.02	56.09	-12.93	109.55	53.46	Vertical	PASS
6	5917.50	66.88	53.91	-12.97	73.75	19.84	Vertical	PASS
7	5961.44	64.76	51.89	-12.87	68.23	16.34	Vertical	PASS

Mode:	ant1 11ac80 5775	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.62	65.13	51.62	-13.51	68.23	16.61	Horizontal	PASS
2	5694.05	68.86	55.45	-13.41	100.82	45.37	Horizontal	PASS
3	5719.48	74.16	60.95	-13.21	110.65	49.70	Horizontal	PASS
4	5775.24	103.87	90.68	-13.19	122.20	31.52	Horizontal	PASS
5	5864.38	67.50	54.57	-12.93	108.17	53.60	Horizontal	PASS
6	5878.50	67.03	54.09	-12.94	102.60	48.51	Horizontal	PASS
7	5929.06	65.01	52.02	-12.99	68.23	16.21	Horizontal	PASS

Mode:	ant1 11ac80 5775	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5647.13	65.88	52.40	-13.48	68.23	15.83	Vertical	PASS
2	5687.45	68.12	54.70	-13.42	95.95	41.25	Vertical	PASS
3	5718.43	72.97	59.75	-13.22	110.36	50.61	Vertical	PASS
4	5775.37	103.31	90.12	-13.19	122.20	32.08	Vertical	PASS
5	5865.28	66.50	53.57	-12.93	107.92	54.35	Vertical	PASS
6	5876.05	64.80	51.86	-12.94	104.42	52.56	Vertical	PASS
7	5934.87	64.39	51.39	-13.00	68.23	16.84	Vertical	PASS

Mode:	ant2 11ac80 5775	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.49	63.97	50.40	-13.57	68.23	17.83	Horizontal	PASS
2	5694.24	69.53	56.12	-13.41	100.96	44.84	Horizontal	PASS
3	5718.46	74.12	60.90	-13.22	110.37	49.47	Horizontal	PASS
4	5774.44	106.41	93.23	-13.18	122.20	28.97	Horizontal	PASS
5	5858.08	71.61	58.68	-12.93	109.93	51.25	Horizontal	PASS
6	5884.39	69.30	56.36	-12.94	98.23	41.87	Horizontal	PASS
7	5928.49	67.92	54.93	-12.99	68.23	13.30	Horizontal	PASS

Mode:	ant2 11ac80 5775	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.77	63.84	50.27	-13.57	68.23	17.96	Vertical	PASS
2	5698.10	66.08	52.68	-13.40	103.80	51.12	Vertical	PASS
3	5710.19	67.66	54.36	-13.30	108.06	53.70	Vertical	PASS
4	5773.97	103.46	90.29	-13.17	122.20	31.91	Vertical	PASS
5	5868.19	68.08	55.15	-12.93	107.10	51.95	Vertical	PASS
6	5887.73	69.67	56.73	-12.94	95.76	39.03	Vertical	PASS
7	5947.26	66.52	53.50	-13.02	68.23	14.73	Vertical	PASS

Mode:	MIMO 11ac80 5775	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5650.02	65.15	51.69	-13.46	68.25	16.56	Horizontal	PASS
2	5687.75	69.34	55.93	-13.41	96.18	40.25	Horizontal	PASS
3	5720.38	76.37	63.17	-13.20	111.67	48.50	Horizontal	PASS
4	5792.87	107.65	94.27	-13.38	122.20	27.93	Horizontal	PASS
5	5877.15	72.13	59.19	-12.94	103.60	44.41	Horizontal	PASS
6	5923.45	68.45	55.47	-12.98	69.37	13.90	Horizontal	PASS
7	5952.81	68.29	55.31	-12.98	68.23	12.92	Horizontal	PASS

Mode:	MIMO 11ac80 5775	Voltage:	120V/60Hz
-------	------------------	----------	-----------

Test Graph



PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.15	65.81	52.32	-13.49	68.23	15.91	Vertical	PASS
2	5696.41	70.78	57.38	-13.40	102.56	45.18	Vertical	PASS
3	5720.09	78.49	65.29	-13.20	111.03	45.74	Vertical	PASS
4	5773.95	107.29	94.12	-13.17	122.20	28.08	Vertical	PASS
5	5864.61	72.16	59.23	-12.93	108.11	48.88	Vertical	PASS
6	5881.03	68.58	55.64	-12.94	100.72	45.08	Vertical	PASS
7	5943.91	67.49	54.48	-13.01	68.23	13.75	Vertical	PASS

--End--