

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and INDUSTRY CANADA RSS-132 and RSS-133 REQUIREMENT

	OF
Product Name:	Tablet
Brand Name:	TomTom
Model No.:	4FI76
Model Difference:	N/A
FCC ID:	S4L4FI76
IC:	5767A-4FI76
Report No.:	E2/2016/80016
Issue Date:	Aug. 31, 2016
FCC Rule Part:	2 , 22H & 24E
IC Rule Part:	RSS 132 Issue 3 Jan. 2013, RSS 133 Issue 6 Jan. 2013
Prepared for:	TomTom International B.V. De Ruijerterkade 154, 1011 AC Amsterdam, The Neth-erlands
Prepared by:	SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Tai- wan 333

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留切天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for elec-tronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 2 of 101

VERIFICATION OF COMPLIANCE

Applicant:	TomTom International B.V. De Ruijerterkade 154, 1011 AC Amsterdam, The Neth-erlands
Product Name:	Tablet
Brand Name:	TomTom
Model No.:	4FI76
Model Difference:	N/A
FCC ID:	S4L4FI76
IC :	5767A-4FI76
File Number:	E2/2016/80016
Date of test:	Aug. 01, 2016 ~ Aug. 26, 2016
Date of EUT Received:	Aug. 01, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-D-2010 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Jerry Lu	Date:	Aug. 31, 2016
	Jerry Lu / Sr.Engineer		
Prepared By:	Allen Isai	Date:	Aug. 31, 2016
Approved By:	Allen Tsai / Engineer Jim Chang	Date:	Aug. 31, 2016

JIM Chang / Asst. Managei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of diredres may be produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document is under written approval of the Low document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 3 of 101

Revision History

Report Number	Revision	Description	Issue Date
E2/2016/80016	Rev.00	Initial creation of document	Aug. 31, 2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 4 of 101

Contents

1.	GENERAL PRODUCT INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	10
3.	SUMMARY OF TEST RESULTS	13
4.	DESCRIPTION OF TEST MODES	14
5.	MEASUREMENT UNCERTAINTY	16
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	17
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	23
8.	OCCUPIED BANDWIDTH MEASUREMENT	36
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	45
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	62
11.	FREQUENCY STABILITY MEASUREMENT	90
12.	PEAK TO AVERAGE RATIO	97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

aonoran		
Product Name:	Tablet	
Brand Name:	TomTom	
Model No.:	4FI76	
Model Difference:	N/A	
Hardware Version:	PR1.1	
Software Version:	14.451	
Car charger	Model No.: 4UFI0	Brand: TomTom
USB cable	Model No.: 4UUC.001.24	Brand: TomTom
MIC cable	Model No.: P7051-13	Brand: TomTom
MIC	Model No.: NEIM1100106	Brand: TomTom
Car cable	Model No.: NA	Brand: TomTom
Video cradle	Model No.: 4FI75	Brand: TomTom
Daimler cradle	Model No.: 4FI77	Brand: TomTom
Basic cradle	Model No.: 4FI74	Brand: TomTom
Power Supply:	3.8VDC from Rechargeabl port	e Li-ion battery, 5VDC from USB
	Battery: Model No.: UZ6	Brand: TomTom

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



GSM / WCDMA / LTE:

	Operating Frequency	Rated Power	
	GPRS 850	824.2 MHz– 848.8 MHz	33dBm
Cellular Phone	EDGE 850	824.2 MHz– 848.8 MHz	27dBm
Standards Fre- quency Range and Power	GPRS 1900	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900	1850.2MHz – 1909.8MHz	26dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz – 1907.6MHz	24dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
IMEI:	358884052893020		

Type of Emission:

Eniobion.			
Type of Emission:			
245KGXW			
246KG7W			
246KGXW			
250KG7W			
4M07F9W			
4M06F9W			
4M07F9W			
4M05F9W			
4M06F9W			
4M04F9W			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuckungRoad, NewTaipeindustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 7 of 101

Max ERP/EIRP Power Measurement Result:

	dBm		W
GPRS 850	28.68	ERP	0.738
EDGE 850	22.72	ERP	0.187
GPRS 1900	32.89	EIRP	1.945
EDGE 1900	32.85	EIRP	1.928
WCDMA Band II	28.22	EIRP	0.664
WCDMA Band V	22.29	ERP	0.169
HSDPA Band II	28.58	EIRP	0.721
HSDPA Band V	22.61	ERP	0.182
HSUPA Band II	27.11	EIRP	0.514
HSUPA Band V	23.34	ERP	0.216

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is supporting below features.

Product Feature			
GSM Operating Band(s)	GSM 850/1900MHz		
WCDMA Operating Band(s)	FDD Band II / V		
Bluetooth Version	V4.0 dual mode		
Wi-Fi- Specification	802.11a/b/g/n		
NFC Specification	NFC		

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of diredres may be produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document is under written approval of the Low document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



1.3. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24.

ANSI / TIA / EIA 603-D-2010

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

RSS Gen Issue 4 Nov. 2015

RSS-132 Issue 3 Jan. 2013, RSS-133 Issue 6 Jan. 2013

Note: All test items have been performed and record as per the above standards.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305

Canada Registration Number: 4620A-5

1.5. Special Accessories

No special accessories were used during testing.

1.6. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the Limits of Client's the subject to the respective reference of this document is advised that information document document document is receptive to the subject in the finate and this document the respective finate and bilings at the time of its intervention only and within the transaction is document in the transaction is document is a document to the transaction on the subject in the finate and the advised to the respective to the subject in the finate and the document document document is the subject in the transaction on the transactio instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>Conditions htm</u> and, for electronic format documents, subject to Terms and <u>Conditions of Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 1 dB for low band and 1 for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =1+10+3.3=14.3(dB)High Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =1.2+10+3.3=14.5(dB)

Test Mode	DC voltage (V)	DC current (mA)
GPRS 850	3.8 Vdc	790
GPRS 1900	3.8 Vdc	780
EDGE 850	3.8 Vdc	780
EDGE 1900	3.8 Vdc	790
WCDMA B2	3.8 Vdc	1100
WCDMA B5	3.8 Vdc	1000
HSUPA B2	3.8 Vdc	1000
HSUPA B5	3.8 Vdc	1000
HSDPA B2	3.8 Vdc	1100
HSDPA B5	3.8 Vdc	1100

2.5. Final Amplifier Voltage and Current Information:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>Conditions htm</u> and, for electronic format documents, subject to Terms and <u>Conditions of Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)



Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



Remote Side



Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model⁄ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	Agilent	E3640A	MY53140006	N/A	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest event of the baw document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 13 of 101

SUMMARY OF TEST RESULTS 3.

FCC Rules	IC Rules	Description Of Test	Result
§2.1046(a)	N/A	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c)	§4.8 (RSS-Gen Issue 4) §5.4 (RSS-132) §6.4 (RSS-133)	ERP/ EIRP measure- ment	Compliant
§2.1049(h)	§4.6.1 (RSS-Gen Issue 4) §2.3 (RSS-133)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a)	§4.9 (RSS-Gen Issue 4) §5.5 (RSS-132) §6.5 (RSS-133)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a)	§4.9 (RSS-Gen Issue 4) §5.5 (RSS-132) §6.5 (RSS-133)	Field Strength of Spu- rious Radiation	Compliant
§24.232(d)	§5.4 (RSS-132) §6.4 (RSS-133)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235	§4.7 (RSS-Gen Issue 4) §5.3 (RSS-132) §6.3 (RSS-133)	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



DESCRIPTION OF TEST MODES 4.

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GPRS/EDGE 850	H-plan	H-plan
GPRS/EDGE 1900	H-plan	H-plan
WCDMA/HSPA Band II	H-plan	H-plan
WCDMA/HSPA Band IV	H-plan	H-plan
WCDMA/HSPA Band V	H-plan	H-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents.

document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS/EDGE 850
	512 to 810	661	GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 810	GSM/GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GSM 850
	512 to 810	512, 661, 810	GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	HSDPA Band II HSUPA Band IV WCDMA Band V

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna	+/- 0.70 dB
Terminals and Band Edge	
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB		
Maggurament ungertainty	30MHz - 180MHz: +/- 3.37dB		
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB		
	0.417GHz-1GHz: +/- 3.19dB		
	1GHz - 18GHz: +/- 4.04dB		
	18GHz - 40GHz: +/- 4.04dB		

	9kHz – 30MHz: +/- 2.87 dB		
Magguramont upgortainty	30MHz - 167MHz: +/- 4.22dB		
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB		
(i olalization : honzonal)	0.5GHz-1GHz: +/- 3.39dB		
	1GHz - 18GHz: +/- 4.08dB		
	18GHz - 40GHz: +/- 4.08dB		

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號




6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCDMA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
ТҮРЕ		NUMBER	NUMBER	CAL.							
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017						
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2016	05/24/2017						
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2015	12/11/2016						
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/16/2016	06/15/2017						
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016						
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2015	12/11/2016						
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016						
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017						
Communication Tester	R&S	CMU200	120239	11/25/2015	11/24/2016						

6.5. Measurement Result

RF Conducted Output Power

GPRS/EDGE (GMSK; 8-PSK) Result:

EUT	Frequency	СН	Peak Power (1DN 1UP)	Average Burst Power (1DN 1UP)	Peak Power (1DN 2UP)	Average Burst Power (1DN 2UP)
Mode		CIT	Class 8	Class 8	Class 10	Class 10
	(MHz)		(dBm)	(dBm)	(dBm)	(dBm)
0.000	824.2	128	31.40	31.10	30.50	30.40
GPRS 850	836.6	190	31.50	31.20	30.60	30.40
000	848.8	251	31.50	31.20	30.50	30.30
0.000	1850.2	512	28.80	25.70	28.80	25.80
GPRS 1900	1880.0	661	28.90	25.80	28.90	25.80
1000	1909.8	810	28.80	25.70	28.90	25.80
	824.2	128	28.80	28.60	27.90	27.80
EDGE 850	836.6	190	28.60	28.30	27.70	27.50
000	848.8	251	28.30	28.10	27.40	27.20
	1850.2	512	27.60	24.80	27.70	24.90
EDGE 1900	1880.0	661	27.40	24.50	27.40	24.60
1000	1909.8	810	27.20	24.20	27.30	24.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.


Results:

EUT M	ode	ode WCDMA Band II		_	DPA nd II	HSUPA Band II		
Frequency	СН	PeakAvg.PeakAvg.CHPowerPowerPowerPower		Peak Power	Avg. Power			
(MHz)		(dBm)	Bm) (dBm) (dBm)		(dBm)	(dBm) (dBm)		
1852.4	9262	25.84	22.98	25.61	22.38	25.49	22.37	
1880.0	9400	25.73	22.85	25.83	22.45	25.77	22.42	
1907.6	9538	25.31	22.50	25.17	21.74	25.22	21.73	

EUT M	ode	WCDMA HSDP Band V Band			HSI Bar		
Frequency	PeakAvg.PeakAvg.CHPowerPowerPowerPower		Peak Power	Avg. Power			
(MHz)		(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
826.4	4132	26.11	22.75	25.93	22.06	25.98	22.07
836.6	4183	26.33	22.96	25.99	22.34	26.01	22.37
846.6	4233	26.25	22.82	25.96	22.29	26.05	22.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here vector to the fullest evector of the document of the content or appearance of this document is unlawful and offenders may here vector in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may here vector to the fullest evector of the document is advised to the fullest evector of the down. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號





HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	βd	β₀ (SF)	β _c /β _d	βнs (<i>Note1,</i> <i>Note 2</i>)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests. **Results:**

Mode	Sub-test	-	Channel		Power Class 3 Lim-	Comments
		9262	9400	9538	itation (dBm)	
	1	23.15	22.74	22.36	20.3dBm – 25.7dBm	Pass
HSDPA	2	22.86	22.71	22.35	20.3dBm – 25.7dBm	Pass
(B2)	3	22.67	22.29	21.83	19.8dBm – 25.7dBm	Pass
	4	22.74	22.30	21.95	19.8dBm – 25.7dBm	Pass

Mode	Sub-test	•	Power (d Channel	Bm)	Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	22.54	22.82	22.94	20.3dBm – 25.7dBm	Pass
HSDPA	2	22.68	22.85	22.69	20.3dBm – 25.7dBm	Pass
(B5)	3	22.08	22.34	22.45	19.8dBm – 25.7dBm	Pass
	4	22.13	22.38	22.51	19.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the context of the follow document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 21 of 101

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	βd	β _d (SF)	βc/βd	βнs	β _{ec}	β_{ed}	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15		2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests. **Results:**

Mode	Sub-test	-	Power (d Channel	lBm)	Power Class 3 Lim- itation (dBm)	Comments
		9262	9400	9538		
	1	22.90	22.83	22.44	18.8dBm – 25.7dBm	Pass
	2	20.95	20.90	20.48	16.8dBm – 25.7dBm	Pass
HSUPA(B2)	3	21.96	21.85	21.52	17.8dBm – 25.7dBm	Pass
	4	21.08	20.95	20.52	16.8dBm – 25.7dBm	Pass
	5	22.79	22.69	22.35	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	-	Avg. Power (dBm) Channel		Power Class 3 Lim-	Comments
		4132	4183	4233	itation (dBm)	
	1	22.71	22.89	22.74	18.8dBm – 25.7dBm	Pass
	2	20.77	20.97	20.78	16.8dBm – 25.7dBm	Pass
HSUPA(B5)	3	21.75	21.95	21.82	17.8dBm – 25.7dBm	Pass
	4	20.82	21.03	20.86	16.8dBm – 25.7dBm	Pass
	5	22.57	22.72	22.63	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the context of the follow document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	28.30	26.20	24.30	22.50	20.50	18.60	16.50	14.60	12.50

PCL	9	10	11	12	13	14	15
Output power (dBm)	10.40	8.40	6.30	4.50	2.30	0.60	-1.70

Note: The EUT output power was controlled by simulator. Set Communication Tester CMU200 PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester CMU200 function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document more the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the context of the follow document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.

According to RSS-132, section 5.4.

The equivalent isotropically radiated power (e.i.r.p.) for mobile equipment shall not exceed 11.5 watts.

According to RSS-133 §6.4

The peak e.i.r.p. for transmitters operating in the band 1850-1910 MHz shall not exceed the limits 2W given in SRSP-510.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and defenders may be produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and defenders may be prosecuted to the fulles extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz



(B) Radiated Power Test Set-UP Frequency Over 1 GHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fuller of the here to the fuller of the here. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 25 of 101

(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 26 of 101

7.3. Measurement Procedure

- 1. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:

(1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

(2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW \approx 1~5% of the span, not to exceed 1 MHz

Set VBW = 3 x RBW;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1

millisecond/pt integration time (ex. Point = 601 points, then sweet time = $601*10^{-3} = 6$ s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 27 of 101

7.4. Measurement Equipment Used

ERP, I	EIRP MEASUREM		NT List 966	Chamber	
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER	NUMBER		
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017
Broadband Antenna	TESEQ	CBL 6112D	35240	10/28/2015	10/27/2016
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2015	11/08/2016
Horn Antenna	ETS-Lindgren	3117	00143272	12/16/2015	12/15/2016
Horn Antenna	ETS-Lindgren	3117	00143279	11/05/2015	11/04/2016
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2015	12/10/2016
Horn Antenna	Schwarzbeck	BBHA9170	185	07/18/2016	07/17/2017
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2015	12/11/2016
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2015	12/11/2016
Pre Amplifier	R&S	SCU-18	10204	12/12/2015	12/11/2016
Pre Amplifier	R&S	SCU-26	100780	12/12/2015	12/11/2016
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2015	12/11/2016
Attenuator	WOKEN	218FS-10	RF27	12/12/2015	12/11/2016
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2016	05/24/2017
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com



7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output		Cable Loss	ERP	Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law.



	EUT Deeration Fundamental CH			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output		Cable Loss	EIRP	Limit		



	EUT			Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output		Cable Loss	EIRP	Limit		



EUT	EUT				Measurement						
Operation Fundamental Band Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit				



7.6.	Measurement Result:	(Average) – using opt	tion of average measurement
------	----------------------------	-----------------------	-----------------------------

EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output		Cable Loss	ERP	Limit



	EUT	Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output		Cable Loss	EIRP	Limit



	EUT	Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output		Cable Loss	EIRP	Limit



EUT	Measurement						
Operation Fundamental Band Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit




8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

NOTE: For the plot of bandwidth measurement, the marker of the 99% bandwidth is diamond-shape while the marker of the 20dB BW is arrow-mark

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	MFR	MODEL SERIAL		LAST	CAL DUE.					
ТҮРЕ		NUMBER	NUMBER	CAL.						
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2016	05/24/2017					
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2015	12/11/2016					
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/16/2016	06/15/2017					
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016					
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2015	12/11/2016					
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016					
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017					
Communication Tester	R&S	CMU200	120239	11/25/2015	11/24/2016					

8.5. Measurement Result

99% Bandwidth (Detector Peak)

Frequency	quency (KHz)		99% Bandwidth (KHz)
(MHz)	CIT	GPRS 850	EDGE 850
824.20	128	244.67	245.55
836.60	190	244.68	245.09
848.80	251	238.88	246.32

Frequency	99% Bandwidth 9 (KHz)		99% Bandwidth (KHz)
(MHz)	СП	GPRS 1900	EDGE 1900
1850.20	512	244.88	250.63
1880.00	661	245.70	241.01
1909.80	810	241.20	249.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Frequency (MHz)	СН	99% Bandwidth (MHz) WCDMA II	99% Bandwidth (MHz) HSDPA II	99% Bandwidth (MHz) HSUPA II
1850.20	9262	4.0675	4.0569	4.0540
1880.00	9400	4.0670	4.0641	4.0604
1909.80	9538	4.0703	4.0642	4.0704

Frequency	equency CH		quency CH (MHz)		99% Bandwidth (MHz)	99% Bandwidth (MHz)
(MHz)	СП	WCDMA V	HSDPA V	HSUPA V		
826.40	4132	4.0556	4.0537	4.0429		
836.60	4183	4.0457	4.0384	4.0380		
846.60	4233	4.0508	4.0594	4.0385		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



26dB Bandwidth

Frequency (MHz)	СН	26dB Band- width (KHz)	26dB Band- width (KHz)
		GPRS 850	EDGE 850
824.20	128	310.5	313.4
836.60	190	320.6	313.5
848.80	251	311.7	315.7

Frequency (MHz)	СН	26dB Band- width (KHz) GPRS 1900	26dB Band- width (KHz) EDGE 1900
1850.20	512	321.0	314.9
1880.00	661	322.9	313.1
1909.80	810	317.1	313.3

Frequency	СН	26dB Band- width (MHz)	26dB Band- width (MHz)	26dB Band- width (MHz)
(MHz)		WCDMA II		
1850.20	9262	4.639	4.617	4.621
1880.00	9400	4.633	4.608	4.619
1909.80	9538	4.673	4.623	4.659


Frequency	СН	26dB Band- width (MHz)	26dB Band- width (MHz)	26dB Band- width (MHz)
(MHz)		WCDMA V HSDPA V		HSUPA V
826.40	4132	4.583	4.600	4.582
836.60	4183	4.583	4.586	4.571
846.60	4233	4.579	4.594	4.574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 40 of 101

99% & 26dB Bandwidth Test Data (Detector Peak) GPRS_850_LowCH128-824.2 EDGE_850_LowCH128-824.2




GPRS_850_MidCH190-836.6




GPRS_850_HighCH251-848.8







EDGE_850_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

aS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279




GPRS_1900_LowCH512-1850.2



GPRS_1900_MidCH661-1880



GPRS_1900_HighCH810-1909.8



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 41 of 101 EDGE_1900_LowCH512-1850.2



EDGE_1900_MidCH661-1880



EDGE_1900_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 42 of 101

WCDMA_1900_LowCH9262-1852.4




WCDMA_1900_MidCH9400-1880



WCDMA_1900_HighCH9538-1907.6


	Offset 14.5 dB 35.00 dBm	nt water and	-terrature				-i-	
250 190 5(0) 5(1)			Anninan	-				
25.0 * 0 44.0					1		~	
Center 1.908 GH Res BW 47 kHz			#VB	W 150 k	Hz			oan 6 MHa ap 2.6 ms
Occupied Bandwidth 4.0703 MHz				Total Power		31.9	31.9 dBm	
Transmit Free x dB Bandwid		-6.847 ki		OBW Po	ower		0.00 %	



HSDPA_1900_MidCH9400-1880



HSDPA_1900_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



HSUPA_1900_LowCH9262-1852.4




HSUPA 1900 MidCH9400-1880




HSUPA 1900 HighCH9538-1907.6

RL enter Fre	aq 1.9076) GHz MFGain:Low	Trig: I	r Freq: 1,9076 Free Run h: 40 dB		>50/50	Radio Str	PH Aug 09, 2011 d: None svice: BTS
dB/div	Ref Offs Ref 35.								
50.									
5.0 ⁻		more	and a second and a second			an man	and the second second	~	
00 01	1							1	
1 minus									harmon
4									
E.Q.									
6.01									
enter 1.9 Res BW 4					VBW 150	kHz			pan 6 MH ep 2.6 m
Occupi	Occupied Bandwidth				Total Power 31		31.	.5 dBm	
		4	0704 M	Hz					
Transmi	Transmit Freq Error		-4.967	kHz	OBW	Power	99	9.00 %	
x dB Ba	ndwidth		4.659	MHz	x dB		-26	00 dB	

Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 43 of 101 WCDMA_850_LowCH4132-826.4



WCDMA 850 MidCH4183-836.6



WCDMA_850_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

たかアガガボブ し根できれて見ガガベン(物) 見 () つうしん () しん Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 44 of 101 HSUPA_850_LowCH4132-826.4

HSDPA_850_LowCH4132-826.4



HSDPA 850 MidCH4183-836.6



HSDPA 850 HighCH4233-846.6

enter Fre	q 846.600	000 MHz	iain:Low	Center	Freq: 846.6 ree Run 40 dB		1: 50/50	Radio Sta	MAAg 09, 2011 1: None vice: BTS
0 dB/div	Ref Offset Ref 35.00								
35,0 									
15/0 5/00	1			in herein	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	-		my	
19 () 19 ()									
5.0 0									- min
14 Ū									
Center 840									an 6 MH
				#1	#VBW 150 kHz				ep 2.6 m
Occup	ed Band		94 MH	z	Total	Power	33.2	2 dBm	
Transmit Freq Error -4		-4.567 kHz		OBW	Power	99	9.00 %		
x dB Ba	ndwidth		4.594 M	Hz	x dB		-26.	00 dB	



HSUPA 850 MidCH4183-836.6



HSUPA_850_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

たかアガガボブ し根できれて見ガガベン(物) 見 () つうしん () しん Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a), §24.238(a), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

According to RSS-132 §5.5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

(i) In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log 10 p$ (watts).

(ii) After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

According to RSS-133 §6.5

6.5.1 Out-of-Block Emissions

Equipment shall comply with the limits in (i) and (ii) below.

(i) In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p(watts).

(ii) After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>Conditions htm</u> and, for electronic format documents, subject to Terms and <u>Conditions of Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.2. Test SET-UP



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- 1. To connect Antenna Port of EUT to Spectrum.
- The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
ТҮРЕ		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016				
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016				
EXA Spectrum									
Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017				
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017				
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017				
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017				
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2016	05/16/2017				
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017				
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016				
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016				

9.5. Measurement Result:

Refer to next pages.


NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest event of the baw document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號


30MHz~3GHz GPRS 850MHz LowCH128-824.2

enter Freq 1.5150	000000 GHz PN0: Fast IFGain:Low	Trig: Free Run #Atten: 40 dB	Avg Type: Log-Pwr	TRACE 12 4 TRACE 12 4 TYPE IN WARKING TYPE IN WARKING DET P N IN HIM
Ref Offset			Mk	-24.43 dBn
29	1	_		
ra				
70				
10				10000
87		2		A Commentation of A loss
27				
27				
tart 30 MHz Res BW 1.0 MHz	#//	W 1.0 MHz	Cuinera 2	Stop 3.000 GH .600 ms (1001 pts
KES BW 1.0 MHZ	#VE		sweep a	FUNCTION VALUE
1 N 1 T 2 N 1 T 3 N 1 T	826.0 MHz 1.648 4 GHz 2.472 6 GHz	33.36 dBm -27.92 dBm -24.43 dBm		
4				
7				
0				
		1.85		-

3GHz~10GHz_GPRS_850MHz_LowCH128-824.2




30MHz~3GHz GPRS 850MHz MidCH190-836.6



Page 48 of 101 3GHz~10GHz_GPRS_850MHz_MidCH190-836.6


Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016



30MHz~3GHz_GPRS_850MHz_HighCH251-848.8



3GHz~10GHz_GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




30MHz~3GHz EDGE 850MHz LowCH128-824.2

enter Freq 1.515	000000 GHz	Trig: Free Run	Avg Type: Log-Pwr	1840E	
	PNO: Fast G	#Atten: 40 dB		DET P NIVINI	
Ref Offset Ref 35.00			Mk	r3 2.472 6 GH -24.02 dBr	
99	¥1				
500					
50					
CD.					
				-1009	
		Q^2		and an and an and the start in	
Maria Maria and a second and a second	the second s				
ŝu					
5.D					
tart 30 MHz				Stop 3.000 GH	
Res BW 1.0 MHz	#VBV	V 1.0 MHz	Sweep 3	600 ms (1001 pt	
RR MODE TRC SOL	x		NETION FUNCTION WOTH	FUNCTION VALUE	
	826.0 MHz 1.648 4 GHz	30.54 dBm -27.43 dBm			
3 N 1 F	2.472 6 GHz	-24.02 dBm			
5					
7					
9					

3GHz~10GHz_EDGE_850MHz_LowCH128-824.2




30MHz~3GHz EDGE 850MHz MidCH190-836.6



Page 49 of 101 3GHz~10GHz_EDGE_850MHz_MidCH190-836.6


Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016



30MHz~3GHz_EDGE_850MHz_HighCH251-848.8



3GHz~10GHz_EDGE_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




30MHz~3GHz GPRS 1900MHz LowCH512-1850.2

enter Freq 1.5150	PNC	D: Fast C	Trig: Free Run #Atten: 40 dB	Ave T	vpe: Log-Pwr	CI 54:01 PM Aug 09, 201 TRACE 112:34 TYPE IN WARKING DET P TATE
Ref Offset	14.5 dB				MK	r1 1.850 6 GH 29,50 dBn
50				1		
500				_		
16)						
CD						-1.00 85
	a la martin de la seconda d		and the second			
art 30 MHz Res BW 1.0 MHz		#VBW	1.0 MHz		Sweep 3	Stop 3.000 GH 600 ms (1001 pt
	x			PICTION 1	FUNCTION WOTH	FUNCTION VALUE
		GHz	29.50 dBm			
RR MODE TRC SC.	1,850 6					
N 1 1	1,850 5					
1 N 1 7 23 4 5 6	1,850 5					
1 N 1 T 2 3 4 5 6 7 8	1,850 6					
1 N 1 1 2 3 4 5	1,850 6					

3GHz~10GHz_GPRS_1900MHz_LowCH512-1850.2




30MHz~3GHz_GPRS_1900MHz_MidCH661-1880




Issue Date: Aug. 31, 2016 Page 50 of 101

Report No.: E2/2016/80016


3GHz~10GHz_GPRS_1900MHz_MidCH661-1880



30MHz~3GHz_GPRS_1900MHz_HighCH810-1909.8



3GHz~10GHz_GPRS_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




30MHz~3GHz EDGE 1900MHz LowCH512-1850.2

enter Freq 1.515	P)	Z IO: Fast 😱	Trig: Free R #Atten: 40 d	un	Avg Ty	e: Log-Pwr	TRADE TRADE TIPE DET	
Ref Offset						Mk	r1 1.850 28.3	6 GH
eg l					1			
500								
.61								
								-nue
5.0		and the section of th			-			
5.1								
ên en								
tart 30 MHz Res BW 1.0 MHz		#VBW	1.0 MHz			Sweep 3.	Stop 3.0 600 ms (10	00 GH
RR MODE TRC SQL	x		÷	FUNCT	ION FI	NETEN WETH	FUNCTION	
1 N 1 1 1	1,850	5 GHz	28.35 dBm					
3								
6								
8								

3GHz~10GHz_EDGE_1900MHz_LowCH512-1850.2




30MHz~3GHz EDGE 1900MHz MidCH661-1880




Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 51 of 101


3GHz~10GHz_EDGE_1900MHz_MidCH661-1880



30MHz~3GHz_EDGE_1900MHz_HighCH810-1909.8



3GHz~10GHz_EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



30MHz~3GHz_WCDMA_B5_LowCH4132-826.4



3GHz~10GHz_WCDMA_B5_LowCH4132-826.4



30MHz~3GHz WCDMA B5 MidCH4183-836.6



Page 52 of 101 3GHz~10GHz_WCDMA_B5_MidCH4183-836.6


Avg Type: Log-Pwr 9.762 G Ref Offset 14.3 dB Ref 35.00 dBm t 3.000 GHz s BW 1.0 MHz Stop 10.000 GHz 11.67 ms (1001 pts #VBW 1.0 MHz Sweep 9,762 GH 22.40 d

Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016

30MHz~3GHz_WCDMA_B5_HighCH4233-846.6



3GHz~10GHz_WCDMA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




30MHz~3GHz HSDPA B5 LowCH4132-826.4

enter Freq 1.51500		Trig: Free Run #Atten: 40 dB	Avg Type: Log-Pwr	04-27/21 PM Aug 09, 201 TRADE 12 2 4 Type: N volume DET P N V 14
Ref Offset 14			Mk	r3 2.479 2 GH -24.25 dBn
50	Q1			
50				
20				
	<u> </u>	6 ²		-1016
and a second and a second	Section of the sectio		in the second state of the	
50				
9.0				
art 30 MHz Res BW 1.0 MHz	#VBW	1.0 MHz	Sweep 3	Stop 3.000 GH
R MODE TRC SOL	x	F FLM	CTION FUNCTION WETH	FUNCTION VALUE
1 N 1 T 2 N 1 T	826.0 MHz 1.652 8 GHz 2.479 2 GHz	24.81 dBm -27.31 dBm -24.25 dBm		
4	2.4/92.002	-24.20 Upin		
		1.0		

3GHz~10GHz_HSDPA_B5_LowCH4132-826.4




30MHz~3GHz HSDPA B5 MidCH4183-836.6




Page 53 of 101 3GHz~10GHz_HSDPA_B5_MidCH4183-836.6


Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016



30MHz~3GHz_HSDPA_B5_HighCH4233-846.6



3GHz~10GHz_HSDPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488


```
www.tw.sqs.com
```




30MHz~3GHz HSUPA B5 LowCH4132-826.4

enter Freq 1.51500	PNO: Fast C	Trig: Free Run #Atten: 40 dB	Avg Type: Log-Pwr	D4-52:59 PM Aug 09, 201 TRACE 2 2 4 TriPE IN WARKING DET P N 12 M
Ref Offset 14 Ref 35.00			MK	r3 2.479 2 GH -24.04 dBn
50	Q1			
50				
50				
		62		3
1 words - work of the state of the		- Louis and the state	and the sport of t	- This and the - one
0				
(D)				
art 30 MHz Res BW 1.0 MHz	#VBW	1.0 MHz	Sweep 3	Stop 3.000 GH
R MODE TRC SOL	x	F FLM	CTION FUNCTION WEITH	FUNCTION VALUE
	828.9 MHz 1.662 8 GHz 2.479 2 GHz	24.89 dBm -26.87 dBm -24.04 dBm		
	24/92.002	-24.04 Upin		
		100		1.4

3GHz~10GHz_HSUPA_B5_LowCH4132-826.4




30MHz~3GHz HSUPA B5 MidCH4183-836.6




Page 54 of 101 3GHz~10GHz_HSUPA_B5_MidCH4183-836.6


Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016



30MHz~3GHz_HSUPA_B5_HighCH4233-846.6



3GHz~10GHz_HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




30MHz~3GHz_WCDMA_B2_LowCH9262-1852.4

enter Freq 1.5150	PN	0: Fast 😱	Trig: Free Run #Atten: 40 dB		Type: Log-Pwr	TRACE TO THE DET TO TH	
Ref Offset					Mk	r1 1,850 6 C	ł
5.0				1			
5.0							
26) CD							
0						-11	
		مسليتمسيد	-	the statement	in the second	adasen al Annonesi	-
80							
art 30 MHz Res BW 1.0 MHz		-	1.0 MHz			Stop 3.000	GH
R MODE TRC SCL	x	#4044	1.0 101-2	FUNCTION	FUNCTION WOTH	600 ms (1001 FUNCTION VALUE	_
IN THURS THE BUL	1.850 6	GHz	23.98 dBm				
1 N 1 f							
1 N 1 T 2 3 4							
1 N 1 f 23 4 5 6 7							
N 1 1							

3GHz~10GHz_WCDMA_B2_MidCH9400-1880




30MHz~3GHz_WCDMA_B2_HighCH9538-1907.6




Issue Date: Aug. 31, 2016 Page 55 of 101

Report No.: E2/2016/80016


3GHz~10GHz_WCDMA_B2_LowCH9262-1852.4



30MHz~3GHz_WCDMA_B2_MidCH9400-1880



3GHz~10GHz_WCDMA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




30MHz~3GHz HSDPA_B2_LowCH9262-1852.4

enter Freq 1.5150		Trig: Free Run	Avg Typ	ELOG-Pwr	TRACE DOMESTIC
	IFGain:Low	#Atten: 40 dB	_		DET P NIVIN
Ref Offset 1				Mk	r1 1,850 6 GH 23,98 dBr
P.G.			1		
5.11					
50					
					-1.028
			1		
and the second s	and minist workspectrum.	and have been been a product of the state of		Contraction for	
8.L]					
tart 30 MHz					Stop 3.000 GH
Res BW 1.0 MHz	#VBW	1.0 MHz		Sweep 3.	600 ms (1001 pt
R MODE TRC SOL	x		NCTION FU	NET EN WETH	FUNCTION VALUE
	1,850 5 GHz	23.98 dBm			
3					
5					
4 5 6 7					
5					
5 6 7 8					

3GHz~10GHz_HSDPA_B2_MidCH9400-1880




30MHz~3GHz_HSDPA_B2_HighCH9538-1907.6




Issue Date: Aug. 31, 2016 Page 56 of 101

Report No.: E2/2016/80016


3GHz~10GHz_HSDPA_B2_LowCH9262-1852.4



30MHz~3GHz_HSDPA_B2_MidCH9400-1880



3GHz~10GHz_HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated in testings interview factor for the results structure of the state report fear only to the sample(s) tested and store state relation for 90 days only. 防非方式或明,此報告結果僅對測試之樣品負素「同時此樣品僅保留的人気。本報告未經公司書面許可,不可能分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




3GHz~10GHz_HSUPA_B2_MidCH9400-1880



30MHz~3GHz_HSUPA_B2_HighCH9538-1907.6



3GHz~10GHz HSUPA B2 LowCH9262-1852.4



t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_ed_comment.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 57 of 101

30MHz~3GHz_HSUPA_B2_MidCH9400-1880



3GHz~10GHz_HSUPA_B2_HighCH9538-1907.6

enter Freq 11.500000	000 GH2 PN0: Fast IFGain:Low	Trig: Free Run #Atten: 40 dB	Avg Typ	e: Log-Pwr	TRADE 12 14 TRADE 12 14 TVPE Noncom DET 7 N P 14
Ref Offset 14.5 d dB/div Ref 35.00 dBr				M	4 cr1 19.354 GH -20.34 dBr
91 91					
10 10					
.p					-11.02 1
1 and	والمناجب والمعالم	وراستي المعالمة فالمستوجعة	-	and	
art 3.000 GHz les BW 1.0 MHz	#VBW	1.0 MHz		Sweep 2	Stop 20.000 GH 8.33 ms (1001 pt
R MODE TRC SCL	× 19.354 GHz	-20.34 dBm	NCTION _ FU	NETEN WOTH	FUNCTION VALUE
المركز					
		1.0			1.4
1.				STATUS	6



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 58 of 101

Band Edge_GPRS_850MHz_LowCH128-824.2



Band Edge_GPRS_850MHz_HighCH251-848.8



Band Edge_EDGE_850MHz_LowCH128-824.2



Band Edge_EDGE_850MHz_HighCH251-848.8



Band Edge_GPRS_1900MHz_LowCH512-1850.2







Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document be at transaction from evercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 59 of 101

Stop 1.9105000 GI 1.000 ms (1001 pt

Stop 1.8505000 GH 1.000 ms (1001 pt

Stop 1.9105000 GH

Avg Type: Log-Pwr

Band Edge_WCDMA_B2_HighCH9538-1907.6

de 😱 Trig: Free Run

#VBW 150 kHz

Band Edge_HSDPA_B2_LowCH9262-1852.4

#VBW 150 kH:

Band Edge_HSDPA_B2_HighCH9538-1907.6

#VBW 150 kH

1 850 000 GHz

ter Freq 1.910000000 GHz PNOt Wide Car Matter: 40 dB

1.910

Ref Offset 14.5 dB Ref 35.00 dBm

1.9095000 GHz

Trig: Free Run

1.910 000 GHz

ter Freq 1.910000000 GHz

Ref Offset 14.5 dB Ref 35.00 dBm

tart 1.9095000 GHz Res BW 47 kHz

enter Freq 1.850000000 GHz

Ref Offset 14.5 dB Ref 35.00 dBm

tart 1.8495000 GHz Res BW 47 kHz


Band Edge_EDGE_1900MHz_LowCH512-1850.2



Band Edge_EDGE_1900MHz_HighCH810-1909.8



Band Edge_WCDMA_B2_LowCH9262-1852.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document be at transaction from evercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 60 of 101


Band Edge_HSUPA_B2_LowCH9262-1852.4



Band Edge_HSUPA_B2_HighCH9538-1907.6



Band Edge_WCDMA_B5_LowCH4132-826.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document be at transaction from evercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com


Band Edge_WCDMA_B5_HighCH4233-846.6



Band Edge_HSDPA_B5_LowCH4132-826.4




Band Edge_HSDPA_B5_HighCH4233-846.6





Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 61 of 101

Band Edge_HSUPA_B5_LowCH4132-826.4



Band Edge_HSUPA_B5_HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instruc-tions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlike the different may be argued to the fully of worter of the law. unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

According to RSS-132 §5.5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below. (i) In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts).

(ii) After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

According to RSS-133 §6.5.1

Equipment shall comply with the limits in (i) and (ii) below.

(i) In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p(watts).

(ii) After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least 43 + 10 log10 p(watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 63 of 101

10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fuller of the here to the fuller of the here. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.

"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are relative for ourso only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



10.4. Measurement Equipment Used:

ERP, I	EIRP MEASURI	EMENT EQUIPME	ENT List 966	Chamber	
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER	NUMBER		
EMI Test Receiver	R&S	ESU 40	100363	04/12/2016	04/11/2017
Broadband Antenna	TESEQ	CBL 6112D	35240	10/28/2015	10/27/2016
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2015	11/08/2016
Horn Antenna	ETS-Lindgren	3117	00143272	12/16/2015	12/15/2016
Horn Antenna	ETS-Lindgren	3117	00143279	11/05/2015	11/04/2016
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2015	12/10/2016
Horn Antenna	Schwarzbeck	BBHA9170	185	07/18/2016	07/17/2017
Pre Amplifier	EMC Instru- ments	EMC330	980096	12/12/2015	12/11/2016
Pre Amplifier	EMC Instru- ments	EMC0011830	980199	12/12/2015	12/11/2016
Pre Amplifier	R&S	SCU-18	10204	12/12/2015	12/11/2016
Pre Amplifier	R&S	SCU-26	100780	12/12/2015	12/11/2016
Pre Amplifier	EMC Instru- ments	EMC184045B	980135	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2015	12/11/2016
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2015	12/11/2016
Attenuator	WOKEN	218FS-10	RF27	12/12/2015	12/11/2016
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2016	05/24/2017
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2016	05/03/2017
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents in subduiting cannot be reproduced by the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號




Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 66 of 101

10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode :	GPRS_850	Test Date :	2016/8/5
Fundamental Frequency :	824.2 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	Н	Measurement Antenna Pol. :	Vertical



Frequency [MHz]

Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
44.55	S	-52.49	-41.14	-10.52	-0.83	-13	-39.49
87.23	S	-63.00	-59.95	-1.97	-1.08	-13	-50.00
164.83	S	-58.48	-58.94	1.99	-1.52	-13	-45.48
306.45	S	-59.56	-61.30	3.79	-2.06	-13	-46.56
564.47	S	-58.30	-59.76	4.40	-2.94	-13	-45.30
618.79	S	-59.11	-61.13	4.80	-2.78	-13	-46.11
1644.00	Н	-47.01	-49.04	6.74	-4.71	-13	-34.01
2470.00	Н	-45.44	-47.83	8.23	-5.84	-13	-32.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest event of the baw document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 67 of 101

Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :	ntal Frequency : 824.2 MHz Temp. / Humi. : Band : Tx CH Low Test Engineer :		2016/8/5 22.7deg_C/57RH Ashton Horizontal
22			
11			
0			
-11			part 22 Tx PK
[[(u) -22			
-33 -			
-44			

5015 Frequency [MHz]

Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
32.91	S	-55.37	-34.83	-19.87	-0.67	-13	-42.37
134.76	S	-65.44	-62.40	-1.67	-1.38	-13	-52.44
360.77	S	-66.00	-67.52	3.71	-2.19	-13	-53.00
615.88	S	-54.53	-56.27	4.79	-3.05	-13	-41.53
668.26	S	-57.76	-59.91	5.12	-2.97	-13	-44.76
744.89	S	-58.78	-61.16	5.46	-3.08	-13	-45.78
1644.00	Н	-52.80	-54.82	6.74	-4.71	-13	-39.80
2470.00	Н	-46.16	-48.55	8.23	-5.84	-13	-33.16

2522.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

7507.5



30

Operation Mc Fundamental Operation Ba EUT Pol. :	Frequency :	GPRS_850 836.6 MHz Tx CH Mid H	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	2016/8/5 22.7deg_C/57RH Ashton Vertical
22				
0 -11 -11 -11 -11 -11 -11 -11 -11 -11 -1	8 ×			part 22 Tx PK
-44 -55 -66	9 X			

2522.5 5015 7507.5 10000 Frequency [MHz]

	Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
				Level	Gain	Loss	@3m	
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
-	51.34	S	-51.45	-44.09	-6.53	-0.83	-13	-38.45
	145.43	S	-58.17	-56.37	-0.26	-1.54	-13	-45.17
	282.20	S	-59.16	-60.82	3.63	-1.97	-13	-46.16
	310.33	S	-58.91	-60.74	3.79	-1.96	-13	-45.91
	358.83	S	-52.61	-54.22	3.72	-2.10	-13	-39.61
	629.46	S	-53.84	-55.78	4.84	-2.89	-13	-40.84
	1105.00	S	-32.78	-33.63	4.75	-3.90	-13	-19.78
	1273.00	S	-21.39	-22.72	5.39	-4.06	-13	-8.39
	1672.00	Н	-49.02	-51.08	6.83	-4.78	-13	-36.02
	2505.00	Н	-43.77	-46.14	8.26	-5.89	-13	-30.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 69 of 101

Operation Mode: Fundamental Frequency: Operation Band: EUT Pol.:	GPRS_850 836.6 MHz Tx CH Mid H	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	2016/8/5 22.7deg_C/57RH Ashton Horizontal
22			
			part 22 Tx PK
-44 -55 -55 -55 -55 -55 -55 -55 -55 -55			

5015 Frequency [MHz]

Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
30.97	S	-53.30	-31.09	-21.56	-0.65	-13	-40.30
49.40	S	-53.77	-45.51	-7.43	-0.83	-13	-40.77
415.09	S	-65.64	-67.17	3.76	-2.23	-13	-52.64
629.46	S	-53.10	-55.05	4.84	-2.89	-13	-40.10
680.87	S	-56.96	-59.40	5.25	-2.81	-13	-43.96
733.25	S	-58.61	-61.17	5.46	-2.90	-13	-45.61
1105.00	S	-36.69	-37.54	4.75	-3.90	-13	-23.69
1238.00	S	-15.79	-16.84	5.25	-4.20	-13	-2.79
1672.00	Н	-53.63	-55.69	6.83	-4.78	-13	-40.63
2505.00	Н	-44.12	-46.49	8.26	-5.89	-13	-31.12


2522.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

7507.5



-77



5015 Frequency [MHz]


Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
36.79	S	-52.21	-34.89	-16.61	-0.71	-13	-39.21
164.83	S	-59.47	-59.94	1.99	-1.52	-13	-46.47
315.18	S	-51.28	-52.97	3.78	-2.10	-13	-38.28
589.69	S	-55.82	-57.88	4.63	-2.57	-13	-42.82
641.10	S	-55.90	-58.20	4.88	-2.59	-13	-42.90
743.92	S	-59.19	-61.55	5.46	-3.11	-13	-46.19
1105.00	S	-31.05	-31.90	4.75	-3.90	-13	-18.05
1238.00	S	-21.50	-22.56	5.25	-4.20	-13	-8.50
1693.00	Н	-48.92	-51.03	6.91	-4.80	-13	-35.92
2547.00	Н	-42.85	-45.27	8.33	-5.91	-13	-29.85

2522.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fuller of the here to the fuller of the here. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

7507.5





-77 30

Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
159.98	S	-65.47	-65.56	1.44	-1.35	-13	-52.47
588.72	S	-58.58	-60.57	4.62	-2.63	-13	-45.58
641.10	S	-53.19	-55.49	4.88	-2.59	-13	-40.19
693.48	S	-56.82	-59.21	5.39	-3.01	-13	-43.82
744.89	S	-57.31	-59.69	5.46	-3.08	-13	-44.31
776.90	S	-61.14	-63.52	5.49	-3.12	-13	-48.14
1112.00	S	-31.16	-32.06	4.78	-3.87	-13	-18.16
1273.00	S	-18.80	-20.13	5.39	-4.06	-13	-5.80
1693.00	Н	-44.98	-47.09	6.91	-4.80	-13	-31.98
2547.00	Н	-40.68	-43.11	8.33	-5.91	-13	-27.68

5015

Frequency [MHz]

2522.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_edocument.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents in unparticle underfined to the fuller of the here to the fuller of the here. document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

7507.5



Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode: Fundamental Frequency: Operation Band: EUT Pol.:	GPRS_1900 1850.2 MHz Tx CH Low H	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	2016/8/5 22.7deg_C/57RH Ashton Vertical
1			
22			
11			
0			
-11			part 24 Tx Pi
-22			
33 -			
-44			
7			
-55 2 3 56			
-66 -			
-77			

Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
 MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
59.10	S	-54.81	-52.66	-1.29	-0.87	-13.01	-41.80
166.77	S	-60.27	-63.06	4.36	-1.56	-13.01	-47.26
366.59	S	-59.72	-63.32	5.84	-2.25	-13.01	-46.71
588.72	S	-59.73	-63.87	6.77	-2.63	-13.01	-46.72
641.10	S	-58.29	-62.73	7.03	-2.59	-13.01	-45.28
776.90	S	-57.25	-61.78	7.64	-3.12	-13.01	-44.24
3700.40	Н	-51.42	-56.57	12.30	-7.15	-13.01	-38.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and of the content or appearance of the law. documents: This document is unlawful and offenders may be proceeded to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :	GPRS_1900 1850.2 MHz Tx CH Low H	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	2016/8/5 22.7deg_C/57RH Ashton Horizontal
22			
11			
0			
11			part 24 Tx PK
-22			
33			
44			
-55 -2	8		
-66 H			
-77 -			
	22.5	10015 1500 Frequency [MHz]	7.5 200

Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
			Level	Gain	Loss	@3m	
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
33.88	S	-55.60	-38.03	-16.88	-0.68	-13.01	-42.59
86.26	S	-64.72	-63.89	0.25	-1.07	-13.01	-51.71
167.74	S	-60.71	-63.65	4.46	-1.51	-13.01	-47.70
572.23	S	-64.55	-68.31	6.62	-2.86	-13.01	-51.54
738.10	S	-65.18	-69.57	7.61	-3.22	-13.01	-52.17
791.45	S	-62.00	-66.24	7.66	-3.42	-13.01	-48.99
3700.40	Н	-52.67	-57.82	12.30	-7.15	-13.01	-39.66
5550.60	Н	-48.38	-52.30	12.62	-8.70	-13.01	-35.37



-11

Level [(dBm/m)]

-44

-55

-66

-77

30

Freq.

MHz

58.13

112.45

159.01

254.07

297.72

800.18

3760.00

part 24 Tx PK

20000

Operation Mode:	GPRS_1900	Test Date :	2016/8/5
Fundamental Frequency:	1880.0 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band:	Tx CH Mid	Test Engineer :	Ashton
EUT Pol.:	H	Measurement Antenna Pol. :	Vertical
1			

10015

Frequency [MHz]

Antenna

Gain

dBi

-1.67

-1.15

3.49

5.00

5.93

7.67

12.30

SG Output

Level

dBm

-45.96

-55.21

-52.08

-64.33

-67.07

-61.63

-57.02

5022.5

Note

F/H/E/S

S

S

S

S

S

S

н

EIRP

dBm

-48.51

-57.59

-50.04

-61.18

-63.15

-57.36

-51.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document much part withen approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unaufain and for dependence much parts. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

15007.5

Limit

@3m

dBm/m

-13.01

-13.01

-13.01

-13.01

-13.01

-13.01

-13.01

Margin

dB

-35.50

-44.58

-37.03

-48.17

-50.14

-44.35

-38.92

Cable

Loss

dB

-0.88

-1.23

-1.45

-1.85


-2.01

-3.40

-7.21




Operation Mode : Fundamental Frequency : Operation Band : EUT Pol. :	GPRS_1900 1880.0 MHz Tx CH Mid H	Test Date : Temp. / Humi. : Test Engineer : Measurement Antenna Pol. :	2016/8/5 22.7deg_C/57RH Ashton Horizontal
22			
11			
0			
-11			part 24 Tx PK
22			



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-54.02	-34.79	-18.56	-0.67	-13.01	-41.01
158.04	S	-58.96	-60.83	3.38	-1.52	-13.01	-45.95
186.17	S	-69.83	-74.25	6.01	-1.59	-13.01	-56.82
519.85	S	-64.80	-68.43	6.40	-2.78	-13.01	-51.79
716.76	S	-65.12	-69.49	7.61	-3.24	-13.01	-52.11
800.18	S	-60.08	-64.35	7.67	-3.40	-13.01	-47.07
3760.00	Н	-53.17	-58.27	12.30	-7.21	-13.01	-40.16
5640.00	Н	-49.63	-53.47	12.66	-8.81	-13.01	-36.62




Operation Mode :	GPRS_1900	Test Date :	2016/8/5
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Vertical
4			



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
53.28	S	-54.71	-50.19	-3.60	-0.92	-13.01	-41.70
104.69	S	-53.02	-50.75	-1.06	-1.20	-13.01	-40.01
187.14	S	-64.31	-68.81	6.05	-1.55	-13.01	-51.30
307.42	S	-63.68	-67.55	5.94	-2.08	-13.01	-50.67
336.52	S	-63.01	-66.84	5.91	-2.08	-13.01	-50.00
795.33	S	-56.67	-61.17	7.67	-3.16	-13.01	-43.66
3819.60	Н	-48.40	-53.43	12.30	-7.27	-13.01	-35.39



Operation Mode :	GPRS_1900	Test Date :	2016/8/5
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
31.94	S	-54.79	-35.56	-18.56	-0.67	-13.01	-41.78
73.65	S	-70.10	-69.61	0.51	-1.00	-13.01	-57.09
157.07	S	-61.15	-62.95	3.28	-1.49	-13.01	-48.14
198.78	S	-66.88	-71.12	5.87	-1.64	-13.01	-53.87
773.02	S	-62.30	-66.83	7.64	-3.11	-13.01	-49.29
798.24	S	-60.47	-64.89	7.67	-3.25	-13.01	-47.46
3819.60	Н	-52.66	-57.69	12.30	-7.27	-13.01	-39.65
5729.40	Н	-51.04	-54.83	12.69	-8.90	-13.01	-38.03



Radiated Spurious Emission Measurement Result: WCDMA Band 2 Mode

Fi Oj	peration Mode undamental Fr peration Band UT Pol. :	equency :	HSDP# 1852.4 Tx CH H	MHz Temp Low Test E	Date : . / Humi. : Engineer : urement Ante	enna Pol. :	Ashto	eg_C/57RH n	
22									
-11								1	part 24 Tx PK
Level [(dBm/m)]		7 *							
-44	5 						_		
-66	(45) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	5022.5		, 100			15007.5		20000
	Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin	
	MHz 56.19	F/H/E/S S	dBm -58.92	dBm -55.63	dBi -2.44	dB -0.85	dBm/m -13.01	dB -45.91	
	100.81	S	-61.12	-59.03	-0.92	-1.17	-13.01	-48.11	

S

S

S

S

н

-63.09

-65.41

-65.09

-60.87

-28.06

-66.88

-69.02

-68.81

-65.45

-33.21

242.43

413.15

528.58

742.95

3702.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may he prosecuted to the fullest event of the baw document is unlawful and offenders may be prosecuted to the fullest tent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

5.61

5.89

6.41

7.61

12.30

-1.81

-2.29

-2.68

-3.03

-7.15

-13.01

-13.01

-13.01

-13.01

-13.01

-50.08

-52.40


-52.08

-47.86

-15.05




Operation Mode :	HSDPA B2	Test Date :	2016/8/5
Fundamental Frequency :	1852.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



	Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
-	34.85	S	-56.34	-39.60	-16.04	-0.71	-13.01	-43.33
	102.75	S	-68.60	-66.42	-0.99	-1.19	-13.01	-55.59
	239.52	S	-64.09	-68.01	5.74	-1.82	-13.01	-51.08
	421.88	S	-65.56	-69.20	5.98	-2.33	-13.01	-52.55
	523.73	S	-65.71	-69.41	6.40	-2.70	-13.01	-52.70
	638.19	S	-64.22	-68.22	7.02	-3.02	-13.01	-51.21
	3702.00	Н	-29.38	-34.53	12.30	-7.15	-13.01	-16.37




Operation Mode :	HSDPA B2	Test Date :	2016/8/5
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Vertical



	Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
-	56.19	S	-62.27	-58.98	-2.44	-0.85	-13.01	-49.26
	100.81	S	-65.53	-63.44	-0.92	-1.17	-13.01	-52.52
	246.31	S	-65.75	-69.32	5.43	-1.86	-13.01	-52.74
	412.18	S	-65.63	-69.26	5.88	-2.24	-13.01	-52.62
	528.58	S	-65.70	-69.42	6.41	-2.68	-13.01	-52.69
	672.14	S	-63.58	-68.24	7.31	-2.65	-13.01	-50.57
	3760.00	Н	-47.67	-52.77	12.30	-7.21	-13.01	-34.66




Operation Mode :	HSDPAB2	Test Date :	2016/8/5
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



	Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
_	33.88	S	-54.82	-37.26	-16.88	-0.68	-13.01	-41.81
	102.75	S	-69.72	-67.54	-0.99	-1.19	-13.01	-56.71
	198.78	S	-68.62	-72.85	5.87	-1.64	-13.01	-55.61
	241.46	S	-63.32	-67.12	5.65	-1.86	-13.01	-50.31
	355.92	S	-68.69	-72.32	5.87	-2.25	-13.01	-55.68
	528.58	S	-66.47	-70.19	6.41	-2.68	-13.01	-53.46
	3760.00	Н	-47.49	-52.58	12.30	-7.21	-13.01	-34.48




Operation Mode :	HSDPA B2	Test Date :	2016/8/5
Fundamental Frequency :	1907.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Vertical



	Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
_	61.04	S	-54.18	-52.45	-0.79	-0.95	-13.01	-41.17
	100.81	S	-60.66	-58.57	-0.92	-1.17	-13.01	-47.65
	194.90	S	-63.01	-67.38	6.01	-1.64	-13.01	-50.00
	239.52	S	-59.94	-63.86	5.74	-1.82	-13.01	-46.93
	359.80	S	-58.12	-61.87	5.86	-2.12	-13.01	-45.11
	528.58	S	-65.22	-68.94	6.41	-2.68	-13.01	-52.21
	3815.20	Н	-42.48	-47.52	12.30	-7.25	-13.01	-29.47



Operation Mode :HSDPA B2Fundamental Frequency :1907.6 MHzOperation Band :Tx CH HighEUT Pol. :H	•	2016/8/5 22.7deg_C/57RH Ashton Horizontal
--	---	--





	Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
	MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
_	36.79	S	-53.76	-38.59	-14.46	-0.71	-13.01	-40.75
	102.75	S	-68.22	-66.04	-0.99	-1.19	-13.01	-55.21
	199.75	S	-67.07	-71.26	5.84	-1.65	-13.01	-54.06
	239.52	S	-62.61	-66.53	5.74	-1.82	-13.01	-49.60
	416.06	S	-65.99	-69.51	5.92	-2.40	-13.01	-52.98
	800.18	S	-61.26	-65.53	7.67	-3.40	-13.01	-48.25
	3815.20	Н	-40.04	-45.09	12.30	-7.25	-13.01	-27.03



Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 84 of 101

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode






Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
53.28	S	-47.90	-41.23	-5.75	-0.92	-13	-34.90
164.83	S	-61.86	-62.33	1.99	-1.52	-13	-48.86
240.49	S	-60.40	-62.10	3.54	-1.85	-13	-47.40
352.04	S	-62.37	-63.84	3.74	-2.26	-13	-49.37
444.19	S	-63.26	-64.92	4.06	-2.40	-13	-50.26
737.13	S	-59.22	-61.60	5.46	-3.09	-13	-46.22
1651.00	Н	-33.74	-35.78	6.76	-4.72	-13	-20.74
2484.00	Н	-50.85	-53.24	8.24	-5.85	-13	-37.85
3303.00	Н	-48.57	-51.55	9.76	-6.78	-13	-35.57




Operation Mode :	HSUPA B5	Test Date :	2016/8/5
Fundamental Frequency :	826.4 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
33.88	S	-55.85	-36.13	-19.03	-0.68	-13	-42.85
134.76	S	-63.34	-60.29	-1.67	-1.38	-13	-50.34
232.73	S	-63.51	-65.66	3.95	-1.80	-13	-50.51
349.13	S	-66.43	-68.09	3.74	-2.08	-13	-53.43
418.97	S	-65.82	-67.17	3.80	-2.45	-13	-52.82
773.99	S	-61.36	-63.92	5.49	-2.93	-13	-48.36
1651.00	Н	-42.06	-44.10	6.76	-4.72	-13	-29.06




Fundamental Frequency : 83	SUPA B5 Test Date 36.6 MHz Temp. / Hu x CH Mid Test Engin Measurem	ımi.: 22.7deg_C/57RH
----------------------------	---	----------------------



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
32.91	S	-55.13	-34.58	-19.87	-0.67	-13	-42.13
102.75	S	-68.36	-64.03	-3.14	-1.19	-13	-55.36
240.49	S	-63.56	-65.25	3.54	-1.85	-13	-50.56
344.28	S	-69.74	-71.23	3.75	-2.26	-13	-56.74
435.46	S	-64.91	-66.38	3.97	-2.50	-13	-51.91
495.60	S	-66.23	-67.92	4.23	-2.55	-13	-53.23
1672.00	Н	-35.58	-37.63	6.83	-4.78	-13	-22.58
2512.00	Н	-49.97	-52.35	8.27	-5.89	-13	-36.97




Operation Mode :	HSUPAB5	Test Date :	2016/8/5
Fundamental Frequency :	836.6MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TxCHMid	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
66.86	S	-55.02	-51.91	-2.16	-0.95	-13	-42.02
121.18	S	-58.95	-54.82	-2.87	-1.25	-13	-45.95
192.96	S	-58.83	-61.12	3.93	-1.64	-13	-45.83
296.75	S	-54.46	-56.22	3.77	-2.01	-13	-41.46
333.61	S	-55.18	-56.70	3.76	-2.24	-13	-42.18
346.22	S	-58.18	-59.77	3.75	-2.16	-13	-45.18
1672.00	Н	-39.20	-41.26	6.83	-4.78	-13	-26.20
2512.00	Н	-52.52	-54.90	8.27	-5.89	-13	-39.52




Operation Mode :	HSUPA B5	Test Date :	2016/8/5
Fundamental Frequency :	846.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Vertical



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
56.19	S	-49.85	-44.41	-4.59	-0.85	-13	-36.85
240.49	S	-60.72	-62.41	3.54	-1.85	-13	-47.72
357.86	S	-61.42	-62.97	3.72	-2.17	-13	-48.42
576.11	S	-62.67	-64.48	4.51	-2.69	-13	-49.67
646.92	S	-61.91	-63.62	4.91	-3.19	-13	-48.91
772.05	S	-58.06	-60.22	5.49	-3.33	-13	-45.06
1686.00	Н	-33.21	-35.30	6.88	-4.80	-13	-20.21
2533.00	Н	-50.50	-52.91	8.31	-5.90	-13	-37.50
3380.00	Н	-49.35	-52.50	9.91	-6.75	-13	-36.35



Operation Mode :	HSUPA B5	Test Date :	2016/8/5
Fundamental Frequency :	846.6 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Ashton
EUT Pol. :	H	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm/m	dB
35.82	S	-55.16	-37.04	-17.39	-0.73	-13	-42.16
131.85	S	-65.44	-62.07	-2.03	-1.34	-13	-52.44
239.52	S	-62.78	-64.55	3.59	-1.82	-13	-49.78
291.90	S	-67.77	-69.52	3.73	-1.98	-13	-54.77
444.19	S	-64.88	-66.54	4.06	-2.40	-13	-51.88
772.05	S	-62.05	-64.21	5.49	-3.33	-13	-49.05
1686.00	Н	-38.01	-40.10	6.88	-4.80	-13	-25.01
2435.00	Н	-49.67	-52.09	8.21	-5.79	-13	-36.67
3380.00	Н	-51.60	-54.76	9.91	-6.75	-13	-38.60




11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector



11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are relative for ourso only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



11.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.	
ТҮРЕ		NUMBER	NUMBER	CAL.		
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017	
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2016	05/24/2017	
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2015	12/11/2016	
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/16/2016	06/15/2017	
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016	
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2015	12/11/2016	
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016	
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017	
Communication Tester	R&S	CMU200	120239	11/25/2015	11/24/2016	



11.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS Mid Channel 836.6 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Ha)			
Vdc	Temperature (Limit (Hz)			



FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency					
Vdc	Temperature (Delta (Hz)	Limit (Hz)			



FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA Mid Channel 1880 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency		Limit (Ll-			
Vdc	Temperature (Delta (Hz)	Limit (Hz)			



FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA Mid Channel 836.6 MHz							
Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency		Limit (Ll-			
Vdc	Temperature (Delta (Hz)	Limit (Hz)			




Report No.: E2/2016/80016 Issue Date: Aug. 31, 2016 Page 97 of 101

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal =1ms
- Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2016	04/13/2017			
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2016	05/24/2017			
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2015	12/11/2016			
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/16/2016	06/15/2017			
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016			
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2015	12/11/2016			
Attenuator	WOKEN	218FS-10	RF23	12/12/2015	12/11/2016			
DC Power Supply	Agilent	E3640A	MY53140006	05/04/2016	05/03/2017			
Communication Tester	R&S	CMU200	120239	11/25/2015	11/24/2016			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and <u>Conditions htm</u> and, for electronic format documents, subject to Terms and <u>Conditions of Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



12.5. Measurement Result

Tabular Results:

Frequency (MHz)	СН	Peak-to-Average Ratio (dB)		
		GPRS	EDGE	
1850.20	9296	11.15	11.65	
1880.00	9400	9.66	11.52	
1909.80	9538	9.00	11.24	

Frequency (MHz)	СН	Peak-to-Average Ratio (dB)			
		WCDMA II	HSDPA II	HSUPA II	
1852.4	1312	2.60	3.49	3.38	
1880.0	1413	2.70	3.72	3.60	
1907.6	1513	2.47	3.28	3.37	

Measurement Results:

Please refer to next page.



GPRS 1900MHz LowCH512-1850.2



GPRS 1900MHz MidCH661-1880



GPRS_1900MHz_HighCH810-1909.8



EDGE 1900MHz LowCH512-1850.2



EDGE 1900MHz MidCH661-1880



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document be at transaction from evercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

```
www.tw.sgs.com
```




WCDMA B2 LowCH9262-1852.4



WCDMA B2 MidCH9400-1880



WCDMA B2 HighCH9538-1907.6



HSDPA B2 LowCH9262-1852.4



HSDPA B2 MidCH9400-1880



HSDPA_B2_HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document be at transaction from evercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

```
www.tw.sgs.com
```



HSUPA B2 LowCH9262-1852.4



HSUPA B2 MidCH9400-1880



HSUPA B2 HighCH9538-1907.6



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results shown in this test report report in this test report report in this test report reports and buck and such sample(s) are retained for 90 days only. 除非另有或识明 止報告結果僅對測試之樣品負責、同時止樣品僅保留的反卡 本報告未變本公司書面許可,不可能倚複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instruc-tions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction forme exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unparticul and offorders may be precedured to the full the law. unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號