












CHENZHEN














CO., LTD.





SHENZHEN







TC
BC
PPR
測









CO., LTD.





CHENZHEN





TC
 BC
 PPR
 检测



10. 20 dB Bandwidth

10.1 Block Diagram Of Test Setup



10.2 Limit

N/A

10.3 Test procedure



1. Set RBW = 30kHz.
2. Set the video bandwidth (VBW) $\geq 3 \times$ RBW.
3. Detector = Peak.
4. Trace mode = max hold.
5. Sweep = auto couple.
6. Allow the trace to stabilize.
7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.



10.4 Test Result



Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH1	2402	0.841	Pass
NVNT	1-DH1	2441	0.866	Pass
NVNT	1-DH1	2480	0.924	Pass
NVNT	2-DH1	2402	1.238	Pass
NVNT	2-DH1	2441	1.255	Pass
NVNT	2-DH1	2480	1.28	Pass
NVNT	3-DH1	2402	1.213	Pass
NVNT	3-DH1	2441	1.221	Pass
NVNT	3-DH1	2480	1.25	Pass




CO. LTD









11. Maximum Peak Output Power

11.1 Block Diagram Of Test Setup



11.2 Limit


FCC Part15 (15.247) , Subpart C				
Section	Test Item	Limit	Frequency Range (MHz)	Result
15.247(b)(1)	Peak Output Power	0.125 watt or 21dBm	2400-2483.5	PASS



11.3 Test procedure



1. Remove the antenna from the EUT and then connect a low RF cable from the antenna port to the spectrum.
2. Set the spectrum analyzer: RBW = 2MHz. VBW = 6MHz. Sweep = auto; Detector Function = Peak.
3. Keep the EUT in transmitting at lowest, medium and highest channel individually. Record the max value.

11.4 Test Result

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	0.62	21	Pass
NVNT	1-DH1	2441	1.28	21	Pass
NVNT	1-DH1	2480	1.41	21	Pass
NVNT	2-DH1	2402	1.16	21	Pass
NVNT	2-DH1	2441	1.81	21	Pass
NVNT	2-DH1	2480	1.99	21	Pass
NVNT	3-DH1	2402	1.57	21	Pass
NVNT	3-DH1	2441	2.19	21	Pass
NVNT	3-DH1	2480	2.42	21	Pass







2017