




Ant1

Part 27H Mode 7

NR SA n12 15M Ch141300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-55.26	RMS	24.60	-25.56	0.91	-95.23	40.02	-13.00	-42.26	Horizontal
2	2100.00	-51.48	RMS	26.20	-24.58	0.41	-95.23	41.72	-13.00	-38.48	Horizontal
3	2800.00	-64.66	RMS	27.80	-23.47	0.39	-95.23	25.85	-13.00	-51.66	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1400.00	-45.42	RMS	24.60	-25.56	0.91	-95.23	49.86	-13.00	-32.42	Vertical
2	2100.00	-52.41	RMS	26.20	-24.58	0.41	-95.23	40.79	-13.00	-39.41	Vertical
3	2800.00	-64.76	RMS	27.80	-23.47	0.39	-95.23	25.75	-13.00	-51.76	Vertical




Ant1

Part 27H Mode 7

NR SA n12 15M Ch141500 1RB1 BPSK

M




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1402.00	-55.84	RMS	24.60	-25.56	0.91	-95.23	39.44	-13.00	-42.84 Horizontal
2	2103.00	-50.74	RMS	26.23	-24.57	0.41	-95.23	42.42	-13.00	-37.74 Horizontal
3	2804.00	-64.58	RMS	27.80	-23.46	0.39	-95.23	25.92	-13.00	-51.58 Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1402.00	-45.40	RMS	24.60	-25.56	0.91	-95.23	49.88	-13.00	-32.40 Vertical
2	2103.00	-51.51	RMS	26.23	-24.57	0.41	-95.23	41.65	-13.00	-38.51 Vertical
3	2804.00	-64.42	RMS	27.80	-23.46	0.39	-95.23	26.08	-13.00	-51.42 Vertical




Ant1

Part 27H Mode 7

NR SA n12 15M Ch141700 1RB1 BPSK

H




Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1404.00	-55.75	RMS	24.60	-25.55	0.90	-95.23	39.53	-13.00	-42.75	Horizontal
2	2106.00	-51.10	RMS	26.26	-24.57	0.41	-95.23	42.03	-13.00	-38.10	Horizontal
3	2808.00	-64.63	RMS	27.80	-23.45	0.39	-95.23	25.86	-13.00	-51.63	Horizontal



Site : 03CH21-HY

Condition: 700 AC BAND 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1404.00	-46.35	RMS	24.60	-25.55	0.90	-95.23	48.93	-13.00	-33.35	Vertical
2	2106.00	-53.03	RMS	26.26	-24.57	0.41	-95.23	40.10	-13.00	-40.03	Vertical
3	2808.00	-64.30	RMS	27.80	-23.45	0.39	-95.23	26.19	-13.00	-51.30	Vertical




Ant1

Part 27N Mode 9

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	1329.00	-46.90	RMS	24.30	-25.73	1.37	-95.23	48.39	-13.00	-33.90	Horizontal
2	1993.00	-54.95	RMS	26.03	-24.72	0.42	-95.23	38.55	-13.00	-41.95	Horizontal
3	2657.00	-64.51	RMS	27.33	-23.74	0.49	-95.23	26.64	-13.00	-51.51	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	1329.00	-50.77	RMS	24.30	-25.73	1.37	-95.23	44.52	-13.00	-37.77	Vertical
2	1993.00	-58.79	RMS	26.03	-24.72	0.42	-95.23	34.71	-13.00	-45.79	Vertical
3	2657.00	-65.45	RMS	27.33	-23.74	0.49	-95.23	25.70	-13.00	-52.45	Vertical




Ant1

Part 27N Mode 9

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-50.60	RMS	24.28	-25.69	1.27	-95.23	44.77	-13.00	-37.60	Horizontal
2	2015.00	-62.06	RMS	26.25	-24.69	0.42	-95.23	31.19	-13.00	-49.06	Horizontal
3	2687.00	-65.04	RMS	27.50	-23.68	0.47	-95.23	25.90	-13.00	-52.04	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1344.00	-54.65	RMS	24.28	-25.69	1.27	-95.23	40.72	-13.00	-41.65	Vertical
2	2015.00	-62.23	RMS	26.25	-24.69	0.42	-95.23	31.02	-13.00	-49.23	Vertical
3	2687.00	-64.82	RMS	27.50	-23.68	0.47	-95.23	26.12	-13.00	-51.82	Vertical




Ant1

Part 27N Mode 9

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-51.93	RMS	24.49	-25.66	1.17	-95.23	43.30	-13.00	-38.93
2	2038.00	-60.53	RMS	26.20	-24.66	0.42	-95.23	32.74	-13.00	-47.53
3	2717.00	-63.85	RMS	27.57	-23.63	0.45	-95.23	26.99	-13.00	-50.85



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-54.84	RMS	24.49	-25.66	1.17	-95.23	40.39	-13.00	-41.84
2	2038.00	-57.65	RMS	26.20	-24.66	0.42	-95.23	35.62	-13.00	-44.65
3	2717.00	-64.66	RMS	27.57	-23.63	0.45	-95.23	26.18	-13.00	-51.66




Ant5

Part 27M Mode 12

NR SA n7 40M Ch504000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	5005.00	-49.51	RMS	32.78	-21.34	0.40	-95.23	33.88	-25.00	-24.51	Horizontal
2	7507.00	-52.79	RMS	36.69	-20.69	0.71	-95.23	25.73	-25.00	-27.79	Horizontal
3	12511.00	-50.89	RMS	39.34	-21.36	0.47	-95.23	25.89	-25.00	-25.89	Horizontal
4	15014.00	-49.24	RMS	41.17	-22.44	0.50	-95.23	26.76	-25.00	-24.24	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	5005.00	-50.35	RMS	32.78	-21.34	0.40	-95.23	33.04	-25.00	-25.35	Vertical
2	7507.00	-53.57	RMS	36.69	-20.69	0.71	-95.23	24.95	-25.00	-28.57	Vertical
3	12511.00	-49.37	RMS	39.34	-21.36	0.47	-95.23	27.41	-25.00	-24.37	Vertical
4	15014.00	-47.68	RMS	41.17	-22.44	0.50	-95.23	28.32	-25.00	-22.68	Vertical




Ant5

Part 27M Mode 12

NR SA n7 40M Ch507000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5035.00	-46.61	RMS	32.66	-21.37	0.40	-95.23	36.93	-25.00	-21.61	Horizontal	
2	7552.00	-53.83	RMS	36.60	-20.70	0.69	-95.23	24.81	-25.00	-28.83	Horizontal	
3	12586.00	-50.22	RMS	39.57	-21.21	0.47	-95.23	26.18	-25.00	-25.22	Horizontal	
4	15104.00	-44.47	RMS	41.19	-22.47	0.50	-95.23	31.54	-25.00	-19.47	Horizontal	
5	20138.00	-58.55	RMS	38.00	-37.71	-9.54	-95.23	45.93	-25.00	-33.55	Horizontal	



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5035.00	-50.51	RMS	32.66	-21.37	0.40	-95.23	33.03	-25.00	-25.51	Vertical	
2	7552.00	-53.76	RMS	36.60	-20.70	0.69	-95.23	24.88	-25.00	-28.76	Vertical	
3	12586.00	-50.77	RMS	39.57	-21.21	0.47	-95.23	25.63	-25.00	-25.77	Vertical	
4	15104.00	-46.58	RMS	41.19	-22.47	0.50	-95.23	29.43	-25.00	-21.58	Vertical	
5	20138.00	-60.92	RMS	38.00	-37.71	-9.54	-95.23	43.56	-25.00	-35.92	Vertical	




Ant5

Part 27M Mode 12

NR SA n7 40M Ch510000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n7 40M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	5065.00	-47.93	RMS	32.60	-21.40	0.40	-95.23	35.70	-25.00	-22.93	Horizontal
2	7597.00	-53.76	RMS	36.60	-20.71	0.68	-95.23	24.90	-25.00	-28.76	Horizontal
3	12661.00	-49.70	RMS	39.80	-21.06	0.46	-95.23	26.33	-25.00	-24.70	Horizontal
4	15194.00	-49.11	RMS	40.92	-22.50	0.51	-95.23	27.19	-25.00	-24.11	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n7 40M Ch510000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	5065.00	-50.00	RMS	32.60	-21.40	0.40	-95.23	33.63	-25.00	-25.00	Vertical
2	7597.00	-52.63	RMS	36.60	-20.71	0.68	-95.23	26.03	-25.00	-27.63	Vertical
3	12661.00	-50.59	RMS	39.80	-21.06	0.46	-95.23	25.44	-25.00	-25.59	Vertical
4	15194.00	-48.35	RMS	40.92	-22.50	0.51	-95.23	27.95	-25.00	-23.35	Vertical




Ant5

Part 27M Mode 15

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4995.00	-43.91	RMS	32.79	-21.34	0.40	-95.23	39.47	-25.00	-18.91	Horizontal
2	7492.00	-48.95	RMS	36.72	-20.69	0.71	-95.23	29.54	-25.00	-23.95	Horizontal
3	9989.00	-54.56	RMS	37.18	-20.96	0.51	-95.23	23.94	-25.00	-29.56	Horizontal
4	12486.00	-48.98	RMS	39.22	-21.39	0.47	-95.23	27.95	-25.00	-23.98	Horizontal
5	14984.00	-43.69	RMS	41.17	-22.44	0.49	-95.23	32.32	-25.00	-18.69	Horizontal
6	19978.00	-49.33	RMS	38.00	-37.86	-9.54	-95.23	55.30	-25.00	-24.33	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4995.00	-41.84	RMS	32.79	-21.34	0.40	-95.23	41.54	-25.00	-16.84	Vertical
2	7492.00	-48.82	RMS	36.72	-20.69	0.71	-95.23	29.67	-25.00	-23.82	Vertical
3	9989.00	-54.99	RMS	37.18	-20.96	0.51	-95.23	23.51	-25.00	-29.99	Vertical
4	12486.00	-47.50	RMS	39.22	-21.39	0.47	-95.23	29.43	-25.00	-22.50	Vertical
5	14984.00	-43.91	RMS	41.17	-22.44	0.49	-95.23	32.10	-25.00	-18.91	Vertical
6	19978.00	-53.57	RMS	38.00	-37.86	-9.54	-95.23	51.06	-25.00	-28.57	Vertical




Ant5

Part 27M Mode 15

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5089.00	-43.71	RMS	32.60	-21.42	0.40	-95.23	39.94	-25.00	-18.71	Horizontal
2	7633.00	-48.07	RMS	36.60	-20.72	0.64	-95.23	30.64	-25.00	-23.07	Horizontal
3	10177.00	-52.98	RMS	37.30	-21.13	0.51	-95.23	25.57	-25.00	-27.98	Horizontal
4	12721.00	-49.24	RMS	39.76	-20.94	0.46	-95.23	26.71	-25.00	-24.24	Horizontal
5	15266.00	-46.67	RMS	40.87	-22.53	0.51	-95.23	29.71	-25.00	-21.67	Horizontal
6	20354.00	-51.90	RMS	38.18	-37.55	-9.54	-95.23	52.24	-25.00	-26.90	Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1224_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	5089.00	-40.40	RMS	32.60	-21.42	0.40	-95.23	43.25	-25.00	-15.40	Vertical
2	7633.00	-45.14	RMS	36.60	-20.72	0.64	-95.23	33.57	-25.00	-20.14	Vertical
3	10177.00	-54.79	RMS	37.30	-21.13	0.51	-95.23	23.76	-25.00	-29.79	Vertical
4	12721.00	-43.51	RMS	39.76	-20.94	0.46	-95.23	32.44	-25.00	-18.51	Vertical
5	15266.00	-48.48	RMS	40.87	-22.53	0.51	-95.23	27.90	-25.00	-23.48	Vertical
6	20354.00	-60.51	RMS	38.18	-37.55	-9.54	-95.23	43.63	-25.00	-35.51	Vertical




Ant5

Part 27M Mode 15


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1224_240624 Horizontal
: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		Factor	dB						
1	5183.00	-42.56	RMS	32.63	-21.51	0.39	-95.23	41.16	-25.00	-17.56	Horizontal
2	7774.00	-45.68	RMS	36.55	-20.77	0.45	-95.23	33.32	-25.00	-20.68	Horizontal
3	10365.00	-52.71	RMS	37.34	-21.31	0.50	-95.23	25.99	-25.00	-27.71	Horizontal
4	12956.00	-47.40	RMS	40.10	-20.47	0.46	-95.23	27.74	-25.00	-22.40	Horizontal
5	15548.00	-47.89	RMS	40.70	-22.63	0.53	-95.23	28.74	-25.00	-22.89	Horizontal
6	18139.00	-53.84	RMS	37.72	-39.70	-9.54	-95.23	52.91	-25.00	-28.84	Horizontal
7	20730.00	-52.87	RMS	38.26	-37.03	-9.54	-95.23	50.67	-25.00	-27.87	Horizontal



Site : 03CH21-HY
Condition: -25 1m BBHA9170_1224_240624 Vertical
: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5183.00	-38.27	RMS	32.63	-21.51	0.39	-95.23	45.45	-25.00	-13.27	Vertical
2	7774.00	-47.48	RMS	36.55	-20.77	0.45	-95.23	31.52	-25.00	-22.48	Vertical
3	10365.00	-53.86	RMS	37.34	-21.31	0.50	-95.23	24.84	-25.00	-28.86	Vertical
4	12956.00	-43.66	RMS	40.10	-20.47	0.46	-95.23	31.48	-25.00	-18.66	Vertical
5	15548.00	-49.78	RMS	40.70	-22.63	0.53	-95.23	26.85	-25.00	-24.78	Vertical
6	18139.00	-62.09	RMS	37.72	-39.70	-9.54	-95.23	44.66	-25.00	-37.09	Vertical
7	20730.00	-58.97	RMS	38.26	-37.03	-9.54	-95.23	44.57	-25.00	-33.97	Vertical




Ant2

Part 27M Mode 16

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-59.53	RMS	32.79	-21.34	0.40	-95.23	23.85	-25.00	-34.53 Horizontal
2	7492.00	-55.77	RMS	36.72	-20.69	0.71	-95.23	22.72	-25.00	-30.77 Horizontal
3	9989.00	-55.72	RMS	37.18	-20.96	0.51	-95.23	22.78	-25.00	-30.72 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-58.56	RMS	32.79	-21.34	0.40	-95.23	24.82	-25.00	-33.56 Vertical
2	7492.00	-55.20	RMS	36.72	-20.69	0.71	-95.23	23.29	-25.00	-30.20 Vertical
3	9989.00	-55.59	RMS	37.18	-20.96	0.51	-95.23	22.91	-25.00	-30.59 Vertical




Ant2

Part 27M Mode 16

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5089.00	-59.53	RMS	32.60	-21.42	0.40	-95.23	24.12	-25.00	-34.53 Horizontal
2	7633.00	-55.40	RMS	36.60	-20.72	0.64	-95.23	23.31	-25.00	-30.40 Horizontal
3	10177.00	-55.10	RMS	37.30	-21.13	0.51	-95.23	23.45	-25.00	-30.10 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	5089.00	-59.64	RMS	32.60	-21.42	0.40	-95.23	24.01	-25.00	-34.64 Vertical
2	7633.00	-55.59	RMS	36.60	-20.72	0.64	-95.23	23.12	-25.00	-30.59 Vertical
3	10177.00	-55.11	RMS	37.30	-21.13	0.51	-95.23	23.44	-25.00	-30.11 Vertical




Ant2

Part 27M Mode 16

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5183.00	-59.96	RMS	32.63	-21.51	0.39	-95.23	23.76	-25.00	-34.96	Horizontal			
2	7774.00	-55.96	RMS	36.55	-20.77	0.45	-95.23	23.04	-25.00	-30.96	Horizontal			
3	10365.00	-55.50	RMS	37.34	-21.31	0.50	-95.23	23.20	-25.00	-30.50	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5183.00	-60.26	RMS	32.63	-21.51	0.39	-95.23	23.46	-25.00	-35.26	Vertical			
2	7774.00	-56.10	RMS	36.55	-20.77	0.45	-95.23	22.90	-25.00	-31.10	Vertical			
3	10365.00	-55.24	RMS	37.34	-21.31	0.50	-95.23	23.46	-25.00	-30.24	Vertical			




Ant3

Part 27M Mode 17

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-46.35	RMS	32.79	-21.34	0.40	-95.23	37.03	-25.00	-21.35 Horizontal
2	7492.00	-54.17	RMS	36.72	-20.69	0.71	-95.23	24.32	-25.00	-29.17 Horizontal
3	9989.00	-55.55	RMS	37.18	-20.96	0.51	-95.23	22.95	-25.00	-30.55 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-43.89	RMS	32.79	-21.34	0.40	-95.23	39.49	-25.00	-18.89 Vertical
2	7492.00	-54.45	RMS	36.72	-20.69	0.71	-95.23	24.04	-25.00	-29.45 Vertical
3	9989.00	-55.63	RMS	37.18	-20.96	0.51	-95.23	22.87	-25.00	-30.63 Vertical




Ant3

Part 27M Mode 17

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5089.00	-47.59	RMS	32.60	-21.42	0.40	-95.23	36.06	-25.00	-22.59	Horizontal			
2	7633.00	-56.03	RMS	36.60	-20.72	0.64	-95.23	22.68	-25.00	-31.03	Horizontal			
3	10177.00	-55.11	RMS	37.30	-21.13	0.51	-95.23	23.44	-25.00	-30.11	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5089.00	-45.47	RMS	32.60	-21.42	0.40	-95.23	38.18	-25.00	-20.47	Vertical			
2	7633.00	-55.99	RMS	36.60	-20.72	0.64	-95.23	22.72	-25.00	-30.99	Vertical			
3	10177.00	-55.34	RMS	37.30	-21.13	0.51	-95.23	23.21	-25.00	-30.34	Vertical			




Ant3

Part 27M Mode 17

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5183.00	-45.99	RMS	32.63	-21.51	0.39	-95.23	37.73	-25.00	-20.99	Horizontal			
2	7774.00	-54.81	RMS	36.55	-20.77	0.45	-95.23	24.19	-25.00	-29.81	Horizontal			
3	10365.00	-55.11	RMS	37.34	-21.31	0.50	-95.23	23.59	-25.00	-30.11	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5183.00	-45.04	RMS	32.63	-21.51	0.39	-95.23	38.68	-25.00	-20.04	Vertical			
2	7774.00	-56.10	RMS	36.55	-20.77	0.45	-95.23	22.90	-25.00	-31.10	Vertical			
3	10365.00	-55.21	RMS	37.34	-21.31	0.50	-95.23	23.49	-25.00	-30.21	Vertical			




Ant4

Part 27M Mode 18

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-58.78	RMS	32.79	-21.34	0.40	-95.23	24.60	-25.00	-33.78 Horizontal
2	7492.00	-55.83	RMS	36.72	-20.69	0.71	-95.23	22.66	-25.00	-30.83 Horizontal
3	9989.00	-55.66	RMS	37.18	-20.96	0.51	-95.23	22.84	-25.00	-30.66 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4995.00	-59.25	RMS	32.79	-21.34	0.40	-95.23	24.13	-25.00	-34.25 Vertical
2	7492.00	-55.75	RMS	36.72	-20.69	0.71	-95.23	22.74	-25.00	-30.75 Vertical
3	9989.00	-55.16	RMS	37.18	-20.96	0.51	-95.23	23.34	-25.00	-30.16 Vertical




Ant4

Part 27M Mode 18

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5089.00	-59.41	RMS	32.60	-21.42	0.40	-95.23	24.24	-25.00	-34.41 Horizontal
2	7633.00	-55.66	RMS	36.60	-20.72	0.64	-95.23	23.05	-25.00	-30.66 Horizontal
3	10177.00	-55.24	RMS	37.30	-21.13	0.51	-95.23	23.31	-25.00	-30.24 Horizontal



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5089.00	-59.72	RMS	32.60	-21.42	0.40	-95.23	23.93	-25.00	-34.72 Vertical
2	7633.00	-55.67	RMS	36.60	-20.72	0.64	-95.23	23.04	-25.00	-30.67 Vertical
3	10177.00	-55.35	RMS	37.30	-21.13	0.51	-95.23	23.20	-25.00	-30.35 Vertical




Ant4

Part 27M Mode 18

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5183.00	-59.91	RMS	32.63	-21.51	0.39	-95.23	23.81	-25.00	-34.91	Horizontal			
2	7774.00	-56.11	RMS	36.55	-20.77	0.45	-95.23	22.89	-25.00	-31.11	Horizontal			
3	10365.00	-55.06	RMS	37.34	-21.31	0.50	-95.23	23.64	-25.00	-30.06	Horizontal			



Site : 03CH21-HY

Condition: -25 1m BBHA9170_1223_240624 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	5183.00	-60.03	RMS	32.63	-21.51	0.39	-95.23	23.69	-25.00	-35.03	Vertical			
2	7774.00	-55.75	RMS	36.55	-20.77	0.45	-95.23	23.25	-25.00	-30.75	Vertical			
3	10365.00	-55.48	RMS	37.34	-21.31	0.50	-95.23	23.22	-25.00	-30.48	Vertical			




Ant8

Part 27Q Mode 20

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-50.43	RMS		36.30	-20.93	1.08	-95.23	28.35	-13.00	-37.43 Horizontal
2	10355.00	-54.79	RMS		37.38	-21.30	0.88	-95.23	23.48	-13.00	-41.79 Horizontal
3	13806.00	-50.14	RMS		40.41	-21.37	0.64	-95.23	25.41	-13.00	-37.14 Horizontal
4	24161.00	-52.80	RMS		38.76	-33.00	-9.54	-95.23	46.21	-13.00	-39.80 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6903.00	-52.10	RMS		36.30	-20.93	1.08	-95.23	26.68	-13.00	-39.10 Vertical
2	10355.00	-54.76	RMS		37.38	-21.30	0.88	-95.23	23.51	-13.00	-41.76 Vertical
3	13806.00	-50.36	RMS		40.41	-21.37	0.64	-95.23	25.19	-13.00	-37.36 Vertical
4	24161.00	-50.80	RMS		38.76	-33.00	-9.54	-95.23	48.21	-13.00	-37.80 Vertical




Ant8

Part 27Q Mode 20

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	6913.00	-50.72	RMS	36.30	-20.93	1.07	-95.23	28.07	-13.00	-37.72	Horizontal
2	10370.00	-54.79	RMS	37.32	-21.32	0.88	-95.23	23.56	-13.00	-41.79	Horizontal
3	13826.00	-50.39	RMS	40.45	-21.38	0.64	-95.23	25.13	-13.00	-37.39	Horizontal
4	24195.00	-52.79	RMS	38.62	-33.00	-9.54	-95.23	46.36	-13.00	-39.79	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	6913.00	-51.07	RMS	36.30	-20.93	1.07	-95.23	27.72	-13.00	-38.07	Vertical
2	10370.00	-54.71	RMS	37.32	-21.32	0.88	-95.23	23.64	-13.00	-41.71	Vertical
3	13826.00	-50.52	RMS	40.45	-21.38	0.64	-95.23	25.00	-13.00	-37.52	Vertical
4	24195.00	-47.50	RMS	38.62	-33.00	-9.54	-95.23	51.65	-13.00	-34.50	Vertical




Ant8

Part 27Q Mode 20

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-52.09	RMS		36.30	-20.93	1.07	-95.23	26.70	-13.00	-39.09 Horizontal
2	10385.00	-54.47	RMS		37.26	-21.33	0.88	-95.23	23.95	-13.00	-41.47 Horizontal
3	13846.00	-50.11	RMS		40.49	-21.39	0.64	-95.23	25.38	-13.00	-37.11 Horizontal
4	24231.00	-52.67	RMS		38.54	-32.99	-9.54	-95.23	46.55	-13.00	-39.67 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	6923.00	-51.85	RMS		36.30	-20.93	1.07	-95.23	26.94	-13.00	-38.85 Vertical
2	10385.00	-54.65	RMS		37.26	-21.33	0.88	-95.23	23.77	-13.00	-41.65 Vertical
3	13846.00	-50.01	RMS		40.49	-21.39	0.64	-95.23	25.48	-13.00	-37.01 Vertical
4	24231.00	-50.62	RMS		38.54	-32.99	-9.54	-95.23	48.60	-13.00	-37.62 Vertical




Ant9

Part 27Q Mode 21

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-55.16	RMS	36.30	-20.93	1.08	-95.23	23.62	-13.00	-42.16	Horizontal			
2	10355.00	-54.78	RMS	37.38	-21.30	0.88	-95.23	23.49	-13.00	-41.78	Horizontal			
3	13806.00	-50.24	RMS	40.41	-21.37	0.64	-95.23	25.31	-13.00	-37.24	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-55.28	RMS	36.30	-20.93	1.08	-95.23	23.50	-13.00	-42.28	Vertical			
2	10355.00	-54.81	RMS	37.38	-21.30	0.88	-95.23	23.46	-13.00	-41.81	Vertical			
3	13806.00	-50.40	RMS	40.41	-21.37	0.64	-95.23	25.15	-13.00	-37.40	Vertical			




Ant9

Part 27Q Mode 21


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-54.99	RMS		36.30	-20.93	1.07	-95.23	23.80	-13.00	-41.99	Horizontal
2	10370.00	-54.81	RMS		37.32	-21.32	0.88	-95.23	23.54	-13.00	-41.81	Horizontal
3	13826.00	-50.49	RMS		40.45	-21.38	0.64	-95.23	25.03	-13.00	-37.49	Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-55.02	RMS		36.30	-20.93	1.07	-95.23	23.77	-13.00	-42.02	Vertical
2	10370.00	-54.73	RMS		37.32	-21.32	0.88	-95.23	23.62	-13.00	-41.73	Vertical
3	13826.00	-50.09	RMS		40.45	-21.38	0.64	-95.23	25.43	-13.00	-37.09	Vertical




Ant9

Part 27Q Mode 21

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-54.49	RMS	36.30	-20.93	1.07	-95.23	24.30	-13.00	-41.49	Horizontal	
2	10385.00	-54.70	RMS	37.26	-21.33	0.88	-95.23	23.72	-13.00	-41.70	Horizontal	
3	13846.00	-50.10	RMS	40.49	-21.39	0.64	-95.23	25.39	-13.00	-37.10	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-54.70	RMS	36.30	-20.93	1.07	-95.23	24.09	-13.00	-41.70	Vertical	
2	10385.00	-54.86	RMS	37.26	-21.33	0.88	-95.23	23.56	-13.00	-41.86	Vertical	
3	13846.00	-50.41	RMS	40.49	-21.39	0.64	-95.23	25.08	-13.00	-37.41	Vertical	




Ant3

Part 27Q Mode 22

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	6903.00	-54.12	RMS	36.30	-20.93	1.08	-95.23	24.66	-13.00	-41.12	Horizontal
2	10355.00	-54.58	RMS	37.38	-21.30	0.88	-95.23	23.69	-13.00	-41.58	Horizontal
3	13806.00	-50.26	RMS	40.41	-21.37	0.64	-95.23	25.29	-13.00	-37.26	Horizontal
4	24161.00	-61.79	RMS	38.76	-33.00	-9.54	-95.23	37.22	-13.00	-48.79	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	6903.00	-55.22	RMS	36.30	-20.93	1.08	-95.23	23.56	-13.00	-42.22	Vertical
2	10355.00	-54.17	RMS	37.38	-21.30	0.88	-95.23	24.10	-13.00	-41.17	Vertical
3	13806.00	-50.26	RMS	40.41	-21.37	0.64	-95.23	25.29	-13.00	-37.26	Vertical
4	24161.00	-60.93	RMS	38.76	-33.00	-9.54	-95.23	38.08	-13.00	-47.93	Vertical




Ant3

Part 27Q Mode 22

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6913.00	-54.74	RMS	36.30	-20.93	1.07	-95.23	24.05	-13.00	-41.74	Horizontal
2	10370.00	-54.48	RMS	37.32	-21.32	0.88	-95.23	23.87	-13.00	-41.48	Horizontal
3	13826.00	-50.26	RMS	40.45	-21.38	0.64	-95.23	24.05	-13.00	-37.26	Horizontal
4	24196.00	-60.97	RMS	38.62	-33.00	-9.54	-95.23	38.18	-13.00	-47.97	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6913.00	-54.69	RMS	36.30	-20.93	1.07	-95.23	24.10	-13.00	-41.69	Vertical
2	10370.00	-54.68	RMS	37.32	-21.32	0.88	-95.23	23.67	-13.00	-41.68	Vertical
3	13826.00	-50.29	RMS	40.45	-21.38	0.64	-95.23	25.23	-13.00	-37.29	Vertical
4	24196.00	-62.55	RMS	38.62	-33.00	-9.54	-95.23	36.60	-13.00	-49.55	Vertical




Ant3

Part 27Q Mode 22

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-54.88	RMS		36.30	-20.93	1.07	-95.23	23.91	-13.00	-41.88	Horizontal
2	10385.00	-54.89	RMS		37.26	-21.33	0.88	-95.23	23.53	-13.00	-41.89	Horizontal
3	13846.00	-49.94	RMS		40.49	-21.39	0.64	-95.23	25.55	-13.00	-36.94	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-54.65	RMS		36.30	-20.93	1.07	-95.23	24.14	-13.00	-41.65	Vertical
2	10385.00	-54.55	RMS		37.26	-21.33	0.88	-95.23	23.87	-13.00	-41.55	Vertical
3	13846.00	-50.44	RMS		40.49	-21.39	0.64	-95.23	25.05	-13.00	-37.44	Vertical




Ant4

Part 27Q Mode 23

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-48.04	RMS	36.30	-20.93	1.08	-95.23	30.74	-13.00	-35.04	Horizontal			
2	10355.00	-54.75	RMS	37.38	-21.30	0.88	-95.23	23.52	-13.00	-41.75	Horizontal			
3	13806.00	-50.13	RMS	40.41	-21.37	0.64	-95.23	25.42	-13.00	-37.13	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	6903.00	-46.36	RMS	36.30	-20.93	1.08	-95.23	32.42	-13.00	-33.36	Vertical			
2	10355.00	-54.53	RMS	37.38	-21.30	0.88	-95.23	23.74	-13.00	-41.53	Vertical			
3	13806.00	-50.05	RMS	40.41	-21.37	0.64	-95.23	25.50	-13.00	-37.05	Vertical			




Ant4

Part 27Q Mode 23

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	6913.00	-48.69	RMS	36.30	-20.93	1.07	-95.23	30.10	-13.00	-35.69	Horizontal
2	10370.00	-54.46	RMS	37.32	-21.32	0.88	-95.23	23.89	-13.00	-41.46	Horizontal
3	13826.00	-50.48	RMS	40.45	-21.38	0.64	-95.23	25.04	-13.00	-37.48	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	6913.00	-47.09	RMS	36.30	-20.93	1.07	-95.23	31.70	-13.00	-34.09	Vertical
2	10370.00	-54.73	RMS	37.32	-21.32	0.88	-95.23	23.62	-13.00	-41.73	Vertical
3	13826.00	-50.22	RMS	40.45	-21.38	0.64	-95.23	25.30	-13.00	-37.22	Vertical




Ant4

Part 27Q Mode 23

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-48.91	RMS	36.30	-20.93	1.07	-95.23	29.88	-13.00	-35.91	Horizontal	
2	10385.00	-54.75	RMS	37.26	-21.33	0.88	-95.23	23.67	-13.00	-41.75	Horizontal	
3	13846.00	-49.95	RMS	40.49	-21.39	0.64	-95.23	25.54	-13.00	-36.95	Horizontal	



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633666 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-46.77	RMS	36.30	-20.93	1.07	-95.23	32.02	-13.00	-33.77	Vertical	
2	10385.00	-54.79	RMS	37.26	-21.33	0.88	-95.23	23.63	-13.00	-41.79	Vertical	
3	13846.00	-50.31	RMS	40.49	-21.39	0.64	-95.23	25.18	-13.00	-37.31	Vertical	




Ant8+9

Part 27Q Mode 24

NR SA n77 90M Ch633000 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.08	RMS	36.30	-20.93	1.08	-95.23	34.70	-13.00	-31.08	Horizontal
2	10355.00	-45.68	RMS	37.38	-21.30	0.88	-95.23	32.59	-13.00	-32.68	Horizontal
3	13806.00	-50.34	RMS	40.41	-21.37	0.64	-95.23	25.21	-13.00	-37.34	Horizontal
4	24161.00	-54.31	RMS	38.76	-33.00	-9.54	-95.23	44.70	-13.00	-41.31	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6903.00	-46.05	RMS	36.30	-20.93	1.08	-95.23	32.73	-13.00	-33.05	Vertical
2	10355.00	-49.29	RMS	37.38	-21.30	0.88	-95.23	28.98	-13.00	-36.29	Vertical
3	13806.00	-50.27	RMS	40.41	-21.37	0.64	-95.23	25.28	-13.00	-37.27	Vertical
4	24161.00	-54.28	RMS	38.76	-33.00	-9.54	-95.23	44.73	-13.00	-41.28	Vertical




Ant8+9

Part 27Q Mode 24

NR SA n77 90M Ch633334 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633334 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6913.00	-46.36	RMS	36.30	-20.93	1.07	-95.23	32.43	-13.00	-33.36	Horizontal
2	10370.00	-44.81	RMS	37.32	-21.32	0.88	-95.23	33.54	-13.00	-31.81	Horizontal
3	13826.00	-50.46	RMS	40.45	-21.38	0.64	-95.23	25.06	-13.00	-37.46	Horizontal
4	24196.00	-55.11	RMS	38.62	-33.00	-9.54	-95.23	44.04	-13.00	-42.11	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633334 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6913.00	-45.89	RMS	36.30	-20.93	1.07	-95.23	32.90	-13.00	-32.89	Vertical
2	10370.00	-47.73	RMS	37.32	-21.32	0.88	-95.23	30.62	-13.00	-34.73	Vertical
3	13826.00	-50.60	RMS	40.45	-21.38	0.64	-95.23	24.92	-13.00	-37.60	Vertical
4	24196.00	-54.24	RMS	38.62	-33.00	-9.54	-95.23	44.91	-13.00	-41.24	Vertical




Ant8+9

Part 27Q Mode 24

NR SA n77 90M Ch633666 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 90M Ch633666 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6923.00	-46.17	RMS	36.30	-20.93	1.07	-95.23	32.62	-13.00	-33.17	Horizontal
2	10385.00	-47.49	RMS	37.26	-21.33	0.88	-95.23	30.93	-13.00	-34.49	Horizontal
3	13846.00	-50.37	RMS	40.49	-21.39	0.64	-95.23	25.12	-13.00	-37.37	Horizontal
4	24231.00	-57.10	RMS	38.54	-32.99	-9.54	-95.23	42.12	-13.00	-44.10	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 90M Ch633666 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6923.00	-45.55	RMS	36.30	-20.93	1.07	-95.23	33.24	-13.00	-32.55	Vertical
2	10385.00	-46.12	RMS	37.26	-21.33	0.88	-95.23	32.30	-13.00	-33.12	Vertical
3	13846.00	-50.51	RMS	40.49	-21.39	0.64	-95.23	24.98	-13.00	-37.51	Vertical
4	24231.00	-54.65	RMS	38.54	-32.99	-9.54	-95.23	44.57	-13.00	-41.65	Vertical




Ant8

Part 270 Mode 31

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7403.00	-54.67	RMS	36.80	-20.72	1.08	-95.23	23.40	-13.00	-41.67	Horizontal
2	11104.00	-53.68	RMS	37.91	-21.42	0.91	-95.23	24.15	-13.00	-40.68	Horizontal
3	14805.00	-50.05	RMS	41.28	-22.51	0.76	-95.23	25.65	-13.00	-37.05	Horizontal
4	18506.00	-58.97	RMS	38.30	-39.95	-9.54	-95.23	47.45	-13.00	-45.97	Horizontal
5	22208.00	-62.13	RMS	38.05	-34.98	-9.54	-95.23	39.57	-13.00	-49.13	Horizontal
6	25909.00	-55.91	RMS	39.12	-32.32	-9.54	-95.23	42.06	-13.00	-42.91	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7403.00	-54.41	RMS	36.80	-20.72	1.08	-95.23	23.66	-13.00	-41.41	Vertical
2	11104.00	-53.85	RMS	37.91	-21.42	0.91	-95.23	23.98	-13.00	-40.85	Vertical
3	14805.00	-49.92	RMS	41.28	-22.51	0.76	-95.23	25.78	-13.00	-36.92	Vertical
4	18506.00	-60.21	RMS	38.30	-39.95	-9.54	-95.23	46.21	-13.00	-47.21	Vertical
5	22208.00	-64.32	RMS	38.05	-34.98	-9.54	-95.23	37.38	-13.00	-51.32	Vertical
6	25909.00	-53.16	RMS	39.12	-32.32	-9.54	-95.23	44.81	-13.00	-40.16	Vertical




Ant8

Part 270 Mode 31

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	7583.00	-50.85	RMS	36.60	-20.70	1.02	-95.23	27.46	-13.00	-37.85	Horizontal
2	11374.00	-50.74	Average	38.50	-21.48	0.92	-95.23	26.55	-13.00	-37.74	Horizontal
3	15165.00	-49.66	RMS	41.04	-22.49	0.83	-95.23	26.19	-13.00	-36.66	Horizontal
4	26539.00	-53.52	RMS	39.77	-31.67	-9.54	-95.23	43.15	-13.00	-40.52	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	7583.00	-54.77	RMS	36.60	-20.70	1.02	-95.23	23.54	-13.00	-41.77	Vertical
2	11374.00	-53.27	RMS	38.50	-21.48	0.92	-95.23	24.02	-13.00	-40.27	Vertical
3	15165.00	-49.86	RMS	41.04	-22.49	0.83	-95.23	25.99	-13.00	-36.86	Vertical
4	26539.00	-57.06	RMS	39.77	-31.67	-9.54	-95.23	39.61	-13.00	-44.06	Vertical




Ant8

Part 270 Mode 31

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7763.00	-47.85	RMS	36.53	-20.76	0.90	-95.23	30.71	-13.00	-34.85	Horizontal
2	11644.00	-48.37	RMS	38.50	-21.49	0.93	-95.23	28.92	-13.00	-35.37	Horizontal
3	15525.00	-50.18	RMS	40.75	-22.62	0.89	-95.23	26.03	-13.00	-37.18	Horizontal
4	19406.00	-57.72	RMS	38.29	-38.78	-9.54	-95.23	47.54	-13.00	-44.72	Horizontal
5	23288.00	-56.64	RMS	38.92	-33.84	-9.54	-95.23	43.05	-13.00	-43.64	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7763.00	-49.85	RMS	36.53	-20.76	0.90	-95.23	28.71	-13.00	-36.85	Vertical
2	11644.00	-51.00	RMS	38.50	-21.49	0.93	-95.23	26.29	-13.00	-38.00	Vertical
3	15525.00	-49.93	RMS	40.75	-22.62	0.89	-95.23	26.28	-13.00	-36.93	Vertical
4	19406.00	-61.75	RMS	38.29	-38.78	-9.54	-95.23	43.51	-13.00	-48.75	Vertical
5	23288.00	-55.04	RMS	38.92	-33.84	-9.54	-95.23	44.65	-13.00	-42.04	Vertical




Ant9

Part 270 Mode 32

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	7403.00	-55.00	RMS	36.80	-20.72	1.08	-95.23	23.07	-13.00	-42.00	Horizontal
2	11104.00	-54.03	RMS	37.91	-21.42	0.91	-95.23	23.80	-13.00	-41.03	Horizontal
3	14805.00	-50.20	RMS	41.28	-22.51	0.76	-95.23	25.50	-13.00	-37.20	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	7403.00	-54.88	RMS	36.80	-20.72	1.08	-95.23	23.19	-13.00	-41.88	Vertical
2	11104.00	-54.07	RMS	37.91	-21.42	0.91	-95.23	23.76	-13.00	-41.07	Vertical
3	14805.00	-50.06	RMS	41.28	-22.51	0.76	-95.23	25.64	-13.00	-37.06	Vertical




Ant9

Part 270 Mode 32


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Horizontal
: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7583.00	-55.46	RMS	36.60	-20.70	1.02	-95.23	22.85	-13.00	-42.46 Horizontal
2	11374.00	-53.81	RMS	38.50	-21.48	0.92	-95.23	23.48	-13.00	-40.81 Horizontal
3	15165.00	-50.11	RMS	41.04	-22.49	0.83	-95.23	25.74	-13.00	-37.11 Horizontal



Site : 03CH21-HY
Condition: -13 1m BBHA9170_1223_240624 Vertical
: SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7583.00	-55.43	RMS	36.60	-20.70	1.02	-95.23	22.88	-13.00	-42.43 Vertical
2	11374.00	-53.76	RMS	38.50	-21.48	0.92	-95.23	23.53	-13.00	-40.76 Vertical
3	15165.00	-49.78	RMS	41.04	-22.49	0.83	-95.23	26.07	-13.00	-36.78 Vertical




Ant9

Part 270 Mode 32

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7763.00	-54.89	RMS	36.53	-20.76	0.90	-95.23	23.67	-13.00	-41.89 Horizontal
2	11644.00	-53.60	RMS	38.50	-21.49	0.93	-95.23	23.69	-13.00	-40.60 Horizontal
3	15525.00	-50.50	RMS	40.75	-22.62	0.89	-95.23	25.71	-13.00	-37.50 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7763.00	-55.30	RMS	36.53	-20.76	0.90	-95.23	23.26	-13.00	-42.30 Vertical
2	11644.00	-53.43	RMS	38.50	-21.49	0.93	-95.23	23.86	-13.00	-40.43 Vertical
3	15525.00	-50.29	RMS	40.75	-22.62	0.89	-95.23	25.92	-13.00	-37.29 Vertical




Ant3

Part 270 Mode 33

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.57	RMS	36.80	-20.72	1.08	-95.23	23.50	-13.00	-41.57	Horizontal			
2	11104.00	-54.02	RMS	37.91	-21.42	0.91	-95.23	23.81	-13.00	-41.02	Horizontal			
3	14805.00	-50.04	RMS	41.28	-22.51	0.76	-95.23	25.66	-13.00	-37.04	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7403.00	-54.81	RMS	36.80	-20.72	1.08	-95.23	23.26	-13.00	-41.81	Vertical			
2	11104.00	-53.83	RMS	37.91	-21.42	0.91	-95.23	24.00	-13.00	-40.83	Vertical			
3	14805.00	-49.89	RMS	41.28	-22.51	0.76	-95.23	25.81	-13.00	-36.89	Vertical			




Ant3

Part 270 Mode 33

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-53.72	RMS	36.60	-20.70	1.02	-95.23	24.59	-13.00	-40.72	Horizontal			
2	11374.00	-53.59	RMS	38.50	-21.48	0.92	-95.23	23.70	-13.00	-40.59	Horizontal			
3	15165.00	-49.99	RMS	41.04	-22.49	0.83	-95.23	25.86	-13.00	-36.99	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-54.43	RMS	36.60	-20.70	1.02	-95.23	23.88	-13.00	-41.43	Vertical			
2	11374.00	-53.02	RMS	38.50	-21.48	0.92	-95.23	24.27	-13.00	-40.02	Vertical			
3	15165.00	-49.98	RMS	41.04	-22.49	0.83	-95.23	25.87	-13.00	-36.98	Vertical			




Ant3

Part 270 Mode 33

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-55.38	RMS	36.53	-20.76	0.90	-95.23	23.18	-13.00	-42.38	Horizontal			
2	11644.00	-53.27	RMS	38.50	-21.49	0.93	-95.23	24.02	-13.00	-40.27	Horizontal			
3	15525.00	-50.63	RMS	40.75	-22.62	0.89	-95.23	25.58	-13.00	-37.63	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-55.16	RMS	36.53	-20.76	0.90	-95.23	23.40	-13.00	-42.16	Vertical			
2	11644.00	-53.75	RMS	38.50	-21.49	0.93	-95.23	23.54	-13.00	-40.75	Vertical			
3	15525.00	-50.47	RMS	40.75	-22.62	0.89	-95.23	25.74	-13.00	-37.47	Vertical			




Ant4

Part 270 Mode 34

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB			dBuV	dBm		
1	7403.00	-48.56	RMS		36.80	-20.72	1.08	-95.23	29.51	-13.00	-35.56	Horizontal
2	11104.00	-54.06	RMS		37.91	-21.42	0.91	-95.23	23.77	-13.00	-41.06	Horizontal
3	14805.00	-49.40	RMS		41.28	-22.51	0.76	-95.23	26.30	-13.00	-36.40	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB			dBuV	dBm		
1	7403.00	-49.49	RMS		36.80	-20.72	1.08	-95.23	28.58	-13.00	-36.49	Vertical
2	11104.00	-53.90	RMS		37.91	-21.42	0.91	-95.23	23.93	-13.00	-40.90	Vertical
3	14805.00	-49.80	RMS		41.28	-22.51	0.76	-95.23	25.90	-13.00	-36.80	Vertical




Ant4

Part 270 Mode 34

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-43.02	RMS	36.60	-20.70	1.02	-95.23	35.29	-13.00	-30.02	Horizontal			
2	11374.00	-53.62	RMS	38.50	-21.48	0.92	-95.23	23.67	-13.00	-40.62	Horizontal			
3	15165.00	-50.15	RMS	41.04	-22.49	0.83	-95.23	25.70	-13.00	-37.15	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7583.00	-45.95	RMS	36.60	-20.70	1.02	-95.23	32.36	-13.00	-32.95	Vertical			
2	11374.00	-53.60	RMS	38.50	-21.48	0.92	-95.23	23.69	-13.00	-40.60	Vertical			
3	15165.00	-49.95	RMS	41.04	-22.49	0.83	-95.23	25.90	-13.00	-36.95	Vertical			




Ant4

Part 270 Mode 34

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-48.06	RMS	36.53	-20.76	0.90	-95.23	30.50	-13.00	-35.06	Horizontal			
2	11644.00	-53.28	RMS	38.50	-21.49	0.93	-95.23	24.01	-13.00	-40.28	Horizontal			
3	15525.00	-50.31	RMS	40.75	-22.62	0.89	-95.23	25.90	-13.00	-37.31	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-51.83	RMS	36.53	-20.76	0.90	-95.23	26.73	-13.00	-38.83	Vertical			
2	11644.00	-53.46	RMS	38.50	-21.49	0.93	-95.23	23.83	-13.00	-40.46	Vertical			
3	15525.00	-50.27	RMS	40.75	-22.62	0.89	-95.23	25.94	-13.00	-37.27	Vertical			




Ant8+9

Part 270 Mode 35

NR SA n77 100M Ch650000 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch650000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7403.00	-46.92	RMS	36.80	-20.72	1.08	-95.23	31.15	-13.00	-33.92 Horizontal
2	11104.00	-54.04	RMS	37.91	-21.42	0.91	-95.23	23.79	-13.00	-41.04 Horizontal
3	14805.00	-50.41	RMS	41.28	-22.51	0.76	-95.23	25.29	-13.00	-37.41 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch650000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	7403.00	-43.37	RMS	36.80	-20.72	1.08	-95.23	34.70	-13.00	-30.37 Vertical
2	11104.00	-53.85	RMS	37.91	-21.42	0.91	-95.23	23.98	-13.00	-40.85 Vertical
3	14805.00	-49.69	RMS	41.28	-22.51	0.76	-95.23	26.01	-13.00	-36.69 Vertical




Ant8+9

Part 270 Mode 35

NR SA n77 100M Ch656000 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7583.00	-42.67	RMS	36.60	-20.70	1.02	-95.23	35.64	-13.00	-29.67	Horizontal
2	11374.00	-53.51	RMS	38.50	-21.48	0.92	-95.23	23.78	-13.00	-40.51	Horizontal
3	15165.00	-50.07	RMS	41.04	-22.49	0.83	-95.23	25.78	-13.00	-37.07	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch656000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	7583.00	-39.66	RMS	36.60	-20.70	1.02	-95.23	38.65	-13.00	-26.66	Vertical
2	11374.00	-53.81	RMS	38.50	-21.48	0.92	-95.23	23.48	-13.00	-40.81	Vertical
3	15165.00	-49.97	RMS	41.04	-22.49	0.83	-95.23	25.88	-13.00	-36.97	Vertical




Ant8+9

Part 270 Mode 35

NR SA n77 100M Ch662000 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n77 100M Ch662000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-52.26	RMS	36.53	-20.76	0.90	-95.23	26.30	-13.00	-39.26	Horizontal			
2	11644.00	-52.89	RMS	38.50	-21.49	0.93	-95.23	24.40	-13.00	-39.89	Horizontal			
3	15525.00	-50.40	RMS	40.75	-22.62	0.89	-95.23	25.81	-13.00	-37.40	Horizontal			



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n77 100M Ch662000 1RB1 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		Factor	Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB			dBuV	dBm	dB	
1	7763.00	-53.37	RMS	36.53	-20.76	0.90	-95.23	25.19	-13.00	-40.37	Vertical			
2	11644.00	-51.64	RMS	38.50	-21.49	0.93	-95.23	25.65	-13.00	-38.64	Vertical			
3	15525.00	-50.63	RMS	40.75	-22.62	0.89	-95.23	25.58	-13.00	-37.63	Vertical			




Ant1

Part 90S Mode 6

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1629.00	-44.62	RMS	24.60	-25.17	0.64	-95.23	50.54	-13.00	-31.62	Horizontal
2	2444.00	-40.82	RMS	26.70	-24.11	0.61	-95.23	51.21	-13.00	-27.82	Horizontal
3	3258.00	-60.70	RMS	28.00	-22.78	0.41	-95.23	28.90	-13.00	-47.70	Horizontal
4	4072.00	-59.85	RMS	30.46	-21.88	0.35	-95.23	26.45	-13.00	-46.85	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1629.00	-39.33	RMS	24.60	-25.17	0.64	-95.23	55.83	-13.00	-26.33	Vertical
2	2444.00	-39.52	RMS	26.70	-24.11	0.61	-95.23	52.51	-13.00	-26.52	Vertical
3	3258.00	-58.65	RMS	28.00	-22.78	0.41	-95.23	30.95	-13.00	-45.65	Vertical
4	4072.00	-59.57	RMS	30.46	-21.88	0.35	-95.23	26.73	-13.00	-46.57	Vertical




Ant1

Part 90S Mode 6

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-45.32	RMS		24.60	-25.16	0.64	-95.23	49.83	-13.00	-32.32	Horizontal
2	2451.00	-40.99	RMS		26.68	-24.10	0.60	-95.23	51.06	-13.00	-27.99	Horizontal
3	3268.00	-59.33	RMS		28.00	-22.77	0.41	-95.23	30.26	-13.00	-46.33	Horizontal
4	4085.00	-60.16	RMS		30.43	-21.88	0.36	-95.23	26.16	-13.00	-47.16	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1634.00	-40.25	RMS		24.60	-25.16	0.64	-95.23	54.90	-13.00	-27.25	Vertical
2	2451.00	-41.33	RMS		26.68	-24.10	0.60	-95.23	50.72	-13.00	-28.33	Vertical
3	3268.00	-58.00	RMS		28.00	-22.77	0.41	-95.23	31.59	-13.00	-45.00	Vertical
4	4085.00	-58.88	RMS		30.43	-21.88	0.36	-95.23	27.44	-13.00	-45.88	Vertical




Ant1

Part 90S Mode 6

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1639.00	-46.46	RMS	24.60	-25.16	0.64	-95.23	48.69	-13.00	-33.46	Horizontal
2	2459.00	-38.01	RMS	26.52	-24.09	0.60	-95.23	54.19	-13.00	-25.01	Horizontal
3	3278.00	-61.18	RMS	28.00	-22.75	0.41	-95.23	28.39	-13.00	-48.18	Horizontal
4	4098.00	-61.22	RMS	30.40	-21.88	0.36	-95.23	25.13	-13.00	-48.22	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1639.00	-41.59	RMS	24.60	-25.16	0.64	-95.23	53.56	-13.00	-28.59	Vertical
2	2459.00	-39.95	RMS	26.52	-24.09	0.60	-95.23	52.25	-13.00	-26.95	Vertical
3	3278.00	-60.03	RMS	28.00	-22.75	0.41	-95.23	29.54	-13.00	-47.03	Vertical
4	4098.00	-58.88	RMS	30.40	-21.88	0.36	-95.23	27.47	-13.00	-45.88	Vertical




Ant1

Part 90S Mode 7

NR SA n26 10M Ch163800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-44.60	RMS	24.60	-25.17	0.64	-95.23	50.56	-13.00	-31.60	Horizontal	
2	2444.00	-36.73	RMS	26.70	-24.11	0.61	-95.23	55.30	-13.00	-23.73	Horizontal	
3	3259.00	-59.58	RMS	28.00	-22.78	0.41	-95.23	30.02	-13.00	-46.58	Horizontal	
4	4074.00	-60.00	RMS	30.45	-21.88	0.35	-95.23	26.31	-13.00	-47.00	Horizontal	



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 10M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	1630.00	-39.92	RMS	24.60	-25.17	0.64	-95.23	55.24	-13.00	-26.92	Vertical	
2	2444.00	-38.70	RMS	26.70	-24.11	0.61	-95.23	53.33	-13.00	-25.70	Vertical	
3	3259.00	-57.60	RMS	28.00	-22.78	0.41	-95.23	32.00	-13.00	-44.60	Vertical	
4	4074.00	-58.32	RMS	30.45	-21.88	0.35	-95.23	27.99	-13.00	-45.32	Vertical	




Ant1

Part 90S Mode 8

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-45.90	RMS		24.60	-25.16	0.64	-95.23	49.25	-13.00	-32.90		Horizontal
2	2453.00	-39.65	RMS		26.64	-24.10	0.60	-95.23	52.44	-13.00	-26.65		Horizontal
3	3270.00	-60.73	RMS		28.00	-22.76	0.41	-95.23	28.85	-13.00	-47.73		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 15M Ch164800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-41.90	RMS		24.60	-25.16	0.64	-95.23	53.25	-13.00	-28.90		Vertical
2	2453.00	-39.71	RMS		26.64	-24.10	0.60	-95.23	52.38	-13.00	-26.71		Vertical
3	3270.00	-60.53	RMS		28.00	-22.76	0.41	-95.23	29.05	-13.00	-47.53		Vertical




Ant5

Part 27M Mode 15

NR SA n41 100M Ch528000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -25 3m LF_55606&08_241127 Horizontal

: SA n41 100M Ch528000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	dB	dB	dBuV	dBm	dB	
1	2592.00	-11.81	RMS	27.20	-23.87	0.00	-95.23	80.09	-25.00	13.19	Horizontal



Site : 03CH21-HY

Condition: -25 3m LF_55606&08_241127 Vertical

: SA n41 100M Ch528000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1	dB	dB	dBuV	dBm	dB	
1	2592.00	-10.24	RMS	27.20	-23.87	0.00	-95.23	81.66	-25.00	14.76	Vertical

Remark: #1 is fundamental signal which can be ignored.