

Report No.: ZR/2020/C004706

Page: 1 of 46

FCC TEST REPORT

Application No.: ZR/2020/C0047 Applicant: Sony Corporation

Address of Applicant 1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan

Manufacturer: Sony Corporation

Address of Manufacturer 1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan

EUT Description: GSM/WCDMA/LTE Phone with BT, DTS/UNII a/b/g/n/ac, GPS and NFC

Trade Mark: Sony

FCC ID: PY7-63649Q

47 CFR FCC Part 2, Subpart J Standards:

47 CFR FCC Part 15, Subpart E

KDB 789033 D02 General UNII Test Procedures New Rules v02 **Test Method:**

> FCC KDB 558074 D01 DTS Meas Guidance v0502 KDB 662911 D01 Multiple Transmitter Output v02r01

KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02

KDB 905462 D03 Client Without DFS New Rules v01r02

ANSI C63.10-2013, American National Standard for Testing Unlicensed Wireless

Devices

Date of Receipt: 2021/1/10

Date of Test: 2021/1/10 to 2021/3/31

Date of Issue: 2021/4/22

PASS * Test Result:

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Derek Yang Wireless Laboratory Manager

Verde yang



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2020/C004706

2 of 46 Page:

Version 1

	Revision Record					
Version	Chapter	Date	Modifier	Remark		
01		2021-04-07		Original		
02		2021-04-22		Comment		
				Revised		

Authorized for issue by:	
Prepared By	Dee.Zheng
	(Dee Zheng) / Engineer
Checked By	Jun Hog
	(Jim Huang) / Reviewer





Report No.: ZR/2020/C004706

3 of 46 Page:

Test Summary

Test Item	Band	FCC rules	Test Requirements	Result	Remark	Test Lab*
26dB Emission Bandwidth	5150- 5250 5250- 5350 5470- 5725	15.403(i) 15.407(a)(1) 15.407(i) 15.407(a)(2) 15.403(i) 15.407(a)(2)	No limit.	-	See Note	
6dB Emission Bandwidth	5725- 5850	15.403(i) 15.407(e)	≥ 500 kHz.	-	See Note	
99% Occupied Bandwidth	5150- 5250 5250- 5350 5470- 5725 5725- 5850	KDB - 789033 D02§ D	No limit.	-	See Note	
Duty Cycle	5150- 5850		No limit.	PASS	-	Α
Maximum Conducted Output Power	5150- 5250 5250- 5350 5470- 5725 5725- 5850	15.407(a)(1) 15.407(a)(4) 15.407(a)(2) 15.407(a)(4) 15.407(a)(2) 15.407(a)(4) 15.407(a)(3)	FCC < 250mW (avg during transmission) <min{250mw,11dbm+10*lg(ebw)} (avg="" 1w="" <="" <min{250mw,11dbm+10*lg(ebw)}="" during="" td="" transmission)="" transmission)<=""><td>PASS</td><td>-</td><td></td></min{250mw,11dbm+10*lg(ebw)}>	PASS	-	
Maximum Power Spectral Density	5150- 5250 5250- 5350 5470- 5725 5725- 5850	15.407(a)(1) 15.407(a)(4) 15.407(a)(2) 15.407(a)(4) 15.407(a)(2) 15.407(a)(4) 15.407(a)(3) 15.407(a)(4)	<pre><11dBm/MHz (avg during transmission) <11dBm/MHz (avg during transmission) <11dBm/MHz (avg during transmission) <30dBm/500KHz (avg during transmission)</pre>	-	See Note	
Unwanted Emissions that fall Out of the Restricted	5150- 5250	15.407(b)(1) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15-5.35 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK).	PASS	-	В
Bands (Radiated)	5250- 5350	15.407(b)(2) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP).	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

Page: 4 of 46

	5470- 5750	15.407(b)(3) 15.407(b)(6) 15.407(b)(7) 15.209	F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl.	PASS		
	5725- 5850	15.407(b)(4) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP) F≥1GHz &out-restricted:(QP) a) 27 dBm/MHz at frequencies from the band edges decreasing linearly to 15.6 dBm/MHz at 5 MHz above or below the band edges; b) 15.6 dBm/MHz at 5 MHz above or below the band edges decreasing linearly to 10 dBm/MHz at 25 MHz above or below the band edges; c) 10 dBm/MHz at 25 MHz above or below the band edges; c) 10 dBm/MHz at 25 MHz above or below the band edges decreasing linearly to -27 dBm/MHz at 75 MHz above or below the band edges; and d) -27 dBm/MHz at frequencies more than 75 MHz above or below the band edges. F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK).	PASS		
Unwanted Emissions in the Restricted Bands (Radiated)	5150- 5250 5250- 5350 5470- 5725 5725- 5850	15.209		PASS	-	В
AC Power Line Conducted Emissions	5150- 5250 5250- 5350 5470- 5725 5725- 5850	15.207		-	See Note	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

5 of 46 Page:

Frequency Stability	5150- 5250 5250- 5350 5470- 5725 5725- 5850	15.209		-	See Note	-
С	5250- 5350 5470- 5725	47 CFR Part 15, Subpart E 15.407	Channel Move Time:10 Seconds	PASS	-	В

Note:The RF circuit, output power level and antenna performance is the same in WLAN function across all two FCC ID PY7-54955X and PY7-63649Q, since the change, only verify RF output power and radiated spurious emission test data the worst mode was reported in this report. Dynamic Frequency Selection was retested

Remark:

All test were performed by Lab A and B.

Parts of test items above were subcontracted to Lab B.

Lab A: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B: SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.





Report No.: ZR/2020/C004706

Page: 6 of 46

Contents

1	Vers	ion		2
2	Test	Sumn	nary	3
3	Gene	eral Inf	formation	7
	3.1	De	tails of Client	7
	3.2	Te	st Location	7
	3.3	Te	st Facility	8
	3.4	Ge	neral Description of EUT	9
	3.5	Te	st Environment and Mode	12
4	Test	result	s and Measurement Data	13
	4.1	An	tenna Requirement	13
	4.2	Du	ty cycle	14
		4.2.1	Test Result	14
		4.2.2	Test Plots	15
	4.3	Co	nducted Output Power	17
	4.4	Ra	diated Spurious Emissions	18
		4.4.1	Radiated emission below 1GHz	20
		4.4.2	Transmitter emission above 1GHz	22
	4.5	Re	stricted bands around fundamental frequency	24
		4.5.1	Test Plots	27
	4.6	Dy	namic Frequency Selection	29
		4.6.1	DFS Overview	29
		4.6.2	DFS Detection Thresholds	30
		4.6.3	Response Requirements	30
		4.6.4	Test plots	32
5	Meas	surem	ent Uncertainty (95% confidence levels, k=2)	41
6	Equi	pment	List	42
7	Phot	ograpl	hs - EUT Constructional Details	44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

7 of 46 Page:

General Information 3

3.1 Details of Client

Applicant:	Sony Corporation
Address of Applicant	1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan
Manufacturer:	Sony Corporation
Address of Manufacturer	1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan

3.2 Test Location

Lab A:

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch		
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China		
Post code:	518057		
Test engineer	Dee Zheng,Swing Hu		

I ab B:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.	
Address:	1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China	
Post code:	710086	
Test engineer	Leah Chen,Ken Liu,Andy Yao	





Report No.: ZR/2020/C004706

8 of 46 Page:

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

Lab B:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

FCC Designation Number: CN1271.





Report No.: ZR/2020/C004706

9 of 46 Page:

3.4 General Description of EUT

EUT Description:	GSM/WCDMA/	LTE Phone with BT, DTS/UNII a/b/g/n/ac, GPS and NFC	
Trade Mark:	Sony		
S/N:	005129ADNVM2		
IEEE 802.11 WLAN Mode Supported:	 ⊠ 802.11a (20 MHz channel bandwidth); ⊠ 802.11n (20 MHz channel bandwidth); ⊠ 802.11n (40 MHz channel bandwidth); ⊠ 802.11ac (20 MHz channel bandwidth); ⊠ 802.11ac (40 MHz channel bandwidth); ⊠ 802.11ac (80 MHz channel bandwidth), 		
Operation Frequency:	All	fc = 5000 MHz + N * 5 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number".	
	5150-5250 MHz (U-NII)	N = 36 to 48 with step of 4 for the 20 MHz channel bandwidth. N = 38 to 46 with step of 8 for the 40 MHz channel bandwidth. N = 42 for the 80 MHz channel bandwidth.	
	5250-5350 MHz (U-NII)	N = 52 to 64 with step of 4 for the 20 MHz channel bandwidth. N = 54 to 62 with step of 8 for the 40 MHz channel bandwidth. N = 58 for the 80 MHz channel bandwidth.	
	5470-5650 MHz (U-NII) (for FCC)	N = 100 to 128 with step of 4 for the 20 MHz channel bandwidth. $N = 102$ to 126 with step of 8 for the 40 MHz channel bandwidth. $N = 106$ to 122 with step of 16 for the 80 MHz channel bandwidth.	
	5650-5725 MHz (U-NII) N = 132 to 144 with step of 4 for the 20 MHz cha N = 134 to 142 with step of 8 for the 40 MHz cha N = 138 for the 80 MHz channel bandwidth.		
	5725- 5850MHz(U- NII)	N = 149 to 165 with step of 4 for the 20 MHz channel bandwidth. $N = 151$ to 159 with step of 8 for the 40 MHz channel bandwidth. $N = 155$ for the 80 MHz channel bandwidth.	
Type of Modulation:	OFDM		
DFS mode:	☐Master ☐ SI	ave with radar detection Slave without radar detection	
Sample Type:	□ Portable De	vice, Module	
Antenna Type:	☐ External, ⊠	Integrated	
Antenna Ports	⊠ Ant 1, ⊠ Ant 2, ☐ Ant 3		
Smart System:	✓ SISO (for 802.11a/n/ac),✓ MIMO (for 802.11a/n/ac),✓ Diversity (for 802.11a) : Tx & Rx		
Antenna Gain:	W52:-0.5dBi(ANT1); -2.8dBi(ANT2); W53:0 dBi(ANT1); -1.7dBi(ANT2); W56:0.6 dBi(ANT1); -1.3dBi(ANT2); W58:0.9 dBi(ANT1); -2.2dBi(ANT2);		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

10 of 46 Page:

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as

Frequency Range of Operation Operating Frequency Range (in each Band)	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre





Report No.: ZR/2020/C004706

Page: 11 of 46

For UNII Band I:

Mode	Channel	Frequency(MHz)
	The Lowest channel	5180
IEEE 802.11a/n/ac 20MHz	The Middle channel	5200
	The Highest channel	5240
IEEE 002 445/00 40MHz	The Lowest channel	5190
IEEE 802.11n/ac 40MHz	The Highest channel	5230
IEEE 802.11ac 80MHz	The Middle channel	5210

For UNII Band II-A:

Mode	Channel	Frequency(MHz)		
	The Lowest channel	5260		
IEEE 802.11a/n/ac 20MHz	The Middle channel	5280		
	The Highest channel	5320		
IEEE 802.11n/ac 40MHz	The Lowest channel	5270		
IEEE 802.1111/ac 40MH2	The Highest channel	5310		
IEEE 802.11ac 80MHz	The Middle channel	5290		

For UNII Band II-C:

Mode	Channel	Frequency(MHz)
	The Lowest channel	5500
IEEE 802.11a/n/ac 20MHz	The Middle channel	5580
	The Highest channel	5720
	The Lowest channel	5510
IEEE 802.11n/ac 40MHz	The Middle channel	5550
	The Highest channel	5710
IEEE 802.11ac 80MHz	The Lowest channel	5530
IEEE OUZ. I TAC OUIVINZ	The Highest channel	5690

For UNII Band III:

Mode	Channel	Frequency(MHz)
	The Lowest channel	5745
IEEE 802.11a/n/ac 20MHz	The Middle channel	5785
	The Highest channel	5825
IEEE 802.11n/ac 40MHz	The Lowest channel	5755
IEEE 802.111/ac 40MH2	The Highest channel	5795
IEEE 802.11ac 80MHz	The Middle channel	5775



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

12 of 46 Page:

3.5 Test Environment and Mode

Operating Environment:	Operating Environment:					
Temperature:	25.0 °C					
Humidity:	55 % RH					
Atmospheric Pressure:	101.32 KPa					
Test mode:						
Modulation	Data Rate					
802.11a	6Mbps					
802.11n HT20	MCS0					
802.11n HT40	MCS0					
802.11ac VHT20	MCS0					
802.11ac VHT40	MCS0					
802.11ac VHT80	MCS0					





Report No.: ZR/2020/C004706

13 of 46 Page:

4 **Test results and Measurement Data**

4.1 Antenna Requirement

0(47 OFD D. (45 O. () . 45 000
Standard requirement:	47 CFR Part 15 Section 15.203

The antenna is integrated antenna and no consideration of replacement. The best case gain of the antenna is



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

Page: 14 of 46

4.2 Duty cycle

4.2.1 Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5240	2.03	2.07	98.07		PASS
11N40SISO	Ant1	5510	0.93	0.97	95.88		PASS
11AC80SISO	Ant1	5210	0.46	0.49	93.88		PASS






Report No.: ZR/2020/C004706

15 of 46 Page:

4.2.2 Test Plots








Report No.: ZR/2020/C004706

Page: 16 of 46





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

17 of 46 Page:

4.3 Conducted Output Power



The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Naccented and the contact of the content of the conten

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2020/C004706

18 of 46 Page:

4.4 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15 Section 15.407(b)
Test Method:	ANSI C63.10: 2013
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)
Test Setup:	






Figure 1 20MHz to 10Hz

Figure 2 Above 1 CHz

	Figure 1	. 30	MHz to 1GHz	Figure 2	2. Above 1 GHz
Test Procedure:		a.	meters above the grou	ind at a 3 or 10 meter ser	ne top of a rotating table 0.8 mi-anechoic camber. The table tion of the highest radiation.
		b.	meters above the grou	•	he top of a rotating table 1.5 echoic camber. The table was of the highest radiation.
		C.		10 meters away from the ounted on the top of a va	e interference-receiving ariable-height antenna tower.
		d.	to determine the maxir		four meters above the ground ength. Both horizontal and nake the measurement.
		e.	then the antenna was		anged to its worst case and neter to 4 meters and the 50 degrees to find the
		f.	The test-receiver system Bandwidth with Maxim		ct Function and Specified
		g.	Test the EUT in the ou	itermost channels.	
		h.		-	X, Y, Z axis positioning for oning which it is worse case.
		i.	Repeat above procedu	res until all frequencies r	measured was complete.
Test Configuration	n:		leasurements Below 10 RBW = 120 kHz	 00MHz	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

VBW = 300 kHzDetector = Peak



Report No.: ZR/2020/C004706

19 of 46 Page:

	Trace mode = max hold
	1.4.00 1.1.000
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	 VBW = 10 Hz, when duty cycle is no less than 98 percent.
	• VBW \geqslant 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the
	6Mbps of rate is the worst case of 802.11a;
	MCS0 of rate is the worst case of 802.11n(HT20);
	MCS0 of rate is the worst case of 802.11n(HT40);
	MCS0 of rate is the worst case of 802.11ac(VHT20).
	MCS0 of rate is the worst case of 802.11ac(VHT40).
	MCS0 of rate is the worst case of 802.11ac(VHT80).
	For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11a at lowest
	channel is the worst case.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
Remark:	The Emission Test is performed by the Lab B



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2020/C004706

Page: 20 of 46

Radiated emission below 1GHz 4.4.1

Test Graph



- QP Limit --- Vertical PK

Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	36.3050	29.01	-30.18	40.00	10.99	245	216	Vertical		
2	50.3700	26.10	-28.38	40.00	13.90	241	324	Vertical		
3	80.9250	29.22	-34.10	40.00	10.78	365	6	Vertical		
4	110.510	19.97	-29.46	43.50	23.53	247	200	Vertical		
5	317.120	21.88	-25.86	46.00	24.12	341	216	Vertical		
6	670.200	28.01	-17.33	46.00	17.99	159	82	Vertical		

Final Data List






Report No.: ZR/2020/C004706

Page: 21 of 46

Test Graph



- OP Limit QP Detector - Horizontal PK

Suspected List

Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	49.4000	17.42	-28.30	40.00	22.58	174	166	Horizontal		
2	80.9250	25.46	-34.10	40.00	14.54	265	284	Horizontal		
3	169.195	25.07	-32.16	43.50	18.43	245	263	Horizontal		
4	314.695	25.93	-25.83	46.00	20.07	264	131	Horizontal		
5	726.945	28.03	-16.61	46.00	17.97	278	171	Horizontal		
6	883.600	31.26	-14.58	46.00	14.74	228	201	Horizontal		

Final Data List






Report No.: ZR/2020/C004706

Page: 22 of 46

Transmitter emission above 1GHz 802.11N20 Channel 102 4.4.2.1

Test Graph



Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	5832.49	57.11	18.65	68.20	11.09	154	192	Horizontal		
2	5865.24	48.87	18.31	54.00	5.13	168	245	Horizontal		
3	11020.0	53.89	0.74	74.00	20.11	178	271	Horizontal		
4	11020.0	44.61	0.74	54.00	9.39	169	262	Horizontal		
5	16530.0	55.56	2.13	68.20	12.64	149	141	Horizontal		
6	16530.0	46.20	2.13	54.00	7.80	146	254	Horizontal		

Final Data List






Report No.: ZR/2020/C004706

23 of 46 Page:

802.11N40_Channel 102 4.4.2.2

Test Graph



Suspected List

<u>ouspec</u>	teu List							
Susp	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5887.74	49.14	18.29	54.00	4.86	242	291	Vertical
2	5921.99	57.35	18.69	68.20	10.85	210	192	Vertical
3	11020.0	44.90	0.74	54.00	9.10	236	18	Vertical
4	11020.0	54.14	0.74	74.00	19.86	245	277	Vertical
5	16530.0	56.01	2.13	68.20	12.19	289	122	Vertical
6	16530.0	47.30	2.13	54.00	6.70	236	230	Vertical

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




Report No.: ZR/2020/C004706

Page: 24 of 46

4.5 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)					
Test Method:	ANSI C63.10: 2013					
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Chamb	per)			
Limit:	Frequency	Frequency Limit (dBuV/m) Remark				
	30MHz-88MHz	40.0	Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Abovo 1CHz	54.0	Average Value			
	Above 1GHz 74.0 Peak V					
Test Setup:						







Report No.: ZR/2020/C004706

25 of 46 Page:

Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	g. Test the EUT in the outermost channels.
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	i. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz
rest Comiguration.	RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	VBW = 10 Hz, when duty cycle is no less than 98 percent.
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its
	maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the
	6Mbps of rate is the worst case of 802.11a;
	MCS0 of rate is the worst case of 802.11n(HT20);
	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

Page: 26 of 46

	MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(VHT20). MCS0 of rate is the worst case of 802.11ac(VHT40). MCS0 of rate is the worst case of 802.11ac(VHT80). Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
Remark:	The Emission Test is performed by the Lab B






Report No.: ZR/2020/C004706

Page: 27 of 46

4.5.1 Test Plots

4.5.1.1 802.11AC80 Channel 42

Test Graph



Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5210.00	89.80	16.77	0.00	-89.80	184	106	Horizontal
2	5210.00	74.94	16.77	0.00	-74.94	168	106	Horizontal
3	5354.27	53.52	17.39	74.00	20.48	152	140	Horizontal
4	5354.40	39.67	17.38	54.00	14.33	163	145	Horizontal
5	5356.74	52.48	17.21	74.00	21.52	172	123	Horizontal
6	5357.91	39.38	17.12	54.00	14.62	157	76	Horizontal

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2020/C004706

28 of 46 Page:

802.11AC80 Channel 42 4.5.1.2

Test Graph



Suspected List

<u>Juspee</u>	ieu List							
Susp	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5210.00	82.31	16.77	0.00	-82.31	168	225	Vertical
2	5210.00	66.99	16.77	0.00	-66.99	168	221	Vertical
3	5352.19	52.61	17.55	74.00	21.39	168	212	Vertical
4	5352.97	39.37	17.49	54.00	14.63	168	221	Vertical
5	5357.52	38.94	17.15	54.00	15.06	168	350	Vertical
6	5359.08	51.65	17.03	74.00	22.35	168	264	Vertical

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor All modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2020/C004706

29 of 46 Page:

4.6 Dynamic Frequency Selection

4.6.1 DFS Overview

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operational Mode				
	Master	Client Without Radar Detection	Client With Radar Detection		
Non-Occupancy Period	Yes	Not required	Yes		
DFS Detection Threshold	Yes	Not required	Yes		
Channel Availability Check Time	Yes	Not required	Not required		
U-NII Detection Bandwidth	Yes	Not required	Yes		

Table 2: Applicability of DFS requirements during normal operation

Requirement	Operational Mode			
	Master Device or Client	Client Without		
	with Radar Detection	Radar Detection		
DFS Detection Threshold	Yes	Not required		
Channel Closing Transmission Time	Yes	Yes		
Channel Move Time	Yes	Yes		
U-NII Detection Bandwidth	Yes	Not required		
Additional requirements for devices with	Master Device or Client with	Client Without Radar		

Additional requirements for devices with	Master Device or Client with	Client Without Radar
multiple bandwidth modes	Radar Detection	Detection
U-NII Detection Bandwidth and Statistical	All BW modes must be tested	Not required
Performance Check		_
Channel Move Time and Channel Closing	Test using widest BW mode	Test using the widest
Transmission Time	available	BW mode available for
		the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

30 of 46 Page:

4.6.2 DFS Detection Thresholds

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value
	(See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and	-62 dBm
power spectral density < 10 dBm/MHz	
EIRP < 200 milliwatt that do not meet the power spectral density	-64 dBm
requirement	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

4.6.3 Response Requirements





Report No.: ZR/2020/C004706

Page: 31 of 46

Table 4: DFS Response Requirement Values

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds
	See Note 1.
Channel Closing Transmission Time	200 milliseconds + an
	aggregate of 60
	milliseconds over remaining
	10 second period.
	See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-
	NII 99% transmission
	power bandwidth. See Note
	3.

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. **Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.





Report No.: ZR/2020/C004706

Page: 32 of 46

4.6.4 Test plots

DFS Detection Thresholds 4.6.4.1

4.6.4.1.1 Test Result

TestMode	Channel	Radar Type	Result	Limit[dbm]	Verdict
	5320	Type0	-62.97	-62.00	PASS
11AC20SISO	5500	Type0	-62.30	-62.00	PASS
	5290	Type0	-62.62	-62.00	PASS
11AC80SISO	5530	Type0	-63.43	-62.00	PASS






Report No.: ZR/2020/C004706

Page: 33 of 46







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

Page: 34 of 46





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

Page: 35 of 46

Channel Move Time and Channel Closing Transmission Time 4.6.4.2

4.6.4.2.1 Test Result

TestMode	Channel	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC20SISO	5320	25.3	60	293.2	10000	PASS
	5500	0	60	220.7	10000	PASS
11AC80SISO	5290	15.3	60	283.8	10000	PASS
	5530	58.3	60	333.9	10000	PASS






Report No.: ZR/2020/C004706

36 of 46 Page:

4.6.4.2.2 Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

37 of 46 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

38 of 46 Page:

Non-Occupancy Period 4.6.4.3

4.6.4.3.1 Test Result

TestMode	Channel	Result	Limit[s]	Verdict
11AC20SISO	5320	see test graph	>=1800	PASS
	5500	see test graph	>=1800	PASS
11AC80SISO	5290	see test graph	>=1800	PASS
	5530	see test graph	>=1800	PASS






Report No.: ZR/2020/C004706

Page: 39 of 46

4.6.4.3.2 Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

Page: 40 of 46





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

41 of 46 Page:

Measurement Uncertainty (95% confidence levels, k=2) 5

Lab A:

No. Item		Measurement Uncertainty
1	Total RF power, conducted	±0.41dB
2	Duty Cycle	±0.49%

I ah B·

Lad D.		
No.	Item	Measurement Uncertainty
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)
		± 4.8dB (Below 1GHz)
2	Radiated Emission	± 4.8dB (1GHz to 6GHz)
		± 4.5dB (6GHz to 18GHz)
		± 5.02dB (Above 18GHz)





Report No.: ZR/2020/C004706

42 of 46 Page:

Equipment List 6

RF conducted							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)		
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/4/16	2021/4/15		
DC Power Supply	Rohde & Schwarz	HMP2020	W009-08	2020/7/15	2021/7/15		
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/13		
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2020/4/21	2021/4/20		

DFS							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm-dd)	Cal. Due date (yyyy-mm-dd)		
Master Device	Linksys pte.Ltd	WRT32X	FCC ID:Q87- WRT3200ACM IC ID:3839A- WRT3200ACM	N/A	N/A		
MXA signal analyzer	Angilent	N9020A	XAW01-06-07	2020/4/16	2021/4/15		
MXG vector signal Generator	Angilent	N5182B	XAW01-07-16	2020/4/16	2021/4/15		
MXG vector signal Generator	Angilent	N5182A	XAW01-07-17	2020/4/16	2021/4/15		





Report No.: ZR/2020/C004706

Page: 43 of 46

RSE Test System							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2019-09-11	2022-09-10		
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2020-04-02	2021-04-01		
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2020-09-11	2021-09-10		
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2019-10-13	2021-10-12		
Receiving antenna (1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2019-10-13	2021-10-12		
Receiving antenna (15GHz~40GHz)	Schwarzbeck		XAW01-09-03	2019-10-13	2021-10-12		
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR		
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR		
Filter bank	Filter bank Tonscend		XAW03-05-01	NCR	NCR		
Filter bank Tonscend		JS0806s	XAW03-05-02	NCR	NCR		
Amplifier	Tonscend	TAP00903040	XAW01-41-01	2020-10-26	2021-10-25		
Amplifier	Amplifier Tonscend		XAW01-41-02	2020-10-26	2021-10-25		
Amplifier	Amplifier Tonscend		XAW01-41-03	2020-10-27	2021-10-26		
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2020-10-26	2021-10-25		
Temperature and humidity meter	MingGao	TH101B	XAW01-01-01	2020-11-06	2021-11-05		
Measurement Software	Tonscend	TS+ RSE V3.0.0.2	XAW02-05-01	NCR	NCR		





Report No.: ZR/2020/C004706

Page: 44 of 46

7 **Photographs - EUT Constructional Details**

Refer to Appendix A PCE&NII&DTS&DSS Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/C004706

45 of 46 Page:

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

Report No.: ZR/2020/C004306

Page: 46 of 46

Maximum conducted output power Test Result

TestMode	Antenna	Channel	Result[dBm]	Verdict
11A	Ant1	5240	13.51	PASS

The End

