

C2000

SAM I Phantom: Left Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.485 mW/g, SAR (10g): 0.319 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.27 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Left Touch / Antenna: in

Mode: AMPS / Channel: 991 (824.04MHz)

Conducted Power: 27.0 dBm

Liquid Temperature: 21.7°C

Date Tested : August 2, 2004



C2000

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$ mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.381 mW/g, SAR (10g): 0.251 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.16 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Left Touch / Antenna: out

Mode: AMPS / Channel: 991 (824.04MHz)

Conducted Power: 27.0 dBm


Liquid Temperature: 21.7°C

Date Tested : August 2, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 1.36 mW/g, SAR (10g): 0.890 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.13 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: in
 Mode: AMPS / Channel: 383 (836.49MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 1.32 mW/g, SAR (10g): 0.869 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Left Touch / Antenna: out
Mode: AMPS / Channel: 383 (836.49MHz)
Conducted Power: 27.0 dBm
Liquid Temperature: 21.7°C
Date Tested : August 2, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.727 mW/g, SAR (10g): 0.475 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.21 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: in
 Mode: AMPS / Channel: 799 (848.97MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004



C2000

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 $\text{mho/m } \epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.513 mW/g, SAR (10g): 0.335 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.22 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: out
 Mode: AMPS / Channel: 799 (848.97MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004



C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°): Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz; $\sigma = 0.89$

mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.541 mW/g, SAR (10g): 0.350 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.22 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Right Touch / Antenna: in

Mode: AMPS / Channel: 991 (824.04MHz)

Conducted Power: 27.0 dBm


Liquid Temperature: 21.7°C

Date Tested : August 2, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.431 mW/g, SAR (10g): 0.279 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.19 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: out
 Mode: AMPS / Channel: 991 (824.04MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 1.37 mW/g, SAR (10g): 0.885 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.38 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: in
 Mode: AMPS / Channel: 383 (836.49MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004



C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 1.36 mW/g, SAR (10g): 0.874 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.35 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: out
 Mode: AMPS / Channel: 383 (836.49MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004



C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$

mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.924 mW/g, SAR (10g): 0.593 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.22 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Right Touch / Antenna: in

Mode: AMPS / Channel: 799 (848.97MHz)

Conducted Power: 27.0 dBm


Liquid Temperature: 21.7°C

Date Tested : August 2, 2004



C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.632 mW/g, SAR (10g): 0.404 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.26 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: out
Mode: AMPS / Channel: 799 (848.97MHz)
Conducted Power: 27.0 dBm
Liquid Temperature: 21.7°C
Date Tested : August 2, 2004



C2000

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$

mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.332 mW/g, SAR (10g): 0.236 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.26 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Left Tilt 15° / Antenna: in

Mode: AMPS / Channel: 383 (836.49MHz)

Conducted Power: 27.0 dBm


Liquid Temperature: 21.7°C

Date Tested : August 2, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.287 mW/g, SAR (10g): 0.204 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.12 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Tilt 15° / Antenna: out
 Mode: AMPS / Channel: 383 (836.49MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.391 mW/g, SAR (10g): 0.277 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.12 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: AMPS / Channel: 383 (836.49MHz)
Conducted Power: 27.0 dBm
Liquid Temperature: 21.7°C
Date Tested : August 2, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.8$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.333 mW/g, SAR (10g): 0.237 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.26 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Tilt 15° / Antenna: out
 Mode: AMPS / Channel: 383 (836.49MHz)
 Conducted Power: 27.0 dBm
 Liquid Temperature: 21.7°C
 Date Tested : August 2, 2004




C2000

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.342 mW/g, SAR (10g): 0.225 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.17 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00 \text{ g/cm}^3$
 Cube 5x5x7; SAR (1g): 0.277 mW/g, SAR (10g): 0.182 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.16 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: out
 Mode: CDMA / Channel: 1013 (824.70MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004




C2000

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 1.11 mW/g, SAR (10g): 0.732 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.06 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.806 mW/g, SAR (10g): 0.531 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.02 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: out
 Mode: CDMA / Channel: 363 (853.89MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004



C2000

SAM I Phantom: Left Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.462 mW/g, SAR (10g): 0.299 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.12 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Touch / Antenna: in
 Mode: CDMA / Channel: 777 (848.31MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004



C2000

SAM I Phantom; Left Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz

Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$

mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³

Cube 5x5x7; SAR (1g): 0.328 mW/g, SAR (10g): 0.213 mW/g

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Powerdrift: -0.17 dB

Comment:

MODEL: C2000

Company : UTStarcom Inc.


Test Position: Left Touch / Antenna: out

Mode: CDMA / Channel: 777 (848.31MHz)

Conducted Power : 25.0 dBm


Liquid Temperature : 21.4°C

Date Tested : August 3, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.372 mW/g, SAR (10g): 0.240 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.07 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.306 mW/g, SAR (10g): 0.197 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.16 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 1.26 mW/g, SAR (10g): 0.805 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.06 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Touch / Antenna: in
 Mode: CDMA / Channel: 363 (853.89MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 1.17 mW/g, SAR (10g): 0.754 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.561 mW/g, SAR (10g): 0.358 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.410 mW/g, SAR (10g): 0.262 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.10 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.256 mW/g, SAR (10g): 0.183 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: 0.02 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Tilt 15° / Antenna: in
 Mode: CDMA / Channel: 363 (853.89MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004




C2000

SAM I Phantom: Left Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.239 mW/g, SAR (10g): 0.171 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.14 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Left Tilt 15° / Antenna: out
 Mode: CDMA / Channel: 363 (853.89MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004



C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
Cube 5x5x7; SAR (1g): 0.140 mW/g, SAR (10g): 0.0990 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.07 dB
Comment:
MODEL: C2000
Company : UTStarcom Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.0 dBm
Liquid Temperature : 21.4°C
Date Tested : August 3, 2004



C2000

SAM I Phantom: Right Hand (CRP) Section: Position: (90°,180°); Frequency: 835 MHz
 Probe: ET3DV6 - SN1798; ConvF(6.60,6.60,6.60); Crest factor: 1.0; Brain 835 MHz: $\sigma = 0.89$
 mho/m $\epsilon_r = 42.7$ $\rho = 1.00$ g/cm³
 Cube 5x5x7; SAR (1g): 0.104 mW/g, SAR (10g): 0.0742 mW/g
 Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
 Powerdrift: -0.06 dB
 Comment:
 MODEL: C2000
 Company : UTStarcom Inc.
 Test Position: Right Tilt 15° / Antenna: out
 Mode: CDMA / Channel: 363 (853.89MHz)
 Conducted Power : 25.0 dBm
 Liquid Temperature : 21.4°C
 Date Tested : August 3, 2004

