



Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	44.10	2.22	46.32	-	-	Horizontal	NA
2	9000.00	37.50	2.03	39.53	54.00	14.47	Horizontal	PASS
3	15077.00	34.31	8.98	43.29	54.00	10.71	Horizontal	PASS
4	17354.00	33.55	12.70	46.25	54.00	7.75	Horizontal	PASS
5	2401.80	47.64	2.22	49.86	-	-	Horizontal	NA
6	8814.50	43.79	2.36	46.15	74.00	27.85	Horizontal	PASS
7	15248.50	41.06	9.31	50.37	74.00	23.63	Horizontal	PASS
8	17348.00	40.46	12.77	53.23	74.00	20.77	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	10521.00	36.37	3.90	40.27	54.00	13.73	Vertical	PASS
2	15249.50	34.09	9.34	43.43	54.00	10.57	Vertical	PASS
3	17349.50	32.98	12.84	45.82	54.00	8.18	Vertical	PASS
4	10599.50	43.99	4.08	48.07	74.00	25.93	Vertical	PASS
5	15112.00	42.84	8.89	51.73	74.00	22.27	Vertical	PASS
6	17343.00	40.03	12.54	52.57	74.00	21.43	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2442.40	44.51	2.30	46.81	-	-	Horizontal	NA
2	9603.50	37.02	2.84	39.86	54.00	14.14	Horizontal	PASS
3	13847.00	34.26	8.68	42.94	54.00	11.06	Horizontal	PASS
4	17362.50	34.33	12.37	46.70	54.00	7.30	Horizontal	PASS
5	2442.20	47.88	2.30	50.18	-	-	Horizontal	NA
6	10197.50	44.41	3.53	47.94	74.00	26.06	Horizontal	PASS
7	13809.50	42.17	8.08	50.25	74.00	23.75	Horizontal	PASS
8	17342.50	39.73	12.51	52.24	74.00	21.76	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	20
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8866.50	36.91	2.41	39.32	54.00	14.68	Vertical	PASS
2	15078.00	34.69	8.99	43.68	54.00	10.32	Vertical	PASS
3	17348.50	33.02	12.79	45.81	54.00	8.19	Vertical	PASS
4	9157.00	43.17	3.20	46.37	74.00	27.63	Vertical	PASS
5	15066.50	41.77	8.95	50.72	74.00	23.28	Vertical	PASS
6	17343.50	40.19	12.56	52.75	74.00	21.25	Vertical	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	45.78	2.37	48.15	-	-	Horizontal	NA
2	12002.00	35.78	5.38	41.16	54.00	12.84	Horizontal	PASS
3	14638.00	33.93	9.64	43.57	54.00	10.43	Horizontal	PASS
4	17346.00	33.38	12.68	46.06	54.00	7.94	Horizontal	PASS
5	2480.20	47.99	2.37	50.36	-	-	Horizontal	NA
6	11594.00	43.42	5.36	48.78	74.00	25.22	Horizontal	PASS
7	14063.00	42.23	7.97	50.20	74.00	23.80	Horizontal	PASS
8	17803.00	40.53	12.12	52.65	74.00	21.35	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8858.00	37.38	2.56	39.94	54.00	14.06	Vertical	PASS
2	15078.50	34.68	8.99	43.67	54.00	10.33	Vertical	PASS
3	17347.50	33.17	12.75	45.92	54.00	8.08	Vertical	PASS
4	8824.50	44.12	2.46	46.58	74.00	27.42	Vertical	PASS
5	14374.50	41.67	8.84	50.51	74.00	23.49	Vertical	PASS
6	17354.00	40.35	12.70	53.05	74.00	20.95	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2333.38	33.58	1.31	34.89	54.00	19.11	Horizontal	PASS
2	2358.18	33.78	1.45	35.23	54.00	18.77	Horizontal	PASS
3	2387.33	33.64	1.42	35.06	54.00	18.94	Horizontal	PASS
4	2333.29	43.95	1.31	45.26	74.00	28.74	Horizontal	PASS
5	2357.83	44.66	1.45	46.11	74.00	27.89	Horizontal	PASS
6	2386.95	44.42	1.42	45.84	74.00	28.16	Horizontal	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2331.19	33.48	1.29	34.77	54.00	19.23	Vertical	PASS
2	2359.74	33.57	1.44	35.01	54.00	18.99	Vertical	PASS
3	2389.77	38.61	1.43	40.04	54.00	13.96	Vertical	PASS
4	2330.69	44.99	1.28	46.27	74.00	27.73	Vertical	PASS
5	2359.59	44.27	1.45	45.72	74.00	28.28	Vertical	PASS
6	2389.90	49.32	1.43	50.75	74.00	23.25	Vertical	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2329.68	33.50	1.28	34.78	54.00	19.22	Horizontal	PASS
2	2365.45	33.60	1.44	35.04	54.00	18.96	Horizontal	PASS
3	2386.85	33.76	1.42	35.18	54.00	18.82	Horizontal	PASS
4	2330.00	44.50	1.28	45.78	74.00	28.22	Horizontal	PASS
5	2364.91	45.25	1.44	46.69	74.00	27.31	Horizontal	PASS
6	2387.45	44.34	1.42	45.76	74.00	28.24	Horizontal	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2334.17	33.75	1.31	35.06	54.00	18.94	Vertical	PASS
2	2362.31	33.69	1.44	35.13	54.00	18.87	Vertical	PASS
3	2389.96	39.21	1.43	40.64	54.00	13.36	Vertical	PASS
4	2333.85	44.14	1.31	45.45	74.00	28.55	Vertical	PASS
5	2362.85	44.42	1.45	45.87	74.00	28.13	Vertical	PASS
6	2389.24	49.57	1.43	51.00	74.00	23.00	Vertical	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.71	35.01	1.86	36.87	54.00	17.13	Horizontal	PASS
2	2490.85	33.78	1.93	35.71	54.00	18.29	Horizontal	PASS
3	2496.94	33.73	2.00	35.73	54.00	18.27	Horizontal	PASS
4	2483.67	45.15	1.86	47.01	74.00	26.99	Horizontal	PASS
5	2490.87	45.20	1.93	47.13	74.00	26.87	Horizontal	PASS
6	2496.97	44.47	2.00	46.47	74.00	27.53	Horizontal	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	33.89	1.85	35.74	54.00	18.26	Vertical	PASS
2	2490.68	33.74	1.93	35.67	54.00	18.33	Vertical	PASS
3	2495.99	33.80	1.98	35.78	54.00	18.22	Vertical	PASS
4	2483.56	44.64	1.85	46.49	74.00	27.51	Vertical	PASS
5	2490.50	44.97	1.93	46.90	74.00	27.10	Vertical	PASS
6	2496.06	45.24	1.98	47.22	74.00	26.78	Vertical	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	36.97	1.87	38.84	54.00	15.16	Horizontal	PASS
2	2488.47	33.82	1.91	35.73	54.00	18.27	Horizontal	PASS
3	2493.77	33.63	1.97	35.60	54.00	18.40	Horizontal	PASS
4	2483.76	47.65	1.87	49.52	74.00	24.48	Horizontal	PASS
5	2488.33	44.45	1.91	46.36	74.00	27.64	Horizontal	PASS
6	2493.88	45.69	1.97	47.66	74.00	26.34	Horizontal	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.38	33.94	1.87	35.81	54.00	18.19	Vertical	PASS
2	2488.69	33.74	1.91	35.65	54.00	18.35	Vertical	PASS
3	2496.24	33.72	1.99	35.71	54.00	18.29	Vertical	PASS
4	2484.22	44.67	1.87	46.54	74.00	27.46	Vertical	PASS
5	2488.71	45.34	1.91	47.25	74.00	26.75	Vertical	PASS
6	2496.34	44.32	2.00	46.32	74.00	27.68	Vertical	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2316.83	32.96	1.16	34.12	54.00	19.88	Horizontal	PASS
2	2356.76	33.21	1.44	34.65	54.00	19.35	Horizontal	PASS
3	2386.01	33.17	1.43	34.60	54.00	19.40	Horizontal	PASS
4	2315.70	43.91	1.16	45.07	74.00	28.93	Horizontal	PASS
5	2356.14	44.56	1.44	46.00	74.00	28.00	Horizontal	PASS
6	2387.73	43.38	1.43	44.81	74.00	29.19	Horizontal	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2319.25	33.16	1.19	34.35	54.00	19.65	Vertical	PASS
2	2353.29	33.03	1.45	34.48	54.00	19.52	Vertical	PASS
3	2389.61	40.89	1.43	42.32	54.00	11.68	Vertical	PASS
4	2319.87	43.64	1.19	44.83	74.00	29.17	Vertical	PASS
5	2352.88	44.50	1.45	45.95	74.00	28.05	Vertical	PASS
6	2389.61	52.32	1.43	53.75	74.00	20.25	Vertical	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	34.59	1.85	36.44	54.00	17.56	Horizontal	PASS
2	2490.23	33.12	1.93	35.05	54.00	18.95	Horizontal	PASS
3	2499.76	33.13	2.03	35.16	54.00	18.84	Horizontal	PASS
4	2483.60	44.09	1.86	45.95	74.00	28.05	Horizontal	PASS
5	2490.11	44.06	1.93	45.99	74.00	28.01	Horizontal	PASS
6	2499.85	44.62	2.03	46.65	74.00	27.35	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	1MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.74	33.16	1.86	35.02	54.00	18.98	Vertical	PASS
2	2493.06	33.31	1.96	35.27	54.00	18.73	Vertical	PASS
3	2499.01	33.38	2.02	35.40	54.00	18.60	Vertical	PASS
4	2483.56	44.49	1.85	46.34	74.00	27.66	Vertical	PASS
5	2493.12	44.77	1.96	46.73	74.00	27.27	Vertical	PASS
6	2498.86	45.11	2.02	47.13	74.00	26.87	Vertical	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2329.75	33.09	1.28	34.37	54.00	19.63	Horizontal	PASS
2	2359.55	33.10	1.45	34.55	54.00	19.45	Horizontal	PASS
3	2388.20	33.20	1.43	34.63	54.00	19.37	Horizontal	PASS
4	2330.42	43.89	1.28	45.17	74.00	28.83	Horizontal	PASS
5	2358.98	44.06	1.45	45.51	74.00	28.49	Horizontal	PASS
6	2388.68	43.59	1.43	45.02	74.00	28.98	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2359.23	33.42	1.45	34.87	54.00	19.13	Vertical	PASS
2	2383.46	34.93	1.43	36.36	54.00	17.64	Vertical	PASS
3	2389.99	40.72	1.43	42.15	54.00	11.85	Vertical	PASS
4	2360.10	43.88	1.44	45.32	74.00	28.68	Vertical	PASS
5	2383.53	46.19	1.43	47.62	74.00	26.38	Vertical	PASS
6	2389.19	51.66	1.43	53.09	74.00	20.91	Vertical	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	36.19	1.85	38.04	54.00	15.96	Horizontal	PASS
2	2491.60	33.12	1.95	35.07	54.00	18.93	Horizontal	PASS
3	2498.74	33.46	2.01	35.47	54.00	18.53	Horizontal	PASS
4	2483.79	46.02	1.87	47.89	74.00	26.11	Horizontal	PASS
5	2491.58	44.36	1.95	46.31	74.00	27.69	Horizontal	PASS
6	2498.85	44.28	2.02	46.30	74.00	27.70	Horizontal	PASS

Project Information

Mode:	BLE	Band:	/
Bandwidth	2MHz	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; ANT8		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	33.31	1.85	35.16	54.00	18.84	Vertical	PASS
2	2494.54	33.25	1.98	35.23	54.00	18.77	Vertical	PASS
3	2499.26	33.29	2.03	35.32	54.00	18.68	Vertical	PASS
4	2483.62	43.63	1.86	45.49	74.00	28.51	Vertical	PASS
5	2494.21	45.12	1.97	47.09	74.00	26.91	Vertical	PASS
6	2499.28	44.40	2.03	46.43	74.00	27.57	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2345.39	32.82	1.41	34.23	54.00	19.77	Horizontal	PASS
2	2369.18	32.86	1.44	34.30	54.00	19.70	Horizontal	PASS
3	2388.99	33.70	1.43	35.13	54.00	18.87	Horizontal	PASS
4	2346.23	43.52	1.42	44.94	74.00	29.06	Horizontal	PASS
5	2367.20	44.10	1.44	45.54	74.00	28.46	Horizontal	PASS
6	2388.92	44.83	1.43	46.26	74.00	27.74	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.45	32.87	1.33	34.20	54.00	19.80	Vertical	PASS
2	2353.54	32.84	1.45	34.29	54.00	19.71	Vertical	PASS
3	2389.36	33.76	1.43	35.19	54.00	18.81	Vertical	PASS
4	2334.95	43.93	1.32	45.25	74.00	28.75	Vertical	PASS
5	2352.75	43.34	1.45	44.79	74.00	29.21	Vertical	PASS
6	2388.61	44.06	1.43	45.49	74.00	28.51	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	34.86	1.86	36.72	54.00	17.28	Horizontal	PASS
2	2485.12	34.53	1.87	36.40	54.00	17.60	Horizontal	PASS
3	2490.76	33.90	1.93	35.83	54.00	18.17	Horizontal	PASS
4	2483.74	45.23	1.86	47.09	74.00	26.91	Horizontal	PASS
5	2485.11	45.57	1.87	47.44	74.00	26.56	Horizontal	PASS
6	2490.76	44.81	1.93	46.74	74.00	27.26	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	33.67	1.85	35.52	54.00	18.48	Vertical	PASS
2	2486.65	33.75	1.89	35.64	54.00	18.36	Vertical	PASS
3	2490.57	33.72	1.93	35.65	54.00	18.35	Vertical	PASS
4	2483.54	44.54	1.85	46.39	74.00	27.61	Vertical	PASS
5	2486.88	44.80	1.90	46.70	74.00	27.30	Vertical	PASS
6	2490.98	45.14	1.93	47.07	74.00	26.93	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2343.04	33.71	1.39	35.10	54.00	18.90	Horizontal	PASS
2	2356.11	33.51	1.44	34.95	54.00	19.05	Horizontal	PASS
3	2389.52	34.28	1.43	35.71	54.00	18.29	Horizontal	PASS
4	2341.47	44.45	1.38	45.83	74.00	28.17	Horizontal	PASS
5	2354.35	44.76	1.45	46.21	74.00	27.79	Horizontal	PASS
6	2389.36	44.66	1.43	46.09	74.00	27.91	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.92	33.52	1.34	34.86	54.00	19.14	Vertical	PASS
2	2363.38	33.70	1.45	35.15	54.00	18.85	Vertical	PASS
3	2389.64	34.78	1.43	36.21	54.00	17.79	Vertical	PASS
4	2337.21	44.31	1.34	45.65	74.00	28.35	Vertical	PASS
5	2362.88	45.23	1.45	46.68	74.00	27.32	Vertical	PASS
6	2388.92	46.44	1.43	47.87	74.00	26.13	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	35.18	1.85	37.03	54.00	16.97	Horizontal	PASS
2	2485.40	34.29	1.88	36.17	54.00	17.83	Horizontal	PASS
3	2490.24	33.81	1.93	35.74	54.00	18.26	Horizontal	PASS
4	2483.61	45.71	1.86	47.57	74.00	26.43	Horizontal	PASS
5	2485.55	45.53	1.88	47.41	74.00	26.59	Horizontal	PASS
6	2490.47	45.11	1.93	47.04	74.00	26.96	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.01	33.56	1.87	35.43	54.00	18.57	Vertical	PASS
2	2487.86	33.76	1.90	35.66	54.00	18.34	Vertical	PASS
3	2490.37	33.86	1.93	35.79	54.00	18.21	Vertical	PASS
4	2483.96	44.76	1.87	46.63	74.00	27.37	Vertical	PASS
5	2487.83	44.62	1.90	46.52	74.00	27.48	Vertical	PASS
6	2490.78	44.93	1.93	46.86	74.00	27.14	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2349.34	33.66	1.44	35.10	54.00	18.90	Horizontal	PASS
2	2375.07	33.62	1.43	35.05	54.00	18.95	Horizontal	PASS
3	2389.30	34.20	1.43	35.63	54.00	18.37	Horizontal	PASS
4	2349.31	45.17	1.44	46.61	74.00	27.39	Horizontal	PASS
5	2374.82	44.54	1.44	45.98	74.00	28.02	Horizontal	PASS
6	2389.30	45.88	1.43	47.31	74.00	26.69	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2344.16	33.66	1.40	35.06	54.00	18.94	Vertical	PASS
2	2365.76	33.84	1.44	35.28	54.00	18.72	Vertical	PASS
3	2389.55	34.88	1.43	36.31	54.00	17.69	Vertical	PASS
4	2345.07	45.25	1.41	46.66	74.00	27.34	Vertical	PASS
5	2365.64	44.25	1.44	45.69	74.00	28.31	Vertical	PASS
6	2389.83	45.08	1.43	46.51	74.00	27.49	Vertical	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	35.16	1.85	37.01	54.00	16.99	Horizontal	PASS
2	2488.79	33.76	1.92	35.68	54.00	18.32	Horizontal	PASS
3	2492.70	33.88	1.95	35.83	54.00	18.17	Horizontal	PASS
4	2483.83	45.75	1.87	47.62	74.00	26.38	Horizontal	PASS
5	2488.39	44.57	1.91	46.48	74.00	27.52	Horizontal	PASS
6	2492.45	44.37	1.95	46.32	74.00	27.68	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=2; ANT8		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.58	33.79	1.85	35.64	54.00	18.36	Vertical	PASS
2	2489.01	33.69	1.92	35.61	54.00	18.39	Vertical	PASS
3	2491.92	33.74	1.95	35.69	54.00	18.31	Vertical	PASS
4	2483.68	44.48	1.86	46.34	74.00	27.66	Vertical	PASS
5	2488.60	44.87	1.91	46.78	74.00	27.22	Vertical	PASS
6	2491.79	44.65	1.95	46.60	74.00	27.40	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2357.99	33.60	1.45	35.05	54.00	18.95	Horizontal	PASS
2	2372.69	33.67	1.44	35.11	54.00	18.89	Horizontal	PASS
3	2389.96	34.30	1.43	35.73	54.00	18.27	Horizontal	PASS
4	2356.95	44.34	1.44	45.78	74.00	28.22	Horizontal	PASS
5	2372.37	44.17	1.43	45.60	74.00	28.40	Horizontal	PASS
6	2388.89	44.55	1.43	45.98	74.00	28.02	Horizontal	PASS


Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	0
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2356.51	33.91	1.44	35.35	54.00	18.65	Vertical	PASS
2	2371.50	33.68	1.43	35.11	54.00	18.89	Vertical	PASS
3	2389.86	35.18	1.43	36.61	54.00	17.39	Vertical	PASS
4	2357.67	44.48	1.45	45.93	74.00	28.07	Vertical	PASS
5	2371.34	44.10	1.43	45.53	74.00	28.47	Vertical	PASS
6	2389.24	47.69	1.43	49.12	74.00	24.88	Vertical	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	35.09	1.85	36.94	54.00	17.06	Horizontal	PASS
2	2488.93	33.90	1.92	35.82	54.00	18.18	Horizontal	PASS
3	2492.95	33.88	1.95	35.83	54.00	18.17	Horizontal	PASS
4	2483.57	45.50	1.85	47.35	74.00	26.65	Horizontal	PASS
5	2488.97	45.29	1.92	47.21	74.00	26.79	Horizontal	PASS
6	2492.82	45.46	1.95	47.41	74.00	26.59	Horizontal	PASS

Project Information			
Mode:	BLE	Band:	-
Bandwidth	-	Channel	39
SN:	HQ64CC08F7	Engineer:	Shen Zhuang
Remark:	X; LR S=8; ANT8		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	33.84	1.86	35.70	54.00	18.30	Vertical	PASS
2	2487.60	33.67	1.90	35.57	54.00	18.43	Vertical	PASS
3	2491.92	33.79	1.95	35.74	54.00	18.26	Vertical	PASS
4	2484.30	44.51	1.87	46.38	74.00	27.62	Vertical	PASS
5	2487.82	44.42	1.90	46.32	74.00	27.68	Vertical	PASS
6	2491.78	44.63	1.95	46.58	74.00	27.42	Vertical	PASS

~The End~