Report No.: ZEWM2306000826RG04

Page: 1 of 330

TEST REPORT

Application No.: ZEWM2306000826RG

Applicant: Quectel Wireless Solutions Co., Ltd.

Address of Applicant: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai 200233, China

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road,

Minhang District, Shanghai 200233, China

EUT Description: Smart Module SG368Z-WF Model No.: Trade Mark: Quectel

FCC ID: XMR2023SG368ZWF

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart E

Date of Receipt: 2023/06/20

Date of Test: 2023/06/20 to 2023/07/07

Date of Issue: 2023/07/07

PASS * Test Result:

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Ervh Ii

Ervin Li Regulatory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@gs.com"

t (86-755) 26012053

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

sgs.china@sgs.com

t (86-755) 26012053



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 2 of 330

Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2023/07/07		Original	

Prepared By	Dee.Zheng (Dee Zheng) / Test Engineer
Checked By	Daniel Wang (Daniel Wang) / Reviewer







Report No.: ZEWM2306000826RG04

Page: 3 of 330

2 Test Summary

Test Item	Band ^[1]	FCC rules No.	Test Requirements	Test Result	Result	Test Lab ^[2]
Antenna Requirement		15.203/15.407(a)		Clause 4.1	PASS	
26dB Emission Bandwidth	Band II-A Band II-C	15.407(a)(1) 15.407(a)(2) 15.407(a)(2)	No limit.	Clause 4.5	For Report Purpose	А
6dB Emission Bandwidth	Band III	15.407(e)	≥ 500 kHz.	Clause 4.6	PASS	Α
99% Occupied Bandwidth	Band II-A Band II-C Band III	KDB 789033 D02§ D	No limit.	Clause 4.7	For Report Purpose	А
Duty Cycle	Band I Band II-A Band II-C Band III		No limit.	Clause 4.3	For Report Purpose	А
Maximum Conducted Output	Band II-A Band II-C	15.407(a)(iv) 15.407(a)(2)	< 250mW <min{250mw,11dbm+10*lg(ebw)}< td=""><td>Clause 4.4</td><td>PASS</td><td>А</td></min{250mw,11dbm+10*lg(ebw)}<>	Clause 4.4	PASS	А
Power Maximum	Band III Band I	15.407(a)(3)	15.407(a)(3) < 1W 15.407(a)(iv) <11dBm/MHz			
Power Spectral	Band II-A Band II-C	15.407(a)(2)	<11dBm/MHz	Clause 4.8	PASS	Α
Density	Band III	15.407(a)(3)	<30dBm/500KHz			
	Band I	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15-5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS	
Radiated Spurious Emissions	Band II-A	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.25-5.35 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).	Clause 4.9	PASS	А
	Band II-C	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.47-5.725 GHz). F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, or email: C.M.Doccheck@sgs.com
| No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86–755) 26012053





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 4 of 330

	Band III	15.407(b) 15.205/15.209	F<1GHz: §15.209 limit (QP) F≥1GHz &out-restricted:(PK) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge, and from 5 MHz above or below the band edge, and edge increasing linearly to a level of 27 dBm/MHz at the band edge. F≥1GHz & in-restricted: §15.209 limit (AV&PK).		PASS	
Restricted bands around fundamental frequency	Band I Band II-A Band II-C Band III	15.407(b) 15.205/15.209		Clause 4.10	PASS	А
AC Power Line Conducted Emissions	Band I Band II-A Band II-C Band III	15.207		Clause 4.2	PASS	В
Dynamic Frequency Selection	Band II-A Band II-C	15.407	Channel Move Time:10 Seconds	Clause 4.11	PASS	А
Frequency Stability	Band I Band II-A Band II-C Band III	15.407(g)	Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the users manual	N/A	N/A	N/A

Note 1:

Band I: 5150-5250MHz Band II-A: 5250-5350MHz Band II-C: 5470-5725MHz Band III: 5725-5850MHz

Note 2:

Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZEWM2306000826RG04

Page: 5 of 330

Contents

1	Versio	on	2
2	Test S	Summary	3
3	Gener	al Information	6
	3.1	Details of Client	6
	3.2	Test Location	6
	3.3	Test Facility	7
	3.4	General Description of EUT	8
	3.5	Test Environment and Mode	12
	3.6	Description of Support Units	12
	3.7	Worst-case configuration and mode	12
4	Test re	esults and Measurement Data	13
	4.1	Antenna Requirement	13
	4.2	AC Power Line Conducted Emissions	14
	4.3	Duty Cycle	18
	4.4	Conducted Output Power	19
	4.5	26dB Emission Bandwidth	20
	4.6	6dB Emission Bandwidth	21
	4.7	99% Occupied Bandwidth	22
	4.8	Power Spectral Density	23
	4.9	Radiated Spurious Emissions	24
	4.10	Restricted bands around fundamental frequency	27
	4.11	Dynamic Frequency Selection	29
	4	.11.1 DFS Overview	29
	4	.11.2 DFS Detection Thresholds	30
	4	.11.3 RADAR TEST WAVEFORMS	31
	4	.11.4 Response Requirements	33
5	Measu	urement Uncertainty (95% confidence levels, k=2)	34
6	Equip	ment List	35
7	Photo	graphs - Setup Photos	38



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053

Report No.: ZEWM2306000826RG04

Page: 6 of 330

3 General Information

3.1 Details of Client

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

3.2 Test Location

Lab A:	
Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China
Post code:	518057
Test engineer:	Xing Guo
Lab B:	
Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	King-p Li



邮编: 518057

Report No.: ZEWM2306000826RG04

Page: 7 of 330

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized as an accredited testing laboratory.

Designation Number: CN1336.

Test Firm Registration Number: 787754

Lab B:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD, is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"

邮编: 518057

Report No.: ZEWM2306000826RG04

Page: 8 of 330

3.4 General Description of EUT

EUT Description:	Smart Module			
Model No.:	SG368Z-WF			
Trade Mark:	Quectel			
Hardware Version:	R1.0			
Software Version:	SG368ZWF	NAR60A04		
	RF Conduc	ted	Sample 1: E1C23DR40000116	
SN:	RSE		Sample 1: E1C23DS03000122 Sample 2: E1C23DR40000116	
	AC power l	ne	Sample 1: E1C23DS03000130	
	802.11a:	20 MHz cha	nnel bandwidth	
WLAN Mode Supported:	802.11n:	20 MHz / 40	MHz channel bandwidth	
	802.11ac:	20 MHz / 40	MHz / 80 MHz channel bandwidth	
Operation Frequency:	5250MHz to 5470MHz to	5150MHz to 5250MHz 5250MHz to 5350MHz 5470MHz to 5725MHz 5725MHz to 5850MHz		
	802.11a:	OFDM (BPS	SK, QPSK, 16QAM, 64QAM)	
Modulation Type:	802.11n:	OFDM (BPS	SK, QPSK, 16QAM, 64QAM)	
	802.11ac:	OFDM (BPS	SK, QPSK, 16QAM, 64QAM, 256QAM)	
	20MHz:	802.11a/n(H	IT20)/ac(VHT20)	
Channel Spacing:	40MHz:	802.11n(HT40)/ac(VHT40)		
	80MHz:	802.11ac(VHT80)		
Antenna Type:		, 🗌 Integrate	ed	
Antenna Gain:	5150MHz to 5250MHz: 2dBi (Ant0); 5250MHz to 5350MHz: 2dBi (Ant0); 5470MHz to 5725MHz: 3.2dBi (Ant0); 5725MHz to 5850MHz: 3.3dBi (Ant0); Note: The antenna gain are derived from the gain information report provided by the			
manufacturer.				
	⊠ SISO	802.11a/r		
			2.11a/n/ac: Tx & Rx	
Smart System:		-	2.11n/ac: Tx & Rx	
	D:		2.11n/ac: Tx & Rx	
	☐ Diversity	/ 802.11a:	IX & KX	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

Report No.: ZEWM2306000826RG04

Page: 9 of 330

TPC Function:	⊠Support, □Not Support			
DEC Functions	□Master			
DFS Function:	☐Slave with radar detection	⊠Sla	ve without radar detection	
RF Cable:	4900MHz ~5250MHz(1.5dB)		5250MHz ~5350MHz(1.7dB)	
RF Cable.	5470MHz ~5725MHz(1.8dB)		5725MHz ~ 5850MHz(1.5dB)	
Remark: As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 10 of 330

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as

Frequency range over which device operates	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band I:				
Mode	Channel	Frequency(MHz)		
	The Lowest channel	5180		
IEEE 802.11a/n/ac 20MHz	The Middle channel	5200		
	The Highest channel	5240		
IEEE 802.11n/ac 40MHz	The Lowest channel	5190		
IEEE 802. I III/ac 40MH2	The Highest channel	5230		
IEEE 802.11ac 80MHz	The Middle channel	5210		

For UNII Band II-A:				
Mode	Channel	Frequency(MHz)		
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5260		
	The Middle channel	5280		
	The Highest channel	5320		
JEEE 002 445/00 40MJ-	The Lowest channel	5270		
IEEE 802.11n/ac 40MHz	The Highest channel	5310		
IEEE 802.11ac 80MHz	The Middle channel	5290		





Report No.: ZEWM2306000826RG04

Page: 11 of 330

For UNII Band II-C:						
Mode	Channel	Frequency(MHz)				
	The Lowest channel	5500				
IEEE 802.11a/n/ac 20MHz	The Middle channel	5580				
	The Highest channel	5700				
	The Lowest channel	5510				
IEEE 802.11n/ac 40MHz	The Middle channel	5550				
	The Highest channel	5670				
IEEE 802.11ac 80MHz	The Middle channel	5530				

For UNII Band III:					
Mode	Channel	Frequency(MHz)			
	The Lowest channel	5745			
IEEE 802.11a/n/ac 20MHz	The Middle channel	5785			
	The Highest channel	5825			
IEEE 802.11n/ac 40MHz	The Lowest channel	5755			
IEEE 802.1111/ac 40101F12	The Highest channel	5795			
IEEE 802.11ac 80MHz	The Middle channel	5775			

Frequency Band	Channel	Freq.(MHz)	Channel	Freq.(MHz)
Straddle Channel	144 ^[1]	5720	142 ^[2]	5710
Straddle Charmer	138 ^[3]	5690		
	120 ^[1]	5600	124 ^[1]	5620
TDWR Channel	128 ^[1]	5640	118 ^[2]	5590
	126 ^[2]	5630	122 ^[3]	5610

Note:

- 1. The above Frequency and Channel were 802.11a, 802.11n HT20 and 802.11ac VHT20.
- 2. The above Frequency and Channel were 802.11n HT40 and 802.11ac VHT40.
- 3. The above Frequency and Channel were 802.11ac VHT80.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053

Report No.: ZEWM2306000826RG04

Page: 12 of 330

3.5 Test Environment and Mode

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-46 % RH Ambient				
Value	Temperature(°C) Voltage(V)				
NTNV	22~23 3.4				
Remark:					

NV: Normal Voltage NT: Normal Temperature

3.6 Description of Support Units

Description	Manufacturer	Model No.
Router	NETGEAR	R7800

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	MIMO - Data Rate
802.11a	6 Mbps	/
802.11n (HT 20)	MCS0 (6.5 Mbps)	/
802.11n (HT 40)	MCS0 (13.5 Mbps)	/
802.11ac (VHT 20)	MCS0 (6.5 Mbps)	/
802.11ac (VHT 40)	MCS0 (13.5 Mbps)	/
802.11ac (VHT 80)	MCS0 (29.3 Mbps)	/



Report No.: ZEWM2306000826RG04

Page: 13 of 330

Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15 Section 15.203

The antenna is External antenna on the main PCB and no consideration of replacement.

The best case gain of the antenna is 5150MHz to 5250MHz: 2dBi (Ant0);* 5250MHz to 5350MHz: 2dBi (Ant0);* 5470MHz to 5725MHz: 3.2dBi (Ant0);* 5725MHz to 5850MHz: 3.3dBi (Ant0); *

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



邮编: 518057

Report No.: ZEWM2306000826RG04

Page: 14 of 330

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15 Section 15.207				
Test Method:	ANSI C63.10-2020 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30kHz				
Limit:	Fraguenov rango (MUz)	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room. 2) The EUT was connected to a second plane in the same was multiple socket outlet single LISN provided. 3) The tabletop EUT was ground reference plane placed on the horizor. 4) The test was perform of the EUT shall be overtical ground reference plane. The unit under test and be mounted on top of the between the closest the EUT and associated. 5) In order to find the mequipment and all of	disturbance voltage test was cited to AC power source throusion Network) which provides are cables of all other units of ad LISN 2, which was bonded by as the LISN 1 for the unit by a strip was used to connect must the rating of the LISN was not as placed upon a non-metallic ne. And for floor-standing arrantal ground reference plane, and with a vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m frounded to a ground reference plane. The points of the LISN 1 and the Exted equipment was at least 0 aximum emission, the relative the interface cables must be n conducted measurement.	ugh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a ot exceeded. table 0.8m above the engement, the EUT was erence plane. The rear reference plane. The horizontal ground m the boundary of the plane for LISNs is distance was EUT. All other units of 8 m from the LISN 2.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房


邮编: 518057 t (86-755) 26012053



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 15 of 330




Report No.: ZEWM2306000826RG04

Page: 16 of 330

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.3030	11.63	32.51	44.14	60.16	16.02	10.94	22.57	50.16	27.59	PASS
2	0.9780	11.72	9.42	21.14	56.00	34.86	-6.39	5.33	46.00	40.67	PASS
3	6.9630	11.89	4.70	16.59	60.00	43.41	-6.61	5.28	50.00	44.72	PASS
4	12.2820	11.89	7.53	19.42	60.00	40.58	-5.13	6.76	50.00	43.24	PASS
5	16.9485	11.96	1.76	13.72	60.00	46.28	-8.41	3.55	50.00	46.45	PASS
6	28.2975	12.08	4.97	17.05	60.00	42.95	-7.18	4.90	50.00	45.10	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 17 of 330



Data	List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.6945	11.67	14.85	26.52	56.00	29.48	-2.89	8.78	46.00	37.22	PASS
2	2.0490	11.73	12.82	24.55	56.00	31.45	-1.60	10.13	46.00	35.87	PASS
3	4.0245	11.78	5.25	17.03	56.00	38.97	-5.35	6.43	46.00	39.57	PASS
4	8.0160	11.89	5.54	17.43	60.00	42.57	-7.82	4.07	50.00	45.93	PASS
5	11.3370	11.88	7.98	19.86	60.00	40.14	-4.87	7.01	50.00	42.99	PASS
6	30.0000	12.14	3.60	15.74	60.00	44.26	-5.88	6.26	50.00	43.74	PASS

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

邮编: 518057

Report No.: ZEWM2306000826RG04

Page: 18 of 330

4.3 Duty Cycle

The detailed test data see: Appendix



Report No.: ZEWM2306000826RG04

Page: 19 of 330

4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15 Se	ection 15.407(a)(iv)			
Test Method:	ANSI C63.10-2020 Section 12.4.3.2				
Test Setup:	Power meter O				
		Ground Reference Plane			
	* Test with power meter (Detector function: Average) Method PM-G is measurement using a gated RF average power meter. Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Because the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.				
Test Instruments:	Refer to section 6 for details.				
Exploratory Test Mode:	Transmitting with a	all kind of modulations, data rates			
Final Test Mode:	Refer to section 3.7	7 for details.			
Limit:	Frequency Band	Limit			
	5150-5250MHz Not exceed 250mW(23.98dBm)				
	5250-5350MHz The lesser of 250mW(23.98dBm) or 11+ 10logB				
	5470-5725MHz The lesser of 250mW(23.98dBm) or 11+ 10logB				
	5725-5850MHz Not exceed 1W(30dBm)				
	*Where B is the 26dB emission bandwidth in MHz				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Report No.: ZEWM2306000826RG04

Page: 20 of 330

4.5 26dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(a), KDB 789033 D02& C				
Test Method:	ANSI C63.10-2020 Section 12.5.2				
Test Setup:	PC Spectrum Analyzer O O O O O O O O O				
Instruments Used:	Refer to section 6 for details.				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates				
Final Test Mode:	Refer to section 3.7 for details.				
Limit:	No restriction limits				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Report No.: ZEWM2306000826RG04

Page: 21 of 330

4.6 6dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(e)					
Test Method:	ANSI C63.10-2020 Section 12.5.1					
Test Setup:		to o E.U.T				
Test Instruments:	Refer to section 6 for details.					
Exploratory Test Mode:	Transmitting with all kind of modulation	ons, data rates				
Final Test Mode:	Refer to section 3.7 for details.					
Limit:	Frequency Band Limit					
	5725-5850MHz At lease 500kHz					
Test Results:	Pass					
The detailed test data see: A	ppendix					



Report No.: ZEWM2306000826RG04

Page: 22 of 330

4.7 99% Occupied Bandwidth

Test Requirement:	KDB 789033 D02§ D		
Test Method:	ANSI C63.10-2020 Section 12.5.3		
Test Setup:	PC Sectrum Analyzer O O O O O O O O O		
Instruments Used:	Refer to section 6 for details.		
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates		
Final Test Mode:	Refer to section 3.7 for details.		
Limit:	No restriction limits		
Test Results:	Pass		
The detailed test data see: A	ppendix		



邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053

Report No.: ZEWM2306000826RG04

Page: 23 of 330

4.8 Power Spectral Density

<u> </u>			
Test Requirement:	47 CFR Part 15 Section 15.407(a)(iv)		
Test Method:	ANSI C63.10-2020 Section 12.6		
	KDB 789033 D02 v02r01, Section F.		
Test Setup:	PC	SGS Test system Vector Signal Generator Spectrum Analyzer Communication Tester RF Control Unit DC Power Ground Reference Plane	
Instruments Used:	Refer to section 6 for details.		
Exploratory Test Mode:	Transmitting with all	kind of modulations, data rates	
Final Test Mode:	Refer to section 3.7	for details.	
Limit:	Frequency Band	Limit	
	5150-5250MHz	The power spectral density less than 11dBm/1MHz	
	5250-5350MHz The power spectral density less than 11dBm/1MHz		
	5470-5725MHz The power spectral density less than 11dBm/1MHz		
	5725-5850MHz	The power spectral density less than <30dBm/500KHz	
Test Results:	Pass		
The detailed test data see: Appendix			



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 24 of 330

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)	
Test Method:	ANSI C63.10-2020 Section 6.4 / 6.5 / 6.6	
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)	
Test frequency:	9kHz ~ 40GHz(or 10 Harmonic)	

Test Setup:




Figure 1. 9kHz to 30MHz




Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- For below 1GHz test, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz test, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. (Distance from antenna to EUT is 1m for measurements >18GHz).
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 25 of 330

	to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.		
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.		
	g. Test the EUT in the outermost channels.		
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse cas		
	i. Repeat above procedures until all frequencies measured was complete.		
	j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported		
	K. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.		
	I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.		
Test Configuration:	Measurements below 30MHz		
	• RBW = 10 kHz		
	• VBW = 30 kHz		
	Detector = Peak & Average & Quasi-peak Trace made = may held		
	Trace mode = max hold Measurements Relow 1000MHz		
	Measurements Below 1000MHz		
	• RBW = 120 kHz		
	• VBW = 300 kHz		
	Detector = Quasi-peak		
	Trace mode = max hold		
	Peak Measurements Above 1000 MHz		
	• RBW = 1 MHz		
	• VBW ≥ 3 MHz		
	Detector = Peak		
	• Sweep time = auto		
	Trace mode = max hold A second Alexandrope Al		
	Average Measurements Above 1000MHz		
	• RBW = 1 MHz		
	VBW = 10Hz, when duty cycle is no less than 98 percent. VBW > 4/T, when duty cycle is less than 90 percent where Tie the principles.		
	• VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.		
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.		
Final Test Mode:	Refer to section 3.7 for details.		
Instruments Used:	Refer to section 6 for details.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ags.com"

邮编: 518057

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

t (86-755) 26012053

sgs.china@sgs.com



Report No.: ZEWM2306000826RG04

Page: 26 of 330

Test Results: **Pass** The detailed test data see: Appendix





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch


Report No.: ZEWM2306000826RG04

Page: 27 of 330

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.205/15.209/15.407(b)					
Test Method:	ANSI C63.10-2020 Section 12.7					
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Limit:	Frequency Limit (dBuV/m) Remark					
	30MHz-88MHz 40.0 Quas					
	88MHz-216MHz 43.5 Quasi-peak					
	216MHz-960MHz 46.0 Quasi-peak					
	960MHz-1GHz 54.0 Quasi-peak					
	Above 1GHz 54.0 Average Value					
	Above 1GHZ	74.0	Peak Value			

Test Setup:



Test Procedure:

- The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053

www.sgsgroup.com.cn sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 28 of 330

	g. Test the EUT in the outermost channels.
	 g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	 Measurements Below 1000MHz RBW = 120 kHz VBW = 300 kHz Detector = Quasi-peak Trace mode = max hold Peak Measurements Above 1000 MHz RBW = 1 MHz VBW ≥ 3 MHz Detector = Peak Sweep time = auto Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 1 MHz VBW = 10Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where Tis the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Refer to section 3.7 for details.
Instruments Used:	Refer to section 6 for details.
Test Results:	Pass
The detailed test data see	e: Appendix



Report No.: ZEWM2306000826RG04

Page: 29 of 330

4.11 Dynamic Frequency Selection

4.11.1 DFS Overview

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operational Mode			
	Master	Client Without Radar Detection	Client With Radar Detection	
Non-Occupancy Period	Yes	Not required	Yes	
DFS Detection Threshold	Yes	Not required	Yes	
Channel Availability Check Time	Yes	Not required	Not required	
U-NII Detection Bandwidth	Yes	Not required	Yes	

Table 2: Applicability of DFS requirements during normal operation

Requirement	Operational Mode		
	Master Device or Client	Client Without	
	with Radar Detection	Radar Detection	
DFS Detection Threshold	Yes	Not required	
Channel Closing Transmission Time	Yes	Yes	
Channel Move Time	Yes	Yes	
U-NII Detection Bandwidth	Yes	Not required	
Additional requirements for devices with	Master Device or Client with	Client Without Radar	
multiple bandwidth modes	Radar Detection	Detection	
U-NII Detection Bandwidth and Statistical	All BW modes must be tested	Not required	
Performance Check		_	
Channel Move Time and Channel Closing	Test using widest BW mode	Test using the widest	
Transmission Time	available	BW mode available for	
		the link	
All other tests	Any single BW mode	Not required	

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 t (86-755) 26012053 sgs.china@sgs.com

Report No.: ZEWM2306000826RG04

Page: 30 of 330

4.11.2 DFS Detection Thresholds

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value
	(See Notes 1, 2, and 3)
EIRP ≥ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and	-62 dBm
power spectral density < 10 dBm/MHz	
EIRP < 200 milliwatt that do not meet the power spectral density	-64 dBm
requirement	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.



Report No.: ZEWM2306000826RG04

Page: 31 of 330

4.11.3 RADAR TEST WAVEFORMS

Table 5 - Short Pulse Radar Test Waveforms

			,			
Radar	Pulse Width	PRI	Number of Pulses	Minimum	Minimum	
Type	(µsec)	(µsec)		Percentage of	Number of	
				Successful	Trials	
				Detection		
0	1	1428	18	See Note 1	See Note 1	
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	Roundup $ \left\{ \frac{\left(\frac{1}{360}\right)}{\left(\frac{19 \cdot 10^6}{\text{PRI}_{\mu \text{sec}}}\right)} \right\} $	60%	30	
2	1-5	150-230	23-29	60%	30	
3	6-10	200-500	16-18	60%	30	
4	11-20	200-500	12-16	60%	30	
Aggregate (I	Radar Types 1-	4)		80%	120	
Note 1. Ch.	Note 1. Chart Dules Dader Type 0 should be used for the detection bandwidth test, should may					

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ags.com"

邮编: 518057



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 32 of 330

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition Frequency Number	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)	
1	1930.5	518	
2	1858.7	538	
3	1792.1	558	
4	1730.1	578	
5	1672.2	598	
6	1618.1	618	
7	1567.4	638	
8	1519.8	658	
9	1474.9	678	
10	1432.7	698	
11	1392.8	718	
12	1355	738	
13	1319.3	758	
14	1285.3	778	
15	1253.1	798	
16	1222.5	818	
17	1193.3	838	
18	1165.6	858	
19	1139	878	
20	1113.6	898	
21	1089.3	918	
22	1066.1	938	
23	326.2	3066	

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful	Minimum Percentage	
		Detections	of Successful	
			Detection	
1	35	29	82.9%	
2	30	18	60%	
3	30	27	90%	
4	50	44	88%	
Aggregate $(82.9\% + 60\% + 90\% + 88\%)/4 = 80.2\%$				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's soile responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@ags.com

t (86-755) 26012053 www.sgsgroup.com.cn

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000826RG04

Page: 33 of 330

Table 6 - Long Pulse Radar Test Waveform

Radar	Pulse	Chirp	PRI	Number	Number	Minimum	Minimum
Type	Width	Width	(µsec)	of Pulses	of Bursts	Percentage of	Number of
	(µsec)	(MHz)		per Burst		Successful	Trials
						Detection	
5	50-100	5-20	1000-	1-3	8-20	80%	30
			2000				

Table 7 – Frequency Hopping Radar Test Waveform

Radar	Pulse	PRI	Pulses	Hopping	Hopping	Minimum	Minimum
Type	Width	(µsec)		Rate	Sequence	Percentage of	Number of
6	(µsec)	333	Hop 9	(kHz) 0.333	Length (msec) 300	Successful Detection 70%	Trials 30

4.11.4 Response Requirements

Table 4: DFS Response Requirement Values

Parameter	Value		
Non-occupancy period	Minimum 30 minutes		
Channel Availability Check Time	60 seconds		
Channel Move Time	10 seconds		
	See Note 1.		
Channel Closing Transmission Time	200 milliseconds + an		
	aggregate of 60		
	milliseconds over remaining		
	10 second period.		
	See Notes 1 and 2.		
U-NII Detection Bandwidth	Minimum 100% of the U-		
	NII 99% transmission		
	power bandwidth. See Note		
	3.		

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. **Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each

frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053 t (86-755) 26012053 sgs.china@sgs.com

Report No.: ZEWM2306000826RG04

Page: 34 of 330

Measurement Uncertainty (95% confidence levels, k=2) 5

Lab A					
No.	Item	Measurement Uncertainty			
1	Radio Frequency	± 9.84Hz			
2	Duty cycle	± 0.185%			
3	Occupied Bandwidth	± 0.20%			
4	RF conducted power	± 0.42dB			
5	RF power density	± 1.97dB			
6	Conducted Spurious emissions	± 0.42dB			
7		±4.8dB (30MHz-1GHz)			
	Padiated Emission	±4.68dB (1GHz-6GHz)			
	Radiated Emission —	±4.52dB (6GHz-18GHz)			
		±5.26dB (18GHz-40GHz)			

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

Lab B						
No.	Item	Measurement Uncertainty				
1	Conduction Emission	± 2.90dB (150kHz to 30MHz)				
Daniel						

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.





Report No.: ZEWM2306000826RG04

Page: 35 of 330

Equipment List

Lab A RF Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Spectrum Analyzer	Keysight	N9020A	SZ-WRG-M-002	2022/11/18	2023/11/17		
Signal Generator	Keysight	N5181A	SZ-WRG-M-005	2022/11/18	2023/11/17		
DC power supply	Tonscend	TS0806-4ADC	SZ-WRG-A-007	NCR	NCR		
RF Control Unit	Tonscend	JS0806-2	SZ-WRG-M-008	2022/11/18	2023/11/17		
Radio Communication Tester	Rohde & Schwarz	CMW270	SZ-WRG-M-009	2023/02/16	2024/02/15		
Radio Communication Tester	Rohde & Schwarz	CMW-Z800A	SZ-WRG-M-010	NCR	NCR		
Signal Generator	Rohde & Schwarz	SMM100A	SZ-WRG-M-011	2023/02/22	2024/02/21		
Test Software	Tonscend	JS1120 V3.2.22	N/A	NCR	NCR		
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	SZ-WRG-M-077	2023/05/26	2024/05/25		
Spectrum Analyzer	Rohde & Schwarz	FSV	SZ-WRG-M-012	2023/02/16	2024/02/15		







SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 36 of 330

Lab A							
Radiated spurious emissions							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
EMI TEST RECEIVER	Rohde & Schwarz	ESR	SZ-WRG-M-047	2023/02/16	2024/02/15		
Signal &Spectrum Analyzer	Rohde & Schwarz	FSV	SZ-WRG-M-048	2023/02/16	2024/02/15		
Low Noise Amplifier 9K- 3GHz	Tonscend	TAP9K3G32	SZ-WRG-M-049	2023/02/16	2024/02/15		
Low Noise Amplifier 30M- 8GHz	Tonscend	TAP30M8G30	SZ-WRG-M-050	2023/02/16	2024/02/15		
Low Noise Amplifier 1G- 18GHz	Tonscend	TAP01018050	SZ-WRG-M-051	2023/02/16	2024/02/15		
Low Noise Amplifier 18G- 40GHz	Tonscend	TAP18040048	SZ-WRG-M-052	2023/02/16	2024/02/15		
Active Loop Antenna 9kHz- 30MHz	SCHWARZBECK	FMZB 1519B	SZ-WRG-M-053	2022/01/16	2024/01/15		
TRILOG Breitband Antenne 30MHz- 1GHz	SCHWARZBECK	VULB 9168	SZ-WRG-M-054	2022/01/16	2024/01/15		
Double Ridge Horn Antenna 1GHz-18GHz	SCHWARZBECK	BBHA 9120 D	SZ-WRG-M-055	2022/01/16	2024/01/15		
SHF-EHF Horn 15GHz-40GHz	SCHWARZBECK	BBHA 9170	SZ-WRG-M-056	2022/01/16	2024/01/15		
RSE Test Software	Tonscend	JS32-RSE V4.0.0	SZ-WRG-M-058	NCR	NCR		
Chamber	CRTSGSSAC966	N/A	SZ-WRG-C-063	2022/01/05	2025/01/04		
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	SZ-WRG-M-022	2023/02/17	2024/02/16		
Spectrum Analyzer	Keysight	N9020A	SZ-WRG-M-002	2022/11/18	2023/11/17		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053

sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 37 of 330

	Con	Lab B			
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

Report No.: ZEWM2306000826RG04

Page: 38 of 330

7 **Photographs - Setup Photos**

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

邮编: 518057

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

t (86-755) 26012053

Report No.: ZEWM2306000826RG04

Page: 39 of 330

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000826RG04

Page: 40 of 330

Emission Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
		5180	22.36	5169.20	5191.56	
		5220	20.96	5209.48	5230.44	
		5240	21.80	5228.88	5250.68	
		5260	21.80	5249.04	5270.84	
		5300	21.44	5289.24	5310.68	
		5320	21.56	5309.28	5330.84	
		5500	21.28	5489.36	5510.64	
11a	Ant0	5580	21.04	5569.44	5590.48	
		5700	21.72	5689.08	5710.80	
		5720	21.48	5709.08	5730.56	
		5720_UNII-2C	15.92	5709.08	5725	
		5720_UNII-3	5.56	5725	5730.56	
		5745	21.56	5733.88	5755.44	
		5785	21.36	5774.28	5795.64	
		5825	21.84	5813.84	5835.68	
		5180	21.96	5169.24	5191.20	
		5220	22.84	5209.00	5231.84	
		5240	22.04	5228.92	5250.96	For Report Purpose
		5260	21.92	5249.04	5270.96	
		5300	21.80	5289.04	5310.84	
		5320	21.92	5308.92	5330.84	
		5500	22.00	5489.16	5511.16	
11n20SISO	Ant0	5580	22.16	5568.92	5591.08	
		5700	21.68	5689.12	5710.80	
		5720	21.88	5709.04	5730.92	
		5720_UNII-2C	15.96	5709.04	5725	
		5720_UNII-3	5.92	5725	5730.92	
		5745	21.64	5734.16	5755.80	
		5785	21.88	5773.96	5795.84	
		5825	21.76	5814.24	5836.00	
		5190	42.64	5168.80	5211.44	
		5230	42.48	5208.72	5251.20	
		5270	42.64	5248.80	5291.44	
		5310	42.80	5288.48	5331.28	
	5510 42.64	5488.88	5531.52			
11n40SISO	Ant0	5550	42.24	5528.80	5571.04	
		5670	42.40	5648.64	5691.04	
		5710	41.92	5688.96	5730.88	
	5710 UNII-2C 36.04 5710 UNII-3 5.88	5688.96	5725			
			5725	5730.88		
		5755	42.08	5734.12	5776.20	
		5795	42.56	5773.48	5816.04	
		5180	21.60	5169.04	5190.64	
		5220	21.20	5209.44	5230.64	
1100200100	A 1540	5240	21.36	5229.32	5250.68	
11ac20SISO	Ant0	5260	21.12	5249.48	5270.60	
		5300	21.64	5289.28	5310.92	
		5320	21.12	5309.36	5330.48	
		5500	21.44	5489.28	5510.72	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ags.com"

邮编: 518057

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

t (86-755) 26012053





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 41 of 330

		5580	21.48	5569.20	5590.68
		5700	21.16	5689.40	5710.56
		5720	21.60	5708.92	5730.52
		5720_UNII-2C	16.08	5708.92	5725
		5720_UNII-3	5.52	5725	5730.52
		5745	20.96	5734.28	5755.24
		5785	20.96	5774.44	5795.40
		5825	21.40	5814.24	5835.64
	Ant0	5190	42.40	5169.04	5211.44
		5230	42.32	5209.20	5251.52
		5270	42.24	5248.72	5290.96
		5310	42.08	5289.04	5331.12
11ac40SISO		5510	41.76	5488.88	5530.64
		5550	42.72	5528.88	5571.60
		5670	42.72	5648.48	5691.20
		5710	41.76	5688.96	5730.72
		5710_UNII-2C	36.04	5688.96	5725
		5710_UNII-3	5.72	5725	5730.72
		5755	42.48	5733.48	5775.96
		5795	42.64	5773.64	5816.28
	Ant0	5210	83.68	5168.72	5252.40
		5290	84.32	5247.92	5332.24
		5530	82.88	5488.72	5571.60
11ac80SISO		5610	82.40	5568.88	5651.28
		5690	82.24	5648.88	5731.12
		5690_UNII-2C	76.12	5648.88	5725
		5690_UNII-3	6.12	5725	5731.12
		<u>5</u> 775	82.88	5733.56	5816.44



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sindings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053

www.sgsgroup.com.cn sgs.china@sgs.com




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 42 of 330

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 43 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 44 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"


中国・广东・深圳市南山区科技园中区M-10栋1号厂房



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 45 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 46 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 47 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 48 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 49 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 50 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 51 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 52 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 53 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 54 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 55 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 56 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 57 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 58 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"


t (86-755) 26012053



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 59 of 330








SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000826RG04

Page: 60 of 330





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sqs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@as.com"