



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: WI-FI Combination Smoke and Carbon Monoxide Alarm with Voice and Location

Test Model: XP0A-iR

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.997	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.012	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.942	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.316	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.326	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.277	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.292	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.285	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.49	0	-0.49	21	Pass
NVNT	1-DH5	2441	Ant1	-0.06	0	-0.06	21	Pass
NVNT	1-DH5	2480	Ant1	-0.4	0	-0.4	21	Pass
NVNT	2-DH5	2402	Ant1	-0.67	0	-0.67	21	Pass
NVNT	2-DH5	2441	Ant1	-0.62	0	-0.62	21	Pass
NVNT	2-DH5	2480	Ant1	1.05	0	1.05	21	Pass
NVNT	3-DH5	2402	Ant1	-0.3	0	-0.3	21	Pass
NVNT	3-DH5	2441	Ant1	-0.52	0	-0.52	21	Pass
NVNT	3-DH5	2480	Ant1	0.39	0	0.39	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1





A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.014	2402.844	0.83	0.665	Pass
NVNT	2-DH5	Ant1	2402.034	2403.104	1.07	0.877	Pass
NVNT	3-DH5	Ant1	2402.036	2403.038	1.002	0.851	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	325.808	112	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	304.29	105	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	341.846	118	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.84	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.4	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.1	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-55.87	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-47.86	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.82	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-53.06	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.74	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-53.35	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-55.39	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-52.49	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.95	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.94	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.26	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.92	-20	Pass
NVNT	2-DH5	2402	Ant1	-51.96	-20	Pass
NVNT	2-DH5	2441	Ant1	-51.83	-20	Pass
NVNT	2-DH5	2480	Ant1	-54.32	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.61	-20	Pass
NVNT	3-DH5	2441	Ant1	-52.5	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.23	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	76.37	1.17	0.36
NVNT	3-DH5	2480	Ant1	76.37	1.17	0.36




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.87	3.42	-	47.81	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.75	3.42	1.1	41.03	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2384.592	-47.39	3.42	-	51.29	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.552	-57.51	3.42	1.1	42.27	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.87	3.42	-	47.81	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.39	3.42	1.1	41.39	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.48	3.42	-	50.2	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.67	3.42	1.1	42.11	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2490.472	-47.23	3.42	-	51.45	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2492.584	-57.19	3.42	1.1	42.59	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-51.19	3.42	-	47.49	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.06	3.42	1.1	41.72	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.62	3.42	-	48.06	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.66	3.42	1.12	41.14	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2324.784	-47.28	3.42	-	51.4	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2364.144	-57.53	3.42	1.12	42.27	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.12	3.42	-	47.56	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-57.8	3.42	1.12	42	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-47.26	3.42	-	51.42	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.23	3.42	1.12	42.57	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2485.36	-46.07	3.42	-	52.61	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.656	-56.93	3.42	1.12	42.87	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.58	3.42	-	50.1	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.06	3.42	1.12	41.74	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.59	3.42	-	49.09	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.42	3.42	1.12	41.38	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2332.272	-47.64	3.42	-	51.04	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2326.128	-57.55	3.42	1.12	42.25	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.86	3.42	-	49.82	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.91	3.42	1.12	41.89	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-47.94	3.42	-	50.74	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-56.78	3.42	1.17	43.07	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.56	-46.74	3.42	-	51.94	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-56.78	3.42	1.17	43.07	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.97	3.42	-	48.71	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.86	3.42	1.17	41.99	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

