






Chain 1:




Maximum power spectral density

802.11a
Lowest Channel802.11a
Middle Channel802.11a
Highest Channel


Maximum power spectral density

802.11a
Additional Channel802.11n ht20
Lowest Channel802.11n ht20
Middle Channel


Maximum power spectral density

802.11n ht20
Highest Channel802.11n ht20
Additional Channel802.11n ht40
Lowest Channel


802.11n ht40
Middle Channel






802.11n ht40
Highest Channel



802.11n ht40
Additional Channel






Maximum power spectral density

802.11ac vht80
Lowest Channel802.11ac vht80
Highest Channel802.11ac vht80
Additional Channel




5725-5850MHz

Chain0:




Maximum power spectral density

802.11a
Lowest Channel802.11a
Middle Channel802.11a
Highest Channel

Maximum power spectral density




802.11n ht20
Lowest Channel802.11n ht20
Middle Channel802.11n ht20
Highest Channel

Maximum power spectral density




802.11n ht40
Lowest Channel802.11n ht40
Highest Channel802.11ac vht80
Middle Channel

Chain1:


Maximum power spectral density

802.11a
Lowest Channel802.11a
Middle Channel802.11a
Highest Channel


Maximum power spectral density

802.11n ht20
Lowest Channel802.11n ht20
Middle Channel802.11n ht20
Highest Channel


Maximum power spectral density

802.11n ht40
Lowest Channel

Date: 27, JUL, 2022 09:38:43

802.11n ht40
Highest Channel

Date: 27, JUL, 2022 09:39:55

802.11ac vht80
Middle Channel

Date: 27, JUL, 2022 09:41:16

4.6 Duty Cycle:

Serial Number:	CR22070003-RF-S1	Test Date:	2022-07-27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Julie Tan	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.9	Relative Humidity: (%)	41	ATM Pressure: (kPa)	100.2
----------------------	------	------------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101943	2021-10-10	2022-10-09
zhuoxiang	Coaxial Cable	SMA-178	211002	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A


** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

Test Modes	Ton (ms)	Ton+off (ms)	Duty cycle (%)
802.11a	1.387	1.463	94.81
802.11n ht20	0.611	0.704	86.79
802.11n ht40	0.322	0.414	77.78
802.11ac vht80	0.058	0.159	36.48


Duty Cycle

802.11a




Date: 27.JUL.2022 11:46:12

802.11n ht20




Date: 27.JUL.2022 11:47:54

802.11n ht40



Date: 27.JUL.2022 11:49:13



==== END OF REPORT ====