




Test Mode : 802.11be EHT20_FullIRU


Test Channel : 11

100kHz PSD reference Level




Date: 12 JUN 2024 16:56:37

Low Channel Plot




Date: 12 JUN 2024 16:57:50

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 16:57:08

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 16:57:25




Test Mode : 802.11be EHT40_FullIRU

Test Channel : 03


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11be EHT40_FullIRU


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11be EHT40_FullIRU


Test Channel : 09

100kHz PSD reference Level




Date: 12 JUN 2024 17:43:04

High Channel Plot




Date: 12 JUN 2024 17:44:22

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 17:43:42

Spurious Emission 1GHz~26.5GHz



Date: 12 JUN 2024 17:44:00




Number of TX = 2, Ant. 1 (Measured)


Test Mode : 802.11b

Test Channel : 01


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11b


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11b


Test Channel : 11

100kHz PSD reference Level




Date: 29.MAY.2024 17:02:50

High Channel Plot




Date: 29.MAY.2024 17:03:51

Spurious Emission 30MHz~1GHz



Date: 29.MAY.2024 17:03:20

Spurious Emission 1GHz~26.5GHz




Date: 29.MAY.2024 17:03:36




Test Mode : 802.11g

Test Channel : 01


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11g

Test Channel : 02


100kHz PSD reference Level




Middle Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11g


Test Channel : 06

100kHz PSD reference Level




High Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11g


Test Channel : 09

100kHz PSD reference Level




Date: 12 JUN 2024 10:56:09

Low Channel Plot




Date: 12 JUN 2024 10:57:58

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 10:56:40

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 10:57:20



Test Mode : 802.11g


Test Channel : 10

100kHz PSD reference Level




Date: 4 JUN 2024 16:21:19

Middle Channel Plot




Date: 4 JUN 2024 16:23:20

Spurious Emission 30MHz~1GHz



Date: 4 JUN 2024 16:21:50

Spurious Emission 1GHz~26.5GHz




Date: 4 JUN 2024 16:22:13



Test Mode : 802.11g


Test Channel : 11

100kHz PSD reference Level




Date: 12 JUN 2024 11:46:47

High Channel Plot




Date: 12 JUN 2024 11:48:21

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 11:47:26

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 11:47:44



Test Mode : 802.11ac VHT20


Test Channel : 01

100kHz PSD reference Level




Date: 12 JUN 2024 14:01:09

Low Channel Plot




Date: 12 JUN 2024 14:02:58

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 14:01:50

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 14:02:18




Test Mode : 802.11ac VHT20

Test Channel : 02


100kHz PSD reference Level




Middle Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ac VHT20


Test Channel : 06

100kHz PSD reference Level




High Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ac VHT20


Test Channel : 10

100kHz PSD reference Level




Date: 12 JUN 2024 14:36:23

Low Channel Plot




Date: 12 JUN 2024 14:38:02

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 14:37:13

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 14:37:36



Test Mode : 802.11ac VHT20


Test Channel : 11

100kHz PSD reference Level




Date: 12 JUN 2024 14:49:20

Middle Channel Plot




Date: 12 JUN 2024 14:50:49

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 14:49:50

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 14:50:16




Test Mode : 802.11ac VHT40

Test Channel : 03


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11ac VHT40

Test Channel : 06


100kHz PSD reference Level



Date: 12 JUN 2024 15:24:51


Middle Channel Plot

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 15:25:43

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 15:26:12




Test Mode : 802.11ac VHT40

Test Channel : 09


100kHz PSD reference Level




High Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT20_FullIRU

Test Channel : 01


100kHz PSD reference Level




Low Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11be EHT20_FullIRU


Test Channel : 02

100kHz PSD reference Level




Date: 12 JUN 2024 16:21:45

Middle Channel Plot




Date: 12 JUN 2024 16:23:25

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 16:22:22

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 16:22:49



Test Mode : 802.11be EHT20_FullIRU


Test Channel : 03

100kHz PSD reference Level




Date: 12 JUN 2024 19:04:28

High Channel Plot




Date: 12 JUN 2024 19:05:37

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 19:04:53

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 19:05:19



Test Mode : 802.11be EHT20_FullIRU


Test Channel : 06

100kHz PSD reference Level




Low Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz






Test Mode : 802.11be EHT20_FullIRU


Test Channel : 09

100kHz PSD reference Level




Date: 12 JUN 2024 16:40:21

Middle Channel Plot




Date: 12 JUN 2024 16:41:35

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 16:40:53

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 16:41:11



Test Mode : 802.11be EHT20_FullIRU


Test Channel : 10

100kHz PSD reference Level




Date: 12 JUN 2024 16:51:10

High Channel Plot




Date: 12 JUN 2024 16:53:12

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 16:51:39

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 16:52:04



Test Mode : 802.11be EHT20_FullIRU


Test Channel : 11

100kHz PSD reference Level




Date: 12 JUN 2024 17:02:22

Low Channel Plot




Date: 12 JUN 2024 17:03:36

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 17:02:45

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 17:03:20



Test Mode : 802.11be EHT40_FullIRU


Test Channel : 03

100kHz PSD reference Level




Date: 12 JUN 2024 17:21:12

Low Channel Plot




Date: 12 JUN 2024 17:22:22

Spurious Emission 30MHz~1GHz



Date: 12 JUN 2024 17:21:40

Spurious Emission 1GHz~26.5GHz




Date: 12 JUN 2024 17:22:00



Test Mode : 802.11be EHT40_FullIRU


Test Channel : 06

100kHz PSD reference Level




Middle Channel Plot

Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz







Test Mode : 802.11be EHT40_FullIRU

Test Channel : 09


100kHz PSD reference Level




High Channel Plot



Spurious Emission 30MHz~1GHz



Spurious Emission 1GHz~26.5GHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 422010

Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	28.85	55.88	27.03	L1	OFF	19.8
0.152250	37.10	---	65.88	28.78	L1	OFF	19.8
0.174750	---	26.08	54.73	28.65	L1	OFF	19.8
0.174750	32.96	---	64.73	31.77	L1	OFF	19.8
0.802500	---	33.39	46.00	12.61	L1	OFF	19.8
0.802500	38.75	---	56.00	17.25	L1	OFF	19.8
2.384250	---	18.37	46.00	27.63	L1	OFF	19.8
2.384250	26.31	---	56.00	29.69	L1	OFF	19.8
18.944250	---	31.61	50.00	18.39	L1	OFF	19.9
18.944250	37.03	---	60.00	22.97	L1	OFF	19.9
25.314000	---	31.53	50.00	18.47	L1	OFF	20.0
25.314000	36.49	---	60.00	23.51	L1	OFF	20.0

EUT Information

Report NO : 422010

Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	27.52	55.88	28.36	N	OFF	19.8
0.152250	36.65	---	65.88	29.23	N	OFF	19.8
0.174750	---	25.62	54.73	29.11	N	OFF	19.8
0.174750	33.82	---	64.73	30.91	N	OFF	19.8
0.802500	---	34.10	46.00	11.90	N	OFF	19.8
0.802500	39.43	---	56.00	16.57	N	OFF	19.8
2.474250	---	20.34	46.00	25.66	N	OFF	19.8
2.474250	27.07	---	56.00	28.93	N	OFF	19.8
16.023750	---	30.55	50.00	19.45	N	OFF	20.0
16.023750	35.25	---	60.00	24.75	N	OFF	20.0
26.045250	---	31.06	50.00	18.94	N	OFF	20.2
26.045250	36.14	---	60.00	23.86	N	OFF	20.2



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	BANK Lin, Fred Tseng and Karl Ho	Temperature :	20~25°C
		Relative Humidity :	50~65%

C1. Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 13	2400-2483.5	0+1	802.11b	01	2412	1Mbps	-	-
Mode 14	2400-2483.5	0+1	802.11b	06	2437	1Mbps	-	-
Mode 15	2400-2483.5	0+1	802.11b	11	2462	1Mbps	-	-
Mode 16	2400-2483.5	0+1	802.11g	01	2412	6Mbps	-	-
Mode 17	2400-2483.5	0+1	802.11g	02	2417	6Mbps	-	-
Mode 18	2400-2483.5	0+1	802.11g	06	2437	6Mbps	-	-
Mode 19	2400-2483.5	0+1	802.11g	09	2452	6Mbps	-	-
Mode 20	2400-2483.5	0+1	802.11g	10	2457	6Mbps	-	-
Mode 21	2400-2483.5	0+1	802.11g	11	2462	6Mbps	-	-
Mode 22	2400-2483.5	0+1	802.11ac VHT20	01	2412	MCS0	-	-
Mode 23	2400-2483.5	0+1	802.11ac VHT20	02	2417	MCS0	-	-



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 24	2400-2483.5	0+1	802.11ac VHT20	06	2437	MCS0	-	-
Mode 25	2400-2483.5	0+1	802.11ac VHT20	10	2457	MCS0	-	-
Mode 26	2400-2483.5	0+1	802.11ac VHT20	11	2462	MCS0	-	-
Mode 27	2400-2483.5	0+1	802.11ac VHT40	03	2422	MCS0	-	-
Mode 28	2400-2483.5	0+1	802.11ac VHT40	06	2437	MCS0	-	-
Mode 29	2400-2483.5	0+1	802.11ac VHT40	09	2452	MCS0	-	-
Mode 30	2400-2483.5	0+1	802.11be EHT20	01	2412	MCS0	Full RU	-
Mode 31	2400-2483.5	0+1	802.11be EHT20	02	2417	MCS0	Full RU	-
Mode 32	2400-2483.5	0+1	802.11be EHT20	03	2422	MCS0	Full RU	-
Mode 33	2400-2483.5	0+1	802.11be EHT20	06	2437	MCS0	Full RU	-
Mode 34	2400-2483.5	0+1	802.11be EHT20	09	2452	MCS0	Full RU	-
Mode 35	2400-2483.5	0+1	802.11be EHT20	10	2457	MCS0	Full RU	-
Mode 36	2400-2483.5	0+1	802.11be EHT20	11	2462	MCS0	Full RU	-
Mode 37	2400-2483.5	0+1	802.11be EHT40	03	2422	MCS0	Full RU	-
Mode 38	2400-2483.5	0+1	802.11be EHT40	06	2437	MCS0	Full RU	-
Mode 39	2400-2483.5	0+1	802.11be EHT40	09	2452	MCS0	Full RU	-
Mode 40	2400-2483.5	0+1	802.11be EHT20	06	2437	MCS0	Full RU	LF
Mode 41	2400-2483.5	0+1	802.11be EHT20	06	2437	MCS0	Full RU	SHF

C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
13	802.11b	01	2387.22	49.57	54.00	-4.43	H	Avg.	Pass	-	Band Edge
	802.11b	01	4824.00	48.59	54.00	-5.41	H	Avg.	Pass	-	Harmonic
14	802.11b	06	2386.07	50.79	54.00	-3.21	H	Avg.	Pass	-	Band Edge
	802.11b	06	7311.00	49.46	54.00	-4.54	H	Avg.	Pass	-	Harmonic
15	802.11b	11	2483.55	50.97	54.00	-3.03	H	Avg.	Pass	-	Band Edge
	802.11b	11	7386.00	50.79	54.00	-3.21	H	Avg.	Pass	-	Harmonic
16	802.11g	01	2389.69	48.40	54.00	-5.60	H	Avg.	Pass	-	Band Edge
	802.11g	01	4824.00	45.06	74.00	-28.94	H	Peak	Pass	-	Harmonic
17	802.11g	02	2389.94	53.23	54.00	-0.77	V	Avg.	Pass	-	Band Edge
	802.11g	02	-	-	-	-	-	-	-	-	Harmonic
18	802.11g	06	2483.94	51.33	54.00	-2.67	V	Avg.	Pass	-	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
18	802.11g	06	7311.00	48.48	54.00	-5.52	H	Avg.	Pass	-	Harmonic
19	802.11g	09	2483.62	53.34	54.00	-0.66	V	Avg.	Pass	-	Band Edge
	802.11g	09	-	-	-	-	-	-	-	-	Harmonic
20	802.11g	10	2484.31	51.68	54.00	-2.32	V	Avg.	Pass	-	Band Edge
	802.11g	10	-	-	-	-	-	-	-	-	Harmonic
21	802.11g	11	2484.42	52.88	54.00	-1.12	V	Avg.	Pass	-	Band Edge
	802.11g	11	7386.00	44.64	54.00	-9.36	V	Avg.	Pass	-	Harmonic
22	802.11ac VHT20	01	2389.69	51.58	54.00	-2.42	H	Avg.	Pass	-	Band Edge
	802.11ac VHT20	01	4824.00	46.31	74.00	-27.69	V	Peak	Pass	-	Harmonic
23	802.11ac VHT20	02	2389.94	53.55	54.00	-0.45	V	Avg.	Pass	-	Band Edge
	802.11ac VHT20	02	-	-	-	-	-	-	-	-	Harmonic
24	802.11ac VHT20	06	2389.76	53.63	54.00	-0.37	H	Avg.	Pass	-	Band Edge
	802.11ac VHT20	06	7311.00	47.54	54.00	-6.46	V	Avg.	Pass	-	Harmonic
25	802.11ac VHT20	10	2484.35	53.47	54.00	-0.53	V	Avg.	Pass	-	Band Edge
	802.11ac VHT20	10	-	-	-	-	-	-	-	-	Harmonic
26	802.11ac VHT20	11	2483.77	53.38	54.00	-0.62	V	Avg.	Pass	-	Band Edge
	802.11ac VHT20	11	7386.00	42.78	54.00	-11.22	V	Avg.	Pass	-	Harmonic
27	802.11ac VHT40	03	2389.97	53.38	54.00	-0.62	H	Avg.	Pass	-	Band Edge
	802.11ac VHT40	03	7266.00	40.20	54.00	-13.80	V	Avg.	Pass	-	Harmonic
28	802.11ac VHT40	06	2389.88	52.60	54.00	-1.4	H	Avg.	Pass	-	Band Edge
	802.11ac VHT40	06	7311.00	40.07	54.00	-13.93	V	Avg.	Pass	-	Harmonic
29	802.11ac VHT40	09	2483.78	53.41	54.00	-0.59	H	Avg.	Pass	-	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
29	802.11ac VHT40	09	7356.00	39.98	54.00	-14.02	V	Avg.	Pass	-	Harmonic
30	802.11be EHT20	01	2389.56	51.87	54.00	-2.13	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	01	4824.00	45.96	74.00	-28.04	H	Peak	Pass	Full RU	Harmonic
31	802.11be EHT20	02	2389.66	50.39	54.00	-3.61	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	02	-	-	-	-	-	-	-	Full RU	Harmonic
32	802.11be EHT20	03	2389.52	53.60	54.00	-0.40	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	03	-	-	-	-	-	-	-	Full RU	Harmonic
33	802.11be EHT20	06	2483.81	53.64	54.00	-0.36	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	06	7311.00	46.39	54.00	-7.61	V	Avg.	Pass	Full RU	Harmonic
34	802.11be EHT20	09	2483.66	52.09	54.00	-1.91	V	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	09	-	-	-	-	-	-	-	Full RU	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
35	802.11be EHT20	10	2486.80	49.68	54.00	-4.32	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	10	-	-	-	-	-	-	-	Full RU	Harmonic
36	802.11be EHT20	11	2483.51	53.25	54.00	-0.75	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT20	11	7386.00	39.66	54.00	-14.34	V	Avg.	Pass	Full RU	Harmonic
37	802.11be EHT40	03	2389.86	53.41	54.00	-0.59	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	03	7266.00	40.76	54.00	-13.24	H	Avg.	Pass	Full RU	Harmonic
38	802.11be EHT40	06	2484.82	52.86	54.00	-1.14	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	06	7311.00	40.77	54.00	-13.23	V	Avg.	Pass	Full RU	Harmonic
39	802.11be EHT40	09	2483.87	53.28	54.00	-0.72	H	Avg.	Pass	Full RU	Band Edge
	802.11be EHT40	09	7356.00	40.89	54.00	-13.11	H	Avg.	Pass	Full RU	Harmonic
40	LF	06	465.53	39.57	46.00	-6.43	V	Peak	Pass	-	LF
41	SHF	06	24893.40	37.06	74.00	-36.94	V	Peak	Pass	-	SHF





Mode	13																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.48</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>44.55</td><td>26.93</td><td>8.52</td><td>32.35</td><td>10.03</td><td>200</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	57.68	74.00	-16.32	44.55	26.93	8.52	32.35	10.03	200	6 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>118.61</td><td>-----</td><td>-----</td><td>105.42</td><td>26.96</td><td>8.57</td><td>32.37</td><td>10.03</td><td>200</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	118.61	-----	-----	105.42	26.96	8.57	32.37	10.03	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2387.48	57.68	74.00	-16.32	44.55	26.93	8.52	32.35	10.03	200	6 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	118.61	-----	-----	105.42	26.96	8.57	32.37	10.03	200	6 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.22</td><td>49.57</td><td>54.00</td><td>-4.43</td><td>36.44</td><td>26.93</td><td>8.52</td><td>32.35</td><td>10.03</td><td>200</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	49.57	54.00	-4.43	36.44	26.93	8.52	32.35	10.03	200	6 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>114.01</td><td>-----</td><td>-----</td><td>100.81</td><td>26.98</td><td>8.56</td><td>32.37</td><td>10.03</td><td>200</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.01	-----	-----	100.81	26.98	8.56	32.37	10.03	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2387.22	49.57	54.00	-4.43	36.44	26.93	8.52	32.35	10.03	200	6 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	114.01	-----	-----	100.81	26.98	8.56	32.37	10.03	200	6 AVERAGE																																																																																						





Mode	13																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	0+1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>40.70</td><td>26.91</td><td>8.52</td><td>32.35</td><td>10.03</td><td>128</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	53.81	74.00	-20.19	40.70	26.91	8.52	32.35	10.03	128	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.69</td><td>-----</td><td>-----</td><td>97.50</td><td>26.96</td><td>8.57</td><td>32.37</td><td>10.03</td><td>100</td><td>128</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.69	-----	-----	97.50	26.96	8.57	32.37	10.03	100	128	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.43	53.81	74.00	-20.19	40.70	26.91	8.52	32.35	10.03	128	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	110.69	-----	-----	97.50	26.96	8.57	32.37	10.03	100	128	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>33.70</td><td>26.91</td><td>8.52</td><td>32.35</td><td>10.03</td><td>100</td><td>128</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	46.81	54.00	-7.19	33.70	26.91	8.52	32.35	10.03	100	128	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.57</td><td>-----</td><td>-----</td><td>93.37</td><td>26.98</td><td>8.56</td><td>32.37</td><td>10.03</td><td>100</td><td>128</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.57	-----	-----	93.37	26.98	8.56	32.37	10.03	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.43	46.81	54.00	-7.19	33.70	26.91	8.52	32.35	10.03	100	128	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	106.57	-----	-----	93.37	26.98	8.56	32.37	10.03	100	128	AVERAGE																																																																																						







Mode	13																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																			
ANT	0+1																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>39.60</td><td>32.40</td><td>12.33</td><td>33.50</td><td>0.72</td><td>100</td><td>161</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>36.64</td><td>32.40</td><td>12.33</td><td>33.50</td><td>0.72</td><td>100</td><td>161</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	51.55	74.00	-22.45	39.60	32.40	12.33	33.50	0.72	100	161	Peak	2	4824.00	48.59	54.00	-5.41	36.64	32.40	12.33	33.50	0.72	100	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4824.00	51.55	74.00	-22.45	39.60	32.40	12.33	33.50	0.72	100	161	Peak																																																								
2	4824.00	48.59	54.00	-5.41	36.64	32.40	12.33	33.50	0.72	100	161	Average																																																								
Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN VERTICAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>40.02</td><td>32.40</td><td>12.33</td><td>33.50</td><td>0.72</td><td>200</td><td>338</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>35.64</td><td>32.40</td><td>12.33</td><td>33.50</td><td>0.72</td><td>200</td><td>338</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	51.97	74.00	-22.03	40.02	32.40	12.33	33.50	0.72	200	338	Peak	2	4824.00	47.59	54.00	-6.41	35.64	32.40	12.33	33.50	0.72	200	338	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4824.00	51.97	74.00	-22.03	40.02	32.40	12.33	33.50	0.72	200	338	Peak																																																								
2	4824.00	47.59	54.00	-6.41	35.64	32.40	12.33	33.50	0.72	200	338	Average																																																								



Mode	13	
	Harmonic	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN VERTICAL



Mode	14																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_802.11b_CH06_2437MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: PEAK_74 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.23</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>44.43</td><td>26.92</td><td>8.52</td><td>32.35</td><td>10.03</td><td>200</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.23	57.55	74.00	-16.45	44.43	26.92	8.52	32.35	10.03	200	6 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>117.06</td><td>-----</td><td>104.00</td><td>26.80</td><td>8.61</td><td>32.38</td><td>10.03</td><td>200</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.06	-----	104.00	26.80	8.61	32.38	10.03	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2386.23	57.55	74.00	-16.45	44.43	26.92	8.52	32.35	10.03	200	6 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2437.00	117.06	-----	104.00	26.80	8.61	32.38	10.03	200	6 PEAK																																																																																						
Avg																																																																																																
	Site : 03CH22-HY Condition: AVG_BE_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.07</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>37.66</td><td>26.94</td><td>8.51</td><td>32.35</td><td>10.03</td><td>200</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.07	50.79	54.00	-3.21	37.66	26.94	8.51	32.35	10.03	200	6 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>113.59</td><td>-----</td><td>100.53</td><td>26.80</td><td>8.61</td><td>32.38</td><td>10.03</td><td>200</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	113.59	-----	100.53	26.80	8.61	32.38	10.03	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2386.07	50.79	54.00	-3.21	37.66	26.94	8.51	32.35	10.03	200	6 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2437.00	113.59	-----	100.53	26.80	8.61	32.38	10.03	200	6 AVERAGE																																																																																						