


Alco (Model: 9025A), Frequency: 2403.648 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (85°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.522 mW/g, SAR (1g): 0.285 mW/g, SAR (10g): 0.160 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.4, 8.6) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.5



Alco (Model: 9025A), Frequency: 2441.664 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (85°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.616 mW/g, SAR (1g): 0.335 mW/g, SAR (10g): 0.187 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.5, 8.5) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.5



Alco (Model: 9025A), Frequency: 2441.664 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.8 (7.4, 8.5) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.5



Alco (Model: 9025A), Frequency: 2479.680 MHz (Left Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (85°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.492 mW/g, SAR (1g): 0.266 mW/g, SAR (10g): 0.146 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.3, 8.3) [mm]; Powerdrift: 0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.5



Alco (Model: 9025A), Frequency: 2403.648 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (100°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.492 mW/g, SAR (1g): 0.271 mW/g, SAR (10g): 0.152 mW/g, (Worst-case extrapolation)
Penetration depth: 7.9 (7.6, 8.5) [mm]; Powerdrift: 0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.8



Alco (Model: 9025A), Frequency: 2441.664 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (100°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.545 mW/g, SAR (1g): 0.295 mW/g, SAR (10g): 0.164 mW/g, (Worst-case extrapolation)
Penetration depth: 7.7 (7.4, 8.3) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.8



Alco (Model: 9025A), Frequency: 2441.664 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.6 (7.3, 8.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.8



Alco (Model: 9025A), Frequency: 2479.680 MHz (Left Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Left Hand Section; Position: (100°,60°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.439 mW/g, SAR (1g): 0.236 mW/g, SAR (10g): 0.129 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.2, 8.2) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 19.8



Alco (Model: 9025A), Frequency: 2403.648 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (85°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.521 mW/g, SAR (1g): 0.283 mW/g, SAR (10g): 0.156 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.4, 8.6) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2441.664 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (85°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.564 mW/g, SAR (1g): 0.305 mW/g, SAR (10g): 0.167 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.3, 8.3) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2441.664 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.7 (7.4, 8.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2479.680 MHz (Right Touch)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (85°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.431 mW/g, SAR (1g): 0.232 mW/g, SAR (10g): 0.127 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.2, 8.2) [mm]; Powerdrift: -0.03 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2403.648 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (100°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.449 mW/g, SAR (1g): 0.244 mW/g, SAR (10g): 0.136 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.3, 8.3) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2441.664 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (100°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.519 mW/g, SAR (1g): 0.277 mW/g, SAR (10g): 0.152 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.1, 8.1) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2441.664 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:: , , ()
Penetration depth: 7.6 (7.3, 8.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2479.680 MHz (Right Tilt)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Head 2450MHz: $s = 1.97 \text{ mho/m}$ $\epsilon_r = 37.3$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Righ Hand Section; Position: (100°,300°)
Probe: ET3DV6 - SN1578; ConvF(4.50,4.50,4.50);
SAR:Cube 5x5x7: Peak: 0.406 mW/g, SAR (1g): 0.215 mW/g, SAR (10g): 0.117 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (7.0, 8.0) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 15.0, Dy = 14.0, Dz = 10.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2403.648 MHz (Body)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.405 mW/g, SAR (1g): 0.213 mW/g, SAR (10g): 0.120 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (6.9, 8.7) [mm]; Powerdrift: -0.07 dB
Coarse: Dx = 16.0, Dy = 17.0, Dz = 0.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2441.664 MHz (Body)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.508 mW/g, SAR (1g): 0.264 mW/g, SAR (10g): 0.147 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (6.7, 8.6) [mm]; Powerdrift: -0.03 dB
Coarse: Dx = 16.0, Dy = 17.0, Dz = 0.0


Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2441.664 MHz (Body)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.5 (6.8, 8.8) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0



Alco (Model: 9025A), Frequency: 2479.680 MHz (Body)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.2$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.357 mW/g, SAR (1g): 0.184 mW/g, SAR (10g): 0.102 mW/g, (Worst-case extrapolation)
Penetration depth: 7.1 (6.6, 8.3) [mm]; Powerdrift: -0.02 dB
Coarse: Dx = 16.0, Dy = 17.0, Dz = 0.0

Ambient Temperature (degree C): 21.0
Liquid Temperature (degree C): 20.0

