

Appendix A: Restricted Band

Mode:	BLE 1M-2402
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	-21.24	36.32	74.00	37.68	33.18	54.00	20.82	150	119	Horizontal	PASS
2	2382.16	-20.77	40.44	74.00	33.56	35.55	54.00	18.45	150	81	Horizontal	PASS
3	2384.32	-20.76	42.04	74.00	31.96	38.03	54.00	15.97	150	81	Horizontal	PASS
4	2387.52	-20.75	43.90	74.00	30.10	40.05	54.00	13.95	150	81	Horizontal	PASS
5	2389.68	-20.73	47.81	74.00	26.19	44.80	54.00	9.20	150	78	Horizontal	PASS
6	2390	-20.73	44.61	74.00	29.39	41.75	54.00	12.25	150	72	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	-21.24	35.99	74.00	38.01	34.01	54.00	19.99	150	158	Vertical	PASS
2	2327.44	-21.12	38.65	74.00	35.35	35.34	54.00	18.66	150	116	Vertical	PASS
3	2361.92	-20.88	41.89	74.00	32.11	38.48	54.00	15.52	150	137	Vertical	PASS
4	2368.56	-20.85	40.84	74.00	33.16	39.04	54.00	14.96	150	356	Vertical	PASS
5	2389.28	-20.74	42.18	74.00	31.82	38.42	54.00	15.58	150	193	Vertical	PASS
6	2390	-20.73	39.32	74.00	34.68	35.93	54.00	18.07	150	28	Vertical	PASS

Mode:

BLE 1M-2480

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	54.48	74.00	19.52	49.10	54.00	4.90	150	88	Horizontal	PASS
2	2483.6155	8.66	58.26	74.00	15.74	48.81	54.00	5.19	150	77	Horizontal	PASS
3	2484.523	8.58	57.43	74.00	16.57	49.32	54.00	4.68	150	79	Horizontal	PASS
4	2484.9025	8.56	54.58	74.00	19.42	48.17	54.00	5.83	150	72	Horizontal	PASS
5	2486.2225	8.42	54.24	74.00	19.76	46.08	54.00	7.92	150	88	Horizontal	PASS
6	2500.0000	8.20	45.55	74.00	28.45	42.17	54.00	11.83	150	178	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	53.13	74.00	20.87	49.61	54.00	4.39	150	182	Vertical	PASS
2	2483.83	8.64	54.57	74.00	19.43	48.72	54.00	5.28	150	28	Vertical	PASS
3	2484.622	8.58	54.58	74.00	19.42	47.06	54.00	6.94	150	26	Vertical	PASS
4	2485.645	8.48	51.73	74.00	22.27	46.04	54.00	7.96	150	28	Vertical	PASS
5	2486.437	8.42	51.82	74.00	22.18	49.00	54.00	5.00	150	33	Vertical	PASS
6	2500	8.20	45.16	74.00	28.84	41.87	54.00	12.13	150	33	Vertical	PASS

Mode:

BLE 2M-2402

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	-21.24	36.44	74.00	37.56	33.25	54.00	20.75	150	181	Horizontal	PASS
2	2356.4	-20.91	36.82	74.00	37.18	33.78	54.00	20.22	150	55	Horizontal	PASS
3	2383.76	-20.76	40.63	74.00	33.37	37.27	54.00	16.73	150	73	Horizontal	PASS
4	2387.44	-20.75	44.00	74.00	30.00	36.71	54.00	17.29	150	79	Horizontal	PASS
5	2389.6	-20.73	45.08	74.00	28.92	38.19	54.00	15.81	150	79	Horizontal	PASS
6	2390	-20.73	42.17	74.00	31.83	39.24	54.00	14.76	150	76	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	-21.24	35.20	74.00	38.80	33.64	54.00	20.36	150	234	Vertical	PASS
2	2362.16	-20.88	40.79	74.00	33.21	38.92	54.00	15.08	150	124	Vertical	PASS
3	2367.12	-20.86	39.26	74.00	34.74	37.33	54.00	16.67	150	159	Vertical	PASS
4	2370.96	-20.84	39.38	74.00	34.62	37.35	54.00	16.65	150	37	Vertical	PASS
5	2387.28	-20.75	40.54	74.00	33.46	36.80	54.00	17.20	150	189	Vertical	PASS
6	2390	-20.73	40.08	74.00	33.92	36.28	54.00	17.72	150	174	Vertical	PASS

Mode:

BLE 2M-2480

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	58.51	74.00	15.49	45.57	54.00	8.43	150	80	Horizontal	PASS
2	2484.3416	8.59	45.50	74.00	28.50	42.02	54.00	11.98	142.2	292.3	Horizontal	PASS
3	2485.6618	8.47	44.93	74.00	29.07	41.19	54.00	12.81	139.9	81.2	Horizontal	PASS
4	2487.5755	8.33	44.49	74.00	29.51	40.63	54.00	13.37	140.1	82.6	Horizontal	PASS
5	2488.8793	8.32	42.63	74.00	31.37	39.97	54.00	14.03	100.1	85.5	Horizontal	PASS
6	2500.0000	8.20	46.95	74.00	27.05	45.06	54.00	8.94	150	4	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5004	8.67	48.86	74.00	25.14	43.96	54.00	10.04	180	33.9	Vertical	PASS
2	2484.7379	8.57	44.52	74.00	29.48	41.31	54.00	12.69	162.1	35.2	Vertical	PASS
3	2485.5293	8.49	43.55	74.00	30.45	40.44	54.00	13.56	103.8	30.2	Vertical	PASS
4	2487.0966	8.39	43.80	74.00	30.20	40.34	54.00	13.66	102.9	30.3	Vertical	PASS
5	2487.5096	8.33	43.05	74.00	30.95	39.77	54.00	14.23	149	33.3	Vertical	PASS
6	2500.0000	8.20	46.09	74.00	27.91	43.93	54.00	10.07	150	356	Vertical	PASS

Mode:

BLE S=2-2402

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	42.86	74.00	31.14	40.00	54.00	14.00	150	28	Horizontal	PASS
2	2345.92	6.15	44.90	74.00	29.10	40.89	54.00	13.11	150	232	Horizontal	PASS
3	2366.32	6.31	45.28	74.00	28.72	41.43	54.00	12.57	150	223	Horizontal	PASS
4	2376.56	6.39	46.26	74.00	27.74	42.68	54.00	11.32	150	76	Horizontal	PASS
5	2386.88	6.48	46.75	74.00	27.25	41.19	54.00	12.81	150	70	Horizontal	PASS
6	2390	6.50	47.01	74.00	26.99	44.62	54.00	9.38	150	76	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	42.95	74.00	31.05	40.45	54.00	13.55	150	303	Vertical	PASS
2	2336.16	6.14	45.29	74.00	28.71	40.49	54.00	13.51	150	259	Vertical	PASS
3	2347.84	6.16	45.65	74.00	28.35	40.47	54.00	13.53	150	11	Vertical	PASS
4	2364.48	6.29	47.06	74.00	26.94	44.59	54.00	9.41	150	194	Vertical	PASS
5	2372.96	6.36	46.47	74.00	27.53	42.31	54.00	11.69	150	209	Vertical	PASS
6	2390	6.50	44.17	74.00	29.83	41.48	54.00	12.52	150	206	Vertical	PASS

Mode:

BLE S=2-2480

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	56.45	74.00	17.55	46.34	54.00	7.66	150	74	Horizontal	PASS
2	2483.5826	8.66	46.67	74.00	27.33	45.72	54.00	8.28	136.5	78.4	Horizontal	PASS
3	2483.7474	8.64	44.50	74.00	29.50	43.53	54.00	10.47	143.1	86.7	Horizontal	PASS
4	2484.8197	8.57	46.11	74.00	27.89	45.06	54.00	8.94	137	78.1	Horizontal	PASS
5	2485.8426	8.45	43.38	74.00	30.62	42.28	54.00	11.72	159.1	304	Horizontal	PASS
6	2500	8.20	46.45	74.00	27.55	43.96	54.00	10.04	150	84	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	54.02	74.00	19.98	50.46	54.00	3.54	150	27	Vertical	PASS
2	2483.8139	8.64	44.43	74.00	29.57	43.38	54.00	10.62	104.2	32.4	Vertical	PASS
3	2484.3087	8.59	42.54	74.00	31.46	41.54	54.00	12.46	139.9	145.7	Vertical	PASS
4	2486.6684	8.41	43.71	74.00	30.29	42.45	54.00	11.55	100.1	30.9	Vertical	PASS
5	2487.9554	8.28	43.21	74.00	30.79	42.08	54.00	11.92	164.8	35	Vertical	PASS
6	2500	8.20	46.15	74.00	27.85	43.27	54.00	10.73	150	78	Vertical	PASS

Mode:

BLE S=8-2402

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	-21.24	36.59	74.00	37.41	33.68	54.00	20.32	150	194	Horizontal	PASS
2	2339.6	-21.02	36.70	74.00	37.30	35.02	54.00	18.98	150	70	Horizontal	PASS
3	2360.24	-20.90	37.63	74.00	36.37	34.17	54.00	19.83	150	200	Horizontal	PASS
4	2378.08	-20.80	37.47	74.00	36.53	35.62	54.00	18.38	150	79	Horizontal	PASS
5	2387.52	-20.75	40.36	74.00	33.64	38.23	54.00	15.77	150	307	Horizontal	PASS
6	2390	-20.73	42.51	74.00	31.49	38.14	54.00	15.86	150	79	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	-21.24	36.27	74.00	37.73	32.77	54.00	21.23	150	237	Vertical	PASS
2	2362.08	-20.88	41.42	74.00	32.58	38.26	54.00	15.74	150	356	Vertical	PASS
3	2365.52	-20.87	42.33	74.00	31.67	40.02	54.00	13.98	150	138	Vertical	PASS
4	2371.2	-20.84	42.46	74.00	31.54	41.26	54.00	12.74	150	144	Vertical	PASS
5	2387.52	-20.75	39.37	74.00	34.63	34.77	54.00	19.23	150	23	Vertical	PASS
6	2390	-20.73	38.70	74.00	35.30	35.62	54.00	18.38	150	186	Vertical	PASS

Mode:

BLE S=8-2480

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5329	8.67	45.67	74.00	28.33	44.77	54.00	9.23	138.8	81.8	Horizontal	PASS
2	2483.7808	8.64	46.25	74.00	27.75	45.30	54.00	8.70	136.1	78.7	Horizontal	PASS
3	2484.2096	8.60	45.22	74.00	28.78	44.42	54.00	9.58	142.9	82.2	Horizontal	PASS
4	2484.6876	8.58	44.11	74.00	29.89	42.96	54.00	11.04	143.2	87.5	Horizontal	PASS
5	2486.4205	8.42	53.11	74.00	20.89	48.50	54.00	5.50	150	86	Horizontal	PASS
6	2500.0000	8.20	47.04	74.00	26.96	42.64	54.00	11.36	150	86	Horizontal	PASS


Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	53.39	74.00	20.61	49.35	54.00	4.65	150	183	Vertical	PASS
2	2483.8469	8.63	44.31	74.00	29.69	43.35	54.00	10.65	155.8	32.4	Vertical	PASS
3	2484.2923	8.60	43.87	74.00	30.13	42.83	54.00	11.17	159.1	34.8	Vertical	PASS
4	2484.82	8.57	43.94	74.00	30.06	42.77	54.00	11.23	100	31.1	Vertical	PASS
5	2485.6615	8.47	41.98	74.00	32.02	40.94	54.00	13.06	100	0	Vertical	PASS
6	2500.0000	8.20	45.86	74.00	28.14	43.94	54.00	10.06	150	0	Vertical	PASS


Appendix B: Spurious emissions

Note:

1. The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.
2. During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report.
3. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	51.3400	14.65	-16.05	40.00	25.35	100	189	Vertical	PASS
2	71.7100	13.42	-18.83	40.00	26.58	100	116	Vertical	PASS
3	215.270	24.51	-18.48	43.50	18.99	100	72	Vertical	PASS
4	329.730	22.55	-15.31	46.00	23.45	100	294	Vertical	PASS
5	492.690	29.65	-11.08	46.00	16.35	100	341	Vertical	PASS
6	612.000	27.45	-9.01	46.00	18.55	100	197	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	44.5500	14.43	-15.76	40.00	25.57	100	114	Horizontal	PASS
2	66.8600	13.25	-17.87	40.00	26.75	100	267	Horizontal	PASS
3	163.860	21.39	-16.62	43.50	22.11	100	348	Horizontal	PASS
4	216.240	26.11	-18.44	46.00	19.89	100	61	Horizontal	PASS
5	263.770	25.73	-17.09	46.00	20.27	100	253	Horizontal	PASS
6	461.650	24.92	-11.47	46.00	21.08	100	114	Horizontal	PASS

Mode:	BLE 1M-2402
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1224	43.37	2.16	74.00	30.63	150	271	Horizontal	PASS
2	1868	45.89	5.47	74.00	28.11	150	243	Horizontal	PASS
3	4041	42.64	-16.74	74.00	31.36	150	82	Horizontal	PASS
4	6405	48.58	-12.05	74.00	25.42	150	126	Horizontal	PASS
5	9195	46.36	-8.78	74.00	27.64	150	316	Horizontal	PASS
6	14355	49.61	-0.77	74.00	24.39	150	8	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1272	43.62	2.26	74.00	30.38	150	272	Vertical	PASS
2	1990	45.34	5.87	74.00	28.66	150	44	Vertical	PASS
3	3948	44.37	-17.25	74.00	29.63	150	58	Vertical	PASS
4	6405	48.86	-12.05	74.00	25.14	150	210	Vertical	PASS
5	9996	46.61	-7.64	74.00	27.39	150	307	Vertical	PASS
6	13227	49.01	-2.44	74.00	24.99	150	141	Vertical	PASS

Mode:	BLE 1M-2440
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1268	42.77	2.25	74.00	31.23	150	357	Horizontal	PASS
2	1884	45.08	5.59	74.00	28.92	150	304	Horizontal	PASS
3	3909	42.36	-16.65	74.00	31.64	150	133	Horizontal	PASS
4	6507	47.66	-12.60	74.00	26.34	150	161	Horizontal	PASS
5	10161	45.89	-7.17	74.00	28.11	150	23	Horizontal	PASS
6	13902	48.65	-2.31	74.00	25.35	150	173	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1312	43.33	2.30	74.00	30.67	150	220	Vertical	PASS
2	1914	45.66	5.67	74.00	28.34	150	62	Vertical	PASS
3	4737	48.14	-14.66	74.00	25.86	150	159	Vertical	PASS
4	6507	48.05	-12.60	74.00	25.95	150	186	Vertical	PASS
5	8886	44.22	-10.08	74.00	29.78	150	261	Vertical	PASS
6	11829	47.57	-4.50	74.00	26.43	150	349	Vertical	PASS

Mode: BLE 1M-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1224	42.90	2.16	74.00	31.10	150	115	Horizontal	PASS
2	1842	45.22	5.28	74.00	28.78	150	203	Horizontal	PASS
3	4476	43.29	-15.65	74.00	30.71	150	43	Horizontal	PASS
4	6612	50.02	-12.38	74.00	23.98	150	166	Horizontal	PASS
5	7440	46.84	-11.61	74.00	27.16	150	183	Horizontal	PASS
6	13209	49.29	-2.29	74.00	24.71	150	218	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1314	42.50	2.28	74.00	31.50	150	216	Vertical	PASS
2	1808	45.49	4.93	74.00	28.51	150	235	Vertical	PASS
3	4737	47.80	-14.66	74.00	26.20	150	120	Vertical	PASS
4	5271	46.70	-13.96	74.00	27.30	150	106	Vertical	PASS
5	6612	50.49	-12.38	74.00	23.51	150	182	Vertical	PASS
6	11931	47.55	-4.65	74.00	26.45	150	356	Vertical	PASS

Mode:

BLE 2M-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1304	42.84	2.34	74.00	31.16	150	156	Horizontal	PASS
2	1898	45.38	5.67	74.00	28.62	150	263	Horizontal	PASS
3	4287	41.39	-16.37	74.00	32.61	150	299	Horizontal	PASS
4	6405	47.64	-12.05	74.00	26.36	150	149	Horizontal	PASS
5	9813	45.86	-7.94	74.00	28.14	150	233	Horizontal	PASS
6	14247	49.04	-0.81	74.00	24.96	150	95	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1338	43.03	2.15	74.00	30.97	150	127	Vertical	PASS
2	1934	45.19	5.64	74.00	28.81	150	124	Vertical	PASS
3	4803	43.95	-14.80	74.00	30.05	150	254	Vertical	PASS
4	6405	48.69	-12.05	74.00	25.31	150	213	Vertical	PASS
5	9744	46.23	-7.74	74.00	27.77	150	87	Vertical	PASS
6	14364	49.84	-0.90	74.00	24.16	150	119	Vertical	PASS

Mode:

BLE 2M-2440

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1338	42.92	2.15	74.00	31.08	150	342	Horizontal	PASS
2	1886	45.94	5.59	74.00	28.06	150	332	Horizontal	PASS
3	4131	42.98	-16.41	74.00	31.02	150	64	Horizontal	PASS
4	6507	48.45	-12.60	74.00	25.55	150	148	Horizontal	PASS
5	12855	47.98	-3.77	74.00	26.02	150	188	Horizontal	PASS
6	14334	49.89	-0.80	74.00	24.11	150	43	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1224	42.98	2.16	74.00	31.02	150	192	Vertical	PASS
2	1832	45.14	5.18	74.00	28.86	150	183	Vertical	PASS
3	4881	44.70	-14.63	74.00	29.30	150	248	Vertical	PASS
4	6507	48.08	-12.60	74.00	25.92	150	182	Vertical	PASS
5	9792	46.08	-7.87	74.00	27.92	150	225	Vertical	PASS
6	11802	47.52	-4.44	74.00	26.48	150	42	Vertical	PASS

Mode: BLE 2M-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1304	42.75	2.34	74.00	31.25	150	153	Horizontal	PASS
2	1798	44.36	4.82	74.00	29.64	150	267	Horizontal	PASS
3	6612	49.66	-12.38	74.00	24.34	150	131	Horizontal	PASS
4	7443	47.35	-11.63	74.00	26.65	150	284	Horizontal	PASS
5	11199	47.04	-5.60	74.00	26.96	150	50	Horizontal	PASS
6	15300	49.31	-0.61	74.00	24.69	150	214	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1314	43.65	2.28	74.00	30.35	150	242	Vertical	PASS
2	1892	45.54	5.64	74.00	28.46	150	159	Vertical	PASS
3	3954	45.88	-17.22	74.00	28.12	150	199	Vertical	PASS
4	5274	45.53	-13.94	74.00	28.47	150	121	Vertical	PASS
5	6615	49.81	-12.37	74.00	24.19	150	214	Vertical	PASS
6	12774	48.17	-3.70	74.00	25.83	150	214	Vertical	PASS

Mode:

BLE S=2-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1340	42.56	2.14	74.00	31.44	150	59	Horizontal	PASS
2	1842	44.74	5.28	74.00	29.26	150	190	Horizontal	PASS
3	4566	42.68	-15.66	74.00	31.32	150	3	Horizontal	PASS
4	6405	48.43	-12.05	74.00	25.57	150	131	Horizontal	PASS
5	9186	46.57	-8.97	74.00	27.43	150	218	Horizontal	PASS
6	13677	49.31	-2.52	74.00	24.69	150	213	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316	43.16	2.28	74.00	30.84	150	203	Vertical	PASS
2	4731	48.39	-14.76	74.00	25.61	150	2	Vertical	PASS
3	5265	47.67	-14.01	74.00	26.33	150	124	Vertical	PASS
4	6405	48.40	-12.05	74.00	25.60	150	184	Vertical	PASS
5	11442	48.00	-5.27	74.00	26.00	150	162	Vertical	PASS
6	14346	49.99	-0.74	74.00	24.01	150	356	Vertical	PASS

Mode:

BLE S=2-2440

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1296	42.91	2.35	74.00	31.09	150	357	Horizontal	PASS
2	1818	45.24	5.03	74.00	28.76	150	58	Horizontal	PASS
3	4203	43.33	-16.43	74.00	30.67	150	347	Horizontal	PASS
4	6507	48.40	-12.60	74.00	25.60	150	163	Horizontal	PASS
5	10563	46.37	-6.84	74.00	27.63	150	37	Horizontal	PASS
6	13512	48.53	-2.28	74.00	25.47	150	60	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316	43.79	2.28	74.00	30.21	150	215	Vertical	PASS
2	2012	45.40	5.95	74.00	28.60	150	241	Vertical	PASS
3	4881	46.53	-14.63	74.00	27.47	150	252	Vertical	PASS
4	6507	48.00	-12.60	74.00	26.00	150	186	Vertical	PASS
5	10005	46.54	-7.59	74.00	27.46	150	296	Vertical	PASS
6	13137	48.90	-2.85	74.00	25.10	150	7	Vertical	PASS

Mode:

BLE S=2-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1328	43.91	2.21	74.00	30.09	150	307	Horizontal	PASS
2	1784	44.92	4.54	74.00	29.08	150	169	Horizontal	PASS
3	4140	43.89	-16.27	74.00	30.11	150	304	Horizontal	PASS
4	6612	49.94	-12.38	74.00	24.06	150	164	Horizontal	PASS
5	7440	48.23	-11.61	74.00	25.77	150	274	Horizontal	PASS
6	11772	48.19	-4.76	74.00	25.81	150	287	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316	44.00	2.28	74.00	30.00	150	214	Vertical	PASS
2	1626	43.49	2.51	74.00	30.51	150	178	Vertical	PASS
3	3942	44.65	-17.16	74.00	29.35	150	43	Vertical	PASS
4	4959	46.41	-15.23	74.00	27.59	150	229	Vertical	PASS
5	6612	51.61	-12.38	74.00	22.39	150	190	Vertical	PASS
6	11412	47.49	-5.44	74.00	26.51	150	276	Vertical	PASS

Mode:

BLE S=8-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1350	43.52	2.08	74.00	30.48	150	209	Horizontal	PASS
2	1922	46.18	5.65	74.00	27.82	150	266	Horizontal	PASS
3	4737	44.23	-14.66	74.00	29.77	150	151	Horizontal	PASS
4	6405	48.08	-12.05	74.00	25.92	150	133	Horizontal	PASS
5	8307	45.58	-10.69	74.00	28.42	150	290	Horizontal	PASS
6	14349	49.85	-0.72	74.00	24.15	150	82	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1318	43.22	2.27	74.00	30.78	150	213	Vertical	PASS
2	1910	45.91	5.67	74.00	28.09	150	199	Vertical	PASS
3	3942	47.70	-17.16	74.00	26.30	150	233	Vertical	PASS
4	6405	48.36	-12.05	74.00	25.64	150	186	Vertical	PASS
5	9198	45.34	-8.71	74.00	28.66	150	24	Vertical	PASS
6	12450	47.52	-3.78	74.00	26.48	150	291	Vertical	PASS

Mode:	BLE S=8-2440
-------	--------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1326	42.83	2.22	74.00	31.17	150	193	Horizontal	PASS
2	1924	45.35	5.65	74.00	28.65	150	238	Horizontal	PASS
3	4932	43.80	-14.91	74.00	30.20	150	270	Horizontal	PASS
4	6507	47.60	-12.60	74.00	26.40	150	126	Horizontal	PASS
5	7320	45.31	-11.65	74.00	28.69	150	278	Horizontal	PASS
6	11241	46.89	-5.88	74.00	27.11	150	190	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1316	43.19	2.28	74.00	30.81	150	217	Vertical	PASS
2	1876	45.71	5.52	74.00	28.29	150	293	Vertical	PASS
3	3936	44.74	-17.07	74.00	29.26	150	55	Vertical	PASS
4	5265	48.26	-14.01	74.00	25.74	150	122	Vertical	PASS
5	6507	48.24	-12.60	74.00	25.76	150	190	Vertical	PASS
6	12117	47.81	-4.01	74.00	26.19	150	244	Vertical	PASS

Mode:

BLE S=8-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1238	43.02	2.17	74.00	30.98	150	110	Horizontal	PASS
2	1796	45.70	4.78	74.00	28.30	150	179	Horizontal	PASS
3	4902	42.94	-14.27	74.00	31.06	150	151	Horizontal	PASS
4	6612	50.55	-12.38	74.00	23.45	150	165	Horizontal	PASS
5	7440	48.53	-11.61	74.00	25.47	150	36	Horizontal	PASS
6	12747	49.40	-3.47	74.00	24.60	150	110	Horizontal	PASS

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1318	44.97	2.27	74.00	29.03	150	222	Vertical	PASS
2	2022	46.16	5.96	74.00	27.84	150	194	Vertical	PASS
3	3936	44.48	-17.07	74.00	29.52	150	109	Vertical	PASS
4	6612	50.29	-12.38	74.00	23.71	150	188	Vertical	PASS
5	9714	46.07	-8.18	74.00	27.93	150	350	Vertical	PASS
6	13254	48.86	-2.67	74.00	25.14	150	79	Vertical	PASS