



11G_Ant1_2462_30~1000




Date: 16.DEC.2023 00:56:46


11G_Ant1_2462_1000~26500



Date: 16.DEC.2023 00:57:02




11N20MIMO_Ant1_2412_30~1000




Date: 21 DEC. 2023 09:37:42


11N20MIMO_Ant1_2412_1000~26500



Date: 21 DEC. 2023 09:37:58


11N20MIMO_Ant2_2412_30~1000


Date: 21 DEC. 2023 09:39:00

11N20MIMO_Ant2_2412_1000~26500



Date: 21 DEC. 2023 09:39:16

11N20MIMO_Ant1_2437_30~1000




Date: 21 DEC 2023 09:40:30

11N20MIMO_Ant1_2437_1000~26500




Date: 21 DEC 2023 09:40:45

11N20MIMO_Ant2_2437_30~1000




Date: 21 DEC 2023 09:41:45

11N20MIMO_Ant2_2437_1000~26500




Date: 21 DEC 2023 09:42:00

11N20MIMO_Ant1_2462_30~1000



Date: 21 DEC 2023 09:43:31


11N20MIMO_Ant1_2462_1000~26500




Date: 21 DEC 2023 09:43:46




11N20MIMO_Ant2_2462_30~1000




11N20MIMO_Ant2_2462_1000~26500




11N40MIMO_Ant1_2422_30~1000


Date: 21 DEC 2023 09:48:38

11N40MIMO_Ant1_2422_1000~26500



Date: 21 DEC 2023 09:48:53

11N40MIMO_Ant2_2422_30~1000




Date: 21 DEC. 2023 09:50:06

11N40MIMO_Ant2_2422_1000~26500




Date: 21 DEC. 2023 09:50:22

11N40MIMO_Ant1_2437_30~1000




Date: 21 DEC 2023 09:53:21

11N40MIMO_Ant1_2437_1000~26500




Date: 21 DEC 2023 09:53:36

11N40MIMO_Ant2_2437_30~1000



Date: 21 DEC 2023 09:54:55


11N40MIMO_Ant2_2437_1000~26500



Date: 21 DEC 2023 09:55:10




11N40MIMO_Ant1_2452_30~1000




Date: 21 DEC 2023 09:56:40

11N40MIMO_Ant1_2452_1000~26500




Date: 21 DEC 2023 09:56:55

11N40MIMO_Ant2_2452_30~1000




Date: 21 DEC. 2023 09:59:00


11N40MIMO_Ant2_2452_1000~26500



Date: 21 DEC. 2023 10:00:26


11AX20MIMO_Ant1_2412_30~1000


Date: 16.DEC.2023 08:29:27

11AX20MIMO_Ant1_2412_1000~26500



Date: 16.DEC.2023 08:29:43

11AX20MIMO_Ant2_2412_30~1000




Date: 16.DEC.2023 08:31:39

11AX20MIMO_Ant2_2412_1000~26500




Date: 16.DEC.2023 08:31:55

11AX20MIMO_Ant1_2437_30~1000




Date: 16.DEC.2023 08:33:05


11AX20MIMO_Ant1_2437_1000~26500




Date: 16.DEC.2023 08:33:20

11AX20MIMO_Ant2_2437_30~1000



Date: 16.DEC.2023 08:34:42

11AX20MIMO_Ant2_2437_1000~26500




Date: 16.DEC.2023 08:34:58

11AX20MIMO_Ant1_2462_30~1000



Date: 16.DEC.2023 08:36:23

11AX20MIMO_Ant1_2462_1000~26500


Date: 16.DEC.2023 08:36:39


11AX20MIMO_Ant2_2462_30~1000

11AX20MIMO_Ant2_2462_1000~26500


11AX40MIMO_Ant1_2422_30~1000




Date: 16.DEC.2023 08:40:06

11AX40MIMO_Ant1_2422_1000~26500




Date: 16.DEC.2023 08:40:22

11AX40MIMO_Ant2_2422_30~1000




Date: 16.DEC.2023 08:41:46


11AX40MIMO_Ant2_2422_1000~26500



Date: 16.DEC.2023 08:42:02


11AX40MIMO_Ant1_2437_30~1000


Date: 16.DEC.2023 08:43:24

11AX40MIMO_Ant1_2437_1000~26500



Date: 16.DEC.2023 08:43:40

11AX40MIMO_Ant2_2437_30~1000




Date: 16.DEC.2023 08:44:47

11AX40MIMO_Ant2_2437_1000~26500




Date: 16.DEC.2023 08:45:03

11AX40MIMO_Ant1_2452_30~1000




Date: 16.DEC.2023 08:46:52

11AX40MIMO_Ant1_2452_1000~26500




Date: 16.DEC.2023 08:47:08

11AX40MIMO_Ant2_2452_30~1000




Date: 16.DEC.2023 08:48:25

11AX40MIMO_Ant2_2452_1000~26500




Date: 16.DEC.2023 08:48:41

Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.152	48.27	-17.64	65.91	37.80	0.04	10.43	QP
2	0.152	31.77	-24.14	55.91	21.30	0.04	10.43	Average
3	0.174	44.07	-20.70	64.77	33.60	0.05	10.42	QP
4	0.174	27.37	-27.40	54.77	16.90	0.05	10.42	Average
5	0.191	41.67	-22.31	63.98	31.20	0.05	10.42	QP
6	0.191	25.97	-28.01	53.98	15.50	0.05	10.42	Average
7	0.207	38.95	-24.37	63.32	28.50	0.04	10.41	QP
8	0.207	24.05	-29.27	53.32	13.60	0.04	10.41	Average
9	0.435	37.10	-20.05	57.15	26.89	-0.06	10.27	QP
10 *	0.435	35.60	-11.55	47.15	25.39	-0.06	10.27	Average
11	4.772	28.13	-27.87	56.00	18.20	-0.13	10.06	QP
12	4.772	20.23	-25.77	46.00	10.30	-0.13	10.06	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	0	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	0	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	0	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	0	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	0	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	0	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 8	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 9	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 10	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 11	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 12	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 13	2400-2483.5	CDD 0+1	802.11ax HE20	01	2412	MCS0	Full	-
Mode 14	2400-2483.5	CDD 0+1	802.11ax HE20	06	2437	MCS0	Full	-
Mode 15	2400-2483.5	CDD 0+1	802.11ax HE20	11	2462	MCS0	Full	-
Mode 16	2400-2483.5	CDD 0+1	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 17	2400-2483.5	CDD 0+1	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 18	2400-2483.5	CDD 0+1	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 19	2400-2483.5	CDD 0+1	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 20	2400-2483.5	CDD 0+1	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 21	2400-2483.5	CDD 0+1	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 22	2400-2483.5	CDD 0+1	802.11ax HE40	03	2422	MCS0	Full	-
Mode 23	2400-2483.5	CDD 0+1	802.11ax HE40	06	2437	MCS0	Full	-
Mode 24	2400-2483.5	CDD 0+1	802.11ax HE40	09	2452	MCS0	Full	-
Mode 25	2400-2483.5	1	Bluetooth-LE	39	2480	2Mbps	-	-
	2400-2483.5	0	802.11b	11	2462	1Mbps	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2386.70	47.69	54.00	-6.31	V	AVERAGE	Pass	Band Edge
1	802.11b	01	14472.00	46.20	54.00	-7.80	V	Average	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	49.00	54.00	-5.00	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2487.46	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	49.03	54.00	-4.97	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2385.66	50.55	54.00	-3.45	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	42.35	74.00	-31.65	H	PEAK	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	42.31	54.00	-11.69	V	AVERAGE	Pass	Harmonic
6	802.11g	11	2484.52	50.56	54.00	-3.44	V	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	41.19	74.00	-32.81	H	PEAK	Pass	Harmonic
7	802.11b	01	2329.89	46.55	54.00	-7.45	H	AVERAGE	Pass	Band Edge
7	802.11b	01	4824.00	48.40	74.00	-25.60	H	PEAK	Pass	Harmonic
8	802.11b	06	-	-	-	-	-	-	-	Band Edge
8	802.11b	06	7311.00	50.93	54.00	-3.07	V	AVERAGE	Pass	Harmonic
9	802.11b	11	2485.18	48.76	54.00	-5.24	H	AVERAGE	Pass	Band Edge
9	802.11b	11	7386.00	50.96	54.00	-3.04	V	AVERAGE	Pass	Harmonic
10	802.11g	01	2389.69	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
10	802.11g	01	7237.50	57.23	83.34	-26.11	V	Peak	Pass	Harmonic
11	802.11g	06	-	-	-	-	-	-	-	Band Edge
11	802.11g	06	7311.00	50.69	54.00	-3.31	V	AVERAGE	Pass	Harmonic
12	802.11g	11	2484.28	50.74	54.00	-3.26	H	AVERAGE	Pass	Band Edge
12	802.11g	11	7386.00	43.42	54.00	-10.58	H	AVERAGE	Pass	Harmonic
13	802.11ax HE20	01	2389.95	50.04	54.00	-3.96	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	01	4824.00	40.44	74.00	-33.56	H	PEAK	Pass	Harmonic
14	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	06	7311.00	49.11	54.00	-4.89	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	11	2483.56	50.08	54.00	-3.92	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	11	7386.00	42.44	74.00	-31.56	V	PEAK	Pass	Harmonic
16	802.11ax HE20	01	2323.78	39.38	54.00	-14.62	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	01	2325.34	39.83	54.00	-14.17	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	01	2387.61	40.76	54.00	-13.24	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE20	11	2487.22	40.12	54.00	-13.88	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	11	2483.68	42.95	54.00	-11.05	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	11	2483.50	44.02	54.00	-9.98	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE40	03	2384.49	50.17	54.00	-3.83	H	AVERAGE	Pass	Band Edge
22	802.11ax HE40	03	7266.00	42.75	74.00	-31.25	H	PEAK	Pass	Harmonic
23	802.11ax HE40	06	2389.95	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
23	802.11ax HE40	06	7311.00	43.96	74.00	-30.04	H	PEAK	Pass	Harmonic
24	802.11ax HE40	09	2483.62	48.81	54.00	-5.19	H	AVERAGE	Pass	Band Edge
24	802.11ax HE40	09	7356.00	42.40	74.00	-31.60	H	PEAK	Pass	Harmonic
25	Bluetooth-LE	39	2483.50	50.71	54.00	-3.29	H	AVERAGE	Pass	Band Edge
25	Bluetooth-LE	39	7386.00	50.88	54.00	-3.12	V	Average	Pass	Harmonic
25	802.11b	11	2487.76	50.91	54.00	-3.09	H	AVERAGE	Pass	Band Edge
25	802.11b	11	7386.00	50.88	54.00	-3.12	V	Average	Pass	Harmonic



Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.53</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>48.57</td><td>31.68</td><td>7.10</td><td>36.92</td><td>6.00</td><td>256</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.53	56.43	74.00	-17.57	48.57	31.68	7.10	36.92	6.00	256	176	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.29</td><td>-----</td><td>-----</td><td>102.28</td><td>31.80</td><td>7.14</td><td>36.93</td><td>6.00</td><td>256</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.29	-----	-----	102.28	31.80	7.14	36.93	6.00	256	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.53	56.43	74.00	-17.57	48.57	31.68	7.10	36.92	6.00	256	176	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	110.29	-----	-----	102.28	31.80	7.14	36.93	6.00	256	176	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>38.81</td><td>31.69</td><td>7.10</td><td>36.92</td><td>6.00</td><td>256</td><td>176</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	46.68	54.00	-7.32	38.81	31.69	7.10	36.92	6.00	256	176	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.89</td><td>-----</td><td>-----</td><td>97.88</td><td>31.80</td><td>7.14</td><td>36.93</td><td>6.00</td><td>256</td><td>176</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.89	-----	-----	97.88	31.80	7.14	36.93	6.00	256	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.05	46.68	54.00	-7.32	38.81	31.69	7.10	36.92	6.00	256	176	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	105.89	-----	-----	97.88	31.80	7.14	36.93	6.00	256	176	AVERAGE																																																																																							







Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>48.00</td><td>31.69</td><td>7.10</td><td>36.92</td><td>6.00</td><td>290</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	55.87	74.00	-18.13	48.00	31.69	7.10	36.92	6.00	290	82	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.47</td><td>-----</td><td>-----</td><td>101.46</td><td>31.80</td><td>7.14</td><td>36.93</td><td>6.00</td><td>290</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.47	-----	-----	101.46	31.80	7.14	36.93	6.00	290	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.44	55.87	74.00	-18.13	48.00	31.69	7.10	36.92	6.00	290	82	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.47	-----	-----	101.46	31.80	7.14	36.93	6.00	290	82	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.70</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>39.82</td><td>31.69</td><td>7.10</td><td>36.92</td><td>6.00</td><td>290</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	47.69	54.00	-6.31	39.82	31.69	7.10	36.92	6.00	290	82	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.35</td><td>-----</td><td>-----</td><td>93.34</td><td>31.80</td><td>7.14</td><td>36.93</td><td>6.00</td><td>290</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.35	-----	-----	93.34	31.80	7.14	36.93	6.00	290	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.70	47.69	54.00	-6.31	39.82	31.69	7.10	36.92	6.00	290	82	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	101.35	-----	-----	93.34	31.80	7.14	36.93	6.00	290	82	AVERAGE																																																																																							



Mode	1																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																																	
ANT	0																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																											
100K Ref.	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>111.31</td><td>74.00</td><td>37.31</td><td>102.86</td><td>32.16</td><td>7.14</td><td>36.85</td><td>6.00</td><td>266</td><td>360</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	2412.00	111.31	74.00	37.31	102.86	32.16	7.14	36.85	6.00	266	360	PEAK	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.86</td><td>74.00</td><td>31.86</td><td>97.41</td><td>32.16</td><td>7.14</td><td>36.85</td><td>6.00</td><td>300</td><td>73</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	2412.00	105.86	74.00	31.86	97.41	32.16	7.14	36.85	6.00	300	73	PEAK																																																																																																								
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	2412.00	111.31	74.00	37.31	102.86	32.16	7.14	36.85	6.00	266	360	PEAK																																																																																																																																																																																						
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	2412.00	105.86	74.00	31.86	97.41	32.16	7.14	36.85	6.00	300	73	PEAK																																																																																																																																																																																						
Peak Avg	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>3216.00</td><td>47.49</td><td>91.31</td><td>-43.82</td><td>71.85</td><td>32.77</td><td>8.31</td><td>65.44</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>68.83</td><td>33.80</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7237.50</td><td>53.80</td><td>91.31</td><td>-37.51</td><td>71.83</td><td>35.50</td><td>12.71</td><td>66.24</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	3216.00	47.49	91.31	-43.82	71.85	32.77	8.31	65.44	0.00	--	--	Peak	2	4824.00	47.61	74.00	-26.39	68.83	33.80	10.23	65.25	0.00	--	--	PEAK	3	7237.50	53.80	91.31	-37.51	71.83	35.50	12.71	66.24	0.00	--	--	Peak	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>3963.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>67.23</td><td>33.40</td><td>9.25</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>68.47</td><td>33.80</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>6601.50</td><td>47.19</td><td>85.86</td><td>-38.67</td><td>65.56</td><td>35.40</td><td>12.10</td><td>65.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7237.50</td><td>53.28</td><td>85.86</td><td>-32.58</td><td>71.31</td><td>35.50</td><td>12.71</td><td>66.24</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>9241.50</td><td>47.09</td><td>85.86</td><td>-38.77</td><td>63.13</td><td>36.40</td><td>14.49</td><td>66.93</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>14472.00</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>58.00</td><td>38.87</td><td>18.35</td><td>64.49</td><td>0.00</td><td>100</td><td>254</td><td>Peak</td></tr><tr><td>7</td><td>14472.00</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>53.47</td><td>38.87</td><td>18.35</td><td>64.49</td><td>0.00</td><td>100</td><td>254</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg		1	3963.00	43.79	74.00	-30.21	67.23	33.40	9.25	66.09	0.00	--	--	Peak	2	4824.00	47.25	74.00	-26.75	68.47	33.80	10.23	65.25	0.00	--	--	PEAK	3	6601.50	47.19	85.86	-38.67	65.56	35.40	12.10	65.87	0.00	--	--	Peak	4	7237.50	53.28	85.86	-32.58	71.31	35.50	12.71	66.24	0.00	--	--	Peak	5	9241.50	47.09	85.86	-38.77	63.13	36.40	14.49	66.93	0.00	--	--	Peak	6	14472.00	50.73	74.00	-23.27	58.00	38.87	18.35	64.49	0.00	100	254	Peak	7	14472.00	46.20	54.00	-7.80	53.47	38.87	18.35	64.49	0.00	100	254	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	3216.00	47.49	91.31	-43.82	71.85	32.77	8.31	65.44	0.00	--	--	Peak																																																																																																																																																																																						
2	4824.00	47.61	74.00	-26.39	68.83	33.80	10.23	65.25	0.00	--	--	PEAK																																																																																																																																																																																						
3	7237.50	53.80	91.31	-37.51	71.83	35.50	12.71	66.24	0.00	--	--	Peak																																																																																																																																																																																						
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																							
1	3963.00	43.79	74.00	-30.21	67.23	33.40	9.25	66.09	0.00	--	--	Peak																																																																																																																																																																																						
2	4824.00	47.25	74.00	-26.75	68.47	33.80	10.23	65.25	0.00	--	--	PEAK																																																																																																																																																																																						
3	6601.50	47.19	85.86	-38.67	65.56	35.40	12.10	65.87	0.00	--	--	Peak																																																																																																																																																																																						
4	7237.50	53.28	85.86	-32.58	71.31	35.50	12.71	66.24	0.00	--	--	Peak																																																																																																																																																																																						
5	9241.50	47.09	85.86	-38.77	63.13	36.40	14.49	66.93	0.00	--	--	Peak																																																																																																																																																																																						
6	14472.00	50.73	74.00	-23.27	58.00	38.87	18.35	64.49	0.00	100	254	Peak																																																																																																																																																																																						
7	14472.00	46.20	54.00	-7.80	53.47	38.87	18.35	64.49	0.00	100	254	Average																																																																																																																																																																																						







Mode	2																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																									
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																																																																																									
ANT	0																																																																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																			
100K Ref.																																																																																																																																																																																																																																										
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2437.00</td><td>113.31</td><td>74.00</td><td>39.31</td><td>104.76</td><td>32.29</td><td>7.18</td><td>36.92</td><td>6.00</td><td>298</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2437.00	113.31	74.00	39.31	104.76	32.29	7.18	36.92	6.00	298	360	PEAK	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2437.00</td><td>104.31</td><td>74.00</td><td>30.31</td><td>95.76</td><td>32.28</td><td>7.18</td><td>36.91</td><td>6.00</td><td>300</td><td>94</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2437.00	104.31	74.00	30.31	95.76	32.28	7.18	36.91	6.00	300	94	PEAK																																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																		
1	2437.00	113.31	74.00	39.31	104.76	32.29	7.18	36.92	6.00	298	360	PEAK																																																																																																																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																		
1	2437.00	104.31	74.00	30.31	95.76	32.28	7.18	36.91	6.00	300	94	PEAK																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																										
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>3249.00</td><td>47.32</td><td>93.31</td><td>-45.99</td><td>71.76</td><td>32.70</td><td>8.35</td><td>65.49</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>3961.50</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>65.73</td><td>33.40</td><td>9.25</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>4873.50</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>65.79</td><td>33.80</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>6598.50</td><td>44.89</td><td>93.31</td><td>-48.42</td><td>63.27</td><td>35.40</td><td>12.09</td><td>65.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7309.50</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>71.63</td><td>35.50</td><td>12.72</td><td>66.44</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>6</td><td>7309.50</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>67.02</td><td>35.50</td><td>12.72</td><td>66.44</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	3249.00	47.32	93.31	-45.99	71.76	32.70	8.35	65.49	0.00	--	--	Peak	2	3961.50	42.29	74.00	-31.71	65.73	33.40	9.25	66.09	0.00	--	--	Peak	3	4873.50	44.61	74.00	-29.39	65.79	33.80	10.29	65.27	0.00	--	--	PEAK	4	6598.50	44.89	93.31	-48.42	63.27	35.40	12.09	65.87	0.00	--	--	Peak	5	7309.50	53.41	74.00	-20.59	71.63	35.50	12.72	66.44	0.00	100	328	PEAK	6	7309.50	48.80	54.00	-5.20	67.02	35.50	12.72	66.44	0.00	100	328	AVERAGE	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>3249.00</td><td>43.64</td><td>84.31</td><td>-40.67</td><td>68.08</td><td>32.70</td><td>8.35</td><td>65.49</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>3961.50</td><td>42.59</td><td>74.00</td><td>-31.41</td><td>66.03</td><td>33.40</td><td>9.25</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>4873.50</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>65.66</td><td>33.80</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>6600.00</td><td>46.83</td><td>84.31</td><td>-37.48</td><td>65.20</td><td>35.40</td><td>12.10</td><td>65.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7311.00</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>71.35</td><td>35.50</td><td>12.72</td><td>66.45</td><td>0.00</td><td>302</td><td>19</td><td>PEAK</td></tr><tr><td>6</td><td>7311.00</td><td>49.00</td><td>54.00</td><td>-5.00</td><td>67.23</td><td>35.50</td><td>12.72</td><td>66.45</td><td>0.00</td><td>302</td><td>19</td><td>AVERAGE</td></tr><tr><td>7</td><td>14622.00</td><td>50.77</td><td>84.31</td><td>-33.54</td><td>57.70</td><td>39.07</td><td>18.44</td><td>64.44</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	3249.00	43.64	84.31	-40.67	68.08	32.70	8.35	65.49	0.00	--	--	Peak	2	3961.50	42.59	74.00	-31.41	66.03	33.40	9.25	66.09	0.00	--	--	Peak	3	4873.50	44.48	74.00	-29.52	65.66	33.80	10.29	65.27	0.00	--	--	PEAK	4	6600.00	46.83	84.31	-37.48	65.20	35.40	12.10	65.87	0.00	--	--	Peak	5	7311.00	53.12	74.00	-20.88	71.35	35.50	12.72	66.45	0.00	302	19	PEAK	6	7311.00	49.00	54.00	-5.00	67.23	35.50	12.72	66.45	0.00	302	19	AVERAGE	7	14622.00	50.77	84.31	-33.54	57.70	39.07	18.44	64.44	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																		
1	3249.00	47.32	93.31	-45.99	71.76	32.70	8.35	65.49	0.00	--	--	Peak																																																																																																																																																																																																																														
2	3961.50	42.29	74.00	-31.71	65.73	33.40	9.25	66.09	0.00	--	--	Peak																																																																																																																																																																																																																														
3	4873.50	44.61	74.00	-29.39	65.79	33.80	10.29	65.27	0.00	--	--	PEAK																																																																																																																																																																																																																														
4	6598.50	44.89	93.31	-48.42	63.27	35.40	12.09	65.87	0.00	--	--	Peak																																																																																																																																																																																																																														
5	7309.50	53.41	74.00	-20.59	71.63	35.50	12.72	66.44	0.00	100	328	PEAK																																																																																																																																																																																																																														
6	7309.50	48.80	54.00	-5.20	67.02	35.50	12.72	66.44	0.00	100	328	AVERAGE																																																																																																																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																																																																		
1	3249.00	43.64	84.31	-40.67	68.08	32.70	8.35	65.49	0.00	--	--	Peak																																																																																																																																																																																																																														
2	3961.50	42.59	74.00	-31.41	66.03	33.40	9.25	66.09	0.00	--	--	Peak																																																																																																																																																																																																																														
3	4873.50	44.48	74.00	-29.52	65.66	33.80	10.29	65.27	0.00	--	--	PEAK																																																																																																																																																																																																																														
4	6600.00	46.83	84.31	-37.48	65.20	35.40	12.10	65.87	0.00	--	--	Peak																																																																																																																																																																																																																														
5	7311.00	53.12	74.00	-20.88	71.35	35.50	12.72	66.45	0.00	302	19	PEAK																																																																																																																																																																																																																														
6	7311.00	49.00	54.00	-5.00	67.23	35.50	12.72	66.45	0.00	302	19	AVERAGE																																																																																																																																																																																																																														
7	14622.00	50.77	84.31	-33.54	57.70	39.07	18.44	64.44	0.00	--	--	Peak																																																																																																																																																																																																																														



Mode	3																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	0																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.80</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>48.98</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>116</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.80	57.79	74.00	-16.21	48.98	32.53	7.26	36.98	6.00	100	116	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2486.80	57.79	74.00	-16.21	48.98	32.53	7.26	36.98	6.00	100	116	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.46</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>41.97</td><td>32.54</td><td>7.26</td><td>36.98</td><td>6.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.46	50.79	54.00	-3.21	41.97	32.54	7.26	36.98	6.00	100	116	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.46	50.79	54.00	-3.21	41.97	32.54	7.26	36.98	6.00	100	116	AVERAGE																																												







Mode	3																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.58</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>48.19</td><td>32.54</td><td>7.26</td><td>36.98</td><td>6.00</td><td>350</td><td>99</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2487.58	57.01	74.00	-16.99	48.19	32.54	7.26	36.98	6.00	350	99	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.04</td><td>-----</td><td>-----</td><td>102.37</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>350</td><td>99</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2462.00	111.04	-----	-----	102.37	32.41	7.22	36.96	6.00	350	99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																																																																																					
1	2487.58	57.01	74.00	-16.99	48.19	32.54	7.26	36.98	6.00	350	99	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	111.04	-----	-----	102.37	32.41	7.22	36.96	6.00	350	99	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.68</td><td>49.30</td><td>54.00</td><td>-4.70</td><td>40.49</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>350</td><td>99</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2486.68	49.30	54.00	-4.70	40.49	32.53	7.26	36.98	6.00	350	99	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBμV/m</th><th>dBμV/m</th><th>dB</th><th>dBμV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.45</td><td>-----</td><td>-----</td><td>97.78</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>350</td><td>99</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg	1	2462.00	106.45	-----	-----	97.78	32.41	7.22	36.96	6.00	350	99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																																																																																					
1	2486.68	49.30	54.00	-4.70	40.49	32.53	7.26	36.98	6.00	350	99	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBμV/m	dBμV/m	dB	dBμV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	106.45	-----	-----	97.78	32.41	7.22	36.96	6.00	350	99	AVERAGE																																																																																																			







Mode	3																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																																			
ANT	0																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																													
100K Ref.	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.89</td><td>74.00</td><td>37.89</td><td>103.22</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>292</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	111.89	74.00	37.89	103.22	32.41	7.22	36.96	6.00	292	360	PEAK	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.97</td><td>74.00</td><td>30.97</td><td>96.30</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>300</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2462.00	104.97	74.00	30.97	96.30	32.41	7.22	36.96	6.00	300	118	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																												
1	2462.00	111.89	74.00	37.89	103.22	32.41	7.22	36.96	6.00	292	360	PEAK																																																																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																												
1	2462.00	104.97	74.00	30.97	96.30	32.41	7.22	36.96	6.00	300	118	PEAK																																																																																																																																																																																								
Peak Avg	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>3283.50</td><td>44.86</td><td>91.89</td><td>-47.03</td><td>69.38</td><td>32.63</td><td>8.39</td><td>65.54</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.50</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>66.42</td><td>33.80</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>54.87</td><td>74.00</td><td>-19.13</td><td>73.23</td><td>35.57</td><td>12.73</td><td>66.66</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>67.39</td><td>35.57</td><td>12.73</td><td>66.66</td><td>0.00</td><td>100</td><td>332</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	3283.50	44.86	91.89	-47.03	69.38	32.63	8.39	65.54	0.00	--	--	Peak	2	4924.50	45.28	74.00	-28.72	66.42	33.80	10.35	65.29	0.00	--	--	PEAK	3	7386.00	54.87	74.00	-19.13	73.23	35.57	12.73	66.66	0.00	100	326	PEAK	4	7386.00	49.03	54.00	-4.97	67.39	35.57	12.73	66.66	0.00	100	332	AVERAGE	<table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>3961.50</td><td>41.77</td><td>74.00</td><td>-32.23</td><td>65.21</td><td>33.40</td><td>9.25</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>64.62</td><td>33.80</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>6600.00</td><td>46.08</td><td>84.97</td><td>-38.89</td><td>64.45</td><td>35.40</td><td>12.10</td><td>65.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7386.00</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>71.91</td><td>35.57</td><td>12.73</td><td>66.66</td><td>0.00</td><td>251</td><td>91</td><td>PEAK</td></tr><tr><td>5</td><td>7386.00</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>66.34</td><td>35.57</td><td>12.73</td><td>66.66</td><td>0.00</td><td>251</td><td>91</td><td>AVERAGE</td></tr><tr><td>6</td><td>9241.50</td><td>46.14</td><td>84.97</td><td>-38.83</td><td>62.18</td><td>36.40</td><td>14.49</td><td>66.93</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	3961.50	41.77	74.00	-32.23	65.21	33.40	9.25	66.09	0.00	--	--	Peak	2	4924.00	43.48	74.00	-30.52	64.62	33.80	10.35	65.29	0.00	--	--	PEAK	3	6600.00	46.08	84.97	-38.89	64.45	35.40	12.10	65.87	0.00	--	--	Peak	4	7386.00	53.55	74.00	-20.45	71.91	35.57	12.73	66.66	0.00	251	91	PEAK	5	7386.00	47.98	54.00	-6.02	66.34	35.57	12.73	66.66	0.00	251	91	AVERAGE	6	9241.50	46.14	84.97	-38.83	62.18	36.40	14.49	66.93	0.00	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																												
1	3283.50	44.86	91.89	-47.03	69.38	32.63	8.39	65.54	0.00	--	--	Peak																																																																																																																																																																																								
2	4924.50	45.28	74.00	-28.72	66.42	33.80	10.35	65.29	0.00	--	--	PEAK																																																																																																																																																																																								
3	7386.00	54.87	74.00	-19.13	73.23	35.57	12.73	66.66	0.00	100	326	PEAK																																																																																																																																																																																								
4	7386.00	49.03	54.00	-4.97	67.39	35.57	12.73	66.66	0.00	100	332	AVERAGE																																																																																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																												
1	3961.50	41.77	74.00	-32.23	65.21	33.40	9.25	66.09	0.00	--	--	Peak																																																																																																																																																																																								
2	4924.00	43.48	74.00	-30.52	64.62	33.80	10.35	65.29	0.00	--	--	PEAK																																																																																																																																																																																								
3	6600.00	46.08	84.97	-38.89	64.45	35.40	12.10	65.87	0.00	--	--	Peak																																																																																																																																																																																								
4	7386.00	53.55	74.00	-20.45	71.91	35.57	12.73	66.66	0.00	251	91	PEAK																																																																																																																																																																																								
5	7386.00	47.98	54.00	-6.02	66.34	35.57	12.73	66.66	0.00	251	91	AVERAGE																																																																																																																																																																																								
6	9241.50	46.14	84.97	-38.83	62.18	36.40	14.49	66.93	0.00	--	--	Peak																																																																																																																																																																																								



Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>60.54</td><td>74.00</td><td>-13.46</td><td>52.30</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>378</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	60.54	74.00	-13.46	52.30	32.06	7.10	36.92	6.00	378	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.01</td><td>-----</td><td>-----</td><td>100.64</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>378</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.01	-----	-----	100.64	32.15	7.14	36.92	6.00	378	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.26	60.54	74.00	-13.46	52.30	32.06	7.10	36.92	6.00	378	181	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.01	-----	-----	100.64	32.15	7.14	36.92	6.00	378	181	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>42.31</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>378</td><td>181</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	50.55	54.00	-3.45	42.31	32.06	7.10	36.92	6.00	378	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.53</td><td>-----</td><td>-----</td><td>91.15</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>378</td><td>181</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.53	-----	-----	91.15	32.17	7.14	36.93	6.00	378	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.66	50.55	54.00	-3.45	42.31	32.06	7.10	36.92	6.00	378	181	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	99.53	-----	-----	91.15	32.17	7.14	36.93	6.00	378	181	AVERAGE																																																																																							



Mode	4																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	0																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>57.06</td><td>74.00</td><td>-16.94</td><td>48.82</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>328</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	57.06	74.00	-16.94	48.82	32.06	7.10	36.92	6.00	328	103	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.85</td><td>-----</td><td>-----</td><td>95.48</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>328</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.85	-----	-----	95.48	32.15	7.14	36.92	6.00	328	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.57	57.06	74.00	-16.94	48.82	32.06	7.10	36.92	6.00	328	103	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.85	-----	-----	95.48	32.15	7.14	36.92	6.00	328	103	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>46.55</td><td>54.00</td><td>-7.45</td><td>38.29</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>328</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	46.55	54.00	-7.45	38.29	32.07	7.11	36.92	6.00	328	103	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.59</td><td>-----</td><td>-----</td><td>86.22</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>328</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.59	-----	-----	86.22	32.15	7.14	36.92	6.00	328	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.82	46.55	54.00	-7.45	38.29	32.07	7.11	36.92	6.00	328	103	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	94.59	-----	-----	86.22	32.15	7.14	36.92	6.00	328	103	AVERAGE																																																																																																			







Mode	4																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																
ANT	0																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.35</td><td>74.00</td><td>-31.65</td><td>63.47</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.35	74.00	-31.65	63.47	33.90	10.23	65.25	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>61.21</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.09	74.00	-33.91	61.21	33.90	10.23	65.25	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	42.35	74.00	-31.65	63.47	33.90	10.23	65.25	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	40.09	74.00	-33.91	61.21	33.90	10.23	65.25	0.00	--	PEAK																																																																																						







Mode	5																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11g_CH06_2437MHz																																																																													
ANT	0																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>64.58</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>71.90</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>100</td><td>27 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>38.66</td><td>54.00</td><td>-15.34</td><td>56.70</td><td>35.70</td><td>12.72</td><td>66.46</td><td>0.00</td><td>100</td><td>27 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.50	74.00	-30.50	64.58	33.90	10.29	65.27	0.00	--	PEAK	2	7311.00	53.87	74.00	-20.13	71.90	35.70	12.72	66.45	0.00	100	27 PEAK	3	7311.00	38.66	54.00	-15.34	56.70	35.70	12.72	66.46	0.00	100	27 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4874.00	43.50	74.00	-30.50	64.58	33.90	10.29	65.27	0.00	--	PEAK																																																																			
2	7311.00	53.87	74.00	-20.13	71.90	35.70	12.72	66.45	0.00	100	27 PEAK																																																																			
3	7311.00	38.66	54.00	-15.34	56.70	35.70	12.72	66.46	0.00	100	27 AVERAGE																																																																			
Vertical																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>62.04</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>58.03</td><td>74.00</td><td>-15.97</td><td>76.06</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>374</td><td>113 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>42.31</td><td>54.00</td><td>-11.69</td><td>60.35</td><td>35.70</td><td>12.72</td><td>66.46</td><td>0.00</td><td>374</td><td>113 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.96	74.00	-33.04	62.04	33.90	10.29	65.27	0.00	--	PEAK	2	7311.00	58.03	74.00	-15.97	76.06	35.70	12.72	66.45	0.00	374	113 PEAK	3	7311.00	42.31	54.00	-11.69	60.35	35.70	12.72	66.46	0.00	374	113 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4874.00	40.96	74.00	-33.04	62.04	33.90	10.29	65.27	0.00	--	PEAK																																																																			
2	7311.00	58.03	74.00	-15.97	76.06	35.70	12.72	66.45	0.00	374	113 PEAK																																																																			
3	7311.00	42.31	54.00	-11.69	60.35	35.70	12.72	66.46	0.00	374	113 AVERAGE																																																																			





Mode	6																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.70</td><td>65.83</td><td>74.00</td><td>-8.17</td><td>57.01</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>101</td><td>29</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.70	65.83	74.00	-8.17	57.01	32.52	7.26	36.96	6.00	101	29	PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.76</td><td>-----</td><td>-----</td><td>99.11</td><td>32.39</td><td>7.21</td><td>36.95</td><td>6.00</td><td>101</td><td>29</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.76	-----	-----	99.11	32.39	7.21	36.95	6.00	101	29	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.70	65.83	74.00	-8.17	57.01	32.52	7.26	36.96	6.00	101	29	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	107.76	-----	-----	99.11	32.39	7.21	36.95	6.00	101	29	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.10</td><td>50.25</td><td>54.00</td><td>-3.75</td><td>41.43</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>101</td><td>29</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	50.25	54.00	-3.75	41.43	32.52	7.26	36.96	6.00	101	29	AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>99.51</td><td>-----</td><td>-----</td><td>90.84</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>101</td><td>29</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.51	-----	-----	90.84	32.40	7.22	36.95	6.00	101	29	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.10	50.25	54.00	-3.75	41.43	32.52	7.26	36.96	6.00	101	29	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	99.51	-----	-----	90.84	32.40	7.22	36.95	6.00	101	29	AVERAGE																																																																																								







Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.44</td><td>62.13</td><td>74.00</td><td>-11.87</td><td>53.30</td><td>32.53</td><td>7.26</td><td>36.96</td><td>6.00</td><td>398</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	62.13	74.00	-11.87	53.30	32.53	7.26	36.96	6.00	398	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.02</td><td>-----</td><td>-----</td><td>96.34</td><td>32.41</td><td>7.22</td><td>36.95</td><td>6.00</td><td>398</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.02	-----	-----	96.34	32.41	7.22	36.95	6.00	398	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.44	62.13	74.00	-11.87	53.30	32.53	7.26	36.96	6.00	398	100	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	105.02	-----	-----	96.34	32.41	7.22	36.95	6.00	398	100	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.52</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>41.74</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>398</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	50.56	54.00	-3.44	41.74	32.52	7.26	36.96	6.00	398	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.46</td><td>-----</td><td>-----</td><td>87.77</td><td>32.42</td><td>7.22</td><td>36.95</td><td>6.00</td><td>398</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.46	-----	-----	87.77	32.42	7.22	36.95	6.00	398	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.52	50.56	54.00	-3.44	41.74	32.52	7.26	36.96	6.00	398	100	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	96.46	-----	-----	87.77	32.42	7.22	36.95	6.00	398	100	AVERAGE																																																																																							







Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																									
ANT	0																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>61.74</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.19</td><td>74.00</td><td>-32.81</td><td>59.42</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.75	74.00	-33.25	61.74	33.95	10.35	65.29	0.00	--	PEAK	2	7386.00	41.19	74.00	-32.81	59.42	35.70	12.73	66.66	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>61.16</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>59.36</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.17	74.00	-33.83	61.16	33.95	10.35	65.29	0.00	--	PEAK	2	7386.00	41.13	74.00	-32.87	59.36	35.70	12.73	66.66	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	40.75	74.00	-33.25	61.74	33.95	10.35	65.29	0.00	--	PEAK																																																																																																															
2	7386.00	41.19	74.00	-32.81	59.42	35.70	12.73	66.66	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4924.00	40.17	74.00	-33.83	61.16	33.95	10.35	65.29	0.00	--	PEAK																																																																																																															
2	7386.00	41.13	74.00	-32.87	59.36	35.70	12.73	66.66	0.00	--	PEAK																																																																																																															







Mode	7																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.11</td><td>56.03</td><td>74.00</td><td>-17.97</td><td>48.20</td><td>31.65</td><td>7.09</td><td>36.91</td><td>6.00</td><td>100</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.11	56.03	74.00	-17.97	48.20	31.65	7.09	36.91	6.00	100	186	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.79</td><td>-----</td><td>-----</td><td>104.78</td><td>31.80</td><td>7.14</td><td>36.93</td><td>6.00</td><td>100</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.79	-----	-----	104.78	31.80	7.14	36.93	6.00	100	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2381.11	56.03	74.00	-17.97	48.20	31.65	7.09	36.91	6.00	100	186	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	112.79	-----	-----	104.78	31.80	7.14	36.93	6.00	100	186	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2329.09</td><td>46.55</td><td>54.00</td><td>-7.45</td><td>39.00</td><td>31.44</td><td>7.01</td><td>36.90</td><td>6.00</td><td>100</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2329.09	46.55	54.00	-7.45	39.00	31.44	7.01	36.90	6.00	100	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.85</td><td>-----</td><td>-----</td><td>99.84</td><td>31.80</td><td>7.14</td><td>36.93</td><td>6.00</td><td>100</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.85	-----	-----	99.84	31.80	7.14	36.93	6.00	100	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2329.09	46.55	54.00	-7.45	39.00	31.44	7.01	36.90	6.00	100	186	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	107.85	-----	-----	99.84	31.80	7.14	36.93	6.00	100	186	AVERAGE																																																																																							







Mode	7																																																													
	Band Edge																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																													
ANT	1																																																													
Pol.	Vertical						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2386.96</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>45.72</td><td>31.70</td><td>7.10</td><td>36.92</td><td>6.00</td><td>386</td><td>253</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2386.96	53.60	74.00	-20.40	45.72	31.70	7.10	36.92	6.00	386	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2386.96	53.60	74.00	-20.40	45.72	31.70	7.10	36.92	6.00	386	253	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2387.09</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>36.94</td><td>31.70</td><td>7.10</td><td>36.92</td><td>6.00</td><td>386</td><td>253</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2387.09	44.82	54.00	-9.18	36.94	31.70	7.10	36.92	6.00	386	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2387.09	44.82	54.00	-9.18	36.94	31.70	7.10	36.92	6.00	386	253	AVERAGE																																																		



Mode	7																																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																												
100K Ref.																																																																																																																																																																																																																																																			
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2412.00	112.17	74.00	38.17	103.72	32.17	7.14	36.86	6.00		100		187 PEAK	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>105.53</td><td>74.00</td><td>31.53</td><td>97.09</td><td>32.15</td><td>7.14</td><td>36.85</td><td>6.00</td><td></td><td>300</td><td></td><td>104 PEAK</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2412.00	105.53	74.00	31.53	97.09	32.15	7.14	36.85	6.00		300		104 PEAK																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	2412.00	112.17	74.00	38.17	103.72	32.17	7.14	36.86	6.00		100		187 PEAK																																																																																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	2412.00	105.53	74.00	31.53	97.09	32.15	7.14	36.85	6.00		300		104 PEAK																																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																																																			
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3216.00	49.55	92.17	-42.62	73.91	32.77	8.31	65.44	0.00	--	--		PEAK	2	3958.50	42.83	74.00	-31.17	66.27	33.40	9.25	66.09	0.00	--	--		Peak	3	4824.00	48.40	74.00	-25.60	69.62	33.00	10.23	65.25	0.00	--	--		PEAK	4	6681.50	44.80	92.17	-47.37	63.17	35.40	12.10	65.87	0.00	--	--		Peak	5	7234.50	60.38	92.17	-31.79	78.40	35.50	12.71	66.23	0.00	--	--		PEAK	6	9648.00	47.03	92.17	-45.14	62.24	36.70	14.94	66.85	0.00	--	--		Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3216.00</td><td>45.86</td><td>85.53</td><td>-39.67</td><td>70.22</td><td>32.77</td><td>8.31</td><td>65.44</td><td>0.00</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>3960.00</td><td>41.92</td><td>74.00</td><td>-32.08</td><td>65.36</td><td>33.40</td><td>9.25</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td></td><td>Peak</td></tr><tr><td>3</td><td>4824.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>64.66</td><td>33.00</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>4</td><td>6597.00</td><td>47.18</td><td>85.53</td><td>-38.35</td><td>65.56</td><td>35.39</td><td>12.09</td><td>65.86</td><td>0.00</td><td>--</td><td>--</td><td></td><td>Peak</td></tr><tr><td>5</td><td>7234.50</td><td>57.59</td><td>85.53</td><td>-27.94</td><td>75.61</td><td>35.50</td><td>12.71</td><td>66.23</td><td>0.00</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>6</td><td>9238.50</td><td>46.83</td><td>85.53</td><td>-38.70</td><td>62.87</td><td>36.40</td><td>14.49</td><td>66.93</td><td>0.00</td><td>--</td><td>--</td><td></td><td>Peak</td></tr><tr><td>7</td><td>9648.00</td><td>48.01</td><td>85.53</td><td>-37.52</td><td>63.22</td><td>36.70</td><td>14.94</td><td>66.85</td><td>0.00</td><td>--</td><td>--</td><td></td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3216.00	45.86	85.53	-39.67	70.22	32.77	8.31	65.44	0.00	--	--		PEAK	2	3960.00	41.92	74.00	-32.08	65.36	33.40	9.25	66.09	0.00	--	--		Peak	3	4824.00	43.44	74.00	-30.56	64.66	33.00	10.23	65.25	0.00	--	--		PEAK	4	6597.00	47.18	85.53	-38.35	65.56	35.39	12.09	65.86	0.00	--	--		Peak	5	7234.50	57.59	85.53	-27.94	75.61	35.50	12.71	66.23	0.00	--	--		PEAK	6	9238.50	46.83	85.53	-38.70	62.87	36.40	14.49	66.93	0.00	--	--		Peak	7	9648.00	48.01	85.53	-37.52	63.22	36.70	14.94	66.85	0.00	--	--	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	3216.00	49.55	92.17	-42.62	73.91	32.77	8.31	65.44	0.00	--	--		PEAK																																																																																																																																																																																																																																						
2	3958.50	42.83	74.00	-31.17	66.27	33.40	9.25	66.09	0.00	--	--		Peak																																																																																																																																																																																																																																						
3	4824.00	48.40	74.00	-25.60	69.62	33.00	10.23	65.25	0.00	--	--		PEAK																																																																																																																																																																																																																																						
4	6681.50	44.80	92.17	-47.37	63.17	35.40	12.10	65.87	0.00	--	--		Peak																																																																																																																																																																																																																																						
5	7234.50	60.38	92.17	-31.79	78.40	35.50	12.71	66.23	0.00	--	--		PEAK																																																																																																																																																																																																																																						
6	9648.00	47.03	92.17	-45.14	62.24	36.70	14.94	66.85	0.00	--	--		Peak																																																																																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																							
1	3216.00	45.86	85.53	-39.67	70.22	32.77	8.31	65.44	0.00	--	--		PEAK																																																																																																																																																																																																																																						
2	3960.00	41.92	74.00	-32.08	65.36	33.40	9.25	66.09	0.00	--	--		Peak																																																																																																																																																																																																																																						
3	4824.00	43.44	74.00	-30.56	64.66	33.00	10.23	65.25	0.00	--	--		PEAK																																																																																																																																																																																																																																						
4	6597.00	47.18	85.53	-38.35	65.56	35.39	12.09	65.86	0.00	--	--		Peak																																																																																																																																																																																																																																						
5	7234.50	57.59	85.53	-27.94	75.61	35.50	12.71	66.23	0.00	--	--		PEAK																																																																																																																																																																																																																																						
6	9238.50	46.83	85.53	-38.70	62.87	36.40	14.49	66.93	0.00	--	--		Peak																																																																																																																																																																																																																																						
7	9648.00	48.01	85.53	-37.52	63.22	36.70	14.94	66.85	0.00	--	--		Peak																																																																																																																																																																																																																																						



Mode	8																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																				
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																																																																																				
ANT	1																																																																																																																																																																																																																																				
Pol.	Horizontal					Vertical																																																																																																																																																																																																																															
100K Ref.																																																																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2437.00</td><td>108.36</td><td>74.00</td><td>34.36</td><td>99.81</td><td>32.28</td><td>7.18</td><td>36.91</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>3 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2437.00	108.36	74.00	34.36	99.81	32.28	7.18	36.91	6.00									300	3 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2437.00</td><td>103.42</td><td>74.00</td><td>29.42</td><td>94.87</td><td>32.29</td><td>7.18</td><td>36.92</td><td>6.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>3 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2437.00	103.42	74.00	29.42	94.87	32.29	7.18	36.92	6.00									300	3 PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																													
1	2437.00	108.36	74.00	34.36	99.81	32.28	7.18	36.91	6.00																																																																																																																																																																																																																												
								300	3 PEAK																																																																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																													
1	2437.00	103.42	74.00	29.42	94.87	32.29	7.18	36.92	6.00																																																																																																																																																																																																																												
								300	3 PEAK																																																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>3249.00</td><td>44.43</td><td>88.36</td><td>-43.93</td><td>68.82</td><td>32.75</td><td>8.35</td><td>65.49</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>4873.50</td><td>41.92</td><td>74.00</td><td>-32.08</td><td>63.00</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>71.84</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>313</td><td>155 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>67.76</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>313</td><td>155 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	3249.00	44.43	88.36	-43.93	68.82	32.75	8.35	65.49	0.00									--	-- PEAK	2	4873.50	41.92	74.00	-32.08	63.00	33.90	10.29	65.27	0.00									--	-- PEAK	3	7311.00	53.81	74.00	-20.19	71.84	35.70	12.72	66.45	0.00									313	155 PEAK	4	7311.00	49.73	54.00	-4.27	67.76	35.70	12.72	66.45	0.00									313	155 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>3463.50</td><td>41.66</td><td>83.42</td><td>-41.76</td><td>66.02</td><td>32.60</td><td>8.60</td><td>65.56</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>4873.50</td><td>41.24</td><td>74.00</td><td>-32.76</td><td>62.32</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>55.15</td><td>74.00</td><td>-18.85</td><td>73.18</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>302</td><td>124 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>50.93</td><td>54.00</td><td>-3.07</td><td>68.96</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>302</td><td>124 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	3463.50	41.66	83.42	-41.76	66.02	32.60	8.60	65.56	0.00									--	-- PEAK	2	4873.50	41.24	74.00	-32.76	62.32	33.90	10.29	65.27	0.00									--	-- PEAK	3	7311.00	55.15	74.00	-18.85	73.18	35.70	12.72	66.45	0.00									302	124 PEAK	4	7311.00	50.93	54.00	-3.07	68.96	35.70	12.72	66.45	0.00									302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																													
1	3249.00	44.43	88.36	-43.93	68.82	32.75	8.35	65.49	0.00																																																																																																																																																																																																																												
								--	-- PEAK																																																																																																																																																																																																																												
2	4873.50	41.92	74.00	-32.08	63.00	33.90	10.29	65.27	0.00																																																																																																																																																																																																																												
								--	-- PEAK																																																																																																																																																																																																																												
3	7311.00	53.81	74.00	-20.19	71.84	35.70	12.72	66.45	0.00																																																																																																																																																																																																																												
								313	155 PEAK																																																																																																																																																																																																																												
4	7311.00	49.73	54.00	-4.27	67.76	35.70	12.72	66.45	0.00																																																																																																																																																																																																																												
								313	155 AVERAGE																																																																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																													
1	3463.50	41.66	83.42	-41.76	66.02	32.60	8.60	65.56	0.00																																																																																																																																																																																																																												
								--	-- PEAK																																																																																																																																																																																																																												
2	4873.50	41.24	74.00	-32.76	62.32	33.90	10.29	65.27	0.00																																																																																																																																																																																																																												
								--	-- PEAK																																																																																																																																																																																																																												
3	7311.00	55.15	74.00	-18.85	73.18	35.70	12.72	66.45	0.00																																																																																																																																																																																																																												
								302	124 PEAK																																																																																																																																																																																																																												
4	7311.00	50.93	54.00	-3.07	68.96	35.70	12.72	66.45	0.00																																																																																																																																																																																																																												
								302	124 AVERAGE																																																																																																																																																																																																																												





Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.18</td><td>58.00</td><td>74.00</td><td>-16.00</td><td>49.19</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>164</td><td>227</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.18	58.00	74.00	-16.00	49.19	32.53	7.26	36.98	6.00	164	227	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>106.99</td><td>-----</td><td>-----</td><td>98.32</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>164</td><td>227</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.99	-----	-----	98.32	32.41	7.22	36.96	6.00	164	227
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.18	58.00	74.00	-16.00	49.19	32.53	7.26	36.98	6.00	164	227	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	106.99	-----	-----	98.32	32.41	7.22	36.96	6.00	164	227	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.18</td><td>48.76</td><td>54.00</td><td>-5.24</td><td>39.95</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>164</td><td>227</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.18	48.76	54.00	-5.24	39.95	32.53	7.26	36.98	6.00	164	227	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.00</td><td>-----</td><td>-----</td><td>93.41</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>164</td><td>227</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.00	-----	-----	93.41	32.41	7.22	36.96	6.00	164	227
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.18	48.76	54.00	-5.24	39.95	32.53	7.26	36.98	6.00	164	227	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	102.00	-----	-----	93.41	32.41	7.22	36.96	6.00	164	227	AVERAGE																																																																																							







Mode	9																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.66</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>45.11</td><td>32.57</td><td>7.27</td><td>36.99</td><td>6.00</td><td>370</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.66	53.96	74.00	-20.04	45.11	32.57	7.27	36.99	6.00	370	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2494.66	53.96	74.00	-20.04	45.11	32.57	7.27	36.99	6.00	370	242	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.64</td><td>-----</td><td>-----</td><td>94.97</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>370</td><td>242</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.64	-----	-----	94.97	32.41	7.22	36.96	6.00	370	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	103.64	-----	-----	94.97	32.41	7.22	36.96	6.00	370	242	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.12</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>35.19</td><td>32.53</td><td>7.26</td><td>36.98</td><td>6.00</td><td>370</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.12	44.00	54.00	-10.00	35.19	32.53	7.26	36.98	6.00	370	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.12	44.00	54.00	-10.00	35.19	32.53	7.26	36.98	6.00	370	242	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.72</td><td>-----</td><td>-----</td><td>90.05</td><td>32.41</td><td>7.22</td><td>36.96</td><td>6.00</td><td>370</td><td>242</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.72	-----	-----	90.05	32.41	7.22	36.96	6.00	370	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	98.72	-----	-----	90.05	32.41	7.22	36.96	6.00	370	242	AVERAGE																																											







Mode	9																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																					
ANT	1																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>39.26</td><td>74.00</td><td>-34.74</td><td>60.25</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>72.59</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>100</td><td>158</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>68.62</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>100</td><td>158</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4924.00	39.26	74.00	-34.74	60.25	33.95	10.35	65.29	0.00	---	---	PEAK	2	7386.00	54.36	74.00	-19.64	72.59	35.70	12.73	66.66	0.00	100	158	PEAK	3	7386.00	50.39	54.00	-3.61	68.62	35.70	12.73	66.66	0.00	100	158	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>61.85</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>73.13</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>347</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>50.96</td><td>54.00</td><td>-3.04</td><td>69.19</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>347</td><td>117</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4924.00	40.86	74.00	-33.14	61.85	33.95	10.35	65.29	0.00	---	---	PEAK	2	7386.00	54.90	74.00	-19.10	73.13	35.70	12.73	66.66	0.00	347	117	PEAK	3	7386.00	50.96	54.00	-3.04	69.19	35.70	12.73	66.66	0.00	347	117	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4924.00	39.26	74.00	-34.74	60.25	33.95	10.35	65.29	0.00	---	---	PEAK																																																																																																																																																										
2	7386.00	54.36	74.00	-19.64	72.59	35.70	12.73	66.66	0.00	100	158	PEAK																																																																																																																																																										
3	7386.00	50.39	54.00	-3.61	68.62	35.70	12.73	66.66	0.00	100	158	AVERAGE																																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4924.00	40.86	74.00	-33.14	61.85	33.95	10.35	65.29	0.00	---	---	PEAK																																																																																																																																																										
2	7386.00	54.90	74.00	-19.10	73.13	35.70	12.73	66.66	0.00	347	117	PEAK																																																																																																																																																										
3	7386.00	50.96	54.00	-3.04	69.19	35.70	12.73	66.66	0.00	347	117	AVERAGE																																																																																																																																																										







Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.39</td><td>68.53</td><td>74.00</td><td>-5.47</td><td>60.28</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>100</td><td>224</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	68.53	74.00	-5.47	60.28	32.07	7.10	36.92	6.00	100	224	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.39</td><td>-----</td><td>-----</td><td>102.04</td><td>32.14</td><td>7.13</td><td>36.92</td><td>6.00</td><td>100</td><td>224</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.39	-----	-----	102.04	32.14	7.13	36.92	6.00	100	224
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.39	68.53	74.00	-5.47	60.28	32.07	7.10	36.92	6.00	100	224	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	110.39	-----	-----	102.04	32.14	7.13	36.92	6.00	100	224	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>41.85</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>100</td><td>224</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	50.11	54.00	-3.89	41.85	32.07	7.11	36.92	6.00	100	224	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.80</td><td>-----</td><td>-----</td><td>91.43</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>100</td><td>224</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.80	-----	-----	91.43	32.15	7.14	36.92	6.00	100	224
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.69	50.11	54.00	-3.89	41.85	32.07	7.11	36.92	6.00	100	224	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	99.80	-----	-----	91.43	32.15	7.14	36.92	6.00	100	224	AVERAGE																																																																																																			





Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.61</td><td>64.64</td><td>74.00</td><td>-9.36</td><td>56.40</td><td>32.06</td><td>7.10</td><td>36.92</td><td>6.00</td><td>374</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.61	64.64	74.00	-9.36	56.40	32.06	7.10	36.92	6.00	374	84	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.41</td><td>-----</td><td>-----</td><td>100.04</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>374</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.41	-----	-----	100.04	32.15	7.14	36.92	6.00	374	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2387.61	64.64	74.00	-9.36	56.40	32.06	7.10	36.92	6.00	374	84	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	108.41	-----	-----	100.04	32.15	7.14	36.92	6.00	374	84	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>48.65</td><td>54.00</td><td>-5.35</td><td>40.40</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>374</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	48.65	54.00	-5.35	40.40	32.07	7.10	36.92	6.00	374	84	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.53</td><td>-----</td><td>-----</td><td>91.15</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>374</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.53	-----	-----	91.15	32.17	7.14	36.93	6.00	374	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.52	48.65	54.00	-5.35	40.40	32.07	7.10	36.92	6.00	374	84	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	99.53	-----	-----	91.15	32.17	7.14	36.93	6.00	374	84	AVERAGE																																																																																																			







Mode	10																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
100K Ref.	 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>109.72</td><td>74.00</td><td>35.72</td><td>101.27</td><td>32.17</td><td>7.14</td><td>36.86</td><td>6.00</td><td>270</td><td>0 PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	109.72	74.00	35.72	101.27	32.17	7.14	36.86	6.00	270	0 PEAK	 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>103.34</td><td>74.00</td><td>29.34</td><td>94.90</td><td>32.15</td><td>7.14</td><td>36.85</td><td>6.00</td><td>300</td><td>00 PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	103.34	74.00	29.34	94.90	32.15	7.14	36.85	6.00	300	00 PEAK																																				
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2412.00	109.72	74.00	35.72	101.27	32.17	7.14	36.86	6.00	270	0 PEAK																																																																																																													
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2412.00	103.34	74.00	29.34	94.90	32.15	7.14	36.85	6.00	300	00 PEAK																																																																																																													
Peak Avg	 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3216.00</td><td>44.34</td><td>89.72</td><td>-45.38</td><td>68.69</td><td>32.78</td><td>8.31</td><td>65.44</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4824.00</td><td>42.31</td><td>74.00</td><td>-31.69</td><td>63.43</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>7233.00</td><td>55.05</td><td>89.72</td><td>-34.67</td><td>72.87</td><td>35.70</td><td>12.71</td><td>66.23</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	3216.00	44.34	89.72	-45.38	68.69	32.78	8.31	65.44	0.00	--	-- Peak	2	4824.00	42.31	74.00	-31.69	63.43	33.90	10.23	65.25	0.00	--	-- PEAK	3	7233.00	55.05	89.72	-34.67	72.87	35.70	12.71	66.23	0.00	--	-- Peak	 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>39.45</td><td>74.00</td><td>-34.55</td><td>60.57</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7237.50</td><td>57.23</td><td>83.34</td><td>-26.11</td><td>75.06</td><td>35.70</td><td>12.71</td><td>66.24</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	39.45	74.00	-34.55	60.57	33.90	10.23	65.25	0.00	--	-- PEAK	2	7237.50	57.23	83.34	-26.11	75.06	35.70	12.71	66.24	0.00	--	-- Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	3216.00	44.34	89.72	-45.38	68.69	32.78	8.31	65.44	0.00	--	-- Peak																																																																																																													
2	4824.00	42.31	74.00	-31.69	63.43	33.90	10.23	65.25	0.00	--	-- PEAK																																																																																																													
3	7233.00	55.05	89.72	-34.67	72.87	35.70	12.71	66.23	0.00	--	-- Peak																																																																																																													
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	4824.00	39.45	74.00	-34.55	60.57	33.90	10.23	65.25	0.00	--	-- PEAK																																																																																																													
2	7237.50	57.23	83.34	-26.11	75.06	35.70	12.71	66.24	0.00	--	-- Peak																																																																																																													







Mode	11																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td></td><td>61.43</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>63.28</td><td>74.00</td><td>-10.72</td><td></td><td>81.31</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>270</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>50.30</td><td>54.00</td><td>-3.70</td><td></td><td>68.33</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>270</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.35	74.00	-33.65		61.43	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	63.28	74.00	-10.72		81.31	35.70	12.72	66.45	0.00	270	239	PEAK	3	7311.00	50.30	54.00	-3.70		68.33	35.70	12.72	66.45	0.00	270	239	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td></td><td>62.77</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>63.64</td><td>74.00</td><td>-10.36</td><td></td><td>81.67</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>321</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>50.69</td><td>54.00</td><td>-3.31</td><td></td><td>68.72</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>321</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	41.69	74.00	-32.31		62.77	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	63.64	74.00	-10.36		81.67	35.70	12.72	66.45	0.00	321	115	PEAK	3	7311.00	50.69	54.00	-3.31		68.72	35.70	12.72	66.45	0.00	321	115	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	4874.00	40.35	74.00	-33.65		61.43	33.90	10.29	65.27	0.00	--	--	PEAK																																																																																																																																											
2	7311.00	63.28	74.00	-10.72		81.31	35.70	12.72	66.45	0.00	270	239	PEAK																																																																																																																																											
3	7311.00	50.30	54.00	-3.70		68.33	35.70	12.72	66.45	0.00	270	239	AVERAGE																																																																																																																																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	4874.00	41.69	74.00	-32.31		62.77	33.90	10.29	65.27	0.00	--	--	PEAK																																																																																																																																											
2	7311.00	63.64	74.00	-10.36		81.67	35.70	12.72	66.45	0.00	321	115	PEAK																																																																																																																																											
3	7311.00	50.69	54.00	-3.31		68.72	35.70	12.72	66.45	0.00	321	115	AVERAGE																																																																																																																																											





Mode	12																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11g_CH11_2462MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>67.93</td><td>74.00</td><td>-6.07</td><td>59.11</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>259</td><td>8 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.16	67.93	74.00	-6.07	59.11	32.52	7.26	36.96	6.00	259	8 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.10</td><td>-----</td><td>-----</td><td>101.43</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>259</td><td>8 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	110.10	-----	-----	101.43	32.40	7.22	36.95	6.00	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	2484.16	67.93	74.00	-6.07	59.11	32.52	7.26	36.96	6.00	259	8 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	2462.00	110.10	-----	-----	101.43	32.40	7.22	36.95	6.00	259	8 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>41.92</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>259</td><td>8 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.28	50.74	54.00	-3.26	41.92	32.52	7.26	36.96	6.00	259	8 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.68</td><td>-----</td><td>-----</td><td>91.99</td><td>32.42</td><td>7.22</td><td>36.95</td><td>6.00</td><td>259</td><td>8 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	100.68	-----	-----	91.99	32.42	7.22	36.95	6.00	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	2484.28	50.74	54.00	-3.26	41.92	32.52	7.26	36.96	6.00	259	8 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	2462.00	100.68	-----	-----	91.99	32.42	7.22	36.95	6.00	259	8 AVERAGE																																																																																					







Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.72</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>52.43</td><td>32.53</td><td>7.26</td><td>36.96</td><td>6.00</td><td>353</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.72	61.26	74.00	-12.74	52.43	32.53	7.26	36.96	6.00	353	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.49</td><td>-----</td><td>-----</td><td>96.82</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>353</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.49	-----	-----	96.82	32.40	7.22	36.95	6.00	353	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.72	61.26	74.00	-12.74	52.43	32.53	7.26	36.96	6.00	353	113	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	105.49	-----	-----	96.82	32.40	7.22	36.95	6.00	353	113	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>38.03</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>353</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	46.85	54.00	-7.15	38.03	32.52	7.26	36.96	6.00	353	113	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.21</td><td>-----</td><td>-----</td><td>87.54</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>353</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.21	-----	-----	87.54	32.40	7.22	36.95	6.00	353	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.68	46.85	54.00	-7.15	38.03	32.52	7.26	36.96	6.00	353	113	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	96.21	-----	-----	87.54	32.40	7.22	36.95	6.00	353	113	AVERAGE																																																																																							







Mode	12																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>62.81</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>75.80</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>269</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>61.65</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>269</td><td>237</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	41.82	74.00	-32.18	62.81	33.95	10.35	65.29	0.00	--	--	PEAK	2	7386.00	57.57	74.00	-16.43	75.80	35.70	12.73	66.66	0.00	269	237	PEAK	3	7386.00	43.42	54.00	-10.58	61.65	35.70	12.73	66.66	0.00	269	237	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.46</td><td>74.00</td><td>-32.54</td><td>62.45</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>74.00</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>278</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>60.92</td><td>35.70</td><td>12.73</td><td>66.65</td><td>0.00</td><td>278</td><td>115</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	41.46	74.00	-32.54	62.45	33.95	10.35	65.29	0.00	--	--	PEAK	2	7386.00	56.57	74.00	-17.43	74.00	35.70	12.73	66.66	0.00	278	115	PEAK	3	7386.00	42.70	54.00	-11.30	60.92	35.70	12.73	66.65	0.00	278	115	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	41.82	74.00	-32.18	62.81	33.95	10.35	65.29	0.00	--	--	PEAK																																																																																																																																																								
2	7386.00	57.57	74.00	-16.43	75.80	35.70	12.73	66.66	0.00	269	237	PEAK																																																																																																																																																								
3	7386.00	43.42	54.00	-10.58	61.65	35.70	12.73	66.66	0.00	269	237	AVERAGE																																																																																																																																																								
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	41.46	74.00	-32.54	62.45	33.95	10.35	65.29	0.00	--	--	PEAK																																																																																																																																																								
2	7386.00	56.57	74.00	-17.43	74.00	35.70	12.73	66.66	0.00	278	115	PEAK																																																																																																																																																								
3	7386.00	42.70	54.00	-11.30	60.92	35.70	12.73	66.65	0.00	278	115	AVERAGE																																																																																																																																																								





Mode	13																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11ax HE20_CH01_Full_2412MHz																																																																																																														
ANT	CDD 0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>60.52</td><td>74.00</td><td>-13.48</td><td>52.26</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>371</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	60.52	74.00	-13.48	52.26	32.07	7.11	36.92	6.00	371	185	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.80</td><td>-----</td><td>-----</td><td>103.43</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>371</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.80	-----	-----	103.43	32.15	7.14	36.92	6.00	371	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	60.52	74.00	-13.48	52.26	32.07	7.11	36.92	6.00	371	185	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	111.80	-----	-----	103.43	32.15	7.14	36.92	6.00	371	185	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.04</td><td>54.00</td><td>-3.96</td><td>41.78</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>371</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.04	54.00	-3.96	41.78	32.07	7.11	36.92	6.00	371	185	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.88</td><td>-----</td><td>-----</td><td>90.51</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>371</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.88	-----	-----	90.51	32.15	7.14	36.92	6.00	371	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	50.04	54.00	-3.96	41.78	32.07	7.11	36.92	6.00	371	185	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	98.88	-----	-----	90.51	32.15	7.14	36.92	6.00	371	185	AVERAGE																																																																																																			





		13																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11ax HE20_CH01_Full_2412MHz																																																					
ANT		CDD 0+1																																																					
Pol.		Vertical						Fundamental																																															
Peak																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>49.20</td><td>32.07</td><td>7.10</td><td>36.92</td><td>6.00</td><td>380</td><td>232</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	57.45	74.00	-16.55	49.20	32.07	7.10	36.92	6.00	380	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.30	57.45	74.00	-16.55	49.20	32.07	7.10	36.92	6.00	380	232	PEAK																																											
Avg																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>38.31</td><td>32.07</td><td>7.11</td><td>36.92</td><td>6.00</td><td>380</td><td>232</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.57	54.00	-7.43	38.31	32.07	7.11	36.92	6.00	380	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	46.57	54.00	-7.43	38.31	32.07	7.11	36.92	6.00	380	232	AVERAGE																																											
Peak																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.39</td><td>-----</td><td>-----</td><td>96.02</td><td>32.15</td><td>7.14</td><td>36.92</td><td>6.00</td><td>380</td><td>232</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.39	-----	-----	96.02	32.15	7.14	36.92	6.00	380	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	104.39	-----	-----	96.02	32.15	7.14	36.92	6.00	380	232	PEAK																																											
Avg																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.70</td><td>-----</td><td>-----</td><td>86.32</td><td>32.17</td><td>7.14</td><td>36.93</td><td>6.00</td><td>380</td><td>232</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.70	-----	-----	86.32	32.17	7.14	36.93	6.00	380	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	94.70	-----	-----	86.32	32.17	7.14	36.93	6.00	380	232	AVERAGE																																											







Mode	13																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full_2412MHz																																																																																																	
ANT	CDD 0+1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.44</td><td>74.00</td><td>-33.56</td><td>61.56</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.44	74.00	-33.56	61.56	33.90	10.23	65.25	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>61.00</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.88	74.00	-34.12	61.00	33.90	10.23	65.25	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4824.00	40.44	74.00	-33.56	61.56	33.90	10.23	65.25	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4824.00	39.88	74.00	-34.12	61.00	33.90	10.23	65.25	0.00	--	PEAK																																																																																							







Mode	14																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	2400-2483.5_802.11ax HE20_CH06_Full_2437MHz																																																																																																																																																																					
ANT	CDD 0+1																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>63.86</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>58.70</td><td>74.00</td><td>-15.30</td><td>76.73</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>261</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>66.84</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>261</td><td>237</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	42.78	74.00	-31.22	63.86	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	58.70	74.00	-15.30	76.73	35.70	12.72	66.45	0.00	261	237	PEAK	3	7311.00	48.81	54.00	-5.19	66.84	35.70	12.72	66.45	0.00	261	237	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>40.31</td><td>74.00</td><td>-33.69</td><td>61.39</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>60.23</td><td>74.00</td><td>-13.77</td><td>78.26</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>306</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>49.11</td><td>54.00</td><td>-4.89</td><td>67.13</td><td>35.70</td><td>12.72</td><td>66.44</td><td>0.00</td><td>306</td><td>115</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	40.31	74.00	-33.69	61.39	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	60.23	74.00	-13.77	78.26	35.70	12.72	66.45	0.00	306	115	PEAK	3	7311.00	49.11	54.00	-4.89	67.13	35.70	12.72	66.44	0.00	306	115	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4874.00	42.78	74.00	-31.22	63.86	33.90	10.29	65.27	0.00	--	--	PEAK																																																																																																																																																										
2	7311.00	58.70	74.00	-15.30	76.73	35.70	12.72	66.45	0.00	261	237	PEAK																																																																																																																																																										
3	7311.00	48.81	54.00	-5.19	66.84	35.70	12.72	66.45	0.00	261	237	AVERAGE																																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4874.00	40.31	74.00	-33.69	61.39	33.90	10.29	65.27	0.00	--	--	PEAK																																																																																																																																																										
2	7311.00	60.23	74.00	-13.77	78.26	35.70	12.72	66.45	0.00	306	115	PEAK																																																																																																																																																										
3	7311.00	49.11	54.00	-4.89	67.13	35.70	12.72	66.44	0.00	306	115	AVERAGE																																																																																																																																																										





		15																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																					
ANT		CDD 0+1																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.02</td><td>-----</td><td>-----</td><td>97.35</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.02	-----	-----	97.35	32.40	7.22	36.95	6.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	106.02	-----	-----	97.35	32.40	7.22	36.95	6.00	100	185	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.02</td><td>-----</td><td>-----</td><td>97.35</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.02	-----	-----	97.35	32.40	7.22	36.95	6.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	106.02	-----	-----	97.35	32.40	7.22	36.95	6.00	100	185	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.06</td><td>-----</td><td>-----</td><td>87.39</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.06	-----	-----	87.39	32.40	7.22	36.95	6.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	96.06	-----	-----	87.39	32.40	7.22	36.95	6.00	100	185	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.06</td><td>-----</td><td>-----</td><td>87.39</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.06	-----	-----	87.39	32.40	7.22	36.95	6.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	96.06	-----	-----	87.39	32.40	7.22	36.95	6.00	100	185	AVERAGE																																											







Mode	15																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.04</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>48.35</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>104</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	57.17	74.00	-16.83	48.35	32.52	7.26	36.96	6.00	104	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>99.64</td><td>-----</td><td>-----</td><td>90.97</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>104</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.64	-----	-----	90.97	32.40	7.22	36.95	6.00	104	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.04	57.17	74.00	-16.83	48.35	32.52	7.26	36.96	6.00	104	111	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	99.64	-----	-----	90.97	32.40	7.22	36.95	6.00	104	111	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>46.22</td><td>54.00</td><td>-7.78</td><td>37.40</td><td>32.52</td><td>7.26</td><td>36.96</td><td>6.00</td><td>104</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	46.22	54.00	-7.78	37.40	32.52	7.26	36.96	6.00	104	111	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>90.80</td><td>-----</td><td>-----</td><td>82.13</td><td>32.40</td><td>7.22</td><td>36.95</td><td>6.00</td><td>104</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	90.80	-----	-----	82.13	32.40	7.22	36.95	6.00	104	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.68	46.22	54.00	-7.78	37.40	32.52	7.26	36.96	6.00	104	111	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	90.80	-----	-----	82.13	32.40	7.22	36.95	6.00	104	111	AVERAGE																																																																																							







Mode	15																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																																																											
ANT	CDD 0+1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>61.89</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>59.95</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	40.90	74.00	-33.10	61.89	33.95	10.35	65.29	0.00	--	--	PEAK	2	7386.00	41.72	74.00	-32.28	59.95	35.70	12.73	66.66	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>61.89</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>60.67</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	40.90	74.00	-33.10	61.89	33.95	10.35	65.29	0.00	--	--	PEAK	2	7386.00	42.44	74.00	-31.56	60.67	35.70	12.73	66.66	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.00	40.90	74.00	-33.10	61.89	33.95	10.35	65.29	0.00	--	--	PEAK																																																																																																																																
2	7386.00	41.72	74.00	-32.28	59.95	35.70	12.73	66.66	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.00	40.90	74.00	-33.10	61.89	33.95	10.35	65.29	0.00	--	--	PEAK																																																																																																																																
2	7386.00	42.44	74.00	-31.56	60.67	35.70	12.73	66.66	0.00	--	--	PEAK																																																																																																																																







Mode	16																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11ax HE20_CH01_RU26/0_2412MHz																																																																																																														
ANT	CDD 0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2358.36</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>42.84</td><td>31.61</td><td>7.11</td><td>36.97</td><td>6.00</td><td>183</td><td>192</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2358.36	50.59	74.00	-23.41	42.84	31.61	7.11	36.97	6.00	183	192	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.62</td><td>-----</td><td>-----</td><td>95.49</td><td>31.92</td><td>7.19</td><td>36.98</td><td>6.00</td><td>183</td><td>192</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.62	-----	-----	95.49	31.92	7.19	36.98	6.00	183	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2358.36	50.59	74.00	-23.41	42.84	31.61	7.11	36.97	6.00	183	192	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.62	-----	-----	95.49	31.92	7.19	36.98	6.00	183	192	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2323.78</td><td>39.38</td><td>54.00</td><td>-14.62</td><td>31.91</td><td>31.37</td><td>7.06</td><td>36.96</td><td>6.00</td><td>183</td><td>192</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2323.78	39.38	54.00	-14.62	31.91	31.37	7.06	36.96	6.00	183	192	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.03</td><td>-----</td><td>-----</td><td>85.90</td><td>31.92</td><td>7.19</td><td>36.98</td><td>6.00</td><td>183</td><td>192</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.03	-----	-----	85.90	31.92	7.19	36.98	6.00	183	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2323.78	39.38	54.00	-14.62	31.91	31.37	7.06	36.96	6.00	183	192	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	94.03	-----	-----	85.90	31.92	7.19	36.98	6.00	183	192	AVERAGE																																																																																																			







Mode	16																																																													
	Band Edge																																																													
	2400-2483.5_802.11ax HE20_CH01_RU26/0_2412MHz																																																													
ANT	CDD 0+1																																																													
Pol.	Vertical						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>2379.16</td><td>49.59</td><td>74.00</td><td>-24.41</td><td>41.66</td><td>31.75</td><td>7.15</td><td>36.97</td><td>6.00</td><td>301</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2379.16	49.59	74.00	-24.41	41.66	31.75	7.15	36.97	6.00	301	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2379.16	49.59	74.00	-24.41	41.66	31.75	7.15	36.97	6.00	301	78	PEAK																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>2412.00</td><td>98.97</td><td>-----</td><td>-----</td><td>90.84</td><td>31.92</td><td>7.19</td><td>36.98</td><td>6.00</td><td>301</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2412.00	98.97	-----	-----	90.84	31.92	7.19	36.98	6.00	301	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2412.00	98.97	-----	-----	90.84	31.92	7.19	36.98	6.00	301	78	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>2377.60</td><td>38.00</td><td>54.00</td><td>-16.00</td><td>30.09</td><td>31.74</td><td>7.14</td><td>36.97</td><td>6.00</td><td>301</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2377.60	38.00	54.00	-16.00	30.09	31.74	7.14	36.97	6.00	301	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2377.60	38.00	54.00	-16.00	30.09	31.74	7.14	36.97	6.00	301	78	AVERAGE																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>2412.00</td><td>88.42</td><td>-----</td><td>-----</td><td>80.29</td><td>31.92</td><td>7.19</td><td>36.98</td><td>6.00</td><td>301</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	2412.00	88.42	-----	-----	80.29	31.92	7.19	36.98	6.00	301	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																				
1	2412.00	88.42	-----	-----	80.29	31.92	7.19	36.98	6.00	301	78	AVERAGE																																																		





Mode	17																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH01_RU52/37_2412MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>46.29</td><td>31.83</td><td>7.16</td><td>36.98</td><td>6.00</td><td>100</td><td>193</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	54.30	74.00	-19.70	46.29	31.83	7.16	36.98	6.00	100	193	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.16</td><td>-----</td><td>-----</td><td>96.02</td><td>31.92</td><td>7.19</td><td>36.97</td><td>6.00</td><td>100</td><td>193</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.16	-----	-----	96.02	31.92	7.19	36.97	6.00	100	193
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	54.30	74.00	-19.70	46.29	31.83	7.16	36.98	6.00	100	193	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.16	-----	-----	96.02	31.92	7.19	36.97	6.00	100	193	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2325.34</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>32.35</td><td>31.38</td><td>7.06</td><td>36.96</td><td>6.00</td><td>100</td><td>193</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2325.34	39.83	54.00	-14.17	32.35	31.38	7.06	36.96	6.00	100	193	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.16</td><td>-----</td><td>-----</td><td>86.02</td><td>31.92</td><td>7.19</td><td>36.97</td><td>6.00</td><td>100</td><td>193</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.16	-----	-----	86.02	31.92	7.19	36.97	6.00	100	193
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2325.34	39.83	54.00	-14.17	32.35	31.38	7.06	36.96	6.00	100	193	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	94.16	-----	-----	86.02	31.92	7.19	36.97	6.00	100	193	AVERAGE																																																																																							







		17																																																																																																		
Mode	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH01_RU52/37_2412MHz																																																																																																			
ANT	CDD 0+1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>52.29</td><td>74.00</td><td>-21.71</td><td>44.28</td><td>31.83</td><td>7.16</td><td>36.98</td><td>6.00</td><td>339</td><td>79 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	52.29	74.00	-21.71	44.28	31.83	7.16	36.98	6.00	339	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>98.85</td><td>-----</td><td>-----</td><td>90.71</td><td>31.92</td><td>7.19</td><td>36.97</td><td>6.00</td><td>339</td><td>79 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	98.85	-----	-----	90.71	31.92	7.19	36.97	6.00	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2389.95	52.29	74.00	-21.71	44.28	31.83	7.16	36.98	6.00	339	79 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	98.85	-----	-----	90.71	31.92	7.19	36.97	6.00	339	79 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2324.69</td><td>38.13</td><td>54.00</td><td>-15.87</td><td>30.66</td><td>31.37</td><td>7.06</td><td>36.96</td><td>6.00</td><td>339</td><td>79 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2324.69	38.13	54.00	-15.87	30.66	31.37	7.06	36.96	6.00	339	79 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>89.49</td><td>-----</td><td>-----</td><td>81.36</td><td>31.92</td><td>7.19</td><td>36.98</td><td>6.00</td><td>339</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	89.49	-----	-----	81.36	31.92	7.19	36.98	6.00	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2324.69	38.13	54.00	-15.87	30.66	31.37	7.06	36.96	6.00	339	79 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	89.49	-----	-----	81.36	31.92	7.19	36.98	6.00	339	79 AVERAGE																																																																																									







		18																																																						
Mode		Band Edge																																																						
		2400-2483.5_802.11ax HE20_CH01_RU106/53_2412MHz																																																						
ANT		CDD 0+1																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>57.97</td><td>74.00</td><td>-16.03</td><td>49.98</td><td>31.81</td><td>7.16</td><td>36.98</td><td>6.00</td><td>124</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	57.97	74.00	-16.03	49.98	31.81	7.16	36.98	6.00	124	189	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2387.74	57.97	74.00	-16.03	49.98	31.81	7.16	36.98	6.00	124	189	PEAK																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.09</td><td>-----</td><td>-----</td><td>96.92</td><td>31.94</td><td>7.20</td><td>36.97</td><td>6.00</td><td>124</td><td>189</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.09	-----	-----	96.92	31.94	7.20	36.97	6.00	124	189	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	105.09	-----	-----	96.92	31.94	7.20	36.97	6.00	124	189	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.61</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>32.77</td><td>31.81</td><td>7.16</td><td>36.98</td><td>6.00</td><td>124</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.61	40.76	54.00	-13.24	32.77	31.81	7.16	36.98	6.00	124	189	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2387.61	40.76	54.00	-13.24	32.77	31.81	7.16	36.98	6.00	124	189	AVERAGE																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.58</td><td>-----</td><td>-----</td><td>87.41</td><td>31.94</td><td>7.20</td><td>36.97</td><td>6.00</td><td>124</td><td>189</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.58	-----	-----	87.41	31.94	7.20	36.97	6.00	124	189	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	95.58	-----	-----	87.41	31.94	7.20	36.97	6.00	124	189	AVERAGE																																												



Mode	18																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11ax HE20_CH01_RU106/53_2412MHz																																																																																																														
ANT	CDD 0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>53.93</td><td>74.00</td><td>-20.07</td><td>45.93</td><td>31.82</td><td>7.16</td><td>36.98</td><td>6.00</td><td>300</td><td>82</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	53.93	74.00	-20.07	45.93	31.82	7.16	36.98	6.00	300	82	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.55</td><td>-----</td><td>-----</td><td>91.40</td><td>31.93</td><td>7.19</td><td>36.97</td><td>6.00</td><td>300</td><td>82</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.55	-----	-----	91.40	31.93	7.19	36.97	6.00	300	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.52	53.93	74.00	-20.07	45.93	31.82	7.16	36.98	6.00	300	82	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	99.55	-----	-----	91.40	31.93	7.19	36.97	6.00	300	82	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>38.92</td><td>54.00</td><td>-15.08</td><td>38.92</td><td>31.82</td><td>7.16</td><td>36.98</td><td>6.00</td><td>300</td><td>82</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	38.92	54.00	-15.08	38.92	31.82	7.16	36.98	6.00	300	82	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>90.69</td><td>-----</td><td>-----</td><td>82.52</td><td>31.94</td><td>7.20</td><td>36.97</td><td>6.00</td><td>300</td><td>82</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	90.69	-----	-----	82.52	31.94	7.20	36.97	6.00	300	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.04	38.92	54.00	-15.08	38.92	31.82	7.16	36.98	6.00	300	82	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	90.69	-----	-----	82.52	31.94	7.20	36.97	6.00	300	82	AVERAGE																																																																																																			



Mode	19																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_RU26/8_2462MHz																																																																																																			
ANT	CDD 0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.48</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>45.58</td><td>32.24</td><td>7.33</td><td>36.88</td><td>6.00</td><td>337</td><td>192</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.48	54.27	74.00	-19.73	45.58	32.24	7.33	36.88	6.00	337	192	PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>108.51</td><td>-----</td><td>-----</td><td>99.90</td><td>32.19</td><td>7.31</td><td>36.89</td><td>6.00</td><td>337</td><td>192</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	108.51	-----	-----	99.90	32.19	7.31	36.89	6.00	337	192	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2485.48	54.27	74.00	-19.73	45.58	32.24	7.33	36.88	6.00	337	192	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2462.00	108.51	-----	-----	99.90	32.19	7.31	36.89	6.00	337	192	PEAK																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.22</td><td>40.12</td><td>54.00</td><td>-13.88</td><td>31.41</td><td>32.25</td><td>7.34</td><td>36.88</td><td>6.00</td><td>337</td><td>192</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.22	40.12	54.00	-13.88	31.41	32.25	7.34	36.88	6.00	337	192	AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.91</td><td>-----</td><td>-----</td><td>90.32</td><td>32.18</td><td>7.31</td><td>36.90</td><td>6.00</td><td>337</td><td>192</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	98.91	-----	-----	90.32	32.18	7.31	36.90	6.00	337	192	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2487.22	40.12	54.00	-13.88	31.41	32.25	7.34	36.88	6.00	337	192	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2462.00	98.91	-----	-----	90.32	32.18	7.31	36.90	6.00	337	192	AVERAGE																																																																																								