

# **TEST REPORT**

Product Nam Model Numbe FCC ID	e : Party speaker TAX4000/37, TAX4000, TAX4000/78, TAX4000/yy(yy=00-99 or Nil,for country code) 2AR2STAX4000
Prepared for Address	<ul> <li>MMD Hong Kong Holding Limited</li> <li>Units 1208-11, 12th Floor, C-Bons International Center,108 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong</li> </ul>
Prepared by Address	<ul> <li>EMTEK (Dongguan) Co., Ltd.</li> <li>1&amp;2F., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China</li> <li>Tel : +86-0769-22807078 Fax: +86-0769-22807079</li> </ul>

G2501130244E00203R
ruary 22, 2025
ruary 22, 2025 to March 18, 2025
ch 18, 2025

东莞市信测科技有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn EMTEK (Dongguan) Co., Ltd. Add: -182/F ., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base , No.9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



#### **Table of Contents**

<b>1.</b> T	EST RESULT CERTIFICATION	3
<b>2</b> . E	UT SPECIFICATION	5
<b>3</b> . T	EST REQUIREMENT	.6
R	F EXPOSURE EVALUATION	.6
4. M	IEASUREMENT RESULT	.7



 东第市信测科技有限公司

 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn

 EMTEK (Dongguan) Co., Ltd.

 Add: -182/F .,Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone,
 Dongguan, Guangdong,China Http://www.emtek.com.cn



## **1. TEST RESULT CERTIFICATION**

Applicant	:	MMD Hong Kong Holding Limited
Address	:	Units 1208-11,12th Floor,C-Bons International Center,108 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong
Manufacturer	:	MMD Hong Kong Holding Limited
Address	:	Units 1208-11,12th Floor,C-Bons International Center,108 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong
Factory	:	Dongguan HC Technology Co., Ltd.
Address	:	No.8, Hongjin Road, Hongmei Town, Dongguan, Guangdong, China
EUT	:	Party speaker
Model Name	:	TAX4000/37, TAX4000, TAX4000/78, TAX4000/yy(yy=00-99 or Nil,for country code)
Trademark	:	PHILIPS,

Measurement Procedure Used:

APPLICABLE STANDARDS					
STANDARD TEST RESULT					
§ 15.247(i), § 2.1093	PASS				

The above equipment was tested by EMTEK(DONGGUAN) CO., LTD. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with the requirements of FCC Rules FCC § 15.247(i), § 2.1093.

The test results of this report relate only to the tested sample identified in this report

Date of Test :	February 22, 2025 to March 18, 2025
Prepared by :	Warren Deng
	Warren Deng /Editor
	Tim Dong
Reviewer :	V
	<u>Tim Dong /Supervisor</u>
	Condition of the second
Approve & Authorized Signer :	Sam Lv / Manager

东莞市信測科技有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn EMTEK (Dongguan) Co., Ltd. Add: -1&2/F .,Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong,China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



## **Modified History**

Version	Report No.	Revision Date	Summary
	EDG2501130244E00202R	1	Original Report



 东第市信测科技有限公司

 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn

 EMTEK (Dongguan) Co., Ltd.

 Add: -182/F .,Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone,
 Dongguan, Guangdong,China Http://www.emtek.com.cn



## 2. EUT Specification

Characteristics	Description				
Product:	Party speaker				
Model Number:	TAX4000/37, TAX4000, TAX4000/78, TAX4000/yy(yy=00-99 or Nil,for country code) (Note: Only the model of TAX4000/37 was tested, since the electrical circuit design, layout, components used and internal wiring are identical, only the color of appearance, model name and country code diferent.)				
Sample:	1#				
Data Rate:	BLE: 1Mbps for GFSK modulation 2Mbps for GFSK modulation BT: 1Mbps for GFSK modulation 2Mbps for π/4-DQPSK modulation				
Modulation:	BLE: GFSK BT: GFSK, π/4-DQPSK				
Operating Frequency Range(s) :	2402-2480MHz				
Number of Channels:	79 channels				
Transmit Power Max:	1.35 dBm(0.001365 W) for BT 2.42 dBm(0.001746 W ) for BLE				
Antenna Gain:	3.53 dBi				
Power supply:	AC 100~240V 50/60Hz				
Evaluation applied:	<ul> <li>☑ MPE Evaluation</li> <li>□ SAR Evaluation</li> </ul>				

东莞市信测科技有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn EMTEK (Dongguan) Co., Ltd. Add: -182/F ., Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base , No.9, Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



#### 3. Test Requirement

# **RF EXPOSURE EVALUATION**

According to §15.247(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at *test separation distances*  $\leq$  50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]  $\cdot [\sqrt{f_{(GHz)}}] \leq 3.0$  for 1-g SAR and  $\leq 7.5$  for 10-g extremity SAR,<sup>24</sup> where

- f<sub>(GHz)</sub> is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation<sup>25</sup>
- The result is rounded to one decimal place for comparison
- 3.0 and 7.5 are referred to as the numeric thresholds in the step 2 below

The test exclusions are applicable only when the minimum *test separation distance* is  $\leq$  50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum *test separation distance* is < 5 mm, a distance of 5 mm according to 5) in section 4.1 is applied to determine SAR test exclusion.

Routine SAR evaluation refers to that specifically required by § 2.1093, using measurements or computer simulation. When routine SAR evaluation is not required, portable transmitters with output power greater than the applicable low threshold require SAR evaluation to quality for TCB approval.

One antenna is available for the EUT. The minimum separation distance is 5mm.

东莞市信測科技有限公司 地址:广东省东莞市松山湖高新技术产业开发区新城大道9号中大海洋生物科技研发基地A区2号办公楼负一层、第二层 网址:Http://www.emtek.com.cn 邮箱:E-mail: project@emtek.com.cn EmtEK (Dongguan) Co., Ltd. Add: -1&2/F .,Building 2,Zone A,Zhongda Marine Biotechnology Research and Development Base ,No.9, Xincheng Avenue,Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong,China Http://www.emtek.com.cn E-mail: project@emtek.com.cn



### 4. Measurement Result

gain:	3.53 dBi	BT EMF							
Mode	Frequen cy (MHz)	Output Power (dBm)	E.I.R.P(d Bm)	Target Power W/toleran ce (dBm)	Max tune up power(dB m) tolerance	Max tuneup power(m W) tolerance	Power Density at R=20cm (mW/cm2 )	Limit (mW/c m2)	Verdict
	2402	-3.99	-0.46	-1±1	0	1.00	0.000448	1	PASS
GFSK	2441	-4.82	-1.29	-2±1	-1	0.79	0.000356	1	PASS
	2480	-1.66	1.87	1±1	2	1.58	0.000711	1	PASS
	2402	0.81	4.34	4±1	5	3.16	0.001418	1	PASS
π/4-DQPSK	2441	1.35	4.88	4±1	5	3.16	0.001418	1	PASS
	2480	1.27	4.8	4±1	5	3.16	0.001418	1	PASS

gain:	3.53 dBi	BLE	EMF						
Mode	Frequen cy (MHz)	Output Power (dBm)	E.I.R.P(d Bm)	Target Power W/toleran ce (dBm)	Max tune up power(dB m) tolerance	Max tuneup power(m W) tolerance	Power Density at R=20cm (mW/cm2 )	Limit (mW/c m2)	Verdict
1M	2402	1.92	5.45	5±1	6	3.98	0.001785	1	PASS
	2441	2.42	5.95	5±1	6	3.98	0.001785	1	PASS
	2480	2.35	5.88	5±1	6	3.98	0.001785	1	PASS
2M	2402	1.89	5.42	5±1	6	3.98	0.001785	1	PASS
	2441	2.39	5.92	5±1	6	3.98	0.001785	1	PASS
	2480	2.35	5.88	5±1	6	3.98	0.001785	1	PASS

According to KDB 447498, no stand-alone required for BT antenna, and no simultaneous SAR measurement

\*\*\* End of Report \*\*\*