

Report No.:STS2411218W04

Issued for

Shenzhen Hingin Technology Co.Ltd

Room 4001, West Tower of Galaxy Twin Towers, No. 8 Yaxing Road, Longgang District, Shenzhen, Guangdong, China, 518000

Product Name: LaserPecker LX2

Brand Name: LaserPecker

Model Name: LX2

Series Model(s): N/A

FCC ID: 2BAV5LX2

Test Standards: FCC Part15.247

The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Shenzhen STS Test Services Co., Ltd.



Page 2 of 94 Report No.: STS2411218W04

# **TEST REPORT**

	ILSI KLFOKI
Applicant's Name	Shenzhen Hingin Technology Co.Ltd
Address	Room 4001, West Tower of Galaxy Twin Towers, No. 8 Yaxing Road, Longgang District, Shenzhen, Guangdong, China, 518000
Manufacturer's Name	Shenzhen Hingin Technology Co.Ltd
Address:	Room 4001, West Tower of Galaxy Twin Towers, No. 8 Yaxing Road, Longgang District, Shenzhen, Guangdong, China, 518000
<b>Product Description</b>	
Product Name:	LaserPecker LX2
Brand Name:	LaserPecker
Model Name:	LX2
Series Model(s):	N/A
Test Standards	FCC Part15.247
Test Procedure	ANSI C63.10-2020
under test (EUT) is in complianc sample identified in the report. The test results presented in the	is been tested by STS, the test results show that the equipment e with the FCC requirements. And it is applicable only to the tested his report relate only to the object tested. This report shall not be ut the written approval of the Shenzhen STS Test Services Co., Ltd.:
Date of receipt of test item	: 29 Nov. 2024
Date (s) of performance of tests	: 29 Nov. 2024 ~ 10 Dec. 2024
Date of Issue	: 10 Dec. 2024
Test Result	: Pass
Testing Enginee	er: Aann 13u

Technical Manager:

(Aaron Bu)

(Tony Liu)

(Tony Liu)

(Bovey Yang)



Page 3 of 94 Report No.: STS2411218W04

Table of Contents	Page
1. SUMMARY OF TEST RESULTS	6
1.1 TEST FACTORY	7
1.2 MEASUREMENT UNCERTAINTY	7
2. GENERAL INFORMATION	8
2.1 GENERAL DESCRIPTION OF THE EUT	8
2.2 DESCRIPTION OF THE TEST MODES	10
2.3 FREQUENCY HOPPING SYSTEM REQUIREMENTS	10
2.4 TABLE OF PARAMETERS OF TEST SOFTWARE SETTING	12
2.5 BLOCK DIAGRAM SHOWING THE CONFIGURATION OF SYSTEM	TESTED 12
2.6 DESCRIPTION OF NECESSARY ACCESSORIES AND SUPPORT L	JNITS 13
2.7 EQUIPMENTS LIST	14
3. EMC EMISSION TEST	15
3.1 CONDUCTED EMISSION MEASUREMENT	15
3.2 RADIATED EMISSION MEASUREMENT	19
4. CONDUCTED SPURIOUS & BAND EDGE EMISSION	31
4.1 LIMIT	31
4.2 TEST PROCEDURE	31
4.3 TEST SETUP	32
4.4 EUT OPERATION CONDITIONS	32
4.5 TEST RESULTS	32
5. NUMBER OF HOPPING CHANNEL	33
5.1 LIMIT	33
5.2 TEST PROCEDURE	33
5.3 TEST SETUP	33
5.4 EUT OPERATION CONDITIONS	33
5.5 TEST RESULTS	33
6. AVERAGE TIME OF OCCUPANCY	34
6.1 LIMIT	34
6.2 TEST PROCEDURE	34
6.3 TEST SETUP	34
6.4 EUT OPERATION CONDITIONS	34
6.5 TEST RESULTS	34
7. HOPPING CHANNEL SEPARATION MEASUREMEN	35



Page 4 of 94 Report No.: STS2411218W04

Table of Contents	Page
7.1 LIMIT	35
7.2 TEST PROCEDURE	35
7.3 TEST SETUP	35
7.4 EUT OPERATION CONDITIONS	35
7.5 TEST RESULTS	35
8. BANDWIDTH TEST	36
8.1 LIMIT	36
8.2 TEST PROCEDURE	36
8.3 TEST SETUP	36
8.4 EUT OPERATION CONDITIONS	36
8.5 TEST RESULTS	36
9. OUTPUT POWER TEST	37
9.1 LIMIT	37
9.2 TEST PROCEDURE	37
9.3 TEST SETUP	38
9.4 EUT OPERATION CONDITIONS	38
9.5 TEST RESULTS	38
10. ANTENNA REQUIREMENT	38
10.1 STANDARD REQUIREMENT	38
10.2 EUT ANTENNA	38
APPENDIX 1-TEST DATA	39
1. DWELL TIME	39
2. MAXIMUM PEAK CONDUCTED OUTPUT POWER	49
320DB BANDWIDTH	55
4. CARRIER FREQUENCIES SEPARATION	61
5. NUMBER OF HOPPING CHANNEL	67
6. BAND EDGE	70
7. BAND EDGE(HOPPING)	77
8. CONDUCTED RF SPURIOUS EMISSION	84
APPENDIX 2-PHOTOS OF TEST SETUP	94



Page 5 of 94

Report No.: STS2411218W04

# **Revision History**

Rev.	Issue Date	Report No.	Effect Page	Contents
00	10 Dec. 2024	STS2411218W04	ALL	Initial Issue
		1		

Page 6 of 94 Report No.: STS2411218W04

# 1. SUMMARY OF TEST RESULTS

Test procedures according to the technical standards: KDB 558074 D01 15.247 Meas Guidance v05r02.

DB 556074 D01 15.247 Weas Guidance v05102.					
FCC Part 15.247,Subpart C					
Standard Section	Judgment	Remark			
15.207	Conducted Emission	PASS			
15.247(a)(1)	Hopping Channel Separation	PASS			
15.247(a)(1)&(b)(1)	Output Power	PASS			
15.209	Radiated Spurious Emission	PASS			
15.247(d)	Conducted Spurious & Band Edge Emission	PASS			
15.247(a)(1)(iii)	Number of Hopping Frequency	PASS			
15.247(a)(1)(iii)	Dwell Time	PASS			
15.247(a)(1)	Bandwidth	PASS			
15.205	Restricted bands of operation	PASS			
Part 15.247(d)/part 15.209(a)	Band Edge Emission	PASS			
15.203	Antenna Requirement	PASS			

# NOTE:

- (1) 'N/A' denotes test is not applicable in this Test Report.
- (2) All tests are according to ANSI C63.10-2020.



Page 7 of 94 Report No.: STS2411218W04

## 1.1 TEST FACTORY

SHENZHEN STS TEST SERVICES CO., LTD

Add.: 101, Building B, Zhuoke Science Park, No.190 Chongqing Road, ZhanChengShequ, Fuhai Sub-District, Bao'an District, Shenzhen, Guang Dong, China

FCC test Firm Registration Number: 625569 IC test Firm Registration Number: 12108A

A2LA Certificate No.: 4338.01

## 1.2 MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y ±U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95 %.

No.	Item	Uncertainty
1	RF output power, conducted	±0.755dB
2	Unwanted Emissions, conducted	±2.874dB
3	All emissions, radiated 9K-30MHz	±3.80dB
4	All emissions, radiated 30M-1GHz	±4.18dB
5	All emissions, radiated 1G-6GHz	±4.90dB
6	All emissions, radiated>6G	±5.24dB
7	Conducted Emission (9KHz-150KHz)	±2.19dB
8	Conducted Emission (150KHz-30MHz)	±2.53dB
9	Occupied Channel Bandwidth	±3.5%
10	Dwell time	±3.2%

Page 8 of 94 Report No.: STS2411218W04

## 2. GENERAL INFORMATION

## 2.1 GENERAL DESCRIPTION OF THE EUT

Product Name	LaserPecker LX2
Brand Name	LaserPecker
Model Name	LX2
Series Model(s)	N/A
Model Difference	N/A
Channel List	Please refer to the Note 3.
Bluetooth	Frequency:2402 – 2480 MHz Modulation: GFSK(1Mbps), π/4-DQPSK(2Mbps), 8DPSK(3Mbps)
Bluetooth Configuration	BR+EDR
Antenna Type	Dipole
Antenna Gain	4.6dBi
Power Rating	N/A
Adapter	Input: 100-240V~ 50/60Hz 2.5Amax Output: DC 24V 10A 240W
Battery	N/A
Hardware version number	LX2-V1.0
Software version number	V5.5.0
Connecting I/O Port(s)	Please refer to the Note 1.

## Note:

- 1. For a more detailed features description, please refer to the manufacturer's specifications or the User Manual.
- 2. The antenna information refer the manufacturer provide report, applicable only to the tested sample identified in the report. Due to the incorrect antenna information, a series of problems such as the accuracy of the test results will be borne by the customer.



Page 9 of 94

Report No.: STS2411218W04

3

	Channel List						
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)		
00	2402	27	2429	54	2456		
01	2403	28	2430	55	2457		
02	2404	29	2431	56	2458		
03	2405	30	2432	57	2459		
04	2406	31	2433	58	2460		
05	2407	32	2434	59	2461		
06	2408	33	2435	60	2462		
07	2409	34	2436	61	2463		
08	2410	35	2437	62	2464		
09	2411	36	2438	63	2465		
10	2412	37	2439	64	2466		
11	2413	38	2440	65	2467		
12	2414	39	2441	66	2468		
13	2415	40	2442	67	2469		
14	2416	41	2443	68	2470		
15	2417	42	2444	69	2471		
16	2418	43	2445	70	2472		
17	2419	44	2446	71	2473		
18	2420	45	2447	72	2474		
19	2421	46	2448	73	2475		
20	2422	47	2449	74	2476		
21	2423	48	2450	75	2477		
22	2424	49	2451	76	2478		
23	2425	50	2452	77	2479		
24	2426	51	2453	78	2480		
25	2427	52	2454				
26	2428	53	2455				



Page 10 of 94 Report No.: STS2411218W04

#### 2.2 DESCRIPTION OF THE TEST MODES

To investigate the maximum EMI emission characteristics generates from EUT, the test system was pre-scanning tested base on the consideration of following EUT operation mode or test configuration mode which possible have effect on EMI emission level. Each of these EUT operation mode(s) or test configuration mode(s) mentioned above was evaluated respectively.

Worst Mode	Description	Data Rate/Modulation
Mode 1	TX CH00	1Mbps/GFSK
Mode 2	TX CH39	1Mbps/GFSK
Mode 3	TX CH78	1Mbps/GFSK
Mode 4	TX CH00	2 Mbps/π/4-DQPSK
Mode 5	TX CH39	2 Mbps/π/4-DQPSK
Mode 6	TX CH78	2 Mbps/π/4-DQPSK
Mode7	TX CH00	3 Mbps/8DPSK
Mode 8	TX CH39	3 Mbps/8DPSK
Mode 9	TX CH78	3 Mbps/8DPSK
Mode 10	Hopping	GFSK
Mode 11	Hopping	π/4-DQPSK
Mode 12	Hopping	8DPSK

#### Note:

- (1) The measurements are performed at all Bit Rate of Transmitter, the worst data was reported.
- (2) We tested for all available U.S. voltage and frequencies (For 120V, 50/60Hz and 240V, 50/60Hz) for which the device is capable of operation, and the worst case of 120V/ 60Hz is shown in the report.

#### For AC Conducted Emission

Test Case		
AC Conducted Emission	Mode 13 : Keeping BT TX	

#### 2.3 FREQUENCY HOPPING SYSTEM REQUIREMENTS

## (1)Standard and Limit

According to FCC Part 15.247(a)(1), The system shall hop to channel frequencies that are selected at the system hopping rate from a pseudo randomly ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits




Page 11 of 94 Report No.: STS2411218W04

the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hop sets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

(2)The Pseudorandom sequence may be generated in a nin-stage shift register whose 5<sup>th</sup> and 9<sup>th</sup> stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first one of 9 consecutive ones: i.e. the shift register is initialized with nine ones.


Numver of shift register stages:9

Length of pseudo-random sequence:29-1=511bits Longest sequence of zeros: 8(non-inverted signal)



Liner Feedback Shift Register for Generator of the PRBS sequence

An example of Pseudorandom Frequency Hoppong Sequence as follow:



Each frequency used equally on th average by each transmitter.

The system receivers have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shift frequencies ini synchronization with the transmitted signals.

#### (3)Frequency Hopping System

This transmitter device is frequency hopping device, and complies with FCC part 15.247 rule.

This device uses Bluetooth radio which operates in 2400-2483.5 MHz band. Bluetooth uses a radio technology called frequency-hopping spread spectrum, which chops up the data being sent and transmits chunks of it on up to 79 bands (1 MHz each; centred from 2402 to 2480 MHz) in the range 2,400-2,483.5MHz. The transmitter switches hop frequencies 1,600 times per second to assure a high degree of data security. All Bluetooth devices participating in a given piconet are synchronized to the frequency-hopping channel for the piconet. The frequency hopping sequence is determined by the master's device address and the phase of the hopping sequence (the frequency to hop at a specific time) is determined by the master's internal clock. Therefore, all slaves in a piconet must know the master's device address and must synchronize their clocks with the master's clock.

Adaptive Frequency Hopping (AFH) was introduced in the Bluetooth specification to provide an effective way for a Bluetooth radio to counteract normal interference. AFH identifies "bad" channels, where either other wireless devices are interfering with the Bluetooth signal or the Bluetooth signal is interfering with another device. The AFH-enabled Bluetooth device will then communicate with other devices within its piconet to share details of any identified bad channels. The devices will then switch to alternative available "good" channels, away from the areas of interference, thus having no impact on the bandwidth used.

This device was tested with a bluetooth system receiver to check that the device maintained hopping synchronization, and the device complied with these requirements FCC Part 15.247 rule.



Page 12 of 94 Report No.: STS2411218W04


## 2.4 TABLE OF PARAMETERS OF TEST SOFTWARE SETTING

During testing channel & power controlling software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product power parameters of FHSS.

		Test program: Blueto	ooth
(Control software) Parameters(1/2/3Mbps)	Packet type: DH1:4:27	Packet type: DH3:11:183	Packet type: DH5:15:339
T didifictors (172/01/1869)	2DH1:20:54	2DH3:26:367	2DH5:30:679
	3DH1:24:83	3DH3:27:552	3DH5:31:1021

RF Function	Туре	Mode Or Modulation type	ANT Gain(dBi)	Power Class	Software For Testing
		GFSK		default	
ВТ	BR+EDR	π/4-DQPSK	4.6	default	CMD
		8DPSK		default	

# 2.5 BLOCK DIAGRAM SHOWING THE CONFIGURATION OF SYSTEM TESTED Radiated Spurious Emission Test



#### Conducted Emission Test





Page 13 of 94 Report No.: STS2411218W04

## 2.6 DESCRIPTION OF NECESSARY ACCESSORIES AND SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Item	Equipment	Mfr/Brand	Model/Type No.	Note
E-1	Personal computer	DELL	Inspiron 3501	N/A
E-2	Adapter	LaserPecker	LX2	N/A
C-1	Serial port board	XES	WTYZK	N/A

Item	Shielded Type	Ferrite Core	Length	Note
N/A	N/A	N/A	N/A	N/A
1				

#### Note:

- (1) For detachable type I/O cable should be specified the length in cm in 『Length』 column.
- (2) "YES" is means "with core"; "NO" is means "without core".



2.7 EQUIPMENTS LIST

#### Page 14 of 94 Report No.: STS2411218W04

Kind of Equipment         Manufacturer         Type No.         Serial No.         Calibrated Calibration           Temperature & Humidity         SW-108         SuWei         N/A         2024 03.15         2025.03.14           Pre-Amplifier(0.1M-3GHz)         EM         EM330         060665         2024.02.23         2025.02.22           Pre-Amplifier(1G-18GHz)         SKET         LNPA-01018G-45         SK201810180         2024.02.23         2025.02.22           Pre-Amplifier(1BG-40GHz)         SKET         LNPA-91018G-45         SK201810180         2024.02.23         2025.02.27           Active loop Antenna         ZHINAN         ZN30900C         16035         2023.02.28         2025.09.29           Horn Antenna         SCHWARZBECK         BBHA 9120D         02014         2023.09.24         2025.09.29           Horn Antenna         A-INFOMW         LB-180400-KF         J211020657         2023.10.10         2025.09.29           Positioning Controller         MF         MF-7802         MF-7802068587         N/A         N/A           Signal Analyzer         R&S         FSV 40-N         101823         2024.09.23         2025.09.22           Switch Control Box         N/A         N/A         N/A         N/A         N/A           Ante	RF Radiation Test Equipment						
Pre-Amplifier(0.1M-3GHz)	Kind of Equipment	Manufacturer	Type No.	Serial No.			
Pre-Amplifier(1G-18GHz)	Temperature & Humidity	SW-108	SuWei	N/A	2024.03.15	2025.03.14	
Pre-Amplifier(18G-40GHz)	Pre-Amplifier(0.1M-3GHz)	EM	EM330	060665	2024.02.23	2025.02.22	
Active loop Antenna	Pre-Amplifier(1G-18GHz)	SKET	LNPA-01018G-45	SK2018080901	2024.09.23	2025.09.22	
Bilog Antenna         TESEQ         CBL6111D         34678         2024.09.30         2025.09.29           Horn Antenna         SCHWARZBECK         BBHA 9120D         02014         2023.09.24         2025.09.23           Horn Antenna         A-INFOMW         LB-180400-KF         J211020657         2023.10.10         2025.10.09           Positioning Controller         MF         MF-7802         MF-780208587         N/A         N/A           Signal Analyzer         R&S         FSV 40-N         101823         2024.09.23         2025.09.22           Switch Control Box         N/A         N/A         N/A         N/A         N/A         N/A           Filter Box         BALUN Technology         SU319E         BL-SZ1530051         N/A         N/A           Antenna Mast         MF         MFA-440H         N/A         N/A         N/A           Autenna Mast         MF         SC100_1         60531         N/A         N/A           AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.23           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE	Pre-Amplifier(18G-40GHz)	SKET	LNPA 1840-50	SK2018101801	2024.02.23	2025.02.22	
Horn Antenna	Active loop Antenna	ZHINAN	ZN30900C	16035	2023.02.28	2025.02.27	
Horn Antenna	Bilog Antenna	TESEQ	CBL6111D	34678	2024.09.30	2025.09.29	
Positioning Controller   MF	Horn Antenna	SCHWARZBECK	BBHA 9120D	02014	2023.09.24	2025.09.23	
Signal Analyzer         R&S         FSV 40-N         101823         2024.09.23         2025.09.22           Switch Control Box         N/A         N/A         N/A         N/A         N/A         N/A           Filter Box         BALUN Technology         SU319E         BL-SZ1530051         N/A         N/A           Antenna Mast         MF         MFA-440H         N/A         N/A         N/A           Turn Table         MF         SC100_1         60531         N/A         N/A           AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE         Conduction Test equipment         Last calibration         Calibrated until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Lish         R&S         ESCI         101427         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A	Horn Antenna	A-INFOMW	LB-180400-KF	J211020657	2023.10.10	2025.10.09	
Switch Control Box         N/A         N/A         N/A         N/A         N/A         N/A           Filter Box         BALUN Technology         SU319E         BL-SZ1530051         N/A         N/A           Antenna Mast         MF         MFA-440H         N/A         N/A         N/A           Turn Table         MF         SC100_1         60531         N/A         N/A           AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE         Calibration         Calibrated until           Test Receiver         R&S         ESCI         101427         2024.09.23         2025.09.23           Limtter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.09.24         2025.09.23           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last cal	Positioning Controller	MF	MF-7802	MF-780208587			
Filter Box         BALUN Technology         SU319E         BL-SZ1530051         N/A         N/A           Antenna Mast         MF         MFA-440H         N/A         N/A         N/A           Turn Table         MF         SC100_1         60531         N/A         N/A           AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE         Ver.STSLAB-03A1 RE         Calibrated calibration         Until         Calibrated calibration         Until         Calibrated calibration         Until         Calibrated calibration         Until         Until         Calibrated calibration         Until         Until         Calibrated calibration         Until         Un	Signal Analyzer	R&S	FSV 40-N	101823	2024.09.23	2025.09.22	
Antenna Mast         MF         MFA-440H         N/A         N/A         N/A           Turn Table         MF         SC100_1         60531         N/A         N/A           AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE           Conduction Test equipment           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration calibration until            Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Limiter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.09.24         2025.09.23           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration calibration calibration calibration calibration calibration calibration calibration calibration cal	Switch Control Box	N/A	N/A	N/A	N/A	N/A	
Turn Table         MF         SC100_1         60531         N/A         N/A           AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE           Conduction Test equipment           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated until until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Lish         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration calibration calibrated calibration until           Signal Analyzer	Filter Box	BALUN Technology	SU319E	BL-SZ1530051	N/A	N/A	
AC Power Source         APC         KDF-11010G         F214050035         N/A         N/A           DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE           Conduction Test equipment           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Lish         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2	Antenna Mast		MFA-440H				
DC power supply         HONGSHENGFENG         DPS-305AF         17064939         2024.09.23         2025.09.22           Test SW         EZ-EMC         Ver.STSLAB-03A1 RE           Conduction Test equipment           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration calibration until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Limitter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight </td <td>Turn Table</td> <td></td> <td>SC100_1</td> <td>60531</td> <td></td> <td>N/A</td>	Turn Table		SC100_1	60531		N/A	
Test SW   EZ-EMC   Ver.STSLAB-03A1 RE	AC Power Source	APC	KDF-11010G	F214050035	N/A	N/A	
Conduction Test equipment           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration calibration until         Calibrated until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Limitter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration calibration calibration calibration until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A	DC power supply	HONGSHENGFENG	DPS-305AF			2025.09.22	
Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration until until         Calibrated until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Limitter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated calibration until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.03.14           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Test SW	EZ-EMC		Ver.STSLAB-03A	1 RE		
Kind of Equipment         Manufacturer         Type No.         Serial No.         calibration         until           Test Receiver         R&S         ESCI         101427         2024.09.24         2025.09.23           Limtter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14		Condu	uction Test equipmen	t			
Limtter         CYBERTEK         EM5010         N/A         2024.09.24         2025.09.23           LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Temperature & Humidity         Manufacturer         Type No.         Serial No.         Last calibrated until         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Kind of Equipment	Manufacturer	Type No.	Serial No.		_	
LISN         R&S         ENV216         101242         2024.09.24         2025.09.23           LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Test Receiver	R&S	ESCI	101427	2024.09.24	2025.09.23	
LISN         EMCO         3810/2NM         23625         2024.09.24         2025.09.23           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated calibration until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Limtter	CYBERTEK	EM5010	N/A	2024.09.24	2025.09.23	
Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14           Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated until         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	LISN	R&S	ENV216	101242	2024.09.24	2025.09.23	
Test SW         EZ-EMC         Ver.STSLAB-03A1 CE           RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration until         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	LISN	EMCO	3810/2NM	23625	2024.09.24	2025.09.23	
RF Connected Test           Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibrated calibration until         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Temperature & Humidity	SW-108	SuWei	N/A	2024.03.15	2025.03.14	
Kind of Equipment         Manufacturer         Type No.         Serial No.         Last calibration until         Calibrated until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Test SW	EZ-EMC		Ver.STSLAB-03A	1 CE		
Kind of Equipment         Manufacturer         Type No.         Serial No.         calibration         until           Signal Analyzer         Agilent         N9020A         MY51510623         2024.02.23         2025.02.22           Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14		RF Connected Test					
Power Sensor         Keysight         U2021XA         MY56120038         2024.09.23         2025.09.22           Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Kind of Equipment	Manufacturer	Type No.	Serial No.		_	
Temperature & Humidity SW-108 SuWei N/A 2024.03.15 2025.03.14	Signal Analyzer	Agilent	N9020A	MY51510623	2024.02.23	2025.02.22	
Temperature & Humidity         SW-108         SuWei         N/A         2024.03.15         2025.03.14	Power Sensor	Keysight	U2021XA	MY56120038	2024.09.23	2025.09.22	
Test SW MW MTS 8310 2.0.0.0	Temperature & Humidity		SuWei	N/A	2024.03.15	2025.03.14	
	Test SW	MW		MTS 8310_2.0	.0.0		



Page 15 of 94 Report No.: STS2411218W04

## 3. EMC EMISSION TEST

## 3.1 CONDUCTED EMISSION MEASUREMENT

## 3.1.1 POWER LINE CONDUCTED EMISSION LIMITS

The radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies, within the band 150 kHz to 30 MHz, shall not exceed the limits in the following table.

EDEOLIENCY (MH-)	Conducted Emiss	sionlimit (dBuV)
FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00

#### Note:

- (1) The tighter limit applies at the band edges.
- (2) The limit of " \* " marked band means the limitation decreases linearly with the logarithm of the frequency in the range.

The following table is the setting of the receiver


Receiver Parameters	Setting	
Attenuation	10 dB	
Start Frequency	0.15 MHz	
Stop Frequency	30 MHz	
IF Bandwidth	9 kHz	

Page 16 of 94 Report No.: STS2411218W04

#### 3.1.2 TEST PROCEDURE

- a. The EUT is 0.8 m from the horizontal ground plane and 0.4 m from the vertical ground plane with EUT being connected to the power mains through a line impedance stabilization network (LISN). All other support equipments are powered from additional LISN(s). The LISN provides 50 Ohm/ 50uH of coupling impedance for the measuring instrument.
- b. Interconnecting cables that hang closer than 40 cm to the ground plane shall be folded back and forth in the center forming a bundle 30 to 40 cm long.
- c. I/O cables that are not connected to a peripheral shall be bundled in the center. The end of the cable may be terminated, if required, using the correct terminating impedance. The overall length shall not exceed 1 m.
- d LISN is at least 80 cm from the nearest part of EUT chassis.
- e. For the actual test configuration, please refer to the related Item –EUT Test Photos.

#### 3.1.3 TEST SETUP



Note: 1. Support units were connected to second LISN.

2. Both of LISNs (AMN) are 80 cm from EUT and at least 80 cm from other units and other metal planes support units.

## 3.1.4 EUT OPERATING CONDITIONS

The EUT was configured for testing in a typical fashion (as a customer would normally use it). The EUT has been programmed to continuously transmit during test. This operating condition was tested and used to collect the included data.



Page 17 of 94 Report No.: STS2411218W04


## 3.1.5 TEST RESULT

Temperature:	25.1°C	Relative Humidity:	59%
Test Voltage:	AC 120V/60Hz	Phase:	L
Test Mode:	Mode 13		

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB)	(dBuV)	(dBuV)	(dB)	
1	0.1620	27.58	19.78	47.36	65.36	-18.00	QP
2	0.1620	23.63	19.78	43.41	55.36	-11.95	AVG
3	0.2580	22.24	20.03	42.27	61.50	-19.23	QP
4	0.2580	18.66	20.03	38.69	51.50	-12.81	AVG
5	0.5500	19.26	19.96	39.22	56.00	-16.78	QP
6	0.5500	13.56	19.96	33.52	46.00	-12.48	AVG
7	0.9500	14.29	19.78	34.07	56.00	-21.93	QP
8	0.9500	3.38	19.78	23.16	46.00	-22.84	AVG
9	1.7460	14.20	19.79	33.99	56.00	-22.01	QP
10	1.7460	4.17	19.79	23.96	46.00	-22.04	AVG
11	2.6780	16.34	19.81	36.15	56.00	-19.85	QP
12	2.6780	6.84	19.81	26.65	46.00	-19.35	AVG

## Remark:

- All readings are Quasi-Peak and Average values
   Margin = Result (Result = Reading + Factor )-Limit
   Factor=LISN factor+Cable loss+Limiter (10dB)






Page 18 of 94 Report No.: STS2411218W04

Temperature:	25.1℃	Relative Humidity:	59%
Test Voltage:	AC 120V/60Hz	Phase:	N
Test Mode:	Mode 13		

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB)	(dBuV)	(dBuV)	(dB)	
1	0.1620	29.30	19.77	49.07	65.36	-16.29	QP
2	0.1620	25.15	19.77	44.92	55.36	-10.44	AVG
3	0.2580	26.00	20.09	46.09	61.50	-15.41	QP
4	0.2580	21.98	20.09	42.07	51.50	-9.43	AVG
5	0.4980	23.04	19.96	43.00	56.03	-13.03	QP
6	0.4980	12.57	19.96	32.53	46.03	-13.50	AVG
7	0.9580	13.71	19.78	33.49	56.00	-22.51	QP
8	0.9580	1.25	19.78	21.03	46.00	-24.97	AVG
9	1.7740	15.06	19.85	34.91	56.00	-21.09	QP
10	1.7740	6.36	19.85	26.21	46.00	-19.79	AVG
11	2.6780	16.04	19.91	35.95	56.00	-20.05	QP
12	2.6780	7.18	19.91	27.09	46.00	-18.91	AVG

## Remark:

- All readings are Quasi-Peak and Average values
   Margin = Result (Result = Reading + Factor )-Limit
   Factor=LISN factor+Cable loss+Limiter (10dB)





Page 19 of 94 Report No.: STS2411218W04

#### 3.2 RADIATED EMISSION MEASUREMENT

## 3.2.1 RADIATED EMISSION LIMITS

In any 100 kHz bandwidth outside the operating frequency band. In case the emission fall within the Restricted band specified on Part15.205 (a)&209(a) limit in the table and according to ANSI C63.10-2020 below has to be followed.

LIMITS OF RADIATED EMISSION MEASUREMENT (0.009MHz - 1000MHz)

Frequencies	Field Strength	Measurement Distance
(MHz)	(micorvolts/meter)	(meters)
0.009~0.490	2400/F(KHz)	300
0.490~1.705	24000/F(KHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

## LIMITS OF RADIATED EMISSION MEASUREMENT (1GHz-25 GHz)

EDEOLIENCY (MHz)	(dBuV/m) (at 3M)		
FREQUENCY (MHz)	PEAK	AVERAGE	
Above 1000	74	54	

#### Notes:

- (1) The limit for radiated test was performed according to FCC PART 15C.
- (2) The tighter limit applies at the band edges.
- (3) Emission level (dBuV/m)=20log Emission level (uV/m).

## LIMITS OF RESTRICTED FREQUENCY BANDS

FREQUENCY (MHz)	FREQUENCY (MHz)	FREQUENCY (MHz)	FREQUENCY (GHz)
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
0.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.17725-4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.20725-4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	Above 38.6
13.36-13.41	~		



Page 20 of 94 Report No.: STS2411218W04

## For Radiated Emission

Spectrum Parameter	Setting
Attenuation	Auto
Detector	Peak/QP/AV
Start Frequency	9 KHz/150KHz(Peak/QP/AV)
Stop Frequency	150KHz/30MHz(Peak/QP/AV)
	200Hz (From 9kHz to 0.15MHz)/
RB / VB (emission in restricted	9KHz (From 0.15MHz to 30MHz);
band)	200Hz (From 9kHz to 0.15MHz)/
	9KHz (From 0.15MHz to 30MHz)

Spectrum Parameter	Setting	
Attenuation	Auto	
Detector	Peak/QP	
Start Frequency	30 MHz(Peak/QP)	
Stop Frequency	1000 MHz (Peak/QP)	
RB / VB (emission in restricted	120 KHz / 300 KHz	
band)	120 KHZ / 300 KHZ	

Spectrum Parameter	Setting		
Attenuation	Auto		
Detector	Peak/AV		
Start Frequency	1000 MHz(Peak/AV)		
Stop Frequency	10th carrier hamonic(Peak/AV)		
RB / VB (emission in restricted	1 MHz / 3 MHz(Peak)		
band)	1 MHz/1/T MHz(AVG)		

#### For Restricted band

of Restricted barra	
Spectrum Parameter	Setting
Detector	Peak/AV
Start/Stop Eraguanay	Lower Band Edge: 2310 to 2410 MHz
Start/Stop Frequency	Upper Band Edge: 2476 to 2500 MHz
DD / \/D	1 MHz / 3 MHz(Peak)
RB / VB	1 MHz/1/T MHz(AVG)



Page 21 of 94 Report No.: STS2411218W04

Receiver Parameter	Setting	
Attenuation	Auto	
Start ~ Stop Frequency	9kHz~90kHz / RB 200Hz for PK & AV	
Start ~ Stop Frequency	90kHz~110kHz / RB 200Hz for QP	
Start ~ Stop Frequency	110kHz~490kHz / RB 200Hz for PK & AV	
Start ~ Stop Frequency	490kHz~30MHz / RB 9kHz for QP	
Start ~ Stop Frequency	30MHz~1000MHz / RB 120kHz for QP	

#### 3.2.2 TEST PROCEDURE

- a. The measuring distance at 3 m shall be used for measurements at frequency 0.009MHz up to 1GHz, and above 1GHz.
- b. The EUT was placed on the top of a rotating table 0.8 m (above 1GHz is 1.5 m) above the ground at a 3 m anechoic chamber test site. The table was rotated 360 degree to determine the position of the highest radiation.
- c. The height of the equipment shall be 0.8 m (above 1GHz is 1.5 m); the height of the test antenna shall vary between 1 m to 4 m. Horizontal and vertical polarization of the antenna are set to make the measurement.
- d. The initial step in collecting conducted emission data is a spectrum analyzer peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and QuasiPeak detector mode will be re-measured.
- e. If the Peak Mode measured value is compliance with and lower than Quasi Peak Mode Limit, the EUT shall be deemed to meet QP Limits and no additional QP Mode measurement was performed.
- f. For the actual test configuration, please refer to the related Item –EUT Test Photos. Note:


Both horizontal and vertical antenna polarities were tested and performed pretest to three orthogonal axis. The worst case emissions were reported.

# 3.2.3 DEVIATION FROM TEST STANDARD No deviation


Page 22 of 94 Report No.: STS2411218W04

## 3.2.4 TESTSETUP


## (A) Radiated Emission Test-Up Frequency Below 30MHz



## (B) Radiated Emission Test-Up Frequency 30MHz~1GHz



## (C) Radiated Emission Test-Up Frequency Above 1GHz



## 3.2.5 EUT OPERATING CONDITIONS

Please refer to section 3.1.4 of this report.



Page 23 of 94 Report No.: STS2411218W04

## 3.2.6 FIELD STRENGTH CALCULATION

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where

FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

For example

Frequency	FS	RA	AF	CL	AG	Factor
(MHz)	(dBµV/m)	(dBµV/m)	(dB)	(dB)	(dB)	(dB)
300	40	58.1	12.2	1.6	31.9	-18.1

Factor=AF+CL-AG



Page 24 of 94 Report No.: STS2411218W04

# 3.2.7 TEST RESULTS

# (9KHz-30MHz)

Temperature:	23.4℃	Relative Humidity:	60%
Test Voltage:	AC 120V /60Hz	Test Mode:	TX Mode

Freq.	Reading	Limit	Margin	State	Toot Dooult	
(MHz)	(dBuV/m)	(dBuV/m)	(dB)	P/F	Test Result	
					PASS	
					PASS	

## Note:

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

Distance extrapolation factor =40 log (specific distance/test distance)(dB);

Limit line = specific limits (dBuv) + distance extrapolation factor.



Page 25 of 94 Report No.: STS2411218W04


# (30MHz-1000MHz)

Temperature:	23.4℃	Relative Humidity:	60%	
Test Voltage:	AC 120V /60Hz	Phase:	Horizontal	
Test Mode:	Mode 1/2/3/4/5/6/7/8/9(Mode 9 worst mode)			

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	35.8200	36.81	-15.91	20.90	40.00	-19.10	peak
2	95.9600	46.48	-20.67	25.81	43.50	-17.69	peak
3	241.4600	42.89	-17.73	25.16	46.00	-20.84	peak
4	302.5700	45.81	-14.72	31.09	46.00	-14.91	peak
5	498.5100	36.02	-8.04	27.98	46.00	-18.02	peak
6	733.2500	30.88	-2.35	28.53	46.00	-17.47	peak

## Remark:

- 1. Margin = Result (Result = Reading + Factor )-Limit
- 2. Factor= Antenna factor+Cable attenuation factor(cable loss)-Amplifier gain
- 3. All modes have been tested, only show the worst case.






Page 26 of 94 Report No.: STS2411218W04

Temperature:	23.4℃	Relative Humidity:	60%	
Test Voltage:	AC 120V /60Hz	Phase:	Vertical	
Test Mode:	Mode 1/2/3/4/5/6/7/8/9(Mode 9 worst mode)			

No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	35.8200	49.52	-15.91	33.61	40.00	-6.39	peak
2	63.9500	44.31	-25.64	18.67	40.00	-21.33	peak
3	243.4000	42.04	-17.32	24.72	46.00	-21.28	peak
4	304.5100	44.83	-14.65	30.18	46.00	-15.82	peak
5	733.2500	27.81	-2.35	25.46	46.00	-20.54	peak
6	975.7500	28.56	2.38	30.94	54.00	-23.06	peak

## Remark:

- Margin = Result (Result = Reading + Factor ) Limit
   Factor = Antenna factor + Cable attenuation factor (cable loss) Amplifier gain





# Page 27 of 94 Report No.: STS2411218W04

# (1GHz~25GHz) Spurious emission Requirements

Frequency   Meter Reading   Amplifier   Loss   Factor   Factor   Level   Limits   Margin   Detector   Comment											
Low Channel (8DPSK/2402 MHz)   3264.60   61.97   44.70   6.70   28.20   -9.80   52.17   74.00   -21.83   PK   Vertical 3264.60   51.13   44.70   6.70   28.20   -9.80   41.33   54.00   -12.67   AV   Vertical 3264.82   61.59   44.70   6.70   28.20   -9.80   41.33   54.00   -12.67   AV   Vertical 3264.82   50.47   44.70   6.70   28.20   -9.80   40.67   54.00   -13.33   AV   Horizontal 4804.38   58.58   44.20   9.04   31.60   -3.56   55.02   74.00   -18.98   PK   Vertical 4804.38   49.81   44.20   9.04   31.60   -3.56   55.50   74.00   -18.98   PK   Vertical 4804.38   49.89   44.20   9.04   31.60   -3.56   55.59   74.00   -18.41   PK   Horizontal 4804.38   49.69   44.20   9.04   31.60   -3.56   55.59   74.00   -7.75   AV   Vertical 4804.38   49.69   44.20   9.04   31.60   -3.56   46.13   54.00   -7.87   AV   Horizontal 5359.62   49.93   44.20   9.86   32.00   -2.34   46.99   74.00   -27.41   PK   Vertical 5359.62   49.13   44.20   9.86   32.00   -2.34   46.99   74.00   -27.41   PK   Vertical 5359.69   47.52   44.20   9.86   32.00   -2.34   45.18   74.00   -28.82   PK   Horizontal 5359.69   38.99   44.20   9.86   32.00   -2.34   36.65   54.00   -17.35   AV   Vertical 5359.69   38.99   44.20   9.86   32.00   -2.34   36.65   54.00   -17.35   AV   Horizontal 7205.84   54.74   43.50   11.40   35.50   3.40   58.14   74.00   -28.82   PK   Horizontal 7205.84   43.87   43.50   11.40   35.50   3.40   57.51   74.00   -16.49   PK   Horizontal 7205.84   43.87   43.50   11.40   35.50   3.40   57.51   74.00   -16.49   PK   Horizontal 3264.65   50.62   44.70   6.70   28.20   -9.80   51.13   74.00   -22.87   PK   Vertical 3264.65   50.62   44.70   6.70   28.20   -9.80   51.13   74.00   -16.49   PK   Horizontal 4882.56   58.85   44.20   9.04   31.60   -3.56   55.29   74.00   -18.78   PK   Horizontal 4882.34   59.97   44.20   9.86   32.00   -2.34   45.85   54.00   -13.38   AV   Vertical 3264.77   50.62   44.70   6.70   28.20   -9.80   51.87   74.00   -16.49   PK   Horizontal 4882.34   59.97   44.20   9.04   31.60   -3.56   55.29	Frequency		Amplifier	Loss				Limits	Margin	Detector	Comment
3264.60   61.97	(MHz)	(dBµV)	(dB)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Type	
3264.60 51.13 44.70 6.70 28.20 -9.80 41.33 54.00 -12.67 AV Vertical 3264.82 61.59 44.70 6.70 28.20 -9.80 51.79 74.00 -22.21 PK Horizontal 4804.38 58.58 44.20 9.04 31.60 -3.56 55.02 74.00 -18.98 PK Vertical 4804.38 49.81 44.20 9.04 31.60 -3.56 46.25 54.00 -7.75 AV Vertical 4804.38 49.81 44.20 9.04 31.60 -3.56 46.25 54.00 -7.87 AV Horizontal 4804.38 49.81 44.20 9.04 31.60 -3.56 46.25 54.00 -7.87 AV Horizontal 5359.62 48.93 44.20 9.04 31.60 -3.56 46.25 54.00 -7.87 AV Horizontal 5359.62 48.93 44.20 9.86 32.00 -2.34 46.59 74.00 -27.41 PK Vertical 5359.62 48.93 44.20 9.86 32.00 -2.34 37.78 54.00 -7.87 AV Horizontal 5359.69 47.52 44.20 9.86 32.00 -2.34 37.78 54.00 -16.22 AV Vertical 5359.69 47.52 44.20 9.86 32.00 -2.34 37.78 54.00 -16.22 AV Vertical 5359.69 47.52 44.20 9.86 32.00 -2.34 37.78 54.00 -16.22 AV Vertical 5359.69 47.52 44.20 9.86 32.00 -2.34 36.65 54.00 -17.35 AV Horizontal 5359.69 47.52 44.20 9.86 32.00 -2.34 36.65 54.00 -17.35 AV Horizontal 5359.69 47.52 44.20 9.86 32.00 -2.34 36.65 54.00 -17.35 AV Horizontal 5359.69 47.52 44.20 9.86 32.00 -2.34 36.65 54.00 -17.35 AV Horizontal 5359.69 38.99 44.20 9.86 32.00 -2.34 36.65 54.00 -17.35 AV Horizontal 5359.69 38.99 44.20 9.86 32.00 -2.34 36.65 54.00 -17.35 AV Horizontal 525.71 54.11 43.50 11.40 35.50 3.40 57.51 74.00 -16.49 PK Horizontal 43.50 11.40 35.50 3.40 57.51 74.00 -16.49 PK Horizontal 43.50 11.40 35.50 3.40 57.51 74.00 -16.49 PK Horizontal 43.50 11.40 35.50 3.40 57.51 74.00 -16.49 PK Horizontal 4882.56 50.62 44.70 6.70 28.20 -9.80 51.87 74.00 -22.87 PK Vertical 4882.56 50.62 44.70 6.70 28.20 -9.80 51.87 74.00 -18.59 PK Horizontal 4882.56 58.85 44.20 9.04 31.60 -3.56 55.29 74.00 -18.59 PK Horizontal 4882.56 58.85 44.20 9.04 31.60 -3.56 55.29 74.00 -18.71 PK Vertical 5359.69 39.40 44.20 9.86 32.00 -2.34 46.59 74.00 -22.87 PK Horizontal 4882.56 49.78 44.20 9.04 31.60 -3.56 55.29 74.00 -18.71 PK Vertical 5359.69 39.40 44.20 9.86 32.00 -2.34 46.59 74.00 -22.87 PK Horizontal 5359.69 39.40 44.20 9.86 32.00 -2.34 36.90 74.00 -22.87 PK Horizontal 5359.69 39.40			1		Low Ch	annel (8DPSK	2402 MHz)				
3264.82	3264.60	61.97	44.70	6.70	28.20	-9.80	52.17	74.00	-21.83	PK	Vertical
3264.82   50.47	3264.60	51.13	44.70	6.70	28.20	-9.80	41.33	54.00	-12.67	AV	Vertical
## 4804.38	3264.82	61.59	44.70	6.70	28.20	-9.80	51.79	74.00	-22.21	PK	Horizontal
4804.38         49.81         44.20         9.04         31.60         -3.56         46.25         54.00         -7.75         AV         Vertical           4804.38         59.15         44.20         9.04         31.60         -3.56         55.59         74.00         -18.41         PK         Horizontal           5359.62         48.93         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.62         40.13         44.20         9.86         32.00         -2.34         45.18         74.00         -27.41         PK         Vertical           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.71         54.11         43.50         11.40         35.50<	3264.82	50.47	44.70	6.70	28.20	-9.80	40.67	54.00	-13.33	AV	Horizontal
4804.38         59.15         44.20         9.04         31.60         -3.56         55.59         74.00         -18.41         PK         Horizontal           4804.38         49.69         44.20         9.04         31.60         -3.56         46.13         54.00         -7.87         AV         Horizontal           5359.62         48.93         44.20         9.86         32.00         -2.34         37.78         54.00         -16.22         AV         Vertical           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           4205.71         54.11         43.50         11.40         35	4804.38	58.58	44.20	9.04	31.60	-3.56	55.02	74.00	-18.98	PK	Vertical
4804.38         49.69         44.20         9.04         31.60         -3.56         46.13         54.00         -7.87         AV         Horizontal           5359.62         48.93         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.62         40.13         44.20         9.86         32.00         -2.34         37.78         54.00         -16.22         AV         Vertical           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           5359.69         38.99         44.20         9.86         32.00         -2.34         36.65         54.00         -17.35         AV         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           3264.65         60.93         44.70         6.70         28.20	4804.38	49.81	44.20	9.04	31.60	-3.56	46.25	54.00	-7.75	AV	Vertical
5359.62         48.93         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.62         40.13         44.20         9.86         32.00         -2.34         37.78         54.00         -16.22         AV         Vertical           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.84         43.87         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.77         61.67         44.70         6.70         28.20 <td>4804.38</td> <td>59.15</td> <td>44.20</td> <td>9.04</td> <td>31.60</td> <td>-3.56</td> <td>55.59</td> <td>74.00</td> <td>-18.41</td> <td>PK</td> <td>Horizontal</td>	4804.38	59.15	44.20	9.04	31.60	-3.56	55.59	74.00	-18.41	PK	Horizontal
5359.62         40.13         44.20         9.86         32.00         -2.34         37.78         54.00         -16.22         AV         Vertical           5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           5359.69         38.99         44.20         9.86         32.00         -2.34         36.65         54.00         -17.35         AV         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.84         43.87         43.50         11.40         35.50         3.40         47.27         54.00         -6.73         AV         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           Middle Channel (8DPSK/2441 MHz)           Middle Channel (8DPSK/2441 MHz)           3264.65         50.62         44.70         6.70         28.20         -9.80         51.37         74.00         -22.87         PK <td>4804.38</td> <td>49.69</td> <td>44.20</td> <td>9.04</td> <td>31.60</td> <td>-3.56</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>AV</td> <td>Horizontal</td>	4804.38	49.69	44.20	9.04	31.60	-3.56	46.13	54.00	-7.87	AV	Horizontal
5359.69         47.52         44.20         9.86         32.00         -2.34         45.18         74.00         -28.82         PK         Horizontal           5359.69         38.99         44.20         9.86         32.00         -2.34         36.65         54.00         -17.35         AV         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.84         43.87         43.50         11.40         35.50         3.40         47.27         54.00         -6.73         AV         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           Middle Channel (8DPSK/2441 MHz)           3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.65         50.62         44.70         6.70         28.20         -9.80         51.87         74.00         -22.87         PK         Vertical           3264.77	5359.62	48.93	44.20	9.86	32.00	-2.34	46.59	74.00	-27.41	PK	Vertical
5359.69         38.99         44.20         9.86         32.00         -2.34         36.65         54.00         -17.35         AV         Horizontal           7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.84         43.87         43.50         11.40         35.50         3.40         47.27         54.00         -6.73         AV         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           Middle Channel (8DPSK/2441 MHz)           3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.65         50.62         44.70         6.70         28.20         -9.80         51.87         74.00         -22.87         PK         Vertical           3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           4882.56	5359.62	40.13	44.20	9.86	32.00	-2.34	37.78	54.00	-16.22	AV	Vertical
7205.84         54.74         43.50         11.40         35.50         3.40         58.14         74.00         -15.86         PK         Vertical           7205.84         43.87         43.50         11.40         35.50         3.40         47.27         54.00         -6.73         AV         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           Middle Channel (8DPSK/2441 MHz)           Middle Channel (8DPSK/2441 MHz)           3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.65         50.62         44.70         6.70         28.20         -9.80         51.87         74.00         -22.87         PK         Vertical           3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK	5359.69	47.52	44.20	9.86	32.00	-2.34	45.18	74.00	-28.82	PK	Horizontal
7205.84         43.87         43.50         11.40         35.50         3.40         47.27         54.00         -6.73         AV         Vertical           7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           Middle Channel (8DPSK/2441 MHz)           Middle Channel (8DPSK/2441 MHz)           3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.65         50.62         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK	5359.69	38.99	44.20	9.86	32.00	-2.34	36.65	54.00	-17.35	AV	Horizontal
7205.71         54.11         43.50         11.40         35.50         3.40         57.51         74.00         -16.49         PK         Horizontal           Middle Channel (8DPSK/2441 MHz)           3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.65         50.62         44.70         6.70         28.20         -9.80         40.82         54.00         -13.18         AV         Vertical           3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           3264.77         50.42         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34	7205.84	54.74	43.50	11.40	35.50	3.40	58.14	74.00	-15.86	PK	Vertical
Middle Channel (8DPSK/2441 MHz)   S264.65   60.93   44.70   6.70   28.20   -9.80   51.13   74.00   -22.87   PK   Vertical   3264.65   50.62   44.70   6.70   28.20   -9.80   40.82   54.00   -13.18   AV   Vertical   3264.77   61.67   44.70   6.70   28.20   -9.80   51.87   74.00   -22.13   PK   Horizontal   3264.77   50.42   44.70   6.70   28.20   -9.80   40.62   54.00   -13.38   AV   Horizontal   4882.56   58.85   44.20   9.04   31.60   -3.56   55.29   74.00   -18.71   PK   Vertical   4882.34   58.97   44.20   9.04   31.60   -3.56   46.22   54.00   -7.78   AV   Vertical   4882.34   49.66   44.20   9.04   31.60   -3.56   46.10   54.00   -7.90   AV   Horizontal   4882.34   49.66   44.20   9.04   31.60   -3.56   46.10   54.00   -7.90   AV   Horizontal   5359.69   48.94   44.20   9.86   32.00   -2.34   46.59   74.00   -27.41   PK   Vertical   5359.70   47.58   44.20   9.86   32.00   -2.34   37.06   54.00   -16.94   AV   Vertical   5359.70   39.25   44.20   9.86   32.00   -2.34   36.91   54.00   -16.94   AV   Vertical   5359.70   39.25   44.20   9.86   32.00   -2.34   36.91   54.00   -16.94   AV   Vertical   5359.70   39.25   44.20   9.86   32.00   -2.34   36.91   54.00   -16.94   AV   Vertical   5359.70   39.25   44.20   9.86   32.00   -2.34   36.91   54.00   -17.09   AV   Horizontal   7323.83   54.25   43.50   11.40   35.50   3.40   57.65   74.00   -5.82   AV   Vertical   7323.83   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86	7205.84	43.87	43.50	11.40	35.50	3.40	47.27	54.00	-6.73	AV	Vertical
Middle Channel (8DPSK/2441 MHz)   3264.65   60.93   44.70   6.70   28.20   -9.80   51.13   74.00   -22.87   PK   Vertical   3264.65   50.62   44.70   6.70   28.20   -9.80   40.82   54.00   -13.18   AV   Vertical   3264.77   61.67   44.70   6.70   28.20   -9.80   51.87   74.00   -22.13   PK   Horizontal   3264.77   50.42   44.70   6.70   28.20   -9.80   40.62   54.00   -13.38   AV   Horizontal   4882.56   58.85   44.20   9.04   31.60   -3.56   55.29   74.00   -18.71   PK   Vertical   4882.56   49.78   44.20   9.04   31.60   -3.56   46.22   54.00   -7.78   AV   Vertical   4882.34   58.97   44.20   9.04   31.60   -3.56   55.41   74.00   -18.59   PK   Horizontal   4882.34   49.66   44.20   9.04   31.60   -3.56   46.10   54.00   -7.90   AV   Horizontal   5359.69   48.94   44.20   9.86   32.00   -2.34   46.59   74.00   -27.41   PK   Vertical   5359.70   47.58   44.20   9.86   32.00   -2.34   45.23   74.00   -28.77   PK   Horizontal   5359.70   47.58   44.20   9.86   32.00   -2.34   45.23   74.00   -28.77   PK   Horizontal   5359.70   39.25   44.20   9.86   32.00   -2.34   36.91   54.00   -16.94   AV   Vertical   5359.70   39.25   44.20   9.86   32.00   -2.34   36.91   54.00   -16.94   AV   Horizontal   7323.83   54.25   43.50   11.40   35.50   3.40   57.65   74.00   -16.35   PK   Vertical   7323.83   54.25   43.50   11.40   35.50   3.40   57.65   74.00   -5.82   AV   Vertical   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.86   54.21   43.50   11.40   35.50   3.40   57.61   74.00   -16.39   PK   Horizontal   7323.	7205.71	54.11	43.50	11.40	35.50	3.40	57.51	74.00	-16.49	PK	Horizontal
3264.65         60.93         44.70         6.70         28.20         -9.80         51.13         74.00         -22.87         PK         Vertical           3264.65         50.62         44.70         6.70         28.20         -9.80         40.82         54.00         -13.18         AV         Vertical           3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           3264.77         50.42         44.70         6.70         28.20         -9.80         40.62         54.00         -13.38         AV         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           5359.69         39.40         44.20         9.86         32.0			43.50	11.40	35.50	3.40	3.40	54.00	-50.60	AV	Horizontal
3264.65         50.62         44.70         6.70         28.20         -9.80         40.82         54.00         -13.18         AV         Vertical           3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           3264.77         50.42         44.70         6.70         28.20         -9.80         40.62         54.00         -13.38         AV         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.56         49.78         44.20         9.04         31.60         -3.56         46.22         54.00         -7.78         AV         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         46.10         54.00         -7.90         AV         Horizontal           5359.69         39.40         44.20         9.86         32.00<				ı	Middle C	hannel (8DPSI	(/2441 MHz)				
3264.77         61.67         44.70         6.70         28.20         -9.80         51.87         74.00         -22.13         PK         Horizontal           3264.77         50.42         44.70         6.70         28.20         -9.80         40.62         54.00         -13.38         AV         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.56         49.78         44.20         9.04         31.60         -3.56         46.22         54.00         -7.78         AV         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.70         47.58         44.20         9.86         32.00	3264.65	60.93	44.70	6.70	28.20	-9.80	51.13	74.00	-22.87	PK	Vertical
3264.77         50.42         44.70         6.70         28.20         -9.80         40.62         54.00         -13.38         AV         Horizontal           4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.56         49.78         44.20         9.04         31.60         -3.56         46.22         54.00         -7.78         AV         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         46.10         54.00         -7.90         AV         Horizontal           5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         39.25         44.20         9.86         32.00 <td>3264.65</td> <td>50.62</td> <td>44.70</td> <td>6.70</td> <td>28.20</td> <td>-9.80</td> <td>40.82</td> <td>54.00</td> <td>-13.18</td> <td>AV</td> <td>Vertical</td>	3264.65	50.62	44.70	6.70	28.20	-9.80	40.82	54.00	-13.18	AV	Vertical
4882.56         58.85         44.20         9.04         31.60         -3.56         55.29         74.00         -18.71         PK         Vertical           4882.56         49.78         44.20         9.04         31.60         -3.56         46.22         54.00         -7.78         AV         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         46.10         54.00         -7.90         AV         Horizontal           5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.69         39.40         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00 <td>3264.77</td> <td>61.67</td> <td>44.70</td> <td>6.70</td> <td>28.20</td> <td>-9.80</td> <td>51.87</td> <td>74.00</td> <td>-22.13</td> <td>PK</td> <td>Horizontal</td>	3264.77	61.67	44.70	6.70	28.20	-9.80	51.87	74.00	-22.13	PK	Horizontal
4882.56         49.78         44.20         9.04         31.60         -3.56         46.22         54.00         -7.78         AV         Vertical           4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         46.10         54.00         -7.90         AV         Horizontal           5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.69         39.40         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50	3264.77	50.42	44.70	6.70	28.20	-9.80	40.62	54.00	-13.38	AV	Horizontal
4882.34         58.97         44.20         9.04         31.60         -3.56         55.41         74.00         -18.59         PK         Horizontal           4882.34         49.66         44.20         9.04         31.60         -3.56         46.10         54.00         -7.90         AV         Horizontal           5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.69         39.40         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.86         54.21         43.50         11.40         35.5	4882.56	58.85	44.20	9.04	31.60	-3.56	55.29	74.00	-18.71	PK	Vertical
4882.34         49.66         44.20         9.04         31.60         -3.56         46.10         54.00         -7.90         AV         Horizontal           5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.69         39.40         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         57.61         74.00         -16.39         PK         Horizontal	4882.56	49.78	44.20	9.04	31.60	-3.56	46.22	54.00	-7.78	AV	Vertical
5359.69         48.94         44.20         9.86         32.00         -2.34         46.59         74.00         -27.41         PK         Vertical           5359.69         39.40         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         57.61         74.00         -16.39         PK         Horizontal	4882.34	58.97	44.20	9.04	31.60	-3.56	55.41	74.00	-18.59	PK	Horizontal
5359.69         39.40         44.20         9.86         32.00         -2.34         37.06         54.00         -16.94         AV         Vertical           5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         48.18         54.00         -5.82         AV         Vertical	4882.34	49.66	44.20	9.04	31.60	-3.56	46.10	54.00	-7.90	AV	Horizontal
5359.70         47.58         44.20         9.86         32.00         -2.34         45.23         74.00         -28.77         PK         Horizontal           5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.83         44.78         43.50         11.40         35.50         3.40         48.18         54.00         -5.82         AV         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         57.61         74.00         -16.39         PK         Horizontal	5359.69	48.94	44.20	9.86	32.00	-2.34	46.59	74.00	-27.41	PK	Vertical
5359.70         39.25         44.20         9.86         32.00         -2.34         36.91         54.00         -17.09         AV         Horizontal           7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.83         44.78         43.50         11.40         35.50         3.40         48.18         54.00         -5.82         AV         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         57.61         74.00         -16.39         PK         Horizontal	5359.69	39.40	44.20	9.86	32.00	-2.34	37.06	54.00	-16.94	AV	Vertical
7323.83         54.25         43.50         11.40         35.50         3.40         57.65         74.00         -16.35         PK         Vertical           7323.83         44.78         43.50         11.40         35.50         3.40         48.18         54.00         -5.82         AV         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         57.61         74.00         -16.39         PK         Horizontal	5359.70	47.58	44.20	9.86	32.00	-2.34	45.23	74.00	-28.77	PK	Horizontal
7323.83         44.78         43.50         11.40         35.50         3.40         48.18         54.00         -5.82         AV         Vertical           7323.86         54.21         43.50         11.40         35.50         3.40         57.61         74.00         -16.39         PK         Horizontal	5359.70	39.25	44.20	9.86	32.00	-2.34	36.91	54.00	-17.09	AV	Horizontal
7323.86 54.21 43.50 11.40 35.50 3.40 57.61 74.00 -16.39 PK Horizontal	7323.83	54.25	43.50	11.40	35.50	3.40	57.65	74.00	-16.35	PK	Vertical
	7323.83	44.78	43.50	11.40	35.50	3.40	48.18	54.00	-5.82	AV	Vertical
7323.86 44.29 43.50 11.40 35.50 3.40 47.69 54.00 -6.31 AV Horizontal	7323.86	54.21	43.50	11.40	35.50	3.40	57.61	74.00	-16.39	PK	Horizontal
	7323.86	44.29	43.50	11.40	35.50	3.40	47.69	54.00	-6.31	AV	Horizontal



Page 28 of 94 Report No.: STS2411218W04

	High Channel (8DPSK/2480 MHz)											
3264.61	61.21	44.70	6.70	28.20	-9.80	51.41	74.00	-22.59	PK	Vertical		
3264.61	51.37	44.70	6.70	28.20	-9.80	41.57	54.00	-12.43	AV	Vertical		
3264.65	60.92	44.70	6.70	28.20	-9.80	51.12	74.00	-22.88	PK	Horizontal		
3264.65	51.28	44.70	6.70	28.20	-9.80	41.48	54.00	-12.52	AV	Horizontal		
4960.37	58.22	44.20	9.04	31.60	-3.56	54.66	74.00	-19.34	PK	Vertical		
4960.37	49.64	44.20	9.04	31.60	-3.56	46.08	54.00	-7.92	AV	Vertical		
4960.43	58.75	44.20	9.04	31.60	-3.56	55.19	74.00	-18.81	PK	Horizontal		
4960.43	49.32	44.20	9.04	31.60	-3.56	45.76	54.00	-8.24	AV	Horizontal		
5359.65	49.37	44.20	9.86	32.00	-2.34	47.03	74.00	-26.97	PK	Vertical		
5359.65	39.17	44.20	9.86	32.00	-2.34	36.83	54.00	-17.17	AV	Vertical		
5359.84	48.38	44.20	9.86	32.00	-2.34	46.04	74.00	-27.96	PK	Horizontal		
5359.84	38.19	44.20	9.86	32.00	-2.34	35.85	54.00	-18.15	AV	Horizontal		
7439.93	53.69	43.50	11.40	35.50	3.40	57.09	74.00	-16.91	PK	Vertical		
7439.93	43.93	43.50	11.40	35.50	3.40	47.33	54.00	-6.67	AV	Vertical		
7439.94	54.47	43.50	11.40	35.50	3.40	57.87	74.00	-16.13	PK	Horizontal		
7439.94	43.64	43.50	11.40	35.50	3.40	47.04	54.00	-6.96	AV	Horizontal		

## Note:


- 1) All modes have been measurement, only worst mode was reported.
- 2) Factor = Antenna Factor + Cable Loss Pre-amplifier. Emission Level = Reading + Factor
- 3) The frequency emission of peak points that did not show above the forms are at least 20dB below the limit, the frequency emission is mainly from the environment noise.



Page 29 of 94 Report No.: STS2411218W04


# Restricted band Requirements

# **8DPSK/-Low** Horizontal



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2376.000	39.42	4.13	43.55	74.00	-30.45	peak
2	2390.000	37.48	4.34	41.82	74.00	-32.18	peak

## Vertical




No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2361.600	39.77	3.91	43.68	74.00	-30.32	peak
2	2390.000	37.77	4.34	42.11	74.00	-31.89	peak



# Page 30 of 94


# Report No.: STS2411218W04

# **8DPSK/-High** Horizontal



No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.500	41.34	4.60	45.94	74.00	-28.06	peak
2	2488.350	42.86	4.62	47.48	74.00	-26.52	peak





No.	Frequency	Reading	Correct	Result	Limit	Margin	Remark
	(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
1	2483.500	39.63	4.60	44.23	74.00	-29.77	peak
2	2484.125	39.38	4.61	43.99	74.00	-30.01	peak

Note: All modes have been measurement, only worst mode was reported.



Page 31 of 94 Report No.: STS2411218W04

## 4. CONDUCTED SPURIOUS & BAND EDGE EMISSION

#### 4.1 LIMIT

According to FCC section 15.247(d), in any 100kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.

## 4.2 TEST PROCEDURE

Spectrum Parameter	Setting
Detector	Peak
Start/Stop Frequency	30 MHz to 10th carrier harmonic
RB / VB (emission in restricted band)	100 KHz/300 KHz
Trace-Mode:	Max hold

For Band edge

Spectrum Parameter	Setting
Detector	Peak
01 1101 5	Lower Band Edge: 2300 – 2407 MHz
Start/Stop Frequency	Upper Band Edge: 2475 – 2500 MHz
RB / VB (emission in restricted band)	100 KHz/300 KHz
Trace-Mode:	Max hold

For Hopping Band edge

Spectrum Parameter	Setting		
Detector	Peak		
0, 10, 5	Lower Band Edge: 2300– 2403 MHz		
Start/Stop Frequency	Upper Band Edge: 2479 – 2500 MHz		
RB / VB (emission in restricted band)	100 KHz/300 KHz		
Trace-Mode:	Max hold		



Page 32 of 94 Report No.: STS2411218W04

#### 4.3 TEST SETUP



The EUT is connected to the Spectrum Analyzer; the RF load attached to the EUT antenna terminal is 500hm; the path loss as the factor is calibrated to correct the reading. Tune the measurement with the spectrum analyzer's resolution bandwidth (RBW) = 100 kHz. In order to make an accurate measurement, the span is set to be greater than RBW.

## 4.4 EUT OPERATION CONDITIONS

Please refer to section 3.1.4 of this report.

## 4.5 TEST RESULTS



Page 33 of 94 Report No.: STS2411218W04

## 5. NUMBER OF HOPPING CHANNEL

## 5.1 LIMIT

FCC Part 15.247,Subpart C									
Section	Test Item	Limit	FrequencyRange (MHz)	Result					
15.247 (a)(1)(iii)	Number of Hopping Channel	≥15	2400-2483.5	PASS					

Spectrum Parameters	Setting
Attenuation	Auto
Span Frequency	> Operating FrequencyRange
RB	100KHz
VB	300KHz
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

## **5.2 TEST PROCEDURE**

- a. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram below.
- b. Spectrum Setting: RBW= 100KHz, VBW=300KHz, Sweep time = Auto.

## 5.3 TEST SETUP



## 5.4 EUT OPERATION CONDITIONS

Please refer to section 3.1.4 of this report.

#### 5.5 TEST RESULTS



Page 34 of 94 Report No.: STS2411218W04

## 6. AVERAGE TIME OF OCCUPANCY

#### 6.1 LIMIT

	FCC Part 15.247,Subpart C									
Section	Test Item	Limit	FrequencyRange (MHz)	Result						
15.247 (a)(1)(iii)	Average Time of Occupancy	0.4sec	2400-2483.5	PASS						

#### **6.2 TEST PROCEDURE**

- a. The transmitter output (antenna port) was connected to the spectrum analyzer.
- b. Set RBW =1MHz/VBW =3MHz.
- c. Use a video trigger with the trigger level set to enable triggering only on full pulses.
- d. Sweep Time is more than once pulse time.
- Set the center frequency on any frequency would be measure and set the frequency span to e. zero span.
- f Measure the maximum time duration of one single pulse.

The Dwell Time=Burst Width\*Total Hops.The detailed calculations are showed as follows:

The duration for dwell time calculation: 0.4[s]\*hopping number=0.4[s]\*79[ch)=31.6[s\*ch];

Dwell Time Calculate formula:

Dwell time = pulse time (ms) x pulse number in 31.6s

#### 6.3 TEST SETUP



## 6.4 EUT OPERATION CONDITIONS

Please refer to section 3.1.4 of this report.

## 6.5 TEST RESULTS



Page 35 of 94 Report No.: STS2411218W04

## 7. HOPPING CHANNEL SEPARATION MEASUREMEN

#### **7.1 LIMIT**

Frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater. Alternatively, frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW.

Spectrum Parameter	Setting	
Attenuation	Auto	
Span Frequency	> 20 dB Bandwidth or Channel Separation	
RB	30 kHz (20dB Bandwidth) / 30 kHz (Channel Separation)	
VB	100 kHz (20dB Bandwidth) / 100 kHz (Channel Separation)	
Detector	Peak	
Trace	Max Hold	
Sweep Time	Auto	

#### 7.2 TEST PROCEDURE

- a. The transmitter output (antenna port) was connected to the spectrum analyser in peak hold mode.
- b. The resolution bandwidth of 30 kHz and the video bandwidth of 100 kHz were utilised for 20 dB bandwidth measurement.
- c. The resolution bandwidth of 30 kHz and the video bandwidth of 100 kHz were utilised for channel separation measurement.

## 7.3 TEST SETUP



## 7.4 EUT OPERATION CONDITIONS

The EUT was programmed to be in continuously transmitting mode.

## 7.5 TEST RESULTS



Page 36 of 94 Report No.: STS2411218W04

## 8. BANDWIDTH TEST

## **8.1 LIMIT**

FCC Part15 15.247,Subpart C					
Section	Test Item	Limit	FrequencyRange (MHz)	Result	
15.247 (a)(1)	Bandwidth	N/A	2400-2483.5	PASS	

Spectrum Parameter	Setting
Attenuation	Auto
Span Frequency	> Measurement Bandwidth or Channel Separation
RB	30 kHz (20dB Bandwidth) / 30 kHz (Channel Separation)
VB	100 kHz (20dB Bandwidth) / 100 kHz (Channel Separation)
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

## 8.2 TEST PROCEDURE

- a. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram below.
- b. Spectrum Setting: RBW= 30KHz, VBW=100KHz, Sweep time = Auto.

## 8.3 TEST SETUP



## 8.4 EUT OPERATION CONDITIONS

Please refer to section 3.1.4 of this report.

## 8.5 TEST RESULTS



Page 37 of 94 Report No.: STS2411218W04

#### 9. OUTPUT POWER TEST

#### 9.1 LIMIT

		FCC Part 15.247,Subpart	·C	
Section	Test Item	Limit	Frequency Range (MHz)	Result
		1 W or 0.125W		,
15.247 (a)(1)&(b)(1)	Output Power	if channel separation > 2/3 bandwidthprovided thesystems operatewith an output power no greater than125 mW(20.97dBm)	2400-2483.5	PASS

#### 9.2 TEST PROCEDURE

This is an RF-conducted test to evaluate maximum peak output power. Use a direct connection between the antenna port of the unlicensed wireless device and the spectrum analyzer, through suitable attenuation. The hopping shall be disabled for this test:

- a) Use the following spectrum analyzer settings:
- 1) Span: Approximately five times the 20 dB bandwidth, centered on a hopping channel.
- 2) RBW > 20 dB bandwidth of the emission being measured.
- 3) VBW ≥ RBW.
- 4) Sweep: Auto.
- 5) Detector function: Peak.
- 6) Trace: Max hold.
- b) Allow trace to stabilize.
- c) Use the marker-to-peak function to set the marker to the peak of the emission.
- d) The indicated level is the peak output power, after any corrections for external attenuators and cables.
- e) A plot of the test results and setup description shall be included in the test report.
- NOTE—A peak responding power meter may be used, where the power meter and sensor system video bandwidth is greater than the occupied bandwidth of the unlicensed wireless device, rather than a spectrum analyzer.


PKPM1 Peak power meter method:

The maximum peak conducted output power may be measured using a broadband peak RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the DSS bandwidth and shall use a fast-responding diode detector.



Page 38 of 94 Report No.: STS2411218W04

#### 9.3 TEST SETUP



#### 9.4 EUT OPERATION CONDITIONS

Please refer to section 3.1.4 of this report.

#### 9.5 TEST RESULTS

Note: The test data please refer to APPENDIX 1.

# 10. ANTENNA REQUIREMENT

#### 10.1 STANDARD REQUIREMENT

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

#### 10.2 EUT ANTENNA

The EUT antenna is Dipole Antenna. It comply with the standard requirement.


Page 39 of 94 Report No.: STS2411218W04

# **APPENDIX 1-TEST DATA**

# 1. Dwell Time

Condition	Mode	Frequency	Pulse	Total Dwell	Burst	Period	Limit	Verdict
		(MHz)	Time (ms)	Time (ms)	Count	Time (ms)	(ms)	
NVNT	1-DH1	2441	0.38	120.08	316	31600	<=400	Pass
NVNT	1-DH3	2441	1.636	250.308	153	31600	<=400	Pass
NVNT	1-DH5	2441	2.885	314.465	109	31600	<=400	Pass
NVNT	2-DH1	2441	0.389	123.313	317	31600	<=400	Pass
NVNT	2-DH3	2441	1.641	255.996	156	31600	<=400	Pass
NVNT	2-DH5	2441	2.889	257.121	89	31600	<=400	Pass
NVNT	3-DH1	2441	0.389	123.313	317	31600	<=400	Pass
NVNT	3-DH3	2441	1.64	254.2	155	31600	<=400	Pass
NVNT	3-DH5	2441	2.891	320.901	111	31600	<=400	Pass

#### Page 40 of 94 Report No.: STS2411218W04





**#VBW 3.0 MHz** 

Span 0 Hz Sweep 31.60 s (10001 pts)


Center 2.441000000 GHz Res BW 1.0 MHz


Page 41 of 94 Report No.: STS2411218W04







# Page 42 of 94 Report No.: STS2411218W04







# Page 43 of 94 Report No.: STS2411218W04












# Page 45 of 94 Report No.: STS2411218W04




# Dwell NVNT 2-DH5 2441MHz Accumulated





# Page 46 of 94 Report No.: STS2411218W04







# Page 47 of 94 Report No.: STS2411218W04





# Page 48 of 94 Report No.: STS2411218W04








Page 49 of 94 Report No.: STS2411218W04


2. Maximum Peak Conducted Output Power


	21 maximum 1 dan dendadada darpari 1 dan d									
Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict					
NVNT	1-DH5	2402	-0.12	<=21	Pass					
NVNT	1-DH5	2441	-0.31	<=21	Pass					
NVNT	1-DH5	2480	0.21	<=21	Pass					
NVNT	2-DH5	2402	2.14	<=21	Pass					
NVNT	2-DH5	2441	1.82	<=21	Pass					
NVNT	2-DH5	2480	2.32	<=21	Pass					
NVNT	3-DH5	2402	2.3	<=21	Pass					
NVNT	3-DH5	2441	2.02	<=21	Pass					
NVNT	3-DH5	2480	2.55	<=21	Pass					


Page 50 of 94 Report No.: STS2411218W04

















Page 53 of 94 Report No.: STS2411218W04





Page 54 of 94 Report No.: STS2411218W04






Page 55 of 94 Report No.: STS2411218W04


# 3. -20dB Bandwidth

Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.956	Pass
NVNT	1-DH5	2441	0.9569	Pass
NVNT	1-DH5	2480	0.9401	Pass
NVNT	2-DH5	2402	1.4421	Pass
NVNT	2-DH5	2441	1.4837	Pass
NVNT	2-DH5	2480	1.4857	Pass
NVNT	3-DH5	2402	1.4753	Pass
NVNT	3-DH5	2441	1.4777	Pass
NVNT	3-DH5	2480	1.4845	Pass


Page 56 of 94 Report No.: STS2411218W04









Page 57 of 94 Report No.: STS2411218W04




#### -20dB Bandwidth NVNT 2-DH5 2402MHz




Page 58 of 94 Report No.: STS2411218W04




#### -20dB Bandwidth NVNT 2-DH5 2480MHz




Page 59 of 94 Report No.: STS2411218W04



#### -20dB Bandwidth NVNT 3-DH5 2441MHz



Page 60 of 94 Report No.: STS2411218W04





Page 61 of 94 Report No.: STS2411218W04


4. Carrier Frequencies Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.98	2402.882	0.902	>=0.637	Pass
NVNT	1-DH5	2440.96	2441.88	0.92	>=0.638	Pass
NVNT	1-DH5	2478.964	2479.946	0.982	>=0.627	Pass
NVNT	2-DH5	2401.96	2403.01	1.05	>=0.961	Pass
NVNT	2-DH5	2440.848	2442.112	1.264	>=0.989	Pass
NVNT	2-DH5	2478.786	2480.054	1.268	>=0.99	Pass
NVNT	3-DH5	2401.894	2403.1	1.206	>=0.984	Pass
NVNT	3-DH5	2440.96	2442.144	1.184	>=0.985	Pass
NVNT	3-DH5	2478.828	2480.074	1.246	>=0.99	Pass


Page 62 of 94 Report No.: STS2411218W04




# Page 63 of 94 Report No.: STS2411218W04



# Page 64 of 94 Report No.: STS2411218W04




# Page 65 of 94 Report No.: STS2411218W04





Page 66 of 94 Report No.: STS2411218W04






Page 67 of 94

Report No.: STS2411218W04


<b>5</b> .	Num	ber	of I	Hop	ping	Channel
------------	-----	-----	------	-----	------	---------

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	>=15	Pass
NVNT	2-DH5	79	>=15	Pass
NVNT	3-DH5	79	>=15	Pass

Page 68 of 94 Report No.: STS2411218W04



Page 69 of 94 Report No.: STS2411218W04







Page 70 of 94 Report No.: STS2411218W04

6. Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-53.55	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-47.42	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-47.78	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-45.01	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-49.51	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-45.1	<=-20	Pass


Page 71 of 94 Report No.: STS2411218W04







Page 72 of 94 Report No.: STS2411218W04







Page 73 of 94 Report No.: STS2411218W04







## Page 74 of 94 Report No.: STS2411218W04






Page 75 of 94 Report No.: STS2411218W04





Page 76 of 94 Report No.: STS2411218W04








Page 77 of 94 Report No.: STS2411218W04

7. Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict	
NVNT	1-DH5	2402	Hopping	-52.99	<=-20	Pass	
NVNT	1-DH5	2480	Hopping	-56.16	<=-20	Pass	
NVNT	2-DH5	2402	Hopping	-53.48	<=-20	Pass	
NVNT	2-DH5	2480	Hopping	-43.35	<=-20	Pass	
NVNT	3-DH5	2402	Hopping	-53.76	<=-20	Pass	
NVNT	3-DH5	2480	Hopping	-56.4	<=-20	Pass	


Page 78 of 94 Report No.: STS2411218W04






Page 79 of 94 Report No.: STS2411218W04







Page 80 of 94 Report No.: STS2411218W04







Page 81 of 94 Report No.: STS2411218W04










Page 83 of 94 Report No.: STS2411218W04








Page 84 of 94 Report No.: STS2411218W04

8. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict	
NVNT	1-DH5	2402	-45.83	<=-20	Pass	
NVNT	1-DH5	2441	-45.38	<=-20	Pass	
NVNT	1-DH5	2480	-45.06	<=-20	Pass	
NVNT	2-DH5	2402	-45.37	<=-20	Pass	
NVNT	2-DH5	2441	-45.31	<=-20	Pass	
NVNT	2-DH5	2480	-45.86	<=-20	Pass	
NVNT	3-DH5	2402	-43.69	<=-20	Pass	
NVNT	3-DH5	2441	-45.15	<=-20	Pass	
NVNT	3-DH5	2480	-45.41	<=-20	Pass	

Page 85 of 94 Report No.: STS2411218W04



#VBW 300 kHz

-1.148 dBm -46.395 dBm -55.515 dBm -56.046 dBm -56.055 dBm

25.648 5 GHz 4.858 1 GHz 7.211 3 GHz


STATUS


Stop 26.50 GHz Sweep 2.530 s (30001 pts)

Start 30 MHz


#Res BW 100 kHz


### Page 86 of 94 Report No.: STS2411218W04







Page 87 of 94 Report No.: STS2411218W04







Page 88 of 94 Report No.: STS2411218W04







Page 89 of 94 Report No.: STS2411218W04







### Page 90 of 94 Report No.: STS2411218W04






### Page 91 of 94 Report No.: STS2411218W04







Page 92 of 94 Report No.: STS2411218W04





### Page 93 of 94 Report No.: STS2411218W04







Page 94 of 94 Report No.: STS2411218W04

# **APPENDIX 2-PHOTOS OF TEST SETUP**

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

\* \* \* \* \* END OF THE REPORT \* \* \* \* \*